

**Expression and Regulation of the Neuronal Calcium Sensor Protein
VILIP-1 and Effect on the $\alpha 4\beta 2$ nAChR in Rat Hippocampal
Neurons and Cell lines: Implications for Synaptic Plasticity**

**Inaugural-Dissertation
to obtain the academic degree
Doctor rerum naturalium (Dr. rer. nat.)
submitted to the Department if Biology, Chemistry and Pharmacy
of Freie Universität Berlin**

by

**M.Sc. CongJian Zhao
from YunNan, P.R. China**

August, 2007

Referees:

1. **PD. Dr. Karl-Heinz Braunewell**
2. **Prof. Dr. Dietmar Kuhl**

Date of defence: 14-Feb-2008

Acknowledgements

PD. Dr. Karl-Heinz Braunewell
for this wonderful project and being a continuous source of ideas

PD. Dr. Tengis Gloveli and Prof. Dr. Uwe Heinemann
for patch clamp guidance in a physiological world

Prof. Dr. Alfred Maelicke
for kindly donating stable transfected alpha4 beta2 nAChR HEK293 cell line

Dr. Siegrun Gabriel
for introducing me to extracellular recording

Dr. Oliver Kann and Dr. Richard Kovacs
for introducing me to calcium imaging

Dr. Christine Gebhardt
for data analysis and a lot of fruitful discussions

Dr. Hans-Jürgen Gabriel and Dr. Herbert Siegmund
for sophisticated electronics including computers

Dr. Bernd Grünwald
for preparing Multi-barrel Micropipette and a lot of fruitful discussions

Dr. Christoph Behrens, Dr. Jakub Otáhal, Dr. Marian Brackmann
for a lot of fruitful discussions

My family and parents
for continuous support during all time

Index

| | |
|---|-----------|
| Abstract..... | 1 |
| I. Introduction | 2 |
| 1. Neuronal Ca ²⁺ homeostasis and signaling..... | 2 |
| 2. Calcium binding proteins | 6 |
| 2.1 Neuronal calcium sensors: a conserved calcium-binding protein family | 6 |
| 3. Effect of VILIP-1 on the α4β2 nicotinic acetylcholine receptor (nAChR)..... | 11 |
| 3. 1 Brief introduction of acetylcholine receptors | 11 |
| 3. 2 Effect of VILIP-1 on the α4β2 nAChR | 14 |
| 4. Potential role of NCS proteins in hippocampal synaptic plasticity in health and disease | 15 |
| II. Aim of this work..... | 17 |
| III. Materials and methods..... | 18 |
| 1. Antibodies | 18 |
| 2. <i>In vivo</i> application of drugs | 18 |
| 3. Western blotting and immunodetection | 19 |
| 4. Western blot analysis of rat hippocampi..... | 19 |
| 5. Western blot data analysis | 19 |
| 6. Immunofluorescence and fluorescence imaging | 20 |
| 7. Cell culture, transient transfection and stable human α4β2 nAChR transfected HEK293 cell | 21 |
| 8. Primary hippocampal neurons culture and transient transfection..... | 21 |
| 9. Immunocytochemistry for cultured hippocampal neurons | 21 |
| 10. Electrophysiological measurements | 22 |
| 10. 1 Measurement of α4β2 nAChR currents in HEK293 cells and hippocampal neurons | 22 |
| 10. 2 Measurement of inhibitory postsynaptic currents (IPSCs) in hippocampal neurons..... | 23 |
| 10. 3 Measurement of intrinsic properties in hippocampal neurons..... | 23 |
| IV. Results..... | 24 |
| 1. Western blot analysis of the expression of NCS proteins in peripheral tissues | 24 |
| 2. Distribution of VILIP-1 in rat hippocampus | 25 |
| 2.1. Overview of VILIP-1 expression in rat hippocampus | 25 |
| 2.2. Co-localization of VILIP-1 with GABAergic neuronal marker GAD67..... | 28 |

| | |
|--|-----------|
| 2.3. Co-localization of VILIP-1 with Parvalbumin (PV) | 29 |
| 2.4. Co-localization of VILIP-1 with Calbindin-D28k..... | 30 |
| 2.5. Co-localization of VILIP-1 with Calretinin (CR)..... | 31 |
| 2.6. Co-localization of VILIP-1 with mGluR1 α | 32 |
| 2.7. Co-staining of VILIP-1 with PSA-NCAM | 33 |
| 2.8. VILIP-1 and α 4 β 2 nAChR show partial co-localization in hippocampal neurons | 34 |
| 3. Localization of endogenously expressed VILIP-1 in cultured hippocampal neurons and translocation to the plasma membrane after physiological stimulation | 35 |
| 4. Effect of nicotine stimulation on VILIP-1 α 4 β 2 nAChR co-localization: comparison of translocation of VILIP-1 induced by the activation of nAChR and ionotropic glutamate receptor..... | 38 |
| 5. VILIP-1 affects responsiveness of α 4 β 2 nAChR to ACh in transiently and stably transfected HEK cells . | 40 |
| 6. VILIP-1 affects responsiveness of α 4 β 2 nAChR to ACh in transfected hippocampal neurons | 41 |
| 7. Comparison of the effect of α 4 β 2 nAChR activation on inhibitory postsynaptic currents (IPSCs) recorded from GFP control and GFP-VILIP-1 transfected hippocampal neuronal cultures. | 43 |
| 8. Time-dependent upregulation of VILIP-1 and NCS-1 expression following application of DHPG in the hippocampus <i>in vivo</i> | 45 |
| 9. Intrinsic electrophysiological properties of VILIP-1 transfected hippocampal neurons | 46 |
| V. Discussion..... | 49 |
| 1. The expression of NCS proteins in peripheral tissues | 49 |
| 2. The distribution of VILIP-1 in rat hippocampus | 49 |
| 3. Redistribution of endogenous VILIP-1 triggered via nAChR in hippocampal neurons..... | 52 |
| 4. Neuronal Ca ²⁺ -sensor protein VILIP-1 is a physiological modulator for functional up-regulation of α 4 β 2 nAChR: possible link to synaptic plasticity | 54 |
| 5. VILIP-1 enhances inhibitory GABAergic transmission to pyramidal neurons..... | 55 |
| 6. Time-dependent upregulation of VILIP-1 and NCS-1 expression following application of DHPG in the hippocampus <i>in vivo</i> | 57 |
| 7. Intrinsic electrophysiological properties of VILIP-1 transfected hippocampal neurons | 58 |
| 8. Possible implications for synaptic plasticity and hippocampal network activity: a working hypothesis | 59 |
| VI. Conclusion and Prospects..... | 62 |
| VII. Zusammenfassung..... | 64 |
| VIII. Reference..... | 66 |
| Resume | 83 |
| Appendix | 85 |