

7. LITERATUR

AGATA, N., MORI, M., OTHA, M., SUWAN, S., OHTANI, I., ISOBE, M. (1994):
A novel dodecadepsipeptide, cereulide, isolated from *Bacillus cereus* causes vacuole formation in HEp-2 cells.

FEMS Microbiology Letters **121**, 31-34

AGATA, N., OHTA, M., ARAKAWA, Y., MORI, M. (1995a):
The bceT gene of *Bacillus cereus* encodes an enterotoxic protein.
Microbiology **141**, 983-988

AGATA, N., OHTA, M., MORI, M., ISOBE, M. (1995b):
A novel dodecadepsipeptide, cereulide, is an emetic toxin of *Bacillus cereus*.
FEMS Microbiology Letters **129**, 17-20

AHMED, A.A.-H., MOUSTAFA, M.K., MARTH, E.H. (1983):
Incidence of *Bacillus cereus* in milk and some milk products.
Journal of Food Protection **46**, 126-128

AHMED, R., SANKAR-MISTRY, P., JACKSON, S., ACKERMANN, H.-W., KASATIYA, S.S. (1995):
Bacillus cereus phage typing as an epidemiological tool in outbreaks of food poisoning.
Journal of Clinical Microbiology **33**, 636-640

ANDERSSON, M.A., MIKKOLA, R., HELIN, J., ANDERSSON, M.C., SALKINOJA-SALONEN, M. (1998):
A novel sensitive bioassay for detection of *Bacillus cereus* emetic toxin and related depsipeptide ionophores.
Applied and Environmental Microbiology **64**, 1338-1343

ASH, C., FARROW, J.A.E., WALLBANKS, S., COLLINS, M.D. (1991):
Phylogenetic heterogeneity of the genus *Bacillus* revealed by comparative analysis of small-subunit-ribosomal RNA sequences.
Letters in Applied Microbiology **13**, 202-206

BAKER, J.M., GRIFFITHS, M.W. (1995):
Evidence for increased thermostability of *Bacillus cereus* enterotoxin in milk.
Journal of Food Protection **58**, 443-445

BECKER, H., SCHALLER, G., VON WIESE, W., TERPLAN, G. (1994):
Bacillus cereus in infant foods and dried milk products.
International Journal of Food Microbiology **23**, 1-15

BECKER, H., TERPLAN, G. (1987):
Staphylococcus aureus und *Bacillus cereus* in Milchprodukten.
Deutsche Molkerei Zeitung **49**, 1594-1602

BEECHER, D.J., LEE WONG, A.C. (1994):
Improved purification and characterization of hemolysin BL, a hemolytic dermonecrotic vascular permeability factor from *Bacillus cereus*.
Infection and Immunity **62**, 980-986

BEECHER, D.J., MACMILLAN, J.D. (1991):
Characterization of the components of hemolysin BL from *Bacillus cereus*.
Infection and Immunity **59**, 1778-1784

BEECHER, D.J., SCHOENI, J.L., LEE WONG, A.C. (1995):
Enterotoxic activity of hemolysin BL from *Bacillus cereus*.
Infection and Immunity **63**, 4423-4428

BENNETT, R.W., MURTHY, G., KAYLOR, L., COX, S., HARMON, S.M. (1993):
Biological characterization and aerological identification of *Bacillus cereus* diarrhoeal
factor.
Netherlands Milk and Dairy Journal **47**, 105-120

BERKELEY, R.C.W., ALI, N. (1994):
Classification and identification of endospore-forming bacteria.
Journal of Applied Bacteriology Symposium Supplement **76**, 1-8

BERRY, M.N., FRIEND, D.S. (1969):
High-yield preparation of isolated rat liver parenchymal cells.
The Journal of Cell Biology **43**, 506-520

BEUTLING, D., BÖTTCHER, C. (1998):
Bacillus cereus - ein Risikofaktor in Lebensmitteln.
Archiv für Lebensmittelhygiene **49**, 90-96

BILLING, E., CUTHBERT, W.A. (1958):
"Bitty" cream: The occurrence and significance of *Bacillus cereus* spores in raw milk
supplies.
Journal of Applied Bacteriology **21**, 65-78

BILLING, E., LUCKHURST, E.R. (1957):
A simplified method for the preparation of egg yolk media.
Journal of Applied Bacteriology **20**, 90

BRADSHAW, J.G., PEELER, J.T., TWEDT, R.M. (1975):
Heat resistance of ileal loop reactive *Bacillus cereus* strains isolated from commercially
canned food.
Applied Microbiology **30**, 943-945

BROUSSEAU, R., SAINT-ONGE, A., PRÉFONTAINE, G., MASSON, L., CABANA, J.
(1993):
Arbitrary primer polymerase chain reaction, a powerful method to identify *Bacillus*
thuringiensis, serovars and strains.
Applied and Environmental Microbiology **59**, 114-119

BROWN, R.W., SCHERER, R.K. (1957):
A report on two cases of acute mastitis caused by *Bacillus cereus*.
Cornell Veterinarian **47**, 226-240

BROWN, E.R., MOODY, M.D., TREECE, E.E., SMITH, C.W. (1958):
Differential diagnosis of *Bacillus cereus*, *Bacillus anthracis*, and *Bacillus cereus* var.
mycoides.
None Specified 499-509

BUCHANAN, R.L., SCHULTZ, F.J. (1992):
Evaluation of the Oxoid BCET-RPLA kit for the detection of *Bacillus cereus* diarrheal
enterotoxin as compared to cell culture cytotoxicity.
Journal of Food Protection **55**, 440-443

- BURRELL, P., FARR, L., BATES, J., TAN, A. (1991):
A rapid enzyme immunoassay for detection of *Bacillus cereus* diarrhoeal enterotoxin in food and culture supernatants.
Journal of Applied Bacteriology **71**, xxii
- CHAMPAGNE, C.P., LAING, R.R., ROY, D., MAFU, A.A., GRIFFITHS, M. (1994):
Psychrotrophs in dairy products: their effects and their control.
Critical Reviews in Food Science and Nutrition **34**, 1-30
- CHRISTIANSSON, A. (1992):
The toxicology of *Bacillus cereus*.
Bulletin of the International Dairy Federation 30-35
- CHRISTIANSSON, A. (1997):
Enterotoxin production in milk by *Bacillus cereus*: a comparison of methods for toxin detection.
Bulletin of the IDF **287**, 54-59
- CHRISTIANSSON, A., NAIDU, A.S., NILSSON, I., WADSTRÖM, T., PETTERSSON, H.-E. (1989):
Toxin production by *Bacillus cereus* dairy isolates in milk at low temperatures.
Applied and Environmental Microbiology **55**, 2595-2600
- CHRISTIANSSON, A., NILSSON, J., BERTILSSON, J. (1996):
Bacillus cereus-spores in raw milk. Factors affecting the contamination of milk during the grazing period.
International Dairy Federation "Bacteriological quality of raw milk", Special Issue 9601, 1996, p. 119-130, ISBN 92 90 98 . 022 . 5 36-39
- CHRISTIANSSON, A., SVENSSON, B., ENEROTH, Å., BRENDDEHAUG, J. (1998):
Tracing contamination routes for *Bacillus cereus* in the dairy process with RAPD-PCR.
International Symposium "Foodborne Pathogens: Detection and Typing" The Hague, The Netherlands **28**, 60-61
- CODEX ALIMENTARIUS (1998):
Draft principles and guidelines for the conduct of microbiological risk assessment (At step 8 of the procedure).
Joint FAO/WHO Standards Programme, Codex Committee on Food Hygiene, 31st Session, Orlando, USA, 26. -30. Okt. 1998, ALINORM 99/13, Appendix III 1-8
- COGHILL, D., JUFFS, H.S. (1979):
Incidence of psychrotrophic sporeforming bacteria in pasteurised milk and cream products and effect of temperature on their growth.
The Australian Journal of Dairy Technology 150-153
- COLLINS, E.B. (1981):
Heat resistant psychrotrophic microorganisms.
Journal of Dairy Science **64**, 157-160
- COONROD, J.D., LEADLEY, P.J., EICKHOFF, T.C. (1971):
Bacillus cereus pneumonia and bacteremia.
American Review of Respiratory Disease **103**, 711-714

- COUSIN, M.A. (1982):
Presence and activity of psychrotrophic microorganisms in milk and dairy products: a review.
Journal of Food Protection **45**, 172-207
- CRAIG, J.P. (1965):
A permeability factor (toxin) found in cholera stools and culture filtrates and its neutralization by convalescent cholera sera.
Nature **207**, 614-616
- CROMIE, S.J., SCHMIDT, D., DOMMETT, T.W. (1989):
Effect of pasteurization and storage conditions on the microbiological, chemical and physical quality of aseptically packaged milk.
The Australian Journal of Dairy Technology **25**-30
- CZAJKA, J., BATT, C.A. (1994):
Verification of causal relationships between *Listeria monocytogenes* isolates implicated in food-borne outbreaks of listeriosis by randomly amplified polymorphic DNA patterns.
Journal of Clinical Microbiology **32**, 1280-1287
- DAVIES, F.L. (1975):
Heat resistance of *Bacillus* species.
Journal of the Society of Dairy Technology **28**, 69-78
- DAY, T.L., TATANI, S.R., NOTERMANS, S., BENNETT, R.W. (1994):
A comparison of ELISA and RPLA for detection of *Bacillus cereus* diarrhoeal enterotoxin.
Journal of Applied Bacteriology **77**, 9-13
- DEBUONO, B.A., BRONDUM, J., KRAMER, J.M., GILBERT, R.J., OPAL, S.M. (1988):
Plasmid, serotypic, and enterotoxin analysis of *Bacillus cereus* in an outbreak setting.
Journal of Clinical Microbiology **26**, 1571-1574
- DIETRICH, R., MAUERSBERGER, K., MÄRTLBAUER, E. (1997):
Zur Anwendbarkeit des MTT-Zytotoxizitätstests zum Nachweis von *B. cereus* Enterotoxin.
Archiv für Lebensmittelhygiene **48**, 73-96
- DODD, C.E.R. (1994):
The application of molecular typing techniques to HACCP.
Trends in Food Science & Technology **5**, 160-164
- DOMMETT, T.W. (1992):
Spoilage of aseptically packaged pasteurised liquid dairy products by thermoduric psychrotrophs.
Food Australia **44**, 459-461
- DUFRENNE, J., BIJWAARD, M., TE GIFFEL, M., BEUMER, R., NOTERMANS, S. (1995):
Characteristics of some psychrotrophic *Bacillus cereus* isolates.
International Journal of Food Microbiology **27**, 175-183
- EVANS JR, D.J., EVANS, D.G., GORBACH, S.L. (1973):
Production of vascular permeability factor by enterotoxigenic *Escherichia coli* isolated from man.
Infection and Immunity **8**, 725-730

- FOEGEDING, P.M., BERRY, E.D. (1997):
Cold temperature growth of clinical and food isolates of *Bacillus cereus*.
Journal of Food Protection **60**, 1256-1258
- FOX, G.E., PECHMAN, K.R., WOESE, C.R. (1977):
Comparative cataloging of 16S ribosomal ribonucleic acid: Molecular approach to prokaryotic systematics.
International Journal Of Systematic Bacteriology **27**, 44-57
- FRANKLIN, J.G. (1970):
Spores in milk: Problems associated with UHT processing.
Journal of Applied Bacteriology **33**, 180-191
- GERETEN, B. (1993):
The OXOID Manual.
Handbuch, 5. aktualisierte deutsche Ausgabe S. 450
- GHOSH, A.C. (1978):
Prevalence of *Bacillus cereus* in the faeces of healthy adults.
Journal of Hygiene, Camb. **80**, 233-236
- GIBSON, T., GORDON, R.E. (1974): *Bergey's Manual of Determinative Bacteriology*. 8.
Ed. Baltimore: The Williams & Wilkins Company. pp. 529-545
- GILBERT, R.J. (1979):
Bacillus cereus gastroenteritis.
Food-borne Infections and Intoxications, Academic Press New York 495-518
- GILBERT, R.J., KRAMER, J.M. (1984):
Bacillus cereus enterotoxins: Present status.
Biochemical Society Transactions **12**, 198-199
- GILBERT, R.J., PARRY, J.M. (1977):
Serotypes of *Bacillus cereus* from outbreaks of food poisoning and from routine foods.
Journal of Hygiene, Camb. **78**, 69-74
- GILMORE, M.S., CRUZ-RODZ, A.L., LEIMEISTER-WÄCHTER, M., KREFT, J., GOEBEL, W. (1989):
A *Bacillus cereus* cytolytic determinant, cereolysin AB, which comprises the phospholipase C and sphingomyelinase genes: Nucleotide sequence and genetic linkage.
Journal of Bacteriology **171**, 744-753
- GLATZ, B.A., GOEPFERT, J.M. (1976):
Defined conditions for synthesis of *Bacillus cereus* enterotoxin by fermenter-grown cultures.
Applied and Environmental Microbiology **32**, 400-404
- GLATZ, B.A., SPIRA, W.M., GOEPFERT, J.M. (1974):
Alteration of vascular permeability in rabbits by culture filtrates of *Bacillus cereus* and related species.
Infection and Immunity **10**, 299-303
- GOEPFERT, J.M., SPIRA, W.M., KIM, H.U. (1972):
Bacillus cereus: Food poisoning organism. A review.
J. Milk Food Technol. **35**, 213-227

GOOSEN, E.S.M., NOTERMANS, S.H.W., BORGDORFF, M.W. (1997):
Investigation of foodborne diseases by food inspection services in the Netherlands, 1991
to 1994.

Journal of Food Protection **60**, 442-446

GRANUM, P.E. (1985):

The effect of Ca++ and Mg++ on the action of Clostridium perfringens enterotoxin on
Vero cells.

Acta path. microbiol. scand. Sect. B **93**, 41-48

GRANUM, P.E. (1994):

Bacillus cereus and its toxins.

Journal of Applied Bacteriology Symposium Suppl. **76**, 61S-66S

GRANUM, P.E., ANDERSSON, A., GAYTHER, C., TE GIFFEL, M., LARSEN, H., LUND,
T., O'SULLIVAN, K. (1996):

Evidence for a further enterotoxin complex produced by Bacillus cereus.

FEMS Microbiology Letters **141**, 145-149

GRANUM, P.E., BRYNESTAD, S., O'SULLIVAN, K., NISSEN, H. (1993):

Enterotoxin from Bacillus cereus: Production and biochemical characterization.

Bulletin of the IDF **287**, 38-41

GRANUM, P.E., NISSEN, H. (1993):

Sphingomyelinase is part of the 'enterotoxin complex' produced by Bacillus cereus.

FEMS Microbiology Letters **110**, 97-100

GRIFFITHS, M.W. (1990):

Toxin production by psychrotrophic Bacillus spp. present in milk.

Journal of Food Protection **53**, 790-792

GRIFFITHS, M.W. (1993):

Foodborne illness caused by Bacillus spp. other than B. cereus and their importance to
the dairy industry.

Universitiy of Guelph 1-12

GRIFFITHS, M.W., PHILLIPS, J.D. (1990):

Strategies to control the outgrowth of spores of psychrotrophic Bacillus spp. in dairy
products. 1. Use of naturally-occurring materials.

Milchwissenschaft **45**, 621-626

GUIRGUIS, A.H., GRIFFITHS, M.W., MUIR, D.D. (1984):

Spore-forming bacteria in milk. II. Effect of carbon dioxide addition on heat activation of
spores of Bacillus species.

Milchwissenschaft **39**, 144-146

HAMMER, P., WALTE, H.-G. (1996):

Pathogenicity testing of heat resistant mesophilic sporeformers from UHT-milk.

Kieler Milchwirtschaftliche Forschungsberichte **48**, 151-161

HAUGE, S. (1955):

Food poisoning caused by aerobic spore-forming Bacilli.

Symposium on Food Microbiology and Public Health: Paper XIII 591-595

HEINRICHS, J.H., BEECHER, D.J., MACMILLAN, J.D., ZILINSKAS, B.A. (1993):
Molecular cloning and characterization of the *hbIA* gene encoding the B component of
hemolysin BL from *Bacillus cereus*.
Journal of Bacteriology **175**, 6760-6766

HENDERSON, I., DUGGLEBY, C.J., TURNBULL, P.C.B. (1994):
Differentiation of *Bacillus anthracis* from other *Bacillus cereus* group bacteria with the
PCR.
International Journal of Systematic Bacteriology **44**, 99-105

HOLBROOK, R., ANDERSON, J.M. (1980):
An improved selective and diagnostic medium for the isolation and enumeration of
Bacillus cereus in foods.
Can. J. Microbiol. **26**, 753-759

HOLMES, J.R., PLUNKETT, T., PATE, P., ROPER, W.L., ALEXANDER, W.J. (1981):
Emetic food poisoning caused by *Bacillus cereus*.
Arch. Intern. Med. **141**, 766-767

HUGHES, S., BARTHOLOMEW, B., HARDY, J.C., KRAMER, J.M. (1988):
Potential application of a HEp-2 cell assay in the investigation of *Bacillus cereus* emetic-
syndrome food poisoning.
FEMS Microbiology Letters **52**, 7-12

IBERT, H., FRECHEN, M., SCHALLEHN, G., KRÄMER, J. (1996):
Identifizierung von *Bacillus*-Species mit dem computerunterstützten Analysensystem
VITEK.
Archiv für Lebensmittelhygiene **47**, 105-128

JACKSON, S.G., GOODBRAND, R.B., AHMED, R., KASATIYA, S. (1995):
Bacillus cereus and *Bacillus thuringiensis* isolated in a gastroenteritis outbreak
investigation.

Letters in Applied Microbiology **21**, 103-105

JAYARAO, B.M., OLIVER, S.P. (1994):
Polymerase chain reaction-based DNA fingerprinting for identification of *Streptococcus*
und *Enterococcus* species isolated from bovine milk.
Journal of Food Protection **57**, 240-245, 248

JOHNSON, K.M. (1984):
Bacillus cereus foodborne illness-an update.
Journal of Food Protection **47**, 145-153

JOHNSON, K.M., NELSON, C.L., BUSTA, F.F. (1982):
Germination and heat resistance of *Bacillus cereus* spores from strains associated with
diarrheal and emetic food-borne illnesses.
Journal of Food Science **47**, 1268-1271

JOHNSON, K.M., NELSON, C.L., BUSTA, F.F. (1983):
Influence of temperature on germination and growth of spores of emetic and diarrheal
strains of *Bacillus cereus* in a broth medium and in rice.
Journal of Food Science **48**, 286-287

JONES, T.O., TURNBULL, P.C.B. (1981):
Bovine mastitis caused by *Bacillus cereus*.
The Veterinary Record **108**, 272-274

JOSHI, A.K., BAICHWAL, V., AMES, F.-L. (1991):
Rapid polymerase chain reaction amplification using intact bacterial cells.
BioTechniques **10**, 1-3

KEMP, R.B., CROSS, D.M., MEREDITH, R.W.J. (1986):
Adenosine triphosphate as an indicator of cellular toxicity in vitro.
Fd. Chem. Toxic **24**, 465-466

KIM, H.U., GOEPFERT, J.M. (1971):
Enumeration and identification of *Bacillus cereus* in foods.
Applied Microbiology **22**, 581-587

KNAYSI, G. (1964):
Effect of temperature on the rate of germination in *Bacillus cereus*.
Journal of Bacteriology **87**, 619-622

KONOWALCHUK, J., SPEIRS, J.I., STAVRIC, S. (1977):
Vero response to a cytotoxin of *Escherichia coli*.
Infection and Immunity **18**, 775-779

KRAMER, J.M., GILBERT, R.J. (1989):
Bacillus cereus and other *Bacillus* species.
Foodborne Bacterial Pathogens, Ed. by M. P. Doyle, Marcel Dekker, INC. New York and
Basel, ISBN 0-8247-7866-9 21-70

KWOK, S., HIGUCHI, R. (1989):
Avoiding false positives with PCR.
Nature **339**, 237-238

LAMANNA, C., EISLER, D. (1960):
Comparative study of the agglutinogens of the endospores of *Bacillus anthracis* and
Bacillus cereus.
None Specified **79**, 435-441

LAMANNA, C., JONES, L. (1961):
Antigenic relationship of the endospores of *Bacillus cereus*-like insect pathogens to
Bacillus cereus and *Bacillus anthracis*.
None Specified **81**, 622-625

LANCETTE, G.A., HARMON, S.M. (1980):
Enumeration and confirmation of *Bacillus cereus* in foods: collaborative study.
Journal of the Association of Official Analytical Chemists **63**, 581-586

LANGEVELD, L.P.M., SPRONSEN VAN, W.A., BERESTEIJN VAN, E.C.H.,
NOTERMANS, S.H.W. (1996):
Consumption by healthy adults of pasteurized milk with a high concentration of *Bacillus cereus*: A double-blind study.
Journal of Food Protection **59**, 723-726

- LEHMANN, H.-R., ZETTIER, K.-H. (1989):
Entkeimen von Milch und Milchprodukten unter besonderer Berücksichtigung der
Verwertung des Keimkonzentrates.
Die Molkerei-Zeitung Welt der Milch **43**, 949-957
- LIN, S., SCHRAFT, H., GRIFFITHS, M.W. (1997):
Contamination of pasteurized milk by *Bacillus cereus*.
Journal of Dairy Science, Suppl. 1 **80**, 109
- LIU, P.Y.-F., KE, S.-C., CHEN, S.-L. (1997):
Use of pulsed-field gel electrophoresis to investigate a pseudo-outbreak of *Bacillus cereus*
in a pediatric unit.
Journal of Clinical Microbiology **35**, 1533-1535
- LOGAN, N.A., BERKELEY, R.C.W. (1984):
Identification of *Bacillus* strains using the API system.
Journal of General Microbiology **130**, 1871-1882
- LUND, T., GRANUM, P.E. (1996):
Characterisation of a non-haemolytic enterotoxin complex from *Bacillus cereus* isolated
after a foodborne outbreak.
FEMS Microbiology Letters **141**, 151-156
- MAJOR, P., RIMANOCZY, I., ORMAY, L., BÉLTEKY, A. (1979):
Characteristics of *B. cereus* strains isolated from various foods.
Elelmezési Ipar **33**, 314-315
- MARTIN, J.H., HARPER, W.J., GOULD, I.A. (1966):
Ultra-high temperature effects on selected *Bacillus* species.
Journal of Dairy Science **49**, 1367-1370
- MATAR, G.M., SLIEMAN, T.A., NABUT, N.H. (1996):
Subtyping of *Bacillus cereus* by total cell protein patterns and arbitrary primer polymerase
chain reaction.
European Journal of Epidemiology **12**, 309-314
- MÄNTYNEN, V., LINDSTRÖM, K. (1998):
A rapid PCR-based DNA test for enterotoxic *Bacillus cereus*.
Applied and Environmental Microbiology **64**, 1634-1639
- MCCLUNG, L.S., HEIDENREICH, P., TOABE, R. (1946):
A medium for the nagler plate reactions for the identification of certain Clostridia.
None Specified 751-752
- MEER, R.R., BAKER, J., BODYFELT, F.W., GRIFFITHS, M.W. (1991):
Psychrotrophic *Bacillus* spp. in fluid milk products: A review.
Journal of Food Protection **54**, 969-979
- MELLING, J., CAPEL, B.J. (1978):
Characteristics of *Bacillus cereus* emetic toxin.
FEMS Microbiology Letters **4**, 133-135

- MELLING, J., CAPEL, B.J., TURNBULL, P.C.B., GILBERT, R.J. (1976):
Identification of a novel enterotoxigenic activity associated with *Bacillus cereus*.
Journal of Clinical Pathology **29**, 938-940
- MEYERS, J.A., SANCHEZ, D., ELWELL, L.P., FALKOW, S. (1976):
Simple agarose gel electrophoretic method for the identification and characterization of
plasmid deoxyribonucleic acid.
Journal of Bacteriology **127**, 1529-1537
- MIKAMI, T., HORIKAWA, T., MURAKAMI, T., MATSUMOTO, T., YAMAKAWA, A.,
MURAYAMA, S., KATAGIRI, S., SHINAGAWA, K., SUZUKI, M. (1994):
An improved method for detecting cytostatic toxin (emetic toxin) of *Bacillus cereus* and its
application to food samples.
FEMS Microbiology Letters **19**, 53-58
- MORTIMER, P.R., MCCANN, G. (1974):
Food-poisoning episodes associated with *Bacillus cereus* in fried rice.
The Lancet 1043-1045
- MOSSEL, D.A.A., KOOPMAN, M.J., JONGERIUS, E. (1967):
Enumeration of *Bacillus cereus* in foods.
Applied Microbiology **15**, 650-653
- MOSTERT, J.F., LÜCK, H., HUSMANN, R.A. (1979):
Isolation, identification and practical properties of *Bacillus* species from UHT and sterilized
milk.
S. Afr. J. Dairy Technol. **11**, 125-132
- NIILO, L. (1971):
Mechanism of action of the enteropathogenic factor of *Clostridium perfringens* type A.
Infection and Immunity **3**, 100-106
- NIKODEMUSZ, I., MRDÖDY, Z., SZENTMIHALYI, A., DOMBAY, M. (1969):
Experimente über die enteropathogene Wirkung von *Bacillus*.
Institut für Ernährungswissenschaften, Budapest 274-279
- NILSSON, J., SVENSSON, B., EKELUND, K., CHRISTIANSSON, A. (1998):
A RAPD-PCR method for large-scale typing of *Bacillus cereus*.
Letters in Applied Microbiology **27**, 168-172
- NORRIS, J.R. (1962):
Bacterial spore antigens: a review.
J. Gen. Microbiol. **28**, 393-408
- NOTERMANS, S., BATT, C.A. (1998):
A risk assessment approach for food-borne *Bacillus cereus* and its toxins.
Journal of Applied Microbiology Symposium Supplement **84**, 51-61
- NOTERMANS, S., DUFRENNE, J., TEUNIS, P., BEUMER, R., TE GIFFEL, M., WEEM,
P.P. (1997):
A risk assessment study of *Bacillus cereus* present in pasteurized milk.
Food Microbiology **14**, 143-151

ODUMERU, J.A., TONER, A.K., MUCKLE, C.A., GRIFFITHS, M.W., LYNCH, J.A. (1997): Detection of *Bacillus cereus* diarrheal enterotoxin in raw and pasteurized milk. *Journal of Food Protection* **60**, 1391-1393

OVERCAST, W.W., ATMARAM, K. (1974): The role of *Bacillus cereus* in sweet curdling of fluid milk. *J. Milk Food Technol.* **37**, 233-236

OWENS, J.J. (1974): The egg yolk reaction produced by several species of bacteria. *Journal of Applied Bacteriology* **37**, 137-148

PARRY, J.M., GILBERT, R.J. (1980): Studies on the heat resistance of *Bacillus cereus* spores and growth of the organism in boiled rice. *J. Hyg. Camb.* **84**, 77-82

PFEIFFER, J., KESSLER, H.G. (1994): Effect of relative humidity of hot air on the heat resistance of *Bacillus cereus* spores. *Journal of Applied Bacteriology* **77**, 121-128

PHILLIPS, J.D., GRIFFITHS, M.W., MUIR, D.D. (1981): Growth and associated enzymic activity of spoilage bacteria in pasteurized double cream. *Journal of the Society of Dairy Technology* **34**, 113-118

PITT, T.L. (1992): Recent developments in typing methods. *PHLS Microbiol. Digest.* **9** 160-165

PRIEST, F.G., KAJI, D.A., ROSATO, Y.B., CANHOS, V.P. (1994): Characterization of *Bacillus thuringiensis* and related bacteria by ribosomal RNA gene restriction fragment length polymorphisms. *Microbiology* **140**, 1015-1022

QUINLAN, J.J., FOEGEDING, P.M. (1997): Monoclonal antibodies for use in detection of *Bacillus* and *Clostridium* spores. *Applied and Environmental Microbiology* **63**, 482-487

ROWAN, N.J., ANDERSON, J.G. (1998): Effectiveness of cleaning and disinfection procedures on the removal of enterotoxigenic *Bacillus cereus* from infant feeding bottles. *Journal of Food Protection* **61**, 196-200

SAKURAI, N., KOIKE, K.A., IRIE, Y., HAYASHI, H. (1994): The rice culture filtrate of *Bacillus cereus* isolated from emetic-type food poisoning causes mitochondrial swelling in a HEp- 2 cell. *Microbiology and Immunology* **38**, 337-343

SEIDEL, K.E., PFISTERER, C., HÖRMANSDORFER, S., BAUER, J. (1996): Zum Nachweis toxinogener *Bacillus cereus*-Stämme. *Journal of Veterinary Medicine Series B-Zentralblatt für Veterinärmedizin* **43**, 421-428

SELTOW, P. (1994): Mechanisms which contribute to the long-term survival of spores of *Bacillus* species. *Journal of Applied Bacteriology Symposium Supplement* **76**, 49-60

- SHARMA, P.L., DOGRA, R.C. (1983):
Bacillus cereus enterotoxin and its production in different foods.
Journal of Food Science and Technology **20**, 223-227
- SHEHATA, T.E., COLLINS, E.B. (1972):
Sporulation and heat resistance of psychrophilic strains of Bacillus.
Journal of Dairy Science **55**, 1405-1409
- SHINAGAWA, K. (1993):
Serology and characterization of toxigenic Bacillus cereus.
Netherlands Milk and Dairy Journal **47**, 89-103
- SHINAGAWA, K., SUGIYAMA, J., TERADA, T., MATSUSAKA, N., SUGII, S. (1991):
Improved methods for purification of an enterotoxin produced by Bacillus cereus.
FEMS Microbiology Letters **80**, 1-6
- SHINAGAWA, K., OTAKE, S., MATSUSAKA, N., SUGII, S. (1992):
Production of the vacuolation factor of Bacillus cereus isolated from vomiting-type food poisoning.
J. Vet. Med. Sci. **54**, 443-446
- SHINAGAWA, K., KONUMA, H., SEKITA, H., SUGII, S. (1995):
Emesis of rhesus monkeys induced by intragastric administration with the HEp-2 vacuolation factor (cereulide) produced by Bacillus cereus.
FEMS Microbiology Letters **130**, 87-90
- SIEVERS, O., ZETTERBERG, B. (1940):
A preliminary investigation into the antigenic characters of spore-forming, aerobic bacteria.
None Specified 45-56
- SINELL, H.-J. (1996):Grundlagen, Entwicklung und Begriffe. In *HACCP in der Praxis: Lebensmittelsicherheit*. Eds H.-J. Sinell & H. Meyer. Hamburg: B. Behr's Verlag GmbH & Co. pp. 5-29
- SINGH, R.S., BATISH, V.K., PARKASH, O., RANGANATHAN, B. (1984):
Toxigenic Bacillus cereus var. fluorescence in human milk.
Journal of Dairy Science **67**, 513-517
- SISSON, P.R., KRAMER, J.M., BRETT, M.M., FREEMAN, R., GILBERT, R.J., LIGHTFOOT, N.F. (1992):
Application of pyrolysis mass spectrometry to the investigation of outbreaks of food poisoning and non-gastrointestinal infection associated with Bacillus species and Clostridium perfringens.
International Journal of Food Microbiology **17**, 57-66
- SLAGHUIS, B.A., TE GIFFEL, M.C., BEUMER, R.R., ANDRÉ, G. (1997):
Effect of pasturing on the incidence of Bacillus cereus spores in raw milk.
Int. Dairy Journal **7**, 201-205

- SLEPECKY, R.A., HEMPHILL, H.E. (1992):
The Prokaryotes, Second Edition. A Handbook on the Biology of Bacteria, Ecophysiology, Isolation, Identification, Applications.
Springer-Verlag New York, Berlin, Heidelberg, London, Paris, Tokyo, Hong Kong, Barcelona, Budapest, Ed. by A. Balows, H. G. Trüper, M. Dworkin, W. Harder, H. -K. Schleifer **2**, 1663-1696
- SNEATH, P.H.A., MAIR, N.S., SHARPE, M.E., HOLT, J.G. (1996):
Systematic Bacteriology.
Bergey's Manual of Systematic Bacteriology, Ed. by Williams & Wilkins, Baltimore, London, Los Angeles, Sydney, Editor: John P. Butler, ISBN 0-683-04108-8 (v. 1), 0-683-07893-3, (v. 2) **2**
- SÖGAARD, H. (1975):
Market milk products, infected by *Bacillus cereus* in the dairy.
Nord. Mejeritidsskr. **7**, 248-253
- SPILLMANN, H., FEDDER, I. (1997):
Thermophile Sporen in Milchpulver.
DMZ **2**, 66-70
- SPIRA, W.M., GOEPFERT, J.M. (1972):
Bacillus cereus-induced fluid accumulation in rabbit ileal loops.
Applied Microbiology **24**, 341-348
- STACKEBRANDT, E., LUDWIG, W., WEIZENEGGER, M., DORN, S., MCGILL, T.J., FOX, G.E., WOESE, C.R., SCHUBERT, W., SCHLEIFER, K.-H. (1987):
Comparative 16S rRNA oligonucleotide analyses and murein types of round-spore-forming Bacilli and non-spore-forming relatives.
Journal of General Microbiology **133**, 2523-2529
- STADHOUDERS, J., HUP, G., HASSING, F. (1982):
The conceptions index and indicator organisms discussed on the basis of the bacteriology of spray-dried milk powder.
Netherlands Milk and Dairy Journal **36**, 231-260
- STEPHAN, R. (1996):
Randomly amplified polymorphic DNA (RAPD) assay for genomic fingerprinting of *Bacillus cereus* isolates.
International Journal of Food Microbiology **31**, 311-316
- STEPHAN, R., SCHRAFT, H., UNTERMANN, F. (1994):
Characterization of *Bacillus licheniformis* with the RAPD technique (randomly amplified polymorphic DNA).
Letters in Applied Microbiology **18**, 260-263
- SUTHERLAND, A.D. (1993):
Toxin production by *Bacillus cereus* in dairy products.
Journal of Dairy Research **60**, 569-574
- SUTHERLAND, A.D., LIMOND, A.M. (1993):
Influence of pH and sugars on the growth and production of diarrhoeagenic toxin by *Bacillus cereus*.
Journal of Dairy Research **60**, 575-580

- TAN, A., HEATON, S., FARR, L., BATES, J. (1997):
The use of *Bacillus* diarrhoeal enterotoxin (BDE) detection using an ELISA technique in
the confirmation of the aetiology of *Bacillus*-mediated diarrhoea.
Journal of Applied Microbiology **82**, 677-682
- TATZEL, R. (1994):
Untersuchungen der Bacillenflora in Milchproben aus verschiedenen Verarbeitungsstufen
mit klassischen und molekularbiologischen Methoden.
Die Molkerei-Zeitung Welt der Milch **48**, 725-730
- TAYLOR, A.J., GILBERT, R.J. (1975):
Bacillus cereus food poisoning: A provisional serotyping scheme.
J. Med. Microbiol. **8**, 543-550
- TE GIFFEL, M.C., BEUMER, R.R., SLAGHUIS, B.A., ROMBOUTS, F.M. (1995a):
Occurrence and characterization of (psychrotropic) *Bacillus cereus* on farms in the
Netherlands.
Netherlands Milk and Dairy Journal **49**, 125-138
- TE GIFFEL, M.C., BEUMER, R.R., VAN DAM, W.F., SLAGHUIS, B.A., ROMBOUTS, F.M. (1995b):
Sporicidal effect of disinfectants on *Bacillus cereus* isolated from the milk processing
environment.
International Biodeterioration & Biodegradation 421-430
- TE GIFFEL, M.C., BEUMER, R.R., BONESTROO, M.H., ROMBOUTS, F.M. (1996):
Incidence and characterization of *Bacillus cereus* in two dairy processing plants.
Netherlands Milk and Dairy Journal **50**, 479-492
- TE GIFFEL, M.C., BEUMER, R.R., GRANUM, P.E., ROMBOUTS, F.M. (1997):
Isolation and characterisation of *Bacillus cereus* from pasteurised milk in household
refrigerators in the Netherlands.
International Journal of Food Microbiology **34**, 307-318
- THOMPSON, N.E., KETTERHAGEN, M.J., BERGDOLL, M.S., SCHANTZ, E.J. (1984):
Isolation and some properties of an enterotoxin produced by *Bacillus cereus*.
Infection and Immunity **43**, 887-894
- TODD, E.C.D. (1996):
Worldwide surveillance of foodborne disease: The need to improve.
Journal of Food Protection **59**, 82-92
- TORII, Y., SAITO, H., MATSUKI, N. (1991):
Selective blockade of cytotoxic drug-induced emesis by 5-HT₃ receptor antagonists in
Suncus murinus.
Japan. J. Pharmacol. **55**, 107-113
- TORRES-ANJEL, M.J. (1981):
A new look at *Bacillus cereus* and other potentially pathogenic spore formers in breast
milk substitutes.
Pro. 8th int. Symp. of the world assoc. of the vet. food hygienists, Ed. J. D. Collins, ETA
Publ. LTD 111-113

- TU, A.T., MILLER, R.A. (1992):
Natural protein toxins affecting cutaneous microvascular permeability.
J. Toxicol. - Toxin Reviews **11**, 193-239
- TURNBULL, P.C.B. (1981):
Bacillus cereus toxins.
Pharmacotherapy **13**, 453-505
- TURNBULL, P.C.B., JÖRGENSEN, K., KRAMER, J.M., GILBERT, R.J. (1979a):
Severe clinical conditions associated with *Bacillus cereus* and the apparent involvement of exotoxins.
Journal of Clinical Pathology **32**, 289-293
- TURNBULL, P.C.B., KRAMER, J.M., JÖRGENSEN, K., GILBERT, R.J. (1979b):
Properties and production characteristics of vomiting, diarrheal, and necrotizing toxins of *Bacillus cereus*.
The American Journal of Clinical Nutrition **32**, 219-228
- VAN NETTEN, P. KRAMER, J.M. (1992):
Media for the detection and enumeration of *Bacillus cereus* in foods: A review.
International Journal of Food Microbiology **17**, 85-99
- VAN NETTEN, P., VAN DE MOOSDIJK, A., VAN HOENSEL, P., MOSSEL, D.A.A., PERALES, I. (1990):
Psychrotrophic strains of *Bacillus cereus* producing enterotoxin.
Journal of Applied Bacteriology **69**, 73-79
- VÄISÄNEN, O.M., MWAISUMO, N.J., SALKINOJA-SALONEN, M.S. (1991):
Differentiation of dairy strains of the *Bacillus cereus* group by phage typing, minimum growth temperature, and fatty acid analysis.
Journal of Applied Bacteriology **70**, 315-324
- VON LUDWIG, K. (1971):
Bacillus cereus als Ursache einer Lebensmittelintoxikation.
Archiv für Lebensmittelhygiene 104-107
- WALTHER, J., LÜCK, H. (1978):
Incidence of *Bacillus cereus* in milk powder.
South African Journal of Dairy Technology **10**, 47-50
- WAUTHOZ, P., EL LIOUI, M., DECALLONNE, J. (1995):
Gas chromatographic analysis of cellular fatty acids in the identification of foodborne bacteria.
Journal of Food Protection **58**, 1234-1240
- WEIDLICH, N. (1961):
Über Infektionen der Milchdrüse des Rindes mit *Bac. cereus*.
None Specified 816-818
- WHO SURVEILLANCE PROGRAMME FOR CONTROL OF FOODBORNE INFECTIONS AND INTOXICATIONS IN EUROPE (1992):
Fifth Report 1985-1989.
Institute of Veterinary Medicine - Robert von Osterholz-Institute, Berlin 25-29

WILLIAMS, J.G.K., KUBELIK, A.R., LIVAK, K.J., RAFALSKI, J.A., TINGEY, S.V. (1990):
DNA polymorphisms amplified by arbitrary primers are useful as genetic markers.
Nucleic Acids Research **18**, 6531-6535

WIRTANEN, G., HUSMARK, U., MATTILA-SANDHOLM, T. (1996):
Microbial evaluation of the biotransfer potential from surfaces with *Bacillus* biofilms after
rinsing and cleaning procedures in closed food-processing systems.
Journal of Food Protection **59**, 727-733

WOHLGEMUTH, K., BICKNELL, E.J., KIRKBRIDE, C.A. (1972):
Abortion in cattle associated with *Bacillus cereus*.
J. A. V. M. A. **161**, 1688-1690

WONG, H.C., CHANG, M.-H., FAN, J.-Y. (1988):
Incidence and characterization of *Bacillus cereus* isolates contaminating dairy products.
Applied and Environmental Microbiology **54**, 699-702

WONG, H.C., CHEN, Y.L., CHEN, C.L.F. (1988):
Growth, germination and toxigenic activity of *Bacillus cereus* in milk products.
Journal of Food Protection **51**, 707-710

WOUTERS, J.T.M. (1993):
Bacillus cereus in milk and milk products.
Netherlands Milk and Dairy Journal, Ed. J. T. M. Wouters **47**, 61

Gesetze und Verordnungen

Verordnung über Hygiene- und Qualitätsanforderungen an Milch und Erzeugnisse auf Milchbasis (Milchverordnung) vom 24. April 1995, BGBl. I Nr. 21, S. 544 ff.

Gesetz über den Verkehr mit Lebensmitteln, Tabakerzeugnissen, kosmetischen Mitteln und sonstigen Bedarfsgegenständen (Lebensmittel- und Bedarfsgegenständegesetz - LMBG) vom 17. September 1997, BGBl. I Nr. 63, S. 2297 ff.

Ergebnisse aus dieser Arbeit wurden bei folgenden Gelegenheiten vorgestellt:

WIEBE,C. und HAMMER,P. (1997):

Zum Vorkommen von *Bacillus cereus* in einem Milchtrocknungsbetrieb - Phänotypische Charakterisierung der isolierten Stämme.

Vortrag anl. der Milchkonferenz '97 der Deutschen Gesellschaft für Milchwissenschaft, 11.-12. September 1997, Berlin

WIEBE,C. und HAMMER,P. (1997):

Toxinbildungsvermögen von *Bacillus cereus*-Stämmen aus einem Milchtrocknungsbetrieb. Posterpräsentation anl. der 38. Arbeitstagung des Arbeitsgebietes Lebensmittelhygiene der Deutschen Veterinärmedizinischen Gesellschaft e.V., 29. September - 2. Oktober 1997, Garmisch-Partenkirchen

WIEBE,C. und HAMMER,P. (1998):

Toxin production of *Bacillus cereus* isolates from a milk powder plant.

Posterpresentation: Intern. Symposium "Foodborne Pathogens: Detection and Typing", Den Haag, 20.-21. April 1998

WIEBE,C. und HAMMER,P. (1998):

Toxin production of *Bacillus cereus* isolates from a milk powder plant.

Posterpresentation: Review and Transfer Congress, Karlsruhe, 18.-20. Okt. 1998

WIEBE,C. und HAMMER,P. (1998):

Toxin production of *Bacillus cereus* isolates from a milk powder plant.

Proc. Review and Transfer Congress, Karlsruhe, 18.-20. Okt. 1998

Proc. Part 2, 40-44