

7 Literaturverzeichnis

- Ayoubi, T.A. und Van De Ven, W.J. (1996)
Regulation of β gene expression by alternative promoters.
FASEB J. 10, 453.
- Baynash, A.G. et al. (1994)
Interaction of endothelin-3 with endothelin-B receptor is essential for development of epidermal melanocytes and enteric neurons.
Cell 79, 1277.
- Benigni, A. et al. (1996)
Blocking both type A and B endothelin receptors in the kidney attenuates renal injury and prolongs survival in rats with remnant kidney.
Am. J. Kidney Dis. 27, 416.
- Benson, W. et al. (1999)
Mutations in the cardiac transcription factor Nkx2.5 affect diverse cardiac developmental pathways.
J. Clin. Invest. 104, 1567.
- Biben, Ch. and Harvey, R.P. (1997)
Homeodomain factor Nkx2-5 controls left/right asymmetric expression of bHLH gene eHand during murine heart development.
Genes Develop. 11, 1357.
- Biben, Ch. et al. (2000)
Cardiac septal and valvular dysmorphogenesis in mice heterozygous for mutations in homeobox gene Nkx2.5.
Circ. Res. 87, 888-895
- Birnboim, H.C. und Doly, J. (1979)
A rapid alkaline lysis procedure for screening recombinant plasmid DNA.
Nucl. Acids. Res. 7, 11513.
- Bloom, I.T.M. et al. (1993)
Acute cyclosporine-induced renal vasoconstriction is mediated by endothelin-1.
Surgery 114, 480.

Bodmer, R. (1993)

The gene „tinman“ is required for specification of the heart and visceral muscles in *Drosophila*.

Development 118, 719.

Brand, M. et al. (1998)

Ontogeny of endothelins-1 and -3, their receptors, and endothelin converting enzyme-1 in the early human embryo.

J. Clin. Invest. 101, 549.

Budker, V. et al. (1996)

pH-sensitive, cationic liposomes: a new synthetic virus-like vector.

Nature Biotechnol. 14, 760.

Budker, V. et al. (1997)

Protein/amphipathic polyamine complexes enable highly efficient transfection with minimal toxicity.

Biotechniques 23, 139.

Burnette, W.N. (1981)

“Western blotting”: electrophoretic transfer of proteins from sodium dodecyl sulfate-polyacryl-amide gels to unmodified nitrocellulose and radiographic detection with antibody and radioiodinated protein A.

Anal. Biochem. 112, 195.

Cailler, F. et al. (1999)

The N-terminal segment of endothelin-converting enzyme (ECE)-1b contains a di-leucine motif that can redirect neprilysin to an intracellular compartment in Madin-Darby canine kidney (MDK) cells.

Biochem. J. 341, 119.

Chen, C.Y. et al. (1996)

Activation of the cardiac alpha-actin promoter depends upon serum response factor, tinman homologue, Nkx2.5 and intact serum response elements.

Dev. Genet. 19, 119.

Chen, C.Y. und Fishman, M.C. (1996)

Zebrafish tinman homolog demarcates the heart field and initiates myocardial differentiation.

Development 122, 3809.

Chromczynski, P. und Sacchi, N. (1987)

Single-step method of RNA isolation by acid guanidinium thiocyanate-phenol-chloroform extraction.

Anal. Biochem. 162, 156

- Clouthier, D.E. et al. (1998)
Cranial and cardiac neural crest defects in endothelin-A receptor-deficient mice.
Development 125, 813.
- Clozel, M. et al. (1993)
Pathophysiological role of endothelin revealed by the first orally active endothelin receptor antagonist.
Nature 365, 759.
- Creazzo, T.L. et al. (1998)
Role of cardiac neural crest cells in cardiovascular development.
Annu. Rev. Physiol. 60, 267.
- Egger, D. und Bienz, K. (1994)
Protein (western) blotting.
Mol. Biotechnol. 1, 289.
- Ehrmann, L.A. und Yutzey, K.E. (1999)
Lack of regulation in the heart forming region of avian embryos.
Dev. Biol. 207, 163.
- Eisenberg, L.M. und Markwald, R.R. (1995)
Molecular regulation of atrioventricular valvuloseptal morphogenesis.
Circ. Res. 77, 1.
- Emoto, N. und Yanagisawa, M. (1995)
Endothelin-converting enzyme-2 is a membrane-bound, Phosphoramidon-sensitive metalloprotease with acidic pH optimum.
J. Biol. Chem. 270, 15262.
- Epstein, J.A. (2000)
Developmental cardiology comes of age.
Circ. Res. 87, 833.
- Ergul, A. et al. (2000)
ET-1 in the myocardial interstitium: relation to myocyte ECE activity and expression.
Am. J. Physiol. Heart Circ. Physiol. 278, H2050.
- Evans, S.M. (1999)
Vertebrate tinman homologues and cardiac differentiation.
Semin. Cell Dev. Biol. 10, 73.

Fishman M.C. und Chien, K.R. (1997)

Fashioning the vertebrate heart: earliest embryonic decisions.
Development 124, 2099.

Frayn, K.N. et al. (1993)

Hormone-sensitive lipase: quantitation of enzyme activity and mRNA level in small biopsies of human adipose tissue.
Clinica Chimica Acta 216, 183.

Friedberg, T. et al. (1990)

Selective detection of mRNA forms encoding the major phenobarbital inducible cytochromes P450 and other members of the P450IIB family by the RNases A protection assay.
Archiv. Biochem. Biophys. 279, 167.

Funke-Kaiser, H. et al. (2000)

Characterisation of the c-specific promoter of the gene encoding human endothelin-converting enzyme-1 (ECE-1).
FEBS Letters 466, 310.

Gassen, H.G. und Schrimpf, G. (Hrsg) (1999)

Gentechnische Methoden, 2.Auflage
Spektrum-Verlag

Gellai, M. et al. (1994)

Reversal of postischemic acute renal failure with a selective endothelin_A receptor antagonist in the rat.
J. Clin. Invest. 93, 900.

Grover, G.J. et al. (1993)

The endothelin-1 receptor antagonist BQ-123 reduces infarct size in a canine model of coronary occlusion and reperfusion.
Cardiovasc. Res. 27, 1613.

Hasegawa, H. et al. (1998)

Purification of a novel endothelin-converting enzyme specific for big endothelin-3.
FEBS 428, 304.

Higuchi, R. et al. (1988)

A general method of in vitro preparation and specific mutagenesis of DNA fragments : study of protein and DNA interactions.
Nucl. Acid. Res. 16, 7351.

Hofstra, R.M.W. et al. (1999)

A loss-of-function mutation in the endothelin-converting enzyme 1 (ECE-1) associated with Hirschsprung disease, cardiac defects, and autonomic dysfunction.

Am. J. Hum. Genet. 64, 304.

Hosoda, K. et al. (1994)

Targeted and natural (piebald-lethal) mutations of endothelin-B receptor gene produce megacolon associated with spotted coat color in mice.

Cell 79, 1267.

Inoue, A. et al. (1989)

The human endothelin family: three structurally and pharmacologically distinct isopeptides predicted by three separate genes.

Proc. Natl. Acad. Sci. USA 86, 2863.

Itoh, S. et al. (1993)

A novel endothelin ETA receptor antagonist, BQ-485, and its preventive effect on experimental cerebral vasospasm in dogs.

Biochem. Biophys. Res. Comm. 195, 969.

Kasahara, H. et al. (2000)

Loss of function and inhibitory effects of human CSX/NKX2.5 homeoprotein mutations associated with congenital heart disease.

J. Clin. Invest., 106, 299.

Kedzierski, R.M. und Yanagisawa, M. (2001)

Endothelin system: the double-edged sword in health and disease.

Annu. Rev. Pharmacol. Toxicol. 41, 851.

Kirby, M.L. und Waldo, K. (1990)

Role of neural crest in congenital heart disease.

Circulation 82, 332.

Kirby, M.L. und Waldo, K. (1995)

Neural crest and cardiovascular patterning.

Circ. Res. 77, 211.

Komuro, I. und Izumo, S. (1993)

Csx: A murine homeobox-containing gene specifically expressed in the developing heart.

Proc. Natl. Acad. Sci. USA 90, 8145.

- Korth, P. et al. (1999)
Cellular distribution of endothelin-converting enzyme-1 in human tissues.
J. Histochem. Cytochem. 47, 447.
- Kricka, L.J. (1993)
Ultrasensitive immunoassay techniques.
Clin. Biochem. 26, 325.
- Krieg, P.A. (Hrsg) (1996)
Laboratory Guide to RNA: Isolation, Analysis, and Synthesis.
Wiley-Liss Inc., New York, NY
- Kumar, D. et al. (1987)
Clinical manifestations of trisomy 5q.
J. Med. Genet. 24, 180.
- Kurihara, Y. et al. (1994)
Elevated blood pressure and craniofacial abnormalities in mice deficient in endothelin-1.
Nature 368, 703.
- Kurihara, Y. et al. (1995)
Aortic arch malformations and ventricular septal defect in mice deficient in endothelin-1.
J. Clin. Invest. 96, 293.
- Lane, D. et al. (1992)
Use of gel retardation to analyze protein-nucleic acid interactions.
Microbiol. Rev. 56, 509.
- Lee, J.J. und Costlow, N.A. (1987)
A molecular titration assay to measure transcript prevalence levels.
Meth. Enzyme. 152, 633.
- Levin, E.R. (1995,)
Endothelins.
New Engl. J. Med., 333, 356.
- Lints, T.J. et al. (1993)
Nkx-2.5: a novel murine homeobox gene expressed in early heart progenitor cells and their myogenic descendants.
Development 119, 419.

- Lyons, I. et al. (1995)
Myogenic and morphogenetic defects in the heart tubes of murine embryos lacking the homeo box gene Nkx2-5.
Genes Develop. 9, 1654.
- Mably, J.D. und Liew, Ch.-Ch. (1996)
Factors involved in cardiogenesis and the regulation of cardiac specific gene expression.
Circ. Res. 79, 4.
- Maclean, N. (1987)
Dictionary of Genetics & Cell Biology, London
- Mitchell, P.J. und Tijan, R. (1989)
Transcriptional regulation in mammalian cells by sequence-specific DNA binding proteins.
Science 245, 371.
- Nabel, G.E. et al. (1994)
Gene transfer and vascular disease.
Cardiovasc. Res. 28, 445.
- Newton, C.R. und Graham, A. (1997)
PCR.
BIOS Scientific publishers, Oxford
- Nishikibe, M. et al. (1993)
Antihypertensive effect of a newly synthesized endothelin antagonist, BQ-123, in a genetic hypertensive model.
Life Sci. 52, 717.
- Nolan, C. (Hrsg) (1989)
Molecular Cloning, A laboratory Manual, 2nd edition.
Cold Spring Harbour Laboratory Press
- Ohlstein, E.H. et al. (1994)
SB 209670, a rationally designed potent nonpeptide endothelin receptor antagonist.
Proc. Natl. Acad. Sci. USA 91, 8052.
- Olson, E.N., Srivastava, D. (1996)
Molecular pathways controlling heart development.
Science 272, 671.

- Orzechowski, H.-D. et al. (1997)
Evidence of alternative promoters directing isoform-specific expression of human endothelin-converting enzyme-1 mRNA in cultured endothelial cells.
J. Mol. Med. 75, 512.
- Pinto-Sietsma, S.-J. und Paul, M. (1998)
A role for endothelin in the pathogenesis of hypertension: fact or fiction?.
Kidney Intern. 54, 115.
- Ramlau, J. (1987)
Use of sondary antibodies for visualization of bound primary reagents in blotting procedures.
Electrophoresis 8, 398.
- Rothermund, L. et al. (2000)
Cardiac endothelin system impairs left ventricular function in renin-dependent hypertension via decreased sarcoplasmic reticulum Ca²⁺ uptake.
Circulation 102, 1582.
- Roux, S. et al. (1999)
Endothelin antagonism with bosentan: a review of potential applications.
J. Mol. Med. 77, 364.
- Saiki, R.K. et al. (1988)
Primer directed enzymatic amplification of DNA with a thermostable DNA polymerase.
Science 239, 487.
- Schibler, U. und Sierra, F. (1987)
Alternative promoters in developmental gene expression.
Ann. Rev. Genet. 21, 237.
- Schiffrin, E.L. et al. (1997)
Clinical significance of endothelin in cardiovascular disease.
Curr. Opin. Cardiol. 12, 354.
- Schmidt, M. et al. (1994)
Molecular characterization of human and bovine endothelin converting enzyme (ECE-1).
FEBS 356, 238.
- Schott, J.-J. et al. (1998)
Congenital Heart Disease Caused by Mutations in the Transcription Factor Nkx2-5.
Science 281, 108.

- Schultheiss, T.M., et al. (1995)
Induction of avian myogenesis by anterior endoderm.
Development 121, 4203.
- Schwartz, R.J. und Olson, E.N. (1999)
Building the heart piece by piece: modularity of cis-elements regulating Nkx2-5 transcription.
Development, 126, 4187.
- Schweizer, A. et al. (1997)
Human endothelin-converting enzyme (ECE-1): three isoforms with distinct subcellular localizations.
Biochem. J. 328, 871.
- Serner, G.G.N. et al. (2000)
Selective upregulation of cardiac endothelin system on patients with ischemic but non idiopathic dilated cardiomyopathy.
Circ. Res. 86, 377.
- Shimada, K. et al. (1995)
Cloning and functional expression of human endothelin-converting enzyme cDNA.
Biochem. Biophys. Res. Comm. 207, 807.
- Shiojima, I. et al. (1995)
Assignment of cardiac homeobox gene CSX to human chromosome 5q34.
Genomics. 27, 204.
- Shiojima, I. et al. (1996)
Molecular cloning and characterization of human cardiac homeobox gene CSX1.
Circ. Res. 79, 920.
- Siebert, P. (1991)
RT-PCR: Methods & Applications (Book 1).
Clontech Laboratories Inc., Palo Alto; CA
- Sucov, H.M. (1998)
Molecular insights into cardiac development.
Annu. Rev. Physiol. 60, 287.
- Takahashi, M. et al. (1995)
Localization of rat endothelin-converting enzyme to vascular endothelial cells and some secretory cells.
Biochem. J. 311, 657.

- Takebayashi-Suzuki, K., et al. (2000)
In vivo induction of cardiac Purkinje fiber differentiation by coexpression of preproendothelin-1 and endothelin converting enzyme-1.
Development, 127, 3523.
- Tanaka, M. et al. (1999)
The cardiac homeobox gene *Csx/Nkx2.5* lies genetically upstream of multiple genes essential for heart development.
Development 126, 1269.
- Thomas, T. et al. (1998)
A signaling cascade involving endothelin-1, dHAND and Msx1 regulates development of neural-crest-derived branchial arch mesenchyme.
Development 125, 3005.
- Thompson, J. et al. (1998)
Upregulation of the cardiac homeobox gene *Nkx2.5* (*CSX*) in feline right ventricular pressure overload.
Am. J. Physiol. 274, H1569.
- Towbin, H. et al. (1979)
Electrophoretic transfer of proteins from polyacrylamide gels to nitrocellulose sheets.
Proc. Natl. Acad. Sci. USA 76, 4350.
- Towbin, H. et al. (1989)
Immunoblotting in the clinical laboratory.
J. Clin. Chem. Clin. Biochem. 27, 495.
- Valdenaire, O. et al. (1995)
Organization of the gene encoding the human endothelin-converting enzyme (ECE-1).
J. Biol. Chem. 270, 29794.
- Valdenaire, O. et al. (1999a)
A fourth isoform of endothelin-converting enzyme (ECE-1) is generated from an additional promoter.
Eur. J. Biochem. 264, 341.
- Valdenaire, O. et al. (1999b)
Two di-leucine-based motifs account for different subcellular localizations of the human endothelin converting enzyme (ECE-1) isoforms.
J. Cell Science 112, 3115.

Wang, X. et al. (1996)

Expression of endothelin-1, endothelin-3, endothelin-converting enzyme-1, and endothelin-A and endothelin-B receptor mRNA after angioplasty-induced neointimal formation in the rat.

Circ. Res. 78, 322.

Xu, D. et al. (1994)

ECE-1: A membrane-bound metalloprotease that catalyzes proteolytic activation of big endothelin-1.

Cell 74, 473.

Yanagisawa, M. et al. (1988)

A novel potent vasoconstrictor peptide produced by vascular endothelial cells.

Nature 332, 411.

Yanagisawa, M. (1994)

The endothelin system: a new target for therapeutic intervention.

Circulation 89, 1320.

Yanagisawa, H. et al. (1998a)

Dual genetic pathways of endothelin-mediated intercellular signaling revealed by targeted disruption of endothelin converting enzyme-1 gene.

Development 125, 825.

Yanagisawa, H. et al. (2000)

Disruption of ECE-1 and ECE-2 reveals a role for endothelin-converting enzyme-2 in murine cardiac development.

J. Clin. Invest. 105, 1373.

Zolk, O. et al. (1999)

Expression of endothelin-1, endothelin-converting enzyme, and endothelin receptors in chronic heart failure.

Circulation 99, 2118.

Yutzey, K.E. und Bader, D. (1995)

Diversification of cardiomyogenic cell lineages during early heart development.

Circ. Res. 77, 216.

Zhu, W. et al. (2000)

Functional analyses of three Csx/Nkx-2.5 mutations that cause human congenital heart disease.

J. Biol. Chem. 275, 35291.