

Literaturverzeichnis

- Alt J. C. and Chaussidon M. (1989) Ion microprobe analyses of the sulfur isotopic composition of sulfides in hydrothermally altered rocks, DSDP/ODP Hole 504B. In *Proc., scientific results, ODP, Leg 111, Costa Rica Rift* (ed. K. Becker, H. Sakai, and et al.), pp. 41-45. ODP, Texas A&M University, College Station; UK distributors, IPOD Committee, NERC, Swindon.
- Alt J. C., Laverne C., and Muehlenbachs K. (1985) Alteration of the upper oceanic crust; mineralogy and processes in Deep Sea Drilling Project Hole 504B, Leg 83. In *Initial reports of the Deep Sea Drilling Project, covering Leg 83 of the cruises of the Drilling Vessel Glomar Challenger, Balboa, Panama to Balboa, Panama, November 1981-January 1982*, Vol. 83 (ed. R. N. Anderson, J. Honnorez, A. C. Adamson, J. C. Alt, R. Emmermann, P. D. Kempton, H. Kinoshita, C. Leverne, M. J. Mottl, R. L. Newmark, and K. Becker), pp. 217-247. Texas A & M University, Ocean Drilling Program.
- Anderson A. T. (1975) Some Basaltic and Andesitic Gases. *Reviews of Geophysics and Space Physics* **13**(1), 37-55.
- Andrews A. J. (1977) Low temperature fluid alteration of oceanic Layer 2 basalts, DSDP Leg 37. *Canadian Journal of Earth Sciences = Journal Canadien des Sciences de la Terre* **14**(4, Part 2), 911-926.
- Arnorsson S. (1975) Application of the silica geothermometer in low temperature hydrothermal areas in Iceland. *American Journal of Science* **275**(7), 763-784.
- Baker E. T., Massoth G. J., and Feely R. A. (1987) Cataclysmic venting on the Juan de Fuca Ridge. *Nature* **329**, 149-151
- Barley M. E. (1992) A review of Archean volcanic-hosted massive sulfide and sulfate mineralization in the Western Australia. *Econ. Geol.* **87**, 855-872.
- Berndt M. E., Seyfried-Jr W. E., and Beck J. W. (1988) Hydrothermal alteration processes at midocean ridges: experimental and theoretical constraints from Ca and Sr exchange reactions and Sr isotopic ratios. *Journal of Geophysical Research* **93**(B5), 4573-4583.
- Berndt M. E., Seyfried-Jr W. E., and Janecky D. R. (1989) Plagioclase and epidote buffering of cation ratios in mid-ocean ridge hydrothermal fluids: experimental results in and near the supercritical region. *Geochimica et Cosmochimica Acta* **53**(9), 2283-2300.
- Bethke C. M. (1996) The Geochemist's Workbench, version 3.01, a Users Guide to Rxn, Act2, Tact, React and Gtplot. Oxford University Press.
- Bischoff J. L. and Dickson F. W. (1975) Seawater-basalt interaction at 200 degrees C and 500 bars; implications for origin of sea-floor heavy-metal deposits and regulation of seawater chemistry. *Earth and Planetary Science Letters* **25**(3), 385-397.
- Bischoff J. L. and Rosenbauer R. J. (1987) Phase separation in seafloor geothermal systems; an experimental study of the effects on metal transport. *American Journal of Science* **287**(10), 953-978.
- Bischoff J. L. and Rosenbauer R. J. (1988) Liquid-vapor relations in the critical region of the system NaCl-H (sub 2)O from 380 to 415 degrees C; a refined determination of the critical point and two-phase boundary of seawater. *Geochimica et Cosmochimica Acta* **52**(8), 2121-2126.
- Bischoff J. L. and Seyfried W. E. (1978) Hydrothermal chemistry of seawater from 25 degrees to 350 degrees C. *American Journal of Science* **278**(6), 838-860.
- Bjornsson S., Arnorsson S., and Tomasson J. (1972) Economic evaluation of Reykjanes thermal brine area, Iceland. *American Assoc. Petrol. Geologists Bull.* **56**, 2380-2391.
- Bonatti E., Honnorez J., Kirst P., and Radicati F. (1975) Metagabbros from the Mid-Atlantic Ridge at 06 degrees N; contact-hydrothermal-dynamic metamorphism beneath the axial valley. *Journal of Geology* **83**(1), 61-78.

- Bowers T. S., Campbell A. C., Measures C. I., Spivack A. J., Khadem M., and Edmond J. M. (1988) Chemical controls on the composition of vent fluids at 13 degrees -11 degreesN and 21 degreesN, East Pacific Rise. *Journal of Geophysical Research* **93**(B5), 4522-4536.
- Bowers T. S. and Taylor H. P. (1985) An integrated Chemical and Stable-Isotope Model of the Origin of Mid-ocean Ridge Hot Spring Systems. *Journal of Geophysical Research* **90, No. B14**, 12583-12606.
- Bowers T. S., Von D. K. L., and Edmond J. M. (1985) Chemical evolution of mid-ocean ridge hot springs. *Geochimica et Cosmochimica Acta* **49(11)**, 2239-2252.
- Brathwaite R. L. and Faure K. (2002) The Waihi epithermal gold-silver-base metal sulfide-quartz vein system, New Zealand: Temperature and salinity controls on electrum and sulfide deposition. *Economic Geology* **97**(2), 269-290
- Butterfield D. A. and Massoth G. J. (1994) Geochemistry of North Cleft Segment vent fluids; temporal changes in chlorinity and their possible relation to recent volcanism. *Journal of Geophysical Research, B, Solid Earth and Planets* **99**(3), 4951-4968.
- Butterfield D. A., Massoth G. J., McDuff R. E., Lupton J. E., and Lilley M. D. (1990) Geochemistry of hydrothermal fluids from Axial seamount hydrothermal emissions study vent field, Juan de Fuca Ridge: subseafloor boiling and subsequent fluid-rock interaction. *Journal of Geophysical Research* **95**, 12895-12921.
- Campbell A. C., Bowers T. S., Measures C. I., Falkner K. K., Khadem M., and Edmond J. M. (1988a) A time series of vent fluid compositions from 21 degreesN, East Pacific Rise (1979, 1981, 1985), and the Guaymas Basin, Gulf of California (1982, 1985). *Journal of Geophysical Research* **93**(B5), 4537-4549.
- Campbell A. C., Palmer M. R., Klinkhammer G. P., Bowers T. S., Edmond J. M., Lawrence J. R., Casey J. F., Thompson G., Humphris S., Rona P. A., and Karson J. A. (1988b) Chemistry of hot springs on the Mid-Atlantic Ridge. *Nature (London)* **335**(6190), 514-519.
- Cann J. R. and Vine F. J. (1966) An area on the crest of the Carlsberg ridge; petrology and magnetic survey. In *A discussion concerning the floor of the northwest Indian Ocean.*, Vol. 259, pp. 198-217. Royal Society of London.
- Chan L. H., Edmond J. M., and Thompson G. (1993) A lithium isotope study of hot springs and metabasalts from mid-ocean ridge hydrothermal systems. *Journal of Geophysical Research* **98**(B6), 9653-9659.
- Chen D., Na J., Xiong Y., Zhong T., and Li X. (1998) Sulphosalt minerals and W-Sn sulphides in the Bitian Cu-Au-Ag deposit, Fujian. *Acta Geologica Sinica* **72**(3), 249-259.
- Clayton T. and Pearce R. B. (2000) Alteration mineralogy of Cretaceous basalt from ODP site 1001, leg 165 (Caribbean Sea). *Clay Minerals* **35**(4), 719-733.
- Corliss J. B. (1971) The Origin of Metal-Bearing Submarine Hydrothermal Solutions. *Journal of Geophysical Research* **76**(33), 8128-8138.
- Crerar D. A. and Barnes H. L. (1976) Ore solution chemistry; V, Solubilities of chalcopyrite and chalcocite assemblages in hydrothermal solution at 200 degrees to 350 degrees C. *Economic Geology and the Bulletin of the Society of Economic Geologists* **71**(4), 772-794.
- de Ronde C. E. J., de Wit M. J., and Spooner E. T. C. (1994) Early Archean (>3.2 Ga) Fe-oxide-rich hydrothermal discharge vents in the Barberton greenstone belt, South Africa. *Geol. Soc. Am. Bull.* **106**, 86-104.
- Desprairies A., Tremblay P., and Laloy C. (1989) 20. Secondary mineral assemblages in a volcanic sequence drilled during ODP LEG in the norwegian sea. *Proceedings of the Ocean Drilling Program, Scientific Program, Scientific Results* **104**, 397-409.

- Dick H. J. B., Natland J. H., Alt J. C., Bach W., Bideau D., Gee J. S., Haggas S., Hertogen J. G. H., Hirth G., Holm P. M., Ildefonse B., Iturrino G. J., John B. E., Kelley D. S., Kikawa E., Kingdon A., LeRoux P. J., Maeda J., Meyer P. S., Miller D. J., Naslund H. R., Niu Y. L., Robinson P. T., Snow J., Stephen R. A., Trimby P. W., Worm H. U., and Yoshinobu A. (2000) A long in situ section of the lower ocean crust: Results of ODP Leg 176 drilling at the Southwest Indian Ridge. *Earth and Planetary Science Letters* **179**(1), 31-51.
- Ding K. and Seyfried-Jr W. E. (1992) Determination of Fe-Cl complexing in the low pressure supercritical region (NaCl fluid): iron solubility constraints on pH of subseafloor hydrothermal fluids. *Geochimica et Cosmochimica Acta* **56**(10), 3681-3692.
- Drever J. I. (1988) *The Geochemistry of Natural Waters*.
- Drummond S. E. and Ohmoto H. (1985) Chemical Evolution and Mineral Deposition in Boiling Hydrothermal Systems. *Economic Geology* **Vol. 80**, 126-147.
- Edmond J. M. and L. V. D. K. (1983) Hot springs on the ocean floor. *Scientific American* **248**, 78-93.
- Edmond J. M., Measures C., Mangum B., Grant B., Sclater R., Collier R., Hudson A., Gordon L. I., and Corliss J. B. (1979a) On the formation of metal-rich deposits at ridge crests. *Earth and Planetary Science Letters* **46**(19-30).
- Edmond J. M., Measures C., McDuff R., Chan L. H., Collier R., Grant B., Gordon L. I., and B. C. J. (1979b) Ridge crest hydrothermal activity and the balances of the major and minor elements in the ocean: the Galapagos data. *Earth and Planetary Science Letters* **46**(1-18).
- Elderfield H., Gunnlaugsson E., Wakefield S. J., and Williams P. T. (1977) The geochemistry of basalt-sea-water interactions; evidence from Deception Island, Antarctica, and Reykjanes, Iceland. *Mineralogical Magazine and Journal of the Mineralogical Society* **41**(318), 217-226.
- Ellis A. J. and Giggenbach W. (1971) Hydrogen sulphide ionization and sulphur hydrolysis in high temperature solution. *Geochimica et Cosmochimica Acta* **35**(3), 247-260.
- Embley R. W., Chadwick W., Perfit M. R., and Baker E. T. (1991) Geology of the northern Cleft segment, Juan de Fuca Ridge: recent lava flows, sea-floor spreading, and the formation of megaplumes. *Geology* **19**(8), 771-775.
- Faure K., Matsuhisa Y., Metsugi H., Mizota C., and Hayashi S. (2002) The Hishikari Au-Ag epithermal deposit, Japan: Oxygen and hydrogen isotope evidence in determining the source of paleohydrothermal fluids. *Economic Geology* **97**(3), 481-498.
- Fournier R. O. (1983) A method of calculating quartz solubilities in aqueous sodium chloride solutions. *Geochimica et Cosmochimica Acta* **47**(3), 579-586.
- Fournier R. O., Rosenbauer R. J., and Bischoff J. L. (1982) The solubility of quartz in aqueous sodium chloride solution at 350 degrees C and 180 to 500 bars. *Geochimica et Cosmochimica Acta* **46**(10), 1975-1978.
- Franklin J. M. (1981) Volcanic-associated massive sulfide deposits. *Econ. Geol. 75th Anniv.*, 485-627.
- Frey F. A., Bryan W. B., and Thomson G. (1974) Atlantic Ocean Floor; Geochemistry and Petrology of Basalts From Legs 2 and 3 of the Deep-Sea Drilling Project. *Journal of Geophysical Research* **79**(35), 5507-5527.
- Gamo T., Chiba H., Masuda H., Edmonds H. N., Fujioka K., Kodama Y., Nanba H., and Sano Y. (1996) Chemical characteristics of hydrothermal fluids from the TAG mound of the Mid-Atlantic Ridge in August 1994: implications for spatial and temporal variability of hydrothermal activity. *Geophysical Research Letters* **23**(23), 3483-3486.
- Gear C. W. (1971) The automatic integration of ordinary differential equations. *Comm. ACM* **14**, 176-179.

- Gilbert L. A. and Johnson H. P. (1999) Direct measurements of oceanic crustal density at the northern Juan de Fuca Ridge. *Geophysical Research Letters* **26(24)**, 3633-3636.
- Goldberg E. D. (1963) The oceans as a chemical system, [Chapter] 1. In *The sea--Ideas and observations on progress in the study of the seas--V*, pp. 3-25.
- Goldfarb M. S., Converse D. R., Holland H. D., and Edmond J. M. (1983) The genesis of hot spring deposits on the East Pacific Rise, 21°N. *Economic Geology Monograph* **5**, 184-197.
- Grancea L., Bailly L., Leroy J., Banks D., Marcoux E., Milesi J. P., Cuney M., Andre A. S., Istvan D., and Fabre C. (2002) Fluid evolution in the Baia Mare epithermal gold/polymetallic district, Inner Carpathians, Romania. *Mineralium Deposita* **37(6-7)**, 630-647.
- Grimaud D., Ishibashi J. I., Lagabrielle Y., Auzende J. M., and Urabe T. (1991) Chemistry of hydrothermal fluids from the 17 degreesS active site on the North Fiji Basin Ridge (SW Pacific). *Chemical Geology* **93(3-4)**, 209-218.
- Group U. S. G. S. U. J. d. F. S. (1986) Submarine fissure eruptions and hydrothermal vents on the southern Juan de Fuca Ridge: Preliminary observations from the submersible Alvin. *Geology* **14**, 823-827
- Gunnarsson I. and Arnorsson S. (2000) Amorphous silica solubility and the thermodynamic properties of $H_4SiO_4^\circ$ in the range of 0° to $350^\circ C$ at P_{sat} . *Geochimica et Cosmochimica Acta* **64**, 2295-2307.
- Hajash A., Jr. (1975) Hydrothermal processes along mid-ocean ridges; an experimental investigation, Texas A&M University College Station, TX, United States.
- Hajash A. (1977) material presented before the Solid-Fluid Interactions Symposium. .
- Halbach P., Koschinsky A., Seifert R., Giere O., Kuhn T., and party s. s. (1999a) Diffuse Hydrothermal Fluid Activity, Biological Communities, and Mineral Formation in the North Fiji Basin (SW Pacific): Preliminary Results of the R/V Sonne Cruise SO-134. *InterRidge News* **8 (1)(1)**, 38-44.
- Halbach P. and Party S. S. (1998) Hydrothermal fluid development, material balancing and special biological activity in the North Fiji Basin., pp. 1-148. Freie Universität Berlin.
- Halbach P., Rahders E., Halbach M., and Seifert T. (1999b) Basalt-hosted massive sulfide deposits at the North Fiji Basin, NFB; Results from the SO134 cruise in August 1998. *Mineral Deposits: Processes to Processing*, 511-514.
- Halbach P., Fouquet Y., and Herzig P. (2003) Mineralization and Compositional Patterns in Deep-sea Hydrothermal Systems. *Energy and Mass Transfer in Marine Hydrothermal Systems*, 86-122.
- Hamilton-Taylor J., Postill A. S., Tipping E., and Harper M. P. (2002) Laboratory measurements and modeling of metal-humic interactions under estuarine conditions. *Geochimica et Cosmochimica et Acta* **66(3)**, 403-415.
- Hart R. (1970) Chemical exchange between sea water and deep ocean basalts. *Earth and Planetary Science Letters* **9(3)**, 269-279.
- Hart R. (1976) Chemical variance in deep ocean basalts. *Initial Reports of the Deep Sea Drilling Project* **34**(Papeete, Tahiti to Callao, Peru; Dec. 1973-Feb. 1974), 301-335.
- Hart S. R., Erlank A. J., and Kable E. J. D. (1974) Sea Floor Basalt Alteration: Some Chemical and Sr Isotopic Effects. *Contributions to Mineralogy and Petrology* **44(3)**, 219-230.
- Hart S. R. and Staudigel H. (1986) Ocean crust vein mineral deposition: Rb/Sr ages, U-Th-Pb geochemistry, and duration of circulation at DSDP sites 261, 462 and 516. *Geochimica et Cosmochimica Acta* **50(12)**, 2751-2761.
- Haymon R. M. (1983) Growth history of hydrothermal black smoker chimneys. *Nature* **301**, 695-698.

- Haymon R. M. and Kastner M. (1981) Hot spring deposits on the East Pacific Rise at 21°N: preliminary description of mineralogy and genesis. *Earth and Planetary Science Letters* **53**, 363-381.
- Hekinian R. (1971) Chemical and mineralogical differences between abyssal hill basalts and ridge tholeiites in the eastern Pacific Ocean. *Marine Geology* **11**(2), 77-91.
- Helgeson H. C. (1968) Evaluation of irreversible reactions in geochemical processes involving minerals and aqueous solutions; I, Thermodynamic relations. *Geochimica et Cosmochimica Acta* **32**(8), 853-877.
- Helgeson H. C. (1969) Thermodynamics of hydrothermal systems at elevated temperatures and pressures. *American Journal Of Science* **7**, 729-804.
- Helgeson H. C. (1978) Summary and critique of the thermodynamic properties of rock-forming minerals. *American Journal Of Science* **278-A**, 229 S.
- Helgeson H. C., Brown T. H., Nigrini A., and Jones T. A. (1970) Calculation of mass transfer in geochemical processes involving aqueous solutions. *Geochimica et Cosmochimica Acta* **34**(5), 569-592.
- Helgeson H. C. and Kirkham D. H. (1976) Theoretical prediction of the thermodynamic properties of aqueous electrolytes at high pressures and temperatures. III. Equation of state for aqueous species at infinite dilution. *American Journal of Science* **276**, 97-240.
- Hezarkhani A. and Williams Jones A. E. (1998) Controls of alteration and mineralization in the Sungun porphyry copper deposit, Iran: evidence from fluid inclusions and stable isotopes. *Economic Geology* **93**(5), 651-670.
- Humphris S. E., Alt J. C., Teagle D. A. H., and Honnorez J. J. (1998) Geochemical changes during hydrothermal alteration of basement in the stockwork beneath the active tag hydrothermal mound. *Proceedings of the Ocean Drilling Program, Scientific Results* **158**, 255-276.
- Humphris S. E. and Thompson G. (1978) Hydrothermal alteration of oceanic basalts by seawater. *Geochimica et Cosmochimica Acta* **42**(1), 107-125.
- Igumnov S. A. (1976) Sulfur isotope exchange between sulfide and sulfate in hydrothermal solutions. *Geochemistry International* **13**(2), 119-124.
- Ishibashi J., Grimaud D., Nojiri Y., Auzende J. M., and Urabe T. (1994) Fluctuation of chemical compositions of the phase-separated hydrothermal fluid from the North Fiji Basin Ridge. *Marine Geology* **116**(1-2), 215-226.
- Iyer S. D. (1999) Alteration of basaltic glasses from the Central Indian Ocean. *Journal of the Geological Society of India* **54**(6), 609-620.
- Martin Izard A., Paniagua A., Garcia Iglesias J., Fuertes M., Boixet L., Maldonado C., and Varela A. (2000) The Carles copper-gold-molybdenum skarn (Asturias, Spain): Geometry, mineral associations and metasomatic evolution. *Journal of Geochemical Exploration* **71**(2), 153-175.
- Jacobson R. S. (1992) The impact of crustal evolution on changes of the seismic properties of the uppermost ocean crust. *Rev. Geophy.* **30**, 27-46.
- Janecky D. R. (1982) Serpentization of peridotite within the oceanic crust; experimental and theoretical investigations of seawater-peridotite interaction at 200 degrees C and 300 degrees C, 500 bars. Doctoral, University of Minnesota, Minneapolis.
- Janecky D. R. and Seyfried W. E. J. (1984) Formation of massive sulfide deposits on oceanic ridge crests: Incremental reaction models for mixing between hydrothermal solutions and seawater. *Geochimica et Cosmochimica Acta* **48**, 2723-2738.
- Janecky D. R. and Shanks W. C. (1988) Computational modeling of chemical and sulfur isotopic reaction processes in seafloor hydrothermal systems, chimneys, massive sulfides, and subjacent alteration zones. *Canadian Mineralogist* **26**, 805-825.
- Kacandes G. H., Ulmer G. C., and Grandstaff D. E. (1989) Monitoring the evolution of alteration minerals and fluids during a hydrothermal experiment. In *Water-rock*

- interaction; WRI-6*, Vol. 6 (ed. D. L. Miles), pp. 353-356. International Association of Geochemistry and Cosmochemistry and Alberta Research Council, Sub-Group on Water-Rock Interaction.
- Kashintsev G. L. (1976) Petrochemical aspects of the alteration of palagonitized basalts on the ocean floor. *Oceanology* **15**(2), 193-197.
- Kawahata H. and Furuta T. (1986) Subseafloor hydrothermal alteration in the Galapagos Spreading Center. *Chem. Geol.* **49**, 259-274.
- Kempton P. D., Autio L. K., Rhodes J. M., Holdaway M. J., Dungan M. A., and Johnson P. (1985) Petrology of basalts from Hole 504B, Deep Sea Drilling Project, Leg 83. In *Initial reports of the Deep Sea Drilling Project, covering Leg 83 of the cruises of the Drilling Vessel Glomar Challenger, Balboa, Panama to Balboa, Panama, November 1981- January 1982*, Vol. 83 (ed. R. N. Anderson, J. Honnorez, A. C. Adamson, J. C. Alt, R. Emmermann, P. D. Kempton, H. Kinoshita, C. Leverne, M. J. Mottl, R. L. Newmark, and K. Becker), pp. 129-164. Texas A & M University, Ocean Drilling Program.
- Kimura S., Tsuchiya N., and Nakatsuka K. (1997) Development of fluidized reaction simulator for hydrothermal alteration under triaxial compression. *Ganko = Journal of Mineralogy, Petrology and Economic Geology* **92**(9), 379-389.
- Koski R. A., Clague D. A., and Oudin E. (1984) Mineralogy and chemistry of massive sulfide deposits from the Juan de Fuca Ridge. *Geological Society of America Bulletin* **95**, 930-945.
- Koski R. A., Jonasson I. R., Kadko D. C., Smith V. K., and Wong F. L. (1994) Compositions, growth mechanisms, and temporal relations of hydrothermal sulfide-sulfate-silica chimneys at the northern Cleft segment, Juan de Fuca Ridge. *Journal of Geophysical Research* **99**(B3), 4813-4832.
- Kuznetsov S. I., Ivanov M. V., and Lyalikova N. N. (1963) *Introduction to geological microbiology*. McGraw-Hill, New York.
- Lilley M. D., Olson E. J., Lupton J. E., and Von Damm K. L. (1992) Volatiles in the 9N hydrothermal system: a comparison of 1991 and 1992 data. *EOS, Trans. AGU* **73**, Fall Mtg Suppl(524).
- Lilley M. D., Olson E. J., McLaughlin E., and Von Damm K. L. (1991) Methane, hydrogen and carbon dioxide in vent fluids from the 9°N hydrothermal system. *EOS, Trans. AGU* **72**, Fall Mtg Suppl(481).
- Lu H. Z. (2000) High temperature, salinity and high concentrated ore metal magmatic fluids: An example from Grasberg Cu-Au porphyry deposit. *Acta Petrologica Sinica* **16**(4), 465-472.
- Lüders V., Banks D., and Halbach P. (2001) Cl/Br and d37Cl isotope fractionation in fluids of modern submarine hydrothermal systems. *Berichte der Deutschen Mineralogischen Gesellschaft* **13**(1), 113.
- Magenheim A. J., Bayhurst G., Alt J. C., and Gieskes J. M. (1992) ODP LEG 137, borehole fluid chemistry in hole 504B. *Geophysical Research Letters* **19**, 521-524.
- Malinin S. D. and Khitarov N. I. (1969) Reduction of sulfate sulfur by hydrogen under hydrothermal conditions. *Geochemistry International* **6**(6), 1022-1027.
- Martin J. T. and Lowell R. P. (2000) Precipitation of quartz during high-temperature, fracture-controlled hydrothermal upflow at ocean ridges: Equilibrium versus linear kinetics. *Journal of Geophysical Research B: Solid Earth* **105**(1), 869-882.
- Massoth G. J., Butterfield D. A., Lupton J. E., McDuff R. E., Lilley M. D., and Jonasson I. R. (1989) Submarine venting of phase-separated hydrothermal fluids at Axial Volcano, Juan de Fuca Ridge. *Nature* **340**(6236), 702-705.
- Andre Mayer A. S., Leroy J. L., Bailly L., Chauvet A., Marcoux E., Grancea L., Llosa F., and Rosas J. (2002) Boiling and vertical mineralization zoning: A case study from the

- Apacheta low-sulfidation epithermal gold-silver deposit, southern Peru. *Mineralium Deposita* **37**(5), 452-464.
- Melfos V., Vavelidis M., Christofides G., and Seidel E. (2002) Origin and evolution of the Tertiary Maronia porphyry copper-molybdenum deposit, Thrace, Greece. *Mineralium Deposita* **37**(6-7), 648-668.
- Melson W. G., Thompson G., and Andel T. H. v. (1968) Volcanism and metamorphism in the Mid-Atlantic ridge, 22 degrees N latitude. *Journal of Geophysical Research* **73**(18), 5925-5941.
- Metz S. and Trefry J. H. (2000) Chemical and mineralogical influences on concentrations of trace metals in hydrothermal fluids. *Geochimica et Cosmochimica Acta* **64**, 2267-2279.
- Mills R. A., Teagle D. A. H., and Tivey M. K. (1998) Fluid mixing and anhydrite precipitation within the TAG mound. *Proceedings of the Ocean Drilling Program: Scientific Results* **158**(-), 119-127.
- Molnar F., Watkinson D. H., and Jones P. C. (2001) Multiple hydrothermal processes in footwall units of the North Range, Sudbury Igneous Complex, Canada, and implications for the genesis of vein-type Cu-Ni-PGE deposits. *Economic Geology* **96**(7), 1645-1670.
- Moore J. G. (1966) Rate of palagonitization of submarine basalt adjacent to Hawaii. In *Geological Survey research 1966*, pp. D163-D171. U. S. Geological Survey.
- Morey G. W., Fournier R. O., and Rowe J. J. (1962) The solubility of quartz in water in the temperature interval from 25 degrees to 300 degrees C. *Geochimica et Cosmochimica Acta* **26**(10), 1029-1043.
- Mottl M. J. (1976) Chemical exchange between sea water and basalt during hydrothermal alteration of the oceanic crust. Doctoral, Harvard University.
- Mottl M. J., Corr R. F., and Holland H. D. (1975) Trace element content of the Reykjanes and Svartsengi thermal brines, Iceland. *Abstracts with Programs - Geological Society of America* **7**(7), 1206-1207.
- Mottl M. J. and McConachy T. F. (1990) Chemical processes in buoyant hydrothermal plumes on the East Pacific Rise near 21°N. *Geochimica et Cosmochimica Acta* **54**, 1911-1927.
- Mountain B. W. and Seward T. M. (1999) The hydrosulphide/sulphide complexes of copper(I): Experimental determination of stoichiometry and stability at 22°C and reassessment of high temperature data. *Geochimica et Cosmochimica Acta* **63**(1), 11-29.
- Muehlenbachs K. (1972) Oxygen Isotope Geochemistry of Submarine Greenstones. *Canadian Journal of Earth Sciences = Journal Canadien des Sciences de la Terre* **9**(5), 471-478.
- Mukherjee A., Roy G., and Tripathi A. (2001) Fluid inclusions associated with gold mineralization in Kunchiganahalu banded iron formation, Chitradurga schist belt, Karnataka: A preliminary appraisal. *Journal of the Geological Society of India* **58**(6), 533-537.
- Ohmoto H., Cole D. R., and Mottl M. J. (1976) Experimental basalt-seawater interaction; sulfur and oxygen isotope studies. *Eos, Transactions, American Geophysical Union* **57**(4), 342.
- Pariso J. E. and Johnson H. P. (1991) Alteration processes at Deep Sea Drilling Project/Ocean Drilling Program Hole 504B at the Costa Rica Rift: implications for magnetization of oceanic crust. *Journal of Geophysical Research* **96**(B7), 11,703-11,722.
- Perfit M. R., Gust D. A., Bence A. E., and Arculus R. J. (1980) Chemical characteristics of island-arc basalts: implications for mantle sources. *Chem. Geol.* **30**, 227-256.
- Pineau F., Javoy M., and Bottinga Y. (1976) (super 13) C/ (super 12) C ratios of rocks and inclusions in popping rocks of the Mid-Atlantic Ridge and their bearing on the

- problem of isotopic composition of deep-seated carbon. *Earth and Planetary Science Letters* **29**(2), 413-421.
- Pollard M. and Moritz R. (1999) Basement-hosted quartz-barite sulfide veins in the French Alps: A record of alpine tectonic fluid expulsion in the external crystalline massifs-structural, fluid inclusion, and isotope (S and Sr) evidences. *Economic Geology* **94**(1), 37-56.
- Porter S., Vanko D. A., and Ghazi M. (2000) Major and trace element compositions of secondary clays in basalts altered at low temperature, eastern flank of the Juan de Fuca Ridge. *Proceedings of the Ocean Drilling Program: Scientific Results* **168**(-), 149-157.
- Reed M. H. (1983) Seawater-basalt reaction and the origin of greenstones and related ore deposits. *Economic Geology and the Bulletin of the Society of Economic Geologists* **78**(3), 466-485.
- Saunders C. M. and Strong D. F. (1986) Alteration-zonation related to variations in water/rock ratio at the Betts Cove ophiolitic massive sulphide deposit, Newfoundland, Canada. In *Metallogeny of basic and ultrabasic rocks. Proc. conference, Edinburgh, 1985* (ed. M. J. Gallagher and et al.), pp. 161-179. Institution of Mining & Metallurgy, London; IMM N. American Publications Center, Brookfield, VT.
- Scarfe C. M. and Smith D. G. W. (1977) Secondary minerals in some basaltic rocks from DSDP Leg 37. *Canadian Journal of Earth Sciences = Journal Canadien des Sciences de la Terre* **14**(4, Part 2), 903-910.
- Schwarz S. (2000) Mineralogische und geochemische Untersuchungen an Zn-reichen Massivsulfiden aus dem Nord-Fiji-Becken. Diplomarbeit, Freie Universität Berlin.
- Sclater J. G., Parsons B., and Jaupart C. (1981) Oceans and continents: similarities and differences in the mechanisms of heat loss. *Journal of Geophysical Research* **86**(B12), 11535-11552.
- Sedwick P. N., McMurtry G. M., and Macdougall J. D. (1992) Chemistry of hydrothermal solutions from Pele's Vents, Loihi Seamount, Hawaii. *Geochimica et Cosmochimica Acta* **56**(10), 3643-3667.
- Seewald J. S. and Seyfried-Jr W. E. (1990) The effect of temperature on metal mobility in subseafloor hydrothermal systems: constraints from basalt alteration experiments. *Earth and Planetary Science Letters* **101**(2-4), 388-403.
- Seward T. M. (1973) Thio complexes of gold and the transport of gold in hydrothermal ore solutions. *Geochimica et Cosmochimica Acta* **37**, 379-399.
- Seward T. M. and Benning L. G. (1996) Hydrosulphide complexing of Au(I) in hydrothermal solutions from 150-400°C and 500-1500 bar. *Geochimica et Cosmochimica Acta* **60**.
- Seyfried and Bischoff J. L. (1977) Hydrothermal transport of heavy metals by seawater: the role of sea water/basalt ratio. *Planetary Science Letters* **34**, 71-77.
- Seyfried and Mottl M. J. (1977) Origin of submarine metal-rich hydrothermal solutions: experimental basalt-sea water interaction in a seawater dominated system at 300 °C, 500 bar. *2nd Int. Symposium Rock-Water Interactions* **4**, 173-180.
- Seyfried W. E., Jr. (1976) Seawater-basalt interaction from 25°-300°C and 1-500 bars: implications for the origin of submarine metalbearing hydrothermal solutions and regulation of ocean chemistry. Ph. D., University of Southern California.
- Seyfried W. E., Jr., Berndt M. E., and Janecky D. R. (1986) Chloride depletions and enrichments in seafloor hydrothermal fluids; constraints from experimental basalt alteration studies. *Geochimica et Cosmochimica Acta* **50**(3), 469-475.
- Seyfried W. E., Jr., Janecky D. R., and Mottl M. J. (1984) Alteration of the oceanic crust; implications for geochemical cycles of lithium and boron. *Geochimica et Cosmochimica Acta* **48**(3), 557-569.


- Seyfried W. E. J. and Ding K. (1995) Phase equilibria in subseafloor hydrothermal systems: A review of the role of redox, temperature, pH and dissolved Cl on the chemistry of hot spring fluids at midocean ridges. In Seafloor Hydrothermal Systems (ed. S. E. Humphris et al.). *Geophysical Monograph, American Geophysical Union* **91**, 248-272.
- Seyfried-Jr W. E. and Ding K. (1993) The effect of redox on the relative solubilities of copper and iron in Cl-bearing aqueous fluids at elevated temperatures and pressures: an experimental study with application to subseafloor hydrothermal systems. *Geochimica et Cosmochimica Acta* **57**(9), 1905-1917.
- Sherlock R. L., Roth T., Spooner E. T. C., and Bray C. J. (1999) Origin of the Eskay Creek precious metal-rich volcanogenic massive sulfide deposit: Fluid inclusion and stable isotope evidence. *Economic Geology* **94**(6), 803-824.
- Shikazono N., Utada M., and Shimuzu M. (1995) Mineralogical and geochemical characteristics of hydrothermal alteration of basalt in the Kuroko mine area, Japan: Implications for the evolution of a Back Arc Basin hydrothermal System. *Applied Geochemistry* **10**, 621-642.
- Shock E. L., Sassani D. C., Willis M., and Sverjensky D. A. (1997) Inorganic species in geologic fluids: Correlations among standard molal thermodynamic properties of aqueous ions and hydroxide complexes. *Geochimica et Cosmochimica Acta* **61**, 907-950.
- Spooner E. T. C., Beckinsale R. D., Fyfe W. S., and Smewing J. D. (1974) O (super 18) Enriched Ophiolitic Metabasic Rocks from E. Liguria (Italy), Pindos (Greece), and Troodos (Cyprus). *Contributions to Mineralogy and Petrology* **47**(1), 41-62.
- Spooner E. T. C. and Bray C. J. (1977) Hydrothermal fluids of seawater salinity in ophiolitic sulphide ore deposits in Cyprus. *Nature (London)* **266**(5605), 808-812.
- Spycher N. F. and Reed M. H. (1988) Fugacity coefficients of H (sub 2) , CO (sub 2) , CH (sub 4) , H (sub 2) O and of H (sub 2) O-CO (sub 2) -CH (sub 4) mixtures; a virial equation treatment for moderate pressures and temperatures applicable to calculations of hydrothermal boiling. *Geochimica et Cosmochimica Acta* **52**(3), 739-749.
- Stakes D. (1978) Mineralogy and geochemistry of the Michigan deep hole metagabbro compared to seawater hydrothermal alteration. *Journal of Geophysical Research, A, Space Physics* **83**(B12), 5820-5824.
- Stein C. A. and Stein S. (1994) Constraints on hydrothermal heat flux through the oceanic lithosphere from global heat flow. *Journal of Geophysical Research* **99**(B2), 3081-3095.
- Sturz A., Itoh M., and Smith S. (1998) Mineralogy and chemical composition of clay minerals, Tag hydrothermal mound. *Proceedings of the Ocean Drilling Program, Scientific Results* **158**, 277-284.
- Styrt M. M. (1981) The mineralogy and the isotopic composition of sulfur in hydrothermal sulfide / sulfate deposits on the East Pacific Rise, 21°N latitude. *Earth and Planetary Science Letters* **53**, 382-390.
- Sverjensky D. A., Shock E. L., and Helgeson H. C. (1997) Prediction of the thermodynamic properties of aqueous metal complexes to 1000degrees C and 5 kb. *Geochimica et Cosmochimica Acta* **61**(7), 1359-1412.
- Tardy Y. and Garrels R. M. (1974) A method of estimating the Gibbs energies of formation of layer silicates. *Geochimica et Cosmochimica Acta* **38**(7), 1101-1116.
- Tatsumi Y. (1989) Migration of fluid phases and genesis of basalt magmas in subduction zones. *J. Geophys. Res.* **94**, 4697-4707.
- Teagle D. A. H., Alt J. C., Chiba H., and Halliday A. N. (1998) Dissecting an active hydrothermal deposit: the strontium and oxygen isotopic anatomy of the TAG hydrothermal mound - anhydrite. *Proceedings-of-the-Ocean-Drilling-Program:-Scientific-Results* **158**, 129-141.




- Thompson G. (1973) A geochemical study of the low-temperature interaction of sea-water and oceanic igneous rocks. In *Deep Sea Drilling Project; Properties of Igneous and Metamorphic Rocks of the Oceanic Crust; Magma compositions, and general petrology.*, Vol. 54, pp. 1015-1019. American Geophysical Union.
- Tivey M. K. (1995) The influence of hydrothermal fluid composition and advection rates on black smoker chimney mineralogy: insights from modeling transport and reaction. *Geochimica et Cosmochimica Acta* **59**(10), 1933-1949.
- Tivey M. K., Humphris S. E., Thompson G., Hannington M. D., and Rona P. A. (1995) Deducing patterns of fluid flow and mixing within the TAG active hydrothermal mound using mineralogical and geochemical data. *Journal of Geophysical Research* **100**(B7), 12,527-12,555.
- Tivey M. K., Mills R. A., and Teagle D. A. H. (1998) Temperature and salinity of fluid inclusions in anhydrite as indicators of seawater entrainment and heating in the TAG active mound. *Proceedings of the Ocean Drilling Program: Scientific Results* **158**(-), 179-190.
- Tivey M. K., Stakes D. S., Cook T. L., Hannington M. D., and Petersen S. (1999) A model for growth of steep-sided vent structures on the Endeavour segment of the Juan de Fuca Ridge: Results of a petrologic and geochemical study. *Journal of Geophysical Research B: Solid Earth* **104**(10), 22,859-22,883.
- Tomasson J. and Arnorsson M. (1977) The interaction of sea water with basaltic volcanic rocks on the Reykjanes Peninsula. *2nd Int. Samp. Rock-Water Interactions* **1**, 327-333.
- Tomasson J. and Kristmannsdottir H. (1972) High Temperature Alteration Minerals and Thermal Brines, Reykjanes, Iceland. *Contributions to Mineralogy and Petrology* **36**(2), 123-134.
- Von Damm K. L. and Bischoff J. L. (1987) Chemistry of hydrothermal solutions from the southern Juan de Fuca Ridge. *Journal of Geophysical Research* **92**(B11), 11,334-11,346.
- Von Damm K. L. (1988) Systematics of and postulated controls on submarine hydrothermal solution chemistry. *Journal of Geophysical Research* **93**(B5), 4551-4561.
- Von Damm K. L. (1990) Seafloor hydrothermal activity; black smoker chemistry and chimneys. *Annual Review of Earth and Planetary Sciences* **18**, 173-204.
- Von Damm K. L. (1995) Controls on the chemistry and temporal variability of seafloor hydrothermal fluids. In *Seafloor hydrothermal systems; physical, chemical, biological, and geological interactions*, Vol. 91 (ed. S. E. Humphris, R. A. Zierenberg, L. S. Mullineaux, and R. E. Thomson), pp. 222-247. American Geophysical Union.
- Von Damm K. L., Edmond J. M., Grant B., and Measures C. I. (1985) Chemistry of submarine hydrothermal solutions at 21 °N, East Pacific Rise. *Geochimica et Cosmochimica Acta* **49**, 2197-2220.
- Von Damm K. L., Oosting S. E., and Buttermore L. G. (1994) Chemical evolution of diffuse hydrothermal fluids from 9 degrees 49-50'N EPR; the BIOGEOTRANSECT area. In *AGU 1994 fall meeting*, Vol. 75 44 (ed. Anonymous), pp. 601. American Geophysical Union.
- Wells J. T. and Ghiorso M. S. (1988) The influence of reaction kinetics and fluid flow on the concentration of silica in hydrothermal fluids. In *Geological Society of America 1988 centennial celebration*, Vol. 20 7 (ed. Anonymous), pp. 96. Geological Society of America (GSA).
- Wilkins R. H., Fryer G. J., and Karsten J. (1991) Evolution of porosity and seismic structure of upper oceanic crust: importance of aspect ratios. *Journal of Geophysical Research* **96**(B11), 17,981-17,995.
- Wolery T. J. (1978) Some chemical aspects of hydrothermal processes at midocean ridges, a theoretical study, I., Basalt-sea water reaction and chemical cycling between the




- oceanic crust and the oceans, II., Calculation of chemical equilibrium between aqueous solutions and minerals. Ph. D., Northwestern University.
- Wolery T. J. (1979) Calculation of chemical equilibrium between aqueous solution and minerals: the EQ3/6 software package. Lawrence Livermore National Laboratory.
- Wolery T. J. and Sleep N. H. (1976) Hydrothermal circulation and geochemical flux at mid-ocean ridges. *Journal of Geology* **84**(3), 249-275.
- T.J. W. (1983) A computer program for geochemical aqueous speciation-solubility calculations: user's guide and documentation. Lawrence Livermore National Laboratory.
- Yates D. M. and Rosenberg P. E. (1998) Characterization of neoformed illite from hydrothermal experiments at 250 °C and P(v,soln): An HRTEM/ATEM study. *American Mineralogist* **83**(11-12 PART 1), 1199-1208.
- Zindler A. and Hart S. (1986) Chemical geodynamics. In *Annual review of Earth and planetary sciences*, Vol. 14 (ed. G. W. Wetherill and et al.), pp. 493-571. Annual Reviews Inc.




Anhang A

Abbildungen der Elementkonzentrationen (Mg, Na, Ca, SiO₂(aq), Li, Mn, Fe, B, K und Sr) gegen Chlor und der Regression der betrachteten Daten (s. Text, Kapitel 5.2.). Verwendete Symbole: Dreieck = White Lady Endmember , Quadrat = Meerwasser, Punkte = Daten der beprobeden Fluide und der verschiedenen konservativen Mischungsgrade (s.Text).









Curriculum Vitae

PERSÖNLICHE DATEN

Name	Paul Foellbach
Adresse	Horstweg 2, 14059 Berlin
Telefon	+49/30/6245396
Email	paulfoel@zedat.fu-berlin.de
Geburtsdatum, -ort	23.06.1970, Rostock, Deutschland
Familienstand	ledig

AUSBILDUNG

9.1977-7.1978	Grundschule Stuttgart
9.1978-7.1980	Hauptschule / München
9.1980-7.1992	Oskar v. Miller Gymnasium in München, Abschluß: Abitur
10.1992-3.1999	Studium der Geologie, Technische Universität Berlin Diplomarbeit, Thema: Räumliche Variabilität von Schadstoff- und Bodenparametern auf einer ehemaligen Rieselfeldfläche. Diplomprüfung: Gesamturteil: 1,89

PRAKTIKA UND BERUFLICHE ERFAHRUNG

1.1996 – 9.1996	Praktikum bei Baugrund-Ingenieurbüro Maul & Partner, Potsdam
7.1997 – 9.1999	Tätigkeit in der GIS-Gruppe der Berliner Wasserbetriebe, Berlin
9.1999 – 9.2003	FU-Berlin, Fachrichtung Geochemie, Hydrogeologie und Mineralogie, Wissenschaftlicher Mitarbeiter (Arbeitsvertrag endet 30.9.2003) , Aufgaben: -Entwicklung der Doktorarbeit „Geochemische Prozesse Des Hydrothermalismus im North Fiji Basin und Juan de Fuca Ridge“ (wird im Juli abgeschlossen); -Lehrauftrag: Vorlesung und Übung, Seminare, Exkursionen

Veröffentlichungen:

a) Eingereicht / in Vorbereitung

Foellbach, P. & P. Halbach (2003): Geochemical Modeling Of Solution And Mineral Chemistry Derived From Hydrothermal Gas-Rich And Gas-Poor Fluids. Eingereicht bei Geochimica et Cosmochimica Acta

b) Konferenzen und Poster

Foellbach, P.; Koschinsky, A.; Halbach, P. (2000): Unterkritische Phasenseparation in hydrothermalen Fluiden am Beispiel eines Hydrothermalfeldes im Nord-Fidschi-Becken. DeRidge 2000, 6.-7. Juli, Universität Bremen, Deutschland, S.15.

Foellbach, P. (2002): Geochemical Examination Of the Hydrothermal Fluid From the North Fiji Basin Ridge. Abstract und Vortrag bei der internationalen Konferenz: Minerals Of The Ocean 2002, 20.-23. April, Ministry of Natural Resources, St. Petersburg, S.112.

Foellbach, P. & Halbach, P. (2002): Wo kommen heiße Tiefseequellen vor ?, Poster bei der ScienceFair:, 2002, 13-15. Juni, Berlin.

Foellbach, P. & Halbach, P. (2002): Wie arbeitet eine hydrothermale Zirkulation: ?, Poster bei der ScienceFair 2002, 13-15. Juni, Berlin.

Berlin, 15.04.03

Paul Foellbach