

6 Literatur

1. Consensus development conference: diagnosis, prophylaxis, and treatment of osteoporosis. Am J Med 1993; 94:646-650.
2. Osteoporosis prevention, diagnosis, and therapy. Jama 2001; 285:785-795.
3. Assessment of fracture risk and its application to screening for postmenopausal osteoporosis. Report of a WHO Study Group. World Health Organ Tech Rep Ser 1994; 843:1-129.
4. Incidence of vertebral fracture in europe: results from the European Prospective Osteoporosis Study (EPOS). J Bone Miner Res 2002; 17:716-724.
5. Cooper C, Atkinson EJ, O'Fallon WM, Melton LJ, 3rd. Incidence of clinically diagnosed vertebral fractures: a population-based study in Rochester, Minnesota, 1985-1989. J Bone Miner Res 1992; 7:221-227.
6. Pfeifer M, Wittenberg R, Würtz R, Minne H. Schenkelhalsfrakturen in Deutschland. Dt Ärztebl 2001; 98:A1751-A1757.
7. Cummings SR, Black DM, Nevitt MC, et al. Appendicular bone density and age predict hip fracture in women. The Study of Osteoporotic Fractures Research Group. Jama 1990; 263:665-668.
8. Hui SL, Slemenda CW, Johnston CC, Jr. Baseline measurement of bone mass predicts fracture in white women. Ann Intern Med 1989; 111:355-361.
9. Schönau E. The peak bone mass concept: is it still relevant? Pediatric Nephrology 2004; 19:825-831.
10. Gilsanz V, Roe TF, Mora S, Costin G, Goodman WG. Changes in vertebral bone density in black girls and white girls during childhood and puberty. N Engl J Med 1991; 325:1597-1600.
11. Kanis JA, Melton LJ, 3rd, Christiansen C, Johnston CC, Khaltaev N. The diagnosis of osteoporosis. J Bone Miner Res 1994; 9:1137-1141.
12. Carrie Fassler AL, Bonjour JP. Osteoporosis as a pediatric problem. Pediatr Clin North Am 1995; 42:811-824.
13. Janz KF, Burns TL, Turner JC, et al. Physical activity and bone measures in young children: the Iowa bone development study. Pediatrics 2001; 107:1387-1393.

14. Michels H. Nomenklatur und Klassifikation rheumatischer Erkrankungen im Kindesalter. *Der Bayrische Internist* 2000; 8:440.
15. Braunwald E, Fauci AS, Kasper DL, Hauser SL, Longo DL, Jameson JL. *Harrison's Principles of Internal Medicine*. Berlin: McGraw-Hill/ ABW-Wissenschaftsverlag, 2003.
16. Lachmann E. Osteoporosis: the potentialities and limitations of its radiologic diagnosis. *Am J Radiol* 1985; 4:712-717.
17. Njeh CF, Hans D, Fuerst T, Gluer CC, Genant HK. *Quantitative Ultrasound: Assessment of Osteoporosis and Bone Status*. London: Martin Dunitz Ltd., 1999.
18. Gluer CC, Barkmann R, Heller M. *Ultraschall--schon praxisreif?* Ther Umsch 1998; 55:667-675.
19. Laugier P, Giat P, Berger G. Broadband ultrasonic attenuation imaging: a new imaging technique of the os calcis. *Calcif Tissue Int* 1994; 54:83-86.
20. Roux C, Fournier B, Laugier P, et al. Broadband ultrasound attenuation imaging: a new imaging method in osteoporosis. *J Bone Miner Res* 1996; 11:1112-1118.
21. Miller CG, Herd RJ, Ramalingam T, Fogelman I, Blake GM. Ultrasonic velocity measurements through the calcaneus: which velocity should be measured? *Osteoporos Int* 1993; 3:31-35.
22. Breazeale MA, Cantrell. J.H. , Heyman, J.S. Ultrasonic wave velocity and attenuation measurement. *Meth Exp Phys* 1981; 19:67-135.
23. Hans D, Srivastav SK, Singal C, et al. Does combining the results from multiple bone sites measured by a new quantitative ultrasound device improve discrimination of hip fracture? *J Bone Miner Res* 1999; 14:644-651.
24. Barkmann R, Kantorovich E, Singal C, et al. A new method for quantitative ultrasound measurements at multiple skeletal sites: first results of precision and fracture discrimination. *J Clin Densitom* 2000; 3:1-7.
25. Mehta S, Antich P. Measurement of shear-wave velocity by ultrasound critical-angle reflectometry (UCR). *Ultrasound Med Biol* 1997; 23:1123-1126.
26. Nemet D, Dolfin T, Wolach B, Eliakim A. Quantitative ultrasound measurements of bone speed of sound in premature infants. *Eur J Pediatr* 2001; 160:736-740.
27. Tothill P, Hannan WJ, Cowen S, Freeman CP. Anomalies in the measurement of changes in total-body bone mineral by dual-energy X-ray absorptiometry during weight change. *J Bone Miner Res* 1997; 12:1908-1921.

28. Hangartner TN, Johnston CC. Influence of fat on bone measurements with dual-energy absorptiometry. *Bone Miner* 1990; 9:71-81.
29. Genant HK, Engelke K, Fuerst T, et al. Noninvasive assessment of bone mineral and structure: state of the art. *J Bone Miner Res* 1996; 11:707-730.
30. Pollähne W, Grieser T, Pfeifer M, Minne H. Diagnostik und Differentialdiagnostik primärer und sekundärer Osteoporosen. Stuttgart: Georg Thieme Verlag, 1996.
31. Foldes AJ, Rimon A, Keinan DD, Popovtzer MM. Quantitative ultrasound of the tibia: a novel approach for assessment of bone status. *Bone* 1995; 17:363-367.
32. Prins SH, Jorgensen HL, Jorgensen LV, Hassager C. The role of quantitative ultrasound in the assessment of bone: a review. *Clin Physiol* 1998; 18:3-17.
33. Waud CE, Lew R, Baran DT. The relationship between ultrasound and densitometric measurements of bone mass at the calcaneus in women. *Calcif Tissue Int* 1992; 51:415-418.
34. Genant HK, Faulkner KG, Gluer CC. Measurement of bone mineral density: current status. *Am J Med* 1991; 91:49S-53S.
35. Hadji P. Möglichkeiten und Grenzen der Quantitativen Ultrasonometrie in der klinischen Praxis. *Dtsch Med Wochenschr* 2003; 128:951-953.
36. Ammann P, Rizzoli R, Meyer JM, Bonjour JP. Bone density and shape as determinants of bone strength in IGF-I and/or pamidronate-treated ovariectomized rats. *Osteoporos Int* 1996; 6:219-227.
37. Largo RH, Prader A. Pubertal development in Swiss girls. *Helv Paediatr Acta* 1983; 38:229-243.
38. Tanner JM. Growth at adolescense. Oxford: Blackwell scientific Publications, 1962.
39. Duke PM, Litt IF, Gross RT. Adolescents' self-assessment of sexual maturation. *Pediatrics* 1980; 66:918-920.
40. Lequin MH, van Rijn RR, Robben SG, et al. Evaluation of short-term precision for tibial ultrasonometry. *Calcif Tissue Int* 1999; 64:24-27.
41. Bühl A, Zofel, P. SPSS Version 8. Einführung in die moderne Datenanalyse unter Windows. Bonn: Addison-Wesley-Longman, 1999.
42. Boot AM, de Ridder MA, Pols HA, Krenning EP, de Muinck Keizer-Schrama SM. Bone mineral density in children and adolescents: relation to puberty, calcium intake, and physical activity. *J Clin Endocrinol Metab* 1997; 82:57-62.

43. Lequin MH, van Rijn RR, Robben SG, Hop WC, van Kuijk C. Normal values for tibial quantitative ultrasonometry in caucasian children and adolescents (aged 6 to 19 years). *Calcif Tissue Int* 2000; 67:101-105.
44. Funck C, Wuster C, Alenfeld FE, et al. Ultrasound velocity of the tibia in normal German women and hip fracture patients, 1996.
45. Frost ML, Blake GM, Fogelman I. Contact quantitative ultrasound: an evaluation of precision, fracture discrimination, age-related bone loss and applicability of the WHO criteria. *Osteoporos Int* 1999; 10:441-449.
46. Hans D, Dargent-Molina P, Schott AM, et al. Ultrasonographic heel measurements to predict hip fracture in elderly women: the EPIDOS prospective study. *Lancet* 1996; 348:511-514.
47. Pluijm SM, Graafmans WC, Bouter LM, Lips P. Ultrasound measurements for the prediction of osteoporotic fractures in elderly people. *Osteoporos Int* 1999; 9:550-556.
48. Gluer CC, Eastell R, Reid DM, et al. Association of five quantitative ultrasound devices and bone densitometry with osteoporotic vertebral fractures in a population-based sample: the OPUS Study. *J Bone Miner Res* 2004; 19:782-793.
49. Krieg MA, Cornuz J, Ruffieux C, et al. Comparison of three bone ultrasounds for the discrimination of subjects with and without osteoporotic fractures among 7562 elderly women. *J Bone Miner Res* 2003; 18:1261-1266.
50. Lequin MH, van der Sluis IM, van den Heuvel-Eibrink MM, et al. A longitudinal study using tibial ultrasonometry as a bone assessment technique in children with acute lymphoblastic leukaemia. *Pediatr Radiol* 2003; 33:162-167.
51. Falcini F, Bindi G, Ermini M, et al. Comparison of quantitative calcaneal ultrasound and dual energy X-ray absorptiometry in the evaluation of osteoporotic risk in children with chronic rheumatic diseases. *Calcif Tissue Int* 2000; 67:19-23.
52. Hartman C, Shamir R, Eshach-Adiv O, Iosilevsky G, Brik R. Assessment of osteoporosis by quantitative ultrasound versus dual energy X-ray absorptiometry in children with chronic rheumatic diseases. *J Rheumatol* 2004; 31:981-985.
53. Njeh CF, Shaw N, Gardner-Medwin JM, Boivin CM, Southwood TR. Use of quantitative ultrasound to assess bone status in children with juvenile idiopathic arthritis: a pilot study. *J Clin Densitom* 2000; 3:251-260.

54. Lequin MH, van Rijn RR, Robben SG, van Leeuwen WJ, Hop WC, van Kuijk C. Quantitative tibial ultrasonometry versus radiographic phalangeal absorptiometry in a Caucasian pediatric population. *Calcif Tissue Int* 2001; 68:323-329.
55. Yiallourides M, Savoia M, May J, Emmerson AJ, Mughal MZ. Tibial speed of sound in term and preterm infants. *Biol Neonate* 2004; 85:225-228.
56. Zadik Z, Price D, Diamond G. Pediatric reference curves for multi-site quantitative ultrasound and its modulators. *Osteoporos Int* 2003; 14:857-862.
57. Barkmann R, Rohrschneider W, Vierling M, et al. German pediatric reference data for quantitative transverse transmission ultrasound of finger phalanges. *Osteoporos Int* 2002; 13:55-61.
58. Halaba ZP, Pluskiewicz W. Quantitative ultrasound in the assessment of skeletal status in children and adolescents. *Ultrasound Med Biol* 2004; 30:239-243.
59. Knapp KM, Blake GM, Spector TD, Fogelman I. Multisite quantitative ultrasound: precision, age- and menopause-related changes, fracture discrimination, and T-score equivalence with dual-energy X-ray absorptiometry. *Osteoporos Int* 2001; 12:456-464.
60. Bell NH, Shary J, Stevens J, Garza M, Gordon L, Edwards J. Demonstration that bone mass is greater in black than in white children. *J Bone Miner Res* 1991; 6:719-723.
61. Rupich RC, Specker BL, Lieuw AFM, Ho M. Gender and race differences in bone mass during infancy. *Calcif Tissue Int* 1996; 58:395-397.
62. Laugier P, Novikov V, Elmann-Larsen B, Berger G. Quantitative ultrasound imaging of the calcaneus: precision and variations during a 120-Day bed rest. *Calcif Tissue Int* 2000; 66:16-21.
63. Njeh CF, Boivin CM, Gough A, et al. Evaluation of finger ultrasound in the assessment of bone status with application of rheumatoid arthritis. *Osteoporos Int* 1999; 9:82-90.
64. Gerdhem P, Magnusson H, Karlsson MK, Akesson K. Ultrasound of the phalanges is not related to a previous fracture. A comparison between ultrasound of the phalanges, calcaneus, and DXA of the spine and hip in 75-year-old women. *J Clin Densitom* 2002; 5:159-166.
65. Schiessl H, Frost HM, Jee WS. Estrogen and bone-muscle strength and mass relationships. *Bone* 1998; 22:1-6.

66. Frost HM. Bone's mechanostat: a 2003 update. *Anat Rec A Discov Mol Cell Evol Biol* 2003; 275:1081-1101.
67. Zanchetta J, Plotkin H, Alvarez-Figueira M. Bone mass in children: Normative values for the 2-20-year-old population. *Bone* 1995; 16 (Suppl):393-399.
68. Schoenau E, Neu CM, Mokov E, Wassmer G, Manz F. Influence of puberty on muscle area and cortical bone area of the forearm in boys and girls. *J Clin Endocrinol Metab* 2000; 85:1095-1098.
69. Jarvinen TL, Kannus P, Sievanen H. Estrogen and bone--a reproductive and locomotive perspective. *J Bone Miner Res* 2003; 18:1921-1931.
70. Tothill P, Hannan WJ. Bone mineral and soft tissue measurements by dual-energy X-ray absorptiometry during growth. *Bone* 2002; 31:492-496.
71. Roemmich JN, Clark PA, Berr SS, et al. Gender differences in leptin levels during puberty are related to the subcutaneous fat depot and sex steroids. *Am J Physiol* 1998; 275:E543-551.
72. Garnett SP, Hogler W, Blades B, et al. Relation between hormones and body composition, including bone, in prepubertal children. *Am J Clin Nutr* 2004; 80:966-972.
73. Whipple T, Sharkey N, Demers L, Williams N. Leptin and the skeleton. *Clin Endocrinol (Oxf)* 2002; 57:701-711.
74. Reid IR. Relationships among body mass, its components, and bone. *Bone* 2002; 31:547-555.
75. Klein KO, Larmore KA, de Lancey E, Brown JM, Considine RV, Hassink SG. Effect of obesity on estradiol level, and its relationship to leptin, bone maturation, and bone mineral density in children. *J Clin Endocrinol Metab* 1998; 83:3469-3475.
76. Yamaguchi J, Truman G, Cameron ID. Lifestyle factors affecting bone ultrasonometry of the calcaneus in Japanese women. *Calcif Tissue Int* 2000; 66:43-46.
77. Pettersson U, Nordstrom P, Alfredson H, Henriksson-Larsen K, Lorentzon R. Effect of high impact activity on bone mass and size in adolescent females: A comparative study between two different types of sports. *Calcif Tissue Int* 2000; 67:207-214.

78. Daly RM, Rich PA, Klein R. Influence of high impact loading on ultrasound bone measurements in children: a cross-sectional report. *Calcif Tissue Int* 1997; 60:401-404.
79. Pluskiewicz W, Halaba Z. Pediatric reference curves for multi-site quantitative ultrasound and its modulators-reply. *Osteoporos Int* 2004; 15:258.
80. Fehling PC, Alekel L, Clasey J, Rector A, Stillman RJ. A comparison of bone mineral densities among female athletes in impact loading and active loading sports. *Bone* 1995; 17:205-210.
81. Rico H, Gonzalez-Riola J, Revilla M, Villa LF, Gomez-Castresana F, Escribano J. Cortical versus trabecular bone mass: influence of activity on both bone components. *Calcif Tissue Int* 1994; 54:470-472.
82. Ballard JE, McKeown BC, Graham HM, Zinkgraf SA. The effect of high level physical activity (8.5 METs or greater) and estrogen replacement therapy upon bone mass in postmenopausal females, aged 50-68 years. *Int J Sports Med* 1990; 11:208-214.
83. Johnston CC, Jr., Miller JZ, Slemenda CW, et al. Calcium supplementation and increases in bone mineral density in children. *N Engl J Med* 1992; 327:82-87.
84. Sentipal JM, Wardlaw GM, Mahan J, Matkovic V. Influence of calcium intake and growth indexes on vertebral bone mineral density in young females. *Am J Clin Nutr* 1991; 54:425-428.
85. Black Sandler R, Slemenda CW, LaPorte RE, et al. Postmenopausal bone density and milk consumption in childhood and adolescence. *The American Journal of Clinical Nutrition* 1985; 42:270-274.
86. Murphy S, Khaw KT, May H, Compston JE. Milk consumption and bone mineral density in middle aged and elderly women. *Bmj* 1994; 308:939-941.
87. Seeman E, Tsalamandris C, Formica C, Hopper JL, McKay J. Reduced femoral neck bone density in the daughters of women with hip fractures: the role of low peak bone density in the pathogenesis of osteoporosis. *J Bone Miner Res* 1994; 9:739-743.
88. Pocock NA, Eisman JA, Hopper JL, Yeates MG, Sambrook PN, Eberl S. Genetic determinants of bone mass in adults. A twin study. *J Clin Invest* 1987; 80:706-710.

89. Dequeker J, Nijs J, Verstraeten A, Geusens P, Gevers G. Genetic determinants of bone mineral content at the spine and radius: a twin study. *Bone* 1987; 8:207-209.
90. Neu CM, Rauch F, Manz F, Schoenau E. Modeling of cross-sectional bone size, mass and geometry at the proximal radius: a study of normal bone development using peripheral quantitative computed tomography. *Osteoporos Int* 2001; 12:538-547.
91. Schoenau E, Saggese G, Peter F, et al. From bone biology to bone analysis. *Horm Res* 2004; 61:257-269.