

# Literaturverzeichnis

- [1] J.D. Watson and F.H.C. Crick. Molecular structure of nucleic acids. A structure for deoxyribose nucleic acid. *Nature*, **171**:737–738, 1953.
- [2] J. Donohue and K.N. Trueblood. Base pairing in DNA. *J. Mol. Biol.*, **2**:363–371, 1960.
- [3] S. Zamenhof, G. Brawerman, and E. Chargaff. On the desoxypentose nucleic acids from several microorganisms. *Biochim. Biophys. Acta*, **9**:402–405, 1952.
- [4] S. Arnott and D.W.L. Hukins. Optimised parameters for A-DNA and B-DNA. *Biochem. Biophys. Res. Commun.*, **47**:1504–1509, 1972.
- [5] A.H.-J. Wang, G.J. Quigley, F.J. Kolpak, J.L. Crawford, J.H. van Boom, G. van der Marel, and A. Rich. Molecular structure of a left-handed double helical DNA fragment at atomic resolution. *Nature*, **282**:680–686, 1979.
- [6] W. Saenger. *Principles of Nucleic Acid Structure*. Springer-Verlag, New York 1984.
- [7] S. Arnott, R. Chandrasekaran, D.W.L. Hukins, P.J.C. Smith, and L. Watts. Structural details of a double-helix observed for DNA's containing alternating purine-pyrimidine sequences. *J. Mol. Biol.*, **88**:523–533, 1974.
- [8] S. Arnott, D.W.L. Hukins, S.D. Dover, W. Fuller, and A.R. Hodgson. Structures of synthetic polynucleotides in the A-RNA and A'-RNA conformations:X-ray diffraction analyses of the molecular conformations of polyadenylic acid·polyuridylic acid and polyinosinic acid·polycytidylic acid. *J. Mol. Biol.*, **81**:107–122, 1973.
- [9] S. Arnott and E. Selsing. Structures of poly d(A)·poly d(T) and poly d(T)·poly d(A)·poly d(T). *J. Mol. Biol.*, **88**:509–521, 1974.
- [10] R. Lavery, K. Zakrzewska, J.-S. Sun, and S.C. Harvey. A comprehensive classification of nucleic acid structural families based on strand direction and base pairing. *Nucleic Acids Research*, **20**:5011–5016, 1992.
- [11] N.B. Leontis and E. Westhof. Conserved geometrical base pairing patterns in RNA. *Q. Rev. Biophys.*, **31**:399–455, 1998.
- [12] N.B. Leontis and E. Westhof. Geometric nomenclature and classification of RNA basepairs. *RNA*, **7**:499–512, 2001.
- [13] R. Lavery and H. Sklenar. The definition of generalized helicoidal parameters and of axis curvature for irregular nucleic acids. *J. Biomol. Struct. Dyn.*, **6**:63–91, 1988.

- [14] R. Lavery and H. Sklenar. Defining the structure of irregular nucleic acids: conventions and principles. *J. Biomol. Struct. Dyn.*, **6**:655–667, 1989.
- [15] R.E. Dickerson, M. Bansal, C.R. Calladine, S. Diekmann, W.N. Hunter, O. Kennard, R. Lavery, H.C.M. Nelson, W.K. Olson, W. Saenger, Z. Shakked, H. Sklenar, D.M. Soumpasis, C.-S. Tung, E. von Kitzing, A.H.-J. Wang, and V.B. Zhurkin. Definitions and nomenclature of nucleic acid structure parameters. *J. Mol. Biol.*, **205**:787–791, 1989.
- [16] W.K. Olson, M. Bansal, S.K. Burley, R.E. Dickerson, M. Gerstein, S.C. Harvey, U. Heinemann, X.-J. Lu, S. Neidle, Z. Shakked, H. Sklenar, M. Suzuki, C.-S. Tung, E. Westhof, C. Wolberger, and H.M. Berman. A standard reference frame for the description of nucleic acid base-pair geometry. *J. Mol. Biol.*, **313**:229–237, 2001.
- [17] R. Lavery and H. Sklenar. *A quantitative description of the conformation of biological macromolecules*. Structure & Methods, Vol. 2: DNA Protein Complexes & Proteins, R.H. Sarma and M.H. Sarma, Adenine Press, pp. 215-235, New York 1990.
- [18] E. Stofer and R. Lavery. Measuring the geometry of DNA grooves. *Biopolymers*, **34**:337–346, 1994.
- [19] C. Altona and M. Sundaralingam. Conformational analysis of the sugar ring in nucleosides and nucleotides. A new description using the concept of pseudorotation. *J. Am. Chem. Soc.*, **94**:8205–8212, 1972.
- [20] M. Levitt and A. Warshel. Extreme conformational flexibility of the furanose ring in DNA and RNA. *J. Am. Chem. Soc.*, **100**:2607–2613, 1978.
- [21] C.R. Cantor and P.R. Schimmel. *Biophysical Chemistry, Part I: The conformation of biological macromolecules*. W.H. Freeman and Company, San Francisco 1980.
- [22] R. Chandrasekaran, M. Wang, R.-G. He, L.C. Puigjaner, M.A. Byler, R.P. Millane, and S. Arnott. A re-examination of the crystal structure of A-DNA using fiber diffraction data. *J. Biomol. Struct. Dyn.*, **6**:1189–1202, 1989.
- [23] R. Chandrasekaran and S. Arnott. The structure of B-DNA in oriented fibers. *J. Biomol. Struct. Dyn.*, **13**:1015–1027, 1996.
- [24] S. Arnott, R. Chandrasekaran, D.L. Birdsall, A.G.W. Leslie, and R.L. Ratliff. Left-handed DNA helices. *Nature*, **283**:743–745, 1980.
- [25] L. Bragg. X-ray crystallography. *Sci. Am.*, **219**:58–70, 1968.
- [26] R. Wing, H. Drew, T. Takano, C. Broka, S. Tanaka, K. Itakura, and R.E. Dickerson. Crystal structure analysis of a complete turn of B-DNA. *Nature*, **287**:755–758, 1980.

- [27] Z. Shakked, D. Rabinovich, W.B.T. Cruse, E. Egert, O. Kennard, G. Sala, S.A. Salisbury, and M.A. Viswamitra. Crystalline A-DNA: the X-ray analysis of the fragment d(G-G-T-A-T-A-C-C). *Proc. R. Soc. Lond. B*, **213**:479–487, 1981.
- [28] B.N. Conner, T. Takano, S. Tanaka, K. Itakura, and R.E. Dickerson. The molecular structure of d(<sup>1</sup>CpCpGpG), a fragment of right-handed double helical A-DNA. *Nature*, **295**:294–299, 1982.
- [29] J.M. Rosenberg, N.C. Seeman, R.O. Day, and A. Rich. RNA double helices generated from crystal structures of double helical dinucleoside phosphates. *Biochem. Biophys. Res. Commun.*, **69**:979–987, 1976.
- [30] N. Ban, P. Nissen, J. Hansen, P.B. Moore, and T.A. Steitz. The complete atomic structure of the large ribosomal subunit at 2.4 Å resolution. *Science*, **289**:905–920, 2000.
- [31] F. Schluenzen, A. Tocilj, R. Zarivach, J. Harms, M. Gluehmann, D. Janell, A. Bashan, H. Bartels, I. Agmon, F. Franceschi, and A. Yonath. Structure of functionally activated small ribosomal subunit at 3.3 Å resolution. *Cell*, **102**:615–623, 2000.
- [32] I. Schlichting. Crystallographic structure determination of unstable species. *Acc. Chem. Res.*, **33**:532–538, 2000.
- [33] R.E. Dickerson. Base sequence and helix structure variation in B and A DNA. *J. Mol. Biol.*, **166**:419–441, 1983.
- [34] Z. Shakked, D. Rabinovich, O. Kennard, W.B.T. Cruse, S.A. Salisbury, and M.A. Viswamitra. Sequence-dependent conformation of an A-DNA double helix: the crystal structure of the octamer d(G-G-T-A-T-A-C-C). *J. Mol. Biol.*, **166**:183–201, 1983.
- [35] U. Heinemann and C. Alings. Crystallographic study of one turn of G/C-rich B-DNA. *J. Mol. Biol.*, **210**:369–381, 1989.
- [36] U. Heinemann and C. Alings. The conformation of a B-DNA decamer is mainly determined by its sequence and not by crystal environment. *EMBO J.*, **10**:35–43, 1991.
- [37] Z. Shakked, G. Guerstein-Guzikovich, M. Eisenstein, F. Frolow, and D. Rabinovich. The conformation of the DNA double helix in the crystal is dependent on its environment. *Nature*, **342**:456–460, 1989.
- [38] W.K. Olson, A.A. Gorin, X.-J. Lu, L.M. Hock, and V.B. Zhurkin. DNA sequence-dependent deformability deduced from protein-DNA crystal complexes. *Proc. Natl. Acad. Sci. USA*, **95**:11163–11168, 1998.
- [39] D. Bhattacharyya, S. Kundu, A.R. Thakur, and R. Majumdar. Sequence directed flexibility of DNA and the role of cross-strand hydrogen bonds. *J. Biomol. Struct. Dyn.*, **17**:289–300, 1999.

- [40] R. Rohs. *Spektroskopische Untersuchungen und theoretische Modellierungen physikalischer Eigenschaften von Farbstoff-Oligonukleotid-Konjugaten*. Diplomarbeit, Humboldt-Universität zu Berlin, 1997.
- [41] B. Nordén, M. Kubista, and T. Kurucsev. Linear dichroism spectroscopy of nucleic acids. *Q. Rev. Biophys.*, **25**:51–170, 1992.
- [42] G.J. Thomas Jr. Raman spectroscopy of protein and nucleic acid assemblies. *Annu. Rev. Biophys. Biomol. Struct.*, **28**:1–27, 1999.
- [43] K. Wüthrich. *NMR of proteins and nucleic acids*. John Wiley & Sons, Inc., New York 1986.
- [44] K. Wüthrich. NMR-This other method for protein and nucleic acid structure determination. *Acta Cryst.*, **51**:249–270, 1995.
- [45] S.L. Lam and S.C.F. Au-Yeung. Sequence-specific local structural variations in solution structures of d(CGXX'CG)<sub>2</sub> and d(CAXX'TG)<sub>2</sub> self-complementary deoxyribonucleic acids. *J. Mol. Biol.*, **266**:745–760, 1997.
- [46] G.S. Manning. Limiting laws and counterion condensation in polyelectrolyte solutions: I. Colligative properties, II. Self-diffusion of the small ions. *J. Chem. Phys.*, **51**:924–938, 1969.
- [47] G.S. Manning. The molecular theory of polyelectrolyte solutions with applications to the electrostatic properties of polynucleotides. *Q. Rev. Biophys.*, **11**:179–246, 1978.
- [48] B. Jayaram, S. Swaminathan, D.L. Beveridge, K. Sharp, and B. Honig. Monte Carlo simulation studies on the structure of the counterion atmosphere of B-DNA. Variations on the primitive dielectric model. *Macromolecules*, **23**:3156–3165, 1990.
- [49] B. Jayaram and D.L. Beveridge. Modeling DNA in aqueous solutions: theoretical and computer simulation studies on the ion atmosphere of DNA. *Annu. Rev. Biophys. Biomol. Struct.*, **25**:367–394, 1996.
- [50] R. Rohs, C. Etchebest, and R. Lavery. Unraveling proteins: a molecular mechanics study. *Biophys. J.*, **76**:2760–2768, 1999.
- [51] P.A. Kollman, U.C. Singh, T. Lybrand, S. Rao, and J. Caldwell. *A perspective on molecular mechanical and molecular dynamical studies involving DNA*. Molecular Basis of Cancer, Part A: Macromolecular Structure, Carcinogens, and Oncogenes, Alan R. Liss, Inc., pp. 173–185, New York 1985.
- [52] P. Kollman, J.W. Keepers, and P. Weiner. Molecular-mechanics studies on d(CGCGAATTCGCG)<sub>2</sub> and dA<sub>12</sub>·dT<sub>12</sub>: an illustration of the coupling between sugar repuckering and DNA twisting. *Biopolymers*, **21**:2345–2376, 1982.
- [53] R. Rohs, H. Sklenar, R. Lavery, and B. Röder. Methylene blue binding to DNA with alternating GC base sequence: a modeling study. *J. Am. Chem. Soc.*, **122**:2860–2866, 2000.

- [54] B. Jayaram, D. Sprous, M.A. Young, and D.L. Beveridge. Free energy analysis of the conformational preferences of A and B-Forms of DNA in solution. *J. Am. Chem. Soc.*, **120**:10629–10633, 1998.
- [55] D.L. Beveridge and K.J. McConnell. Nucleic acids: theory and computer simulation, Y2K. *Curr. Opin. Struct. Biol.*, **10**:182–196, 2000.
- [56] B. Honig. Protein folding: from the Levinthal paradox to structure prediction. *J. Mol. Biol.*, **293**:283–293, 1999.
- [57] B. Jayaram, K.J. McConnell, S.B. Dixit, and D.L. Beveridge. Free energy analysis of protein-DNA binding: The EcoRI endonuclease-DNA complex. *J. Comp. Phys.*, **151**:333–357, 1999.
- [58] B. Jayaram, K.J. McConnell, S.B. Dixit, and D.L. Beveridge. Free energy component analysis of 40 protein-DNA complexes: a consensus view on the thermodynamics of binding at the molecular level. *J. Comp. Chem.*, **23**:1–14, 2002.
- [59] J.A. McCammon and S.C. Harvey. *Dynamics of proteins and nucleic acids*. Cambridge University Press, 1987.
- [60] U.C. Singh, S.J. Weiner, and P. Kollman. Molecular dynamics simulations of d(C-G-C-G-A)·d(T-C-G-C-G) with and without 'hydrated' counterions. *Proc. Natl. Acad. Sci. USA*, **82**:755–759, 1985.
- [61] E. Westhof and M. Sundaralingam. A method for the analysis of puckering disorder in five-membered rings: the relative mobilities of furanose and proline rings and their effect on polynucleotide and polypeptide backbone flexibility. *J. Am. Chem. Soc.*, **105**:970–976, 1983.
- [62] Y. Duan and P.A. Kollman. Pathways to a protein folding intermediate observed in a 1-microsecond simulation in aqueous solution. *Science*, **282**:740–744, 1998.
- [63] M. Levitt. Computer simulation of DNA double-helix dynamics. *Cold Spring Harbor Symposia on Quantitative Biology*, **47**:251–262, 1983.
- [64] T.E. Cheatham III and P.A. Kollman. Molecular dynamics simulations of nucleic acids. *Annu. Rev. Phys. Chem.*, **51**:435–471, 2000.
- [65] M.A. Young, G. Ravishanker, and D.L. Beveridge. A 5-nanosecond molecular dynamics trajectory for B-DNA: analysis of structure, motions, and solvation. *Biophys. J.*, **73**:2313–2336, 1997.
- [66] M.A. Young and D.L. Beveridge. Molecular dynamics simulations of an oligonucleotide duplex with adenine tracts phased by a full helix turn. *J. Mol. Biol.*, **281**:675–687, 1998.
- [67] D. Flatters and R. Lavery. Sequence-dependent dynamics of TATA-box binding sites. *Biophys. J.*, **75**:372–381, 1998.
- [68] T.E. Cheatham III and P.A. Kollman. Molecular dynamics simulations highlight the structural differences among DNA:DNA, RNA:RNA, and DNA:RNA hybrid duplexes. *J. Am. Chem. Soc.*, **119**:4805–4825, 1997.

- [69] T.E. Cheatham III and P.A. Kollman. Observation of the A-DNA to B-DNA transition during unrestrained molecular dynamics in aqueous solution. *J. Mol. Biol.*, **259**:434–444, 1996.
- [70] T.E. Cheatham III, M.F. Crowley, T. Fox, and P.A. Kollman. A molecular level picture of the stabilization of A-DNA in mixed ethanol-water solutions. *Proc. Natl. Acad. Sci. USA*, **94**:9626–9630, 1997.
- [71] M.A. Young, B. Jayaram, and D.L. Beveridge. Intrusion of counterions into the spine of hydration in the minor groove of B-DNA: fractional occupancy of electronegative pockets. *J. Am. Chem. Soc.*, **119**:59–69, 1997.
- [72] K.J. McConnell and D.L. Beveridge. DNA structure: what's in charge? *J. Mol. Biol.*, **304**:803–820, 2000.
- [73] J. Norberg and L. Nilsson. Solvent influence on base stacking. *Biophys. J.*, **74**:394–402, 1998.
- [74] C.R. Cantor and P.R. Schimmel. *Biophysical Chemistry, Part III: The behavior of biological macromolecules*. W.H. Freeman and Company, San Francisco 1980.
- [75] T. Ha Duong and K. Zakrzewska. Influence of drug binding on DNA: a normal mode analysis. *J. Biomol. Struct. Dyn.*, **14**:691–701, 1997.
- [76] R. Rohs and H. Sklenar. Methylene blue binding to DNA with alternating GC base sequence: continuum treatment of salt effects. *Indian J. Biochem. Biophys.*, **38**:1–6, 2001.
- [77] H.M. Sobell. *Kink-antikink bound states in DNA structure*. Biological Macromolecules and Assemblies, Vol. 2: Nucleic Acids & Interactive Proteins, F.A. Jurnak and A. MacPherson, John Wiley & Sons, Inc., pp. 171-232, New York 1985.
- [78] A. Das and B. Jayaram. Brownian dynamics simulations of DNA-ligand interactions: a theoretical study on the kinetics of DAPI-DNA complexation. *J. Mol. Liquids*, **77**:157–163, 1998.
- [79] M. Zacharias and H. Sklenar. Harmonic modes as variables to approximately account for receptor flexibility in ligand-receptor docking simulations: application to DNA minor groove ligand complex. *J. Comp. Chem.*, **20**:287–300, 1999.
- [80] A.N. Lane. Nuclear magnetic resonance studies of drug-DNA complexes in solution. *Methods Enzymol.*, **340**:252–281, 2001.
- [81] M. Eriksson and B. Nordén. Linear and circular dichroism of drug-nucleic acid complexes. *Methods Enzymol.*, **340**:68–98, 2001.
- [82] K. Zakrzewska, M. Randrianarivelo, and B. Pullman. Drug recognition of DNA. Proposal for GC minor groove specific ligands: vinylexins. *J. Biomol. Struct. Dyn.*, **6**:331–344, 1988.
- [83] I.D. Kuntz, K. Chen, K.A. Sharp, and P.A. Kollman. The maximal affinity of ligands. *Proc. Natl. Acad. Sci. USA*, **96**:9997–10002, 1999.

- [84] P. Herzyk, S. Neidle, and J.M. Goodfellow. Conformation and dynamics of drug-DNA intercalation. *J. Biomol. Struct. Dyn.*, **10**:97–139, 1992.
- [85] A. Bareket-Samish, I. Cohen, and T.E. Haran. Signals for TBP/TATA box recognition. *J. Mol. Biol.*, **299**:965–977, 2000.
- [86] G. Guzikovich-Guerstein and Z. Shakked. A novel form of the DNA double helix imposed on the TATA-box by the TATA-binding protein. *Nature Struct. Biol.*, **3**:32–37, 1996.
- [87] A. Lebrun and R. Lavery. Modeling DNA deformations induced by minor groove binding proteins. *Biopolymers*, **49**:341–353, 1999.
- [88] Z. Shakked, G. Guzikovich-Guerstein, F. Frolow, D. Rabinovich, A. Joachimiak, and P.B. Sigler. Determinants of repressor/operator recognition from the structure of the trp operator binding site. *Nature*, **368**:469–473, 1994.
- [89] J. Hizver, H. Rozenberg, F. Frolow, D. Rabinovich, and Z. Shakked. DNA bending by an adenine-thymine tract and its role in gene regulation. *Proc. Natl. Acad. Sci. USA*, **98**:8490–8495, 2001.
- [90] D. Bartfeld, L. Shimon, G.C. Couture, D. Rabinovich, F. Frolow, D. Levanon, Y. Groner, and Z. Shakked. DNA recognition by the RUNX1 transcription factor is mediated by an allosteric transition in the RUNT domain and by DNA bending. *Structure*, **10**:1395–1407, 2002.
- [91] S.B. Dixit and B. Jayaram. Role of hydrogen bonds in protein-DNA recognition: a comparison of Generalized Born and Finite Difference Poisson-Boltzmann solvation treatments. *J. Biomol. Struct. Dyn.*, **16**:237–242, 1998.
- [92] L. Pardo, M. Campillo, D. Bosch, N. Pastor, and H. Weinstein. Binding mechanisms of TATA box-binding proteins: DNA kinking is stabilized by specific hydrogen bonds. *Biophys. J.*, **78**:1988–1996, 2000.
- [93] P. Kalra, A. Das, S.B. Dixit, and B. Jayaram. Free energy analysis of enzyme-inhibitor binding: the carboxypeptidase A-inhibitor complexes. *Indian J. Chem.*, **39**:262–273, 2000.
- [94] H.-J. Böhm, G. Klebe, and H. Kubinyi. *Wirkstoffdesign*. Spektrum Akademischer Verlag, Heidelberg 1996.
- [95] J. Piette. Biological consequences associated with DNA oxidation mediated by singlet oxygen. *J. Photochem. Photobiol. B*, **11**:241–260, 1991.
- [96] E.M. Tuite and J.M. Kelly. Photochemical interactions of methylene blue and analogues with DNA and other biological substrates. *J. Photochem. Photobiol. B*, **21**:103–124, 1993.
- [97] W. Blau, D.T. Croke, J.M. Kelly, D.J. McConnell, C. OhUigin, and W.J.M. van der Putten. Base-specific photocleavage of DNA induced by nanosecond u.v. pulsed laser radiation or methylene blue sensitisation. *J. Chem. Soc., Chem. Commun.*, **1**:751–752, 1987.

- [98] G. Laustriat. Molecular mechanisms of photosensitization. *Biochimie*, **68**:771–778, 1986.
- [99] C.S. Foote. Mechanisms of photosensitized oxidation. *Science*, **162**:963–970, 1968.
- [100] E. Tuite and B. Nordén. Sequence-specific interactions of methylene blue with polynucleotides and DNA: a spectroscopic study. *J. Am. Chem. Soc.*, **116**:7548–7556, 1994.
- [101] H. Falkenhagen and W. Ebeling. *Theorie der Elektrolyte*. S. Hirzel Verlag, Leipzig 1971.
- [102] H. Sklenar, R. Lavery, and B. Pullman. The flexibility of the nucleic acids: (I) “SIR”, a novel approach to the variation of polymer geometry in constrained systems. *J. Biomol. Struct. Dyn.*, **3**:967–987, 1986.
- [103] R. Lavery, H. Sklenar, K. Zakrzewska, and B. Pullman. The flexibility of the nucleic acids: (II) the calculation of internal energy and applications to mono-nucleotide repeat DNA. *J. Biomol. Struct. Dyn.*, **3**:989–1014, 1986.
- [104] R. Lavery, K. Zakrzewska, and H. Sklenar. JUMNA (junction minimisation of nucleic acids). *Comp. Phys. Comm.*, **91**:135–158, 1995.
- [105] S.J. Weiner, P.A. Kollman, D.A. Case, U.C. Singh, C. Ghio, G. Alagona, S. Profeta Jr., and P. Weiner. A new force field for molecular mechanical simulation of nucleic acids and proteins. *J. Am. Chem. Soc.*, **106**:765–784, 1984.
- [106] W.D. Cornell, P. Cieplak, C.I. Bayly, I.R. Gould, K.M. Merz Jr., D.M. Ferguson, D.C. Spellmeyer, T. Fox, J.W. Caldwell, and P.A. Kollman. A second generation force field for the simulation of proteins, nucleic acids, and organic molecules. *J. Am. Chem. Soc.*, **117**:5179–5197, 1995.
- [107] B.R. Brooks, R.E. Bruccoleri, B.D. Olafson, D.J. States, S. Swaminathan, and M. Karplus. CHARMM: a program for macromolecular energy minimization and dynamics calculations. *J. Comp. Chem.*, **4**:187–217, 1983.
- [108] P. Dauber-Osguthorpe, V.A. Roberts, D.J. Osguthorpe, J. Wolff, M. Genest, and A.T. Hagler. Structure and energetics of ligand binding to proteins: Escherichia coli dihydrofolate reductase-trimethoprim, a drug-receptor system. *Proteins: Structure, Function, and Genetics*, **4**:31–47, 1988.
- [109] B. Jayaram, K.A. Sharp, and B. Honig. The electrostatic potential of B-DNA. *Biopolymers*, **28**:975–993, 1985.
- [110] B.E. Hingerty, R.H. Ritchie, T.L. Ferrell, and J.E. Turner. Dielectric effects in biopolymers: the theory of ionic saturation revisited. *Biopolymers*, **24**:427–439, 1985.
- [111] V. Fritsch and E. Westhof. *Minimization and molecular dynamics of Z-DNA modified by acetylaminofluorene*. Modelling of Molecular Structures and Properties, J.-L. Rivail, Studies in Physical and Theoretical Chemistry, Vol. 71, Elsevier Science Publishers B. V., pp. 627-634, Amsterdam 1990.

- 
- [112] S.C. Harvey. Treatment of electrostatic effects in macromolecular modeling. *Proteins: Structure, Function, and Genetics*, **5**:78–92, 1989.
  - [113] M.E. Davis and J.A. McCammon. Electrostatics in biomolecular structure and dynamics. *Chem. Rev.*, **90**:509–521, 1990.
  - [114] B. Honig and A. Nicholls. Classical electrostatics in biology and chemistry. *Science*, **268**:1144–1149, 1995.
  - [115] M.K. Gilson, K.A. Sharp, and B. Honig. Calculating the electrostatic potential of molecules in solution: method and error assessment. *J. Comp. Chem.*, **9**:327–335, 1987.
  - [116] J.D. Madura, M.E. Davis, M.K. Gilson, R.C. Wade, B.A. Luty, and J.A. McCammon. *Biological applications of electrostatic calculations and Brownian Dynamics simulations*. Reviews in Computational Chemistry, Vol. V, K.B. Lipkowitz and D.B. Boyd, VHC Publishers, Inc., pp. 229-267, New York 1994.
  - [117] R.J. Zauhar and R.S. Morgan. A new method for computing the macromolecular electric potential. *J. Mol. Biol.*, **186**:815–820, 1985.
  - [118] T.J. You and S.C. Harvey. Finite element approach to the electrostatics of macromolecules with arbitrary geometries. *J. Comp. Chem.*, **14**:484–501, 1993.
  - [119] M.E. Davis, J.D. Madura, B.A. Luty, and J.A. McCammon. Electrostatics and diffusion of molecules in solution: simulations with the University of Houston Brownian dynamics program. *Comp. Phys. Commun.*, **62**:187–197, 1991.
  - [120] A.A. Rashin and B. Honig. Reevaluation of the Born model of ion hydration. *J. Phys. Chem.*, **89**:5588–5593, 1985.
  - [121] K.A. Sharp and B. Honig. Calculating total electrostatic energies with the non-linear Poisson-Boltzmann equation. *J. Phys. Chem.*, **94**:7684–7692, 1990.
  - [122] M. Zacharias and H. Sklenar. Analysis of the stability of looped-out and stacked-in conformations of an adenine bulge in DNA using a continuum model for solvent and ions. *Biophys. J.*, **73**:2990–3003, 1997.
  - [123] M. Zacharias and H. Sklenar. Conformational analysis of single-base bulges in A-form DNA and RNA using a hierarchical approach and energetic evaluation with a continuum solvent model. *J. Mol. Biol.*, **289**:261–275, 1999.
  - [124] H. Sklenar, F. Eisenhaber, M. Poncin, and R. Lavery. *Including solvent and counterion effects in the force fields of macromolecular mechanics: the Field Integrated Electrostatic Approach (FIESTA)*. Theoretical Biochemistry & Molecular Biophysics, Vol. 2: Proteins, D.L. Beveridge and R. Lavery, Adenine Press, pp. 317-335, New York 1990.
  - [125] A. Maier, H. Sklenar, H.F. Kratky, A. Renner, and P. Schuster. Force field based conformational analysis of RNA structural motifs: GNRA tetraloops and their pyrimidine relatives. *Eur. Biophys. J.*, **28**:564–573, 1999.

- [126] M. Schaefer and M. Karplus. A comprehensive analytical treatment of continuum electrostatics. *J. Phys. Chem.*, **100**:1578–1599, 1996.
- [127] W.C. Still, A. Tempczyk, R.C. Hawley, and T. Hendrickson. Semianalytical treatment of solvation for molecular mechanics and dynamics. *J. Am. Chem. Soc.*, **112**:6127–6129, 1990.
- [128] B. Jayaram, D. Sprous, and D.L. Beveridge. Solvation free energy of biomacromolecules: parameters for a modified generalized Born model consistent with the AMBER force field. *J. Phys. Chem. B*, **102**:9571–9576, 1998.
- [129] B. Jayaram, Y. Liu, and D.L. Beveridge. A modification of the generalized Born theory for improved estimates of solvation energies and *pK* shifts. *J. Chem. Phys.*, **109**:1465–1471, 1998.
- [130] D. Sitkoff, K.A. Sharp, and B. Honig. Accurate calculation of hydration free energies using macroscopic solvent models. *J. Phys. Chem.*, **98**:1978–1988, 1994.
- [131] T.E. Cheatham III, J. Srinivasan, D.A. Case, and P.A. Kollman. Molecular dynamics and continuum solvent studies of the stability of PolyG-PolyC and PolyA-PolyT DNA duplexes in solution. *J. Biomol. Struct. Dyn.*, **16**:265–280, 1998.
- [132] J. Srinivasan, T.E. Cheatham III, P. Cieplak, P.A. Kollman, and D.A. Case. Continuum solvent studies of the stability of DNA, RNA, and phosphoramidate-DNA helices. *J. Am. Chem. Soc.*, **120**:9401–9409, 1998.
- [133] I. Massova and P.A. Kollman. Computational alanine scanning to probe protein-protein interactions: a novel approach to evaluate binding free energies. *J. Am. Chem. Soc.*, **121**:8133–8143, 1999.
- [134] O. Wang, W. Donini, C.M. Reyes, and P.A. Kollman. Biomolecular simulations: developments in force fields, simulations of enzyme catalysis, protein-ligand, protein-protein, and protein-nucleic acid noncovalent interactions. *Annu. Rev. Biophys. Biomol. Struct.*, **30**:211–243, 2001.
- [135] A. Rahman and F.H. Stillinger. Molecular dynamics study of liquid water. *J. Chem. Phys.*, **55**:3336–3359, 1971.
- [136] W.L. Jorgensen, J. Chandrasekhar, J.D. Madura, R.W. Impey, and M.L. Klein. Comparison of simple potential functions for simulating liquid water. *J. Chem. Phys.*, **79**:926–935, 1983.
- [137] L. Verlet. Computer “experiments” on classical fluids. I. Thermodynamical properties of Lennard-Jones molecules. *Phys. Rev.*, **159**:98–103, 1967.
- [138] D. Beeman. Some multistep methods for use in molecular dynamics calculations. *J. Comp. Phys.*, **20**:130–139, 1976.
- [139] S. Nosé. A molecular dynamics method for simulations in the canonical ensemble. *Mol. Phys.*, **52**:255–268, 1984.

- [140] W.G. Hoover. Canonical dynamics: equilibrium phase-space distributions. *Phys. Rev. A*, **31**:1695–1697, 1985.
- [141] T.E. Cheatham III, J.L. Miller, T. Fox, T.A. Darden, and P.A. Kollman. Molecular dynamics simulations on solvated biomolecular systems: the particle mesh Ewald method leads to stable trajectories of DNA, RNA, and proteins. *J. Am. Chem. Soc.*, **117**:4193–4194, 1995.
- [142] T. Darden, D. York, and L. Pedersen. Particle mesh Ewald: an  $N \cdot \log(N)$  method for Ewald sums in large systems. *J. Chem. Phys.*, **98**:10089–10092, 1993.
- [143] N. Metropolis, A.W. Rosenbluth, M.N. Rosenbluth, A.H. Teller, and E. Teller. Equation of state calculations by fast computing machines. *J. Chem. Phys.*, **21**:1087–1092, 1953.
- [144] W.W. Wood. *Monte Carlo studies of simple liquid models*. Physics of Simple Liquids, H.N.V. Temperly, J.S. Rowlinson and G.S. Rushbrooke, North-Holland Publ. Co., pp. 115–230, Amsterdam 1968.
- [145] J.P. Valleau and S.G. Whittington. *A guide to Monte Carlo for statistical mechanics: 1. Highways*. Statistical Mechanics, Part A: Equilibrium Techniques, B.J. Berne, Plenum Press, pp. 137–168, New York 1977.
- [146] D.A. Chesnut and Z.W. Salsburg. Monte Carlo procedure for statistical mechanical calculations in a grand canonical ensemble of lattice systems. *J. Chem. Phys.*, **38**:2861–2875, 1963.
- [147] D. Frenkel and B. Smit. *Understanding Molecular Simulation: From Algorithms to Applications*. Academic Press, Inc., San Diego 1996.
- [148] J.M. Sanz-Serna and M.P. Calvo. *Numerical Hamiltonian Problems*. Applied Mathematics and Mathematical Computation 7, Chapman & Hall, London 1994.
- [149] L.R. Dodd, T.D. Boone, and D.N. Theodorou. A concerted rotation algorithm for atomistic Monte Carlo simulation of polymer melts and glasses. *Mol. Phys.*, **78**:961–996, 1993.
- [150] P.V.K. Pant and D.N. Theodorou. Variable connectivity method for the atomistic Monte Carlo simulation of polydisperse polymer melts. *Macromolecules*, **28**:7224–7234, 1995.
- [151] V.G. Mavrantzas, T.D. Boone, E. Zervopoulou, and D.N. Theodorou. End-bridging Monte Carlo: a fast algorithm for atomistic simulation of condensed phases of long polymer chains. *Macromolecules*, **32**:5072–5096, 1999.
- [152] H.A. Gabb, R. Lavery, and C. Prévost. Efficient conformational space sampling for nucleosides using internal coordinate Monte Carlo simulations and a modified furanose description. *J. Comp. Chem.*, **16**:667–680, 1995.
- [153] N. Gō and H.A. Scheraga. Ring closure and local conformational deformations of chain molecules. *Macromolecules*, **3**:178–187, 1970.

- [154] H.A. Gabb, C. Prévost, G. Bertucat, C.H. Robert, and R. Lavery. Collective-variable Monte Carlo simulation of DNA. *J. Comp. Chem.*, **18**:2001–2011, 1997.
- [155] E.W. Knapp. Long time dynamics of a polymer with rigid body monomer units relating to a protein model: comparison with the Rouse model. *J. Comp. Chem.*, **13**:793–798, 1992.
- [156] E.W. Knapp and A. Irgens-Defregger. Off-lattice Monte Carlo method with constraints: long-time dynamics of a protein model without nonbonded interactions. *J. Comp. Chem.*, **14**:19–29, 1993.
- [157] D. Hoffmann and E.W. Knapp. Polypeptide folding with off-lattice Monte Carlo dynamics: the method. *Eur. Biophys. J.*, **24**:387–403, 1996.
- [158] D. Hoffmann and E.W. Knapp. Protein dynamics with off-lattice Monte Carlo moves. *Phys. Rev. E*, **53**:4221–4224, 1996.
- [159] D. Hoffmann and E.W. Knapp. Folding pathways of a helix-turn-helix model protein. *J. Phys. Chem. B*, **101**:6734–6740, 1997.
- [160] B. Rabenstein, D. Hoffmann, and E.W. Knapp. *Simulation of oligopeptide folding or how do residues talk*. Biological Physics—Third International Conference, AIP Conference Proceedings 487, American Institute of Physics, pp. 54–68, Melville, New York 1998.
- [161] S. Padmanabhan, B. Richey, C.F. Anderson, and M.T. Record Jr. Interaction of an N-methylated polyamine analogue, hexamethonium(2+), with NaDNA: quantitative  $^{14}\text{N}$  and  $^{23}\text{Na}$  NMR relaxation rate studies of the cation-exchange process. *Biochemistry*, **27**:4367–4376, 1988.
- [162] B. Nordén and F. Tjerneld. Structure of methylene blue-DNA complexes studied by linear and circular dichroism spectroscopy. *Biopolymers*, **21**:1713–1734, 1982.
- [163] M. Hogan, J. Wang, R.H. Austin, and S. Hershkowitz. Molecular motion of DNA as measured by triplet anisotropy decay. *Proc. Natl. Acad. Sci. USA*, **79**:3518–3522, 1982.
- [164] J. Wang, M. Hogan, and R.H. Austin. DNA motions in the nucleosome core particle. *Proc. Natl. Acad. Sci. USA*, **79**:5896–5900, 1982.
- [165] R. Lyng, T. Härd, and B. Nordén. Induced CD of DNA intercalators: electric dipole allowed transitions. *Biopolymers*, **26**:1327–1345, 1987.
- [166] D.F. Bradley, N.C. Stellwagen, C.T. O'Konski, and C.M. Paulson. Electric birefringence and dichroism of acridine orange and methylene blue complexes with polynucleotides. *Biopolymers*, **11**:645–652, 1972.
- [167] W. Müller and D.M. Crothers. Interactions of heteroaromatic compounds with nucleic acids. *Eur. J. Biochem.*, **54**:267–277, 1975.
- [168] C. OhUigin, D.J. McConnell, J.M. Kelly, and W.J.M. van der Putten. Methylen blue photosensitised strand cleavage of DNA: effects of dye binding and oxygen. *Nucleic Acids Res.*, **15**:7411–7427, 1987.

- [169] J.M. Kelly, W.J.M. van der Putten, and D.J. McConnell. Laser flash spectroscopy of methylene blue with nucleic acids. *Photochem. Photobiol.*, **45**:167–175, 1987.
- [170] W.J.M. van der Putten and J.M. Kelly. Laser flash spectroscopy of methylene blue with nucleic acids. Effects of ionic strength and pH. *Photochem. Photobiol.*, **49**:145–151, 1989.
- [171] R. Lavery, K. Zakrzewska, and A. Pullman. Optimized monopole expansions for the representation of the electrostatic properties of the nucleic acids. *J. Comp. Chem.*, **5**:363–373, 1984.
- [172] J.A. Pople. *Gaussian 94*. Gaussian Inc., Pittsburgh 1995.
- [173] E. Tuite and J.M. Kelly. The interaction of methylene blue, azure B and thionine with DNA: formation of complexes with polynucleotides and mononucleotides as model systems. *Biopolymers*, **35**:419–433, 1995.
- [174] P. Hagmar, S. Pierrou, P. Nielsen, B. Norén, and M. Kubista. Ionic strength dependence of the binding of methylene blue to chromatin and calf thymus DNA. *J. Biomol. Struct. Dyn.*, **9**:667–679, 1992.
- [175] K. Zakrzewska, A. Madami, and R. Lavery. Poisson-Boltzmann calculations for nucleic acids and nucleic acids complexes. *Chem. Phys.*, **204**:263–269, 1996.
- [176] E. Tuite, J.M. Kelly, G.S. Beddard, and G.S. Reid. Femtosecond deactivation of thionine singlet states by mononucleotides and polynucleotides. *Chem. Phys. Lett.*, **226**:517–524, 1994.
- [177] G.D. Reid, D.J. Whittaker, M.A. Day, C.M. Creely, E.M. Tuite, J.M. Kelly, and G.S. Beddard. Ultrafast electron-transfer reactions between thionine and guanosine bases. *J. Am. Chem. Soc.*, **123**:6953–6954, 2001.
- [178] G.D. Reid, D.J. Whittaker, M.A. Day, D.A. Turton, V. Kayser, J.M. Kelly, and G.S. Beddard. Femtosecond electron-transfer reactions in mono- and polynucleotides and in DNA. *J. Am. Chem. Soc.*, **124**:5518–5527, 2002.
- [179] P. Kovacic and J.D. Jacintho. Reproductive toxins: pervasive theme of oxidative stress and electron transfer. *Curr. Med. Chem.*, **8**:863–892, 2001.
- [180] A. Tani, A.J. Thomson, and J.N. Butt. Methylene blue as an electrochemical discriminator of single- and double-stranded oligonucleotides immobilised on gold substrates. *Analyst*, **126**:1756–1759, 2001.
- [181] K. Kerman, D. Ozkan, P. Kara, B. Meric, J.J. Gooding, and M. Ozsoz. Voltammetric determination of DNA hybridization using methylene blue and self-assembled alkanethiol monolayer on gold electrodes. *Anal. Chim. Acta*, **462**:39–47, 2002.
- [182] D. Flatters, K. Zakrzewska, and R. Lavery. Internal coordinate modeling of DNA: force field comparisons. *J. Comp. Chem.*, **18**:1043–1055, 1997.
- [183] P. Herzyk, J.M. Goodfellow, and S. Neidle. Molecular dynamics simulations of dinucleoside and dinucleoside-drug crystal hydrates. *J. Biomol. Struct. Dyn.*, **9**:363–386, 1991.

*Literaturverzeichnis*

---

- [184] M. Enescu, B. Levy, and V. Gheorghe. Molecular dynamics simulation of methylene blue-guanine complex in water: the role of solvent in stacking. *J. Phys. Chem. B*, **104**:1073–1077, 2000.
- [185] E. Giudice and R. Lavery. Simulations of nucleic acids and their complexes. *Acc. Chem. Res.*, **35**:350–357, 2002.