

## **Literaturverzeichnis**

## 6. Literaturverzeichnis

- Arabshahi L, Brown N, Khan N and Wright G (1988) Inhibition of DNA polymerase alpha by aphidicolin derivatives. *Nucleic acids research* **16**(11):5107-5113.
- Arlt MF, Casper AM and Glover TW (2003) Common fragile sites. *Cytogenetic and genome research* **100**(1-4):92-100.
- Beer TM and Myrthue A (2004) Calcitriol in cancer treatment: from the lab to the clinic. *Mol Cancer Ther* **3**(3):373-381.
- Beer TM and Myrthue A (2006) Calcitriol in the treatment of prostate cancer. *Anticancer research* **26**(4A):2647-2651.
- Belanger G and Deslongchamps P (2000a) New approach to aphidicolin and total asymmetric synthesis of unnatural (11R)-(-)-8-epi-11-hydroxyaphidicolin by tandem transannular Diels-Alder/aldol reactions. *The Journal of organic chemistry* **65**(21):7070-7074.
- Belanger G and Deslongchamps P (2000b) Total asymmetric synthesis of the aphidicolin derivative (11R)-(-)-8-epi-11-hydroxyaphidicolin using tandem transannular Diels-Alder/aldol reactions. *Organic letters* **2**(3):285-287.
- Bernardi RJ, Johnson CS, Modzelewski RA and Trump DL (2002) Antiproliferative effects of 1alpha,25-dihydroxyvitamin D(3) and vitamin D analogs on tumor-derived endothelial cells. *Endocrinology* **143**(7):2508-2514.
- Bernardi RJ, Trump DL, Yu WD, McGuire TF, Hershberger PA and Johnson CS (2001) Combination of 1alpha,25-dihydroxyvitamin D(3) with dexamethasone enhances cell cycle arrest and apoptosis: role of nuclear receptor cross-talk and Erk/Akt signaling. *Clin Cancer Res* **7**(12):4164-4173.
- Borst P and Elferink RO (2002) Mammalian ABC transporters in health and disease. *Annual review of biochemistry* **71**:537-592.
- Brush GS and Kelly TJ (1996) Mechanism for Replicating DNA, in *DNA Replication in Eukaryotic Cells* (DePamphilis ML ed) pp 1-43, Cold Spring Harbor Laboratory Press, New York.
- Budiyanto A, Bito T, Kunisada M, Ashida M, Ichihashi M and Ueda M (2003) Inhibition of the epidermal growth factor receptor suppresses telomerase activity in HSC-1 human cutaneous squamous cell carcinoma cells. *J Invest Dermatol* **121**(5):1088-1094.
- Cheng MF, Chatterjee S and Berger NA (1994) Schedule-dependent cytotoxicity of topotecan alone and in combination chemotherapy regimens. *Oncology research* **6**(6):269-279.
- Chung I, Yu WD, Karpf AR, Flynn G, Bernardi RJ, Modzelewski RA, Johnson CS and Trump DL (2007) Anti-proliferative effects of calcitriol on endothelial cells derived from two different microenvironments. *The Journal of steroid biochemistry and molecular biology* **103**(3-5):768-770.
- Cihlar T and Chen M (1997) Incorporation of selected nucleoside phosphonates and anti-human immunodeficiency virus nucleotide analogues into DNA by human DNA polymerases α, β, and γ. *Antivir Chem Chemother* **8**:187-195.
- Cihlar T, Rosenberg I, Votruba I and Holy A (1995) Transport of 9-(2-phosphonomethoxyethyl)adenine across plasma membrane of HeLa S3 cells is protein mediated. *Antimicrobial agents and chemotherapy* **39**(1):117-124.
- Cinatl J, Jr., Cinatl J, Kotchetkov R, Driever PH, Bertels S, Siems K, Jas G, Bindseil K, Rabenau HF, Pouckova P, Doerr HW and Schwabe D (1999) Aphidicolin glycinate inhibits human neuroblastoma cell growth in vivo. *Oncology reports* **6**(3):563-568.
- Copeland WC, Chen MS and Wang TS (1992) Human DNA polymerases alpha and beta are able to incorporate anti-HIV deoxynucleotides into DNA. *The Journal of biological chemistry* **267**(30):21459-21464.
- Dallas S, Schlichter L and Bendayan R (2004) Multidrug resistance protein (MRP) 4- and MRP 5-mediated efflux of 9-(2-phosphonylmethoxyethyl)adenine by microglia. *The Journal of pharmacology and experimental therapeutics* **309**(3):1221-1229.

## 6. Literaturverzeichnis

---

- Desmoulin F, Gilard V, Malet-Martino M and Martino R (2002) Metabolism of capecitabine, an oral fluorouracil prodrug: (19)F NMR studies in animal models and human urine. *Drug Metab Dispos* **30**(11):1221-1229.
- Edelson RE, Gorycki PD and MacDonald TL (1990) The mechanism of aphidicolin bioinactivation by rat liver in vitro systems. *Xenobiotica; the fate of foreign compounds in biological systems* **20**(3):273-287.
- Firestone WM, FitzGerald GB and Wick MM (1990) A comparison of the effects of antitumor agents upon normal human epidermal keratinocytes and human squamous cell carcinoma. *J Invest Dermatol* **94**(5):657-661.
- Focher F and Spadari S (2001) Thymidine phosphorylase: a two-face Janus in anticancer chemotherapy. *Current cancer drug targets* **1**(2):141-153.
- Franklin MC, Wang J and Steitz TA (2001) Structure of the replicating complex of a pol alpha family DNA polymerase. *Cell* **105**(5):657-667.
- Fritsch P (1998) *Dermatologie und Venerologie: Lehrbuch und Atlas*. Springer, Berlin, Heidelberg.
- Fry M and Loeb LA (1986) *Animal cell DNA polymerases*. CRC Press, Inc., Boca Raton, Florida.
- Gandarillas A, Goldsmith LA, Gschmeissner S, Leigh IM and Watt FM (1999) Evidence that apoptosis and terminal differentiation of epidermal keratinocytes are distinct processes. *Experimental dermatology* **8**(1):71-79.
- Gandhi V, Huang P, Chapman AJ, Chen F and Plunkett W (1997) Incorporation of fludarabine and 1-beta-D-arabinofuranosylcytosine 5'-triphosphates by DNA polymerase alpha: affinity, interaction, and consequences. *Clin Cancer Res* **3**(8):1347-1355.
- Garbe C (2005) Plattenepithelkarzinom der Haut, der Lippen und der Augenlider, in *Interdisziplinäre Leitlinien der Deutschen Krebsgesellschaft und der Deutschen Dermatologischen Gesellschaft*, AWMF online.
- GEKID (2006) *Krebs in Deutschland*. Saarbrücken.
- Gerson SL (2002) Clinical relevance of MGMT in the treatment of cancer. *J Clin Oncol* **20**(9):2388-2399.
- Golias CH, Charalabopoulos A and Charalabopoulos K (2004) Cell proliferation and cell cycle control: a mini review. *International journal of clinical practice* **58**(12):1134-1141.
- Guo Y, Kotova E, Chen ZS, Lee K, Hopper-Borge E, Belinsky MG and Kruh GD (2003) MRP8, ATP-binding cassette C11 (ABCC11), is a cyclic nucleotide efflux pump and a resistance factor for fluoropyrimidines 2',3'-dideoxycytidine and 9'-(2'-phosphonylmethoxyethyl)adenine. *The Journal of biological chemistry* **278**(32):29509-29514.
- Gysler A, Lange K, Korting HC and Schafer-Korting M (1997) Prednicarbate biotransformation in human foreskin keratinocytes and fibroblasts. *Pharm Res* **14**(6):793-797.
- Haberland A, Schreiber S, Maia CS, Rubbelke MK, Schaller M, Korting HC, Kleuser B, Schimke I and Schafer-Korting M (2006) The impact of skin viability on drug metabolism and permeation -- BSA toxicity on primary keratinocytes. *Toxicol In Vitro* **20**(3):347-354.
- Halwachs S, Kneuer C and Honscha W (2007) Downregulation of the reduced folate carrier transport activity by phenobarbital-type cytochrome P450 inducers and protein kinase C activators. *Biochimica et biophysica acta* **1768**(6):1671-1679.
- Hammer S, Sauer B, Spika I, Schraut C, Kleuser B and Schafer-Korting M (2004) Glucocorticoids mediate differential anti-apoptotic effects in human fibroblasts and keratinocytes via sphingosine-1-phosphate formation. *Journal of cellular biochemistry* **91**(4):840-851.
- Hatse S, De Clercq E and Balzarini J (1999a) Impact of 9-(2-phosphonylmethoxyethyl)adenine on (deoxy)ribonucleotide metabolism and nucleic acid synthesis in tumor cells. *FEBS letters* **445**(1):92-97.

## 6. Literaturverzeichnis

---

- Hatse S, De Clercq E and Balzarini J (1999b) Role of antimetabolites of purine and pyrimidine nucleotide metabolism in tumor cell differentiation. *Biochemical pharmacology* **58**(4):539-555.
- Hatse S, Naesens L, De Clercq E and Balzarini J (1999c) N6-cyclopropyl-PMEDAP: a novel derivative of 9-(2-phosphonylmethoxyethyl)-2,6-diaminopurine (PMEDAP) with distinct metabolic, antiproliferative, and differentiation-inducing properties. *Biochemical pharmacology* **58**(2):311-323.
- Herrstrom Sjoberg A, Wang L and Eriksson S (2001) Antiviral guanosine analogs as substrates for deoxyguanosine kinase: implications for chemotherapy. *Antimicrobial agents and chemotherapy* **45**(3):739-742.
- Higashi Y, Kanekura T and Kanzaki T (2000) Enhanced expression of cyclooxygenase (COX)-2 in human skin epidermal cancer cells: evidence for growth suppression by inhibiting COX-2 expression. *International journal of cancer* **86**(5):667-671.
- Holy A (2003) Phosphonomethoxyalkyl analogs of nucleotides. *Current pharmaceutical design* **9**(31):2567-2592.
- Hubeek I, Peters GJ, Broekhuizen AJ, Talianidis I, Schouten van Meeteren AY, van Wering ER, Gibson B, Creutzig U and Kaspers GJ (2004) Immunocytochemical detection of deoxycytidine kinase in pediatric malignancies in relation to in vitro cytarabine sensitivity. *Nucleosides, nucleotides & nucleic acids* **23**(8-9):1351-1356.
- Hubeek I, Stam RW, Peters GJ, Broekhuizen R, Meijerink JP, van Wering ER, Gibson BE, Creutzig U, Zwaan CM, Cloos J, Kuik DJ, Pieters R and Kaspers GJ (2005) The human equilibrative nucleoside transporter 1 mediates in vitro cytarabine sensitivity in childhood acute myeloid leukaemia. *British journal of cancer* **93**(12):1388-1394.
- Huberman JA (1981) New views of the biochemistry of eucaryotic DNA replication revealed by aphidicolin, an unusual inhibitor of DNA polymerase alpha. *Cell* **23**(3):647-648.
- Hübscher U, Maga G and Podust VN (1996) DNA Replication Accessory Proteins, in *DNA Replication in Eukaryotic Cells* (DePamphilis ML ed) pp 525-543, Cold Spring Harbor Laboratory Press, New York.
- Hübscher U, Maga G and Spadari S (2002) Eukaryotic DNA polymerases. *Annual review of biochemistry* **71**:133-163.
- Ito J and Braithwaite DK (1991) Compilation and alignment of DNA polymerase sequences. *Nucleic acids research* **19**(15):4045-4057.
- Jeffes EW, 3rd, McCullough JL, Pittelkow MR, McCormick A, Almanzor J, Liu G, Dang M, Voss K, Voss J, Schlitzhauer A and et al. (1995) Methotrexate therapy of psoriasis: differential sensitivity of proliferating lymphoid and epithelial cells to the cytotoxic and growth-inhibitory effects of methotrexate. *J Invest Dermatol* **104**(2):183-188.
- Jiang HY, Hickey RJ, Abdel-Aziz W and Malkas LH (2000) Effects of gemcitabine and araC on in vitro DNA synthesis mediated by the human breast cell DNA synthosome. *Cancer Chemother Pharmacol* **45**(4):320-328.
- Jorizzo J (2004a) Topical treatment of actinic keratosis with fluorouracil: is irritation associated with efficacy? *J Drugs Dermatol* **3**(1):21-26.
- Jorizzo JL (2004b) Current and novel treatment options for actinic keratosis. *Journal of cutaneous medicine and surgery* **8 Suppl 3**:13-21.
- Kanno S, Hiura T, Ohtake T, Koiwai K, Suzuki H, Ujibe M and Ishikawa M (2007) Characterization of resistance to cytosine arabinoside (Ara-C) in NALM-6 human B leukemia cells. *Clinica chimica acta; international journal of clinical chemistry* **377**(1-2):144-149.
- Kayser O, Kiderlen AF, Bertels S and Siems K (2001) Antileishmanial activities of aphidicolin and its semisynthetic derivatives. *Antimicrobial agents and chemotherapy* **45**(1):288-292.
- Khan NN, Wright GE and Brown NC (1991) The molecular mechanism of inhibition of alpha-type DNA polymerases by N2-(butylphenyl)dGTP and 2-(butylanilino)dATP: variation in susceptibility to polymerization. *Nucleic acids research* **19**(7):1627-1632.
- Khan NN, Wright GE, Dudycz LW and Brown NC (1984) Butylphenyl dGTP: a selective and potent inhibitor of mammalian DNA polymerase alpha. *Nucleic acids research* **12**(8):3695-3706.

## 6. Literaturverzeichnis

---

- Kimura T, Watanabe T, Sato K, Kon J, Tomura H, Tamama K, Kuwabara A, Kanda T, Kobayashi I, Ohta H, Ui M and Okajima F (2000) Sphingosine 1-phosphate stimulates proliferation and migration of human endothelial cells possibly through the lipid receptors, Edg-1 and Edg-3. *The Biochemical journal* **348 Pt 1**:71-76.
- King AE, Ackley MA, Cass CE, Young JD and Baldwin SA (2006) Nucleoside transporters: from scavengers to novel therapeutic targets. *Trends in pharmacological sciences* **27**(8):416-425.
- Kong W, Engel K and Wang J (2004) Mammalian nucleoside transporters. *Current drug metabolism* **5**(1):63-84.
- Kool M, de Haas M, Scheffer GL, Scheper RJ, van Eijk MJ, Juijn JA, Baas F and Borst P (1997) Analysis of expression of cMOAT (MRP2), MRP3, MRP4, and MRP5, homologues of the multidrug resistance-associated protein gene (MRP1), in human cancer cell lines. *Cancer research* **57**(16):3537-3547.
- Kornberg A, Baker, T. A. (1992) *DNA replication*. W. H. Freeman and Company, New York.
- Kruger K, Blume-Peytavi U and Orfanos CE (1999) Basal cell carcinoma possibly originates from the outer root sheath and/or the bulge region of the vellus hair follicle. *Archives of dermatological research* **291**(5):253-259.
- Kruh GD, Zeng H, Rea PA, Liu G, Chen ZS, Lee K and Belinsky MG (2001) MRP subfamily transporters and resistance to anticancer agents. *Journal of bioenergetics and biomembranes* **33**(6):493-501.
- Kuriyama I, Musumi K, Yonezawa Y, Takemura M, Maeda N, Iijima H, Hada T, Yoshida H and Mizushina Y (2005) Inhibitory effects of glycolipids fraction from spinach on mammalian DNA polymerase activity and human cancer cell proliferation. *The Journal of nutritional biochemistry* **16**(10):594-601.
- LaMontagne K, Littlewood-Evans A, Schnell C, O'Reilly T, Wyder L, Sanchez T, Probst B, Butler J, Wood A, Liau G, Billy E, Theuer A, Hla T and Wood J (2006) Antagonism of sphingosine-1-phosphate receptors by FTY720 inhibits angiogenesis and tumor vascularization. *Cancer research* **66**(1):221-231.
- Leblond L, Attardo G, Hamelin B, Bouffard DY, Nguyen-Ba N and Gourdeau H (2002) BCH-1868 [(-)-2-R-dihydroxyphosphinoyl-5-(S)-(guanin-9'-yl-methyl) tetrahydrofuran]: a cyclic nucleoside phosphonate with antitumor activity. *Mol Cancer Ther* **1**(9):737-746.
- Lee K, Klein-Szanto AJ and Kruh GD (2000) Analysis of the MRP4 drug resistance profile in transfected NIH3T3 cells. *Journal of the National Cancer Institute* **92**(23):1934-1940.
- Lee MM, Ratliff J, FitzGerald GB and Wick MM (1991) The mechanism of differential sensitivity to methotrexate of normal and malignant human epidermal cells. *Cancer Chemother Pharmacol* **28**(3):181-184.
- Lev DC, Onn A, Melinkova VO, Miller C, Stone V, Ruiz M, McGary EC, Ananthaswamy HN, Price JE and Bar-Eli M (2004) Exposure of melanoma cells to dacarbazine results in enhanced tumor growth and metastasis in vivo. *J Clin Oncol* **22**(11):2092-2100.
- Lev DC, Ruiz M, Mills L, McGary EC, Price JE and Bar-Eli M (2003) Dacarbazine causes transcriptional up-regulation of interleukin 8 and vascular endothelial growth factor in melanoma cells: a possible escape mechanism from chemotherapy. *Mol Cancer Ther* **2**(8):753-763.
- Liebsch M. SH (1998) 3T3 NRU Phototoxicity Assay, ZEBET, Bundesinstitut für Risikobewertung (BfR).
- Lipson KE and Baserga R (1989) Transcriptional activity of the human thymidine kinase gene determined by a method using the polymerase chain reaction and an intron-specific probe. *Proc Natl Acad Sci U S A* **86**(24):9774-9777.
- Locatelli GA, Savio M, Forti L, Shevelev I, Ramadan K, Stivala LA, Vannini V, Hubscher U, Spadari S and Maga G (2005) Inhibition of mammalian DNA polymerases by resveratrol: mechanism and structural determinants. *The Biochemical journal* **389**(Pt 2):259-268.
- Loven K, Stein L, Furst K and Levy S (2002) Evaluation of the efficacy and tolerability of 0.5% fluorouracil cream and 5% fluorouracil cream applied to each side of the face in patients with actinic keratosis. *Clin Ther* **24**(6):990-1000.

## 6. Literaturverzeichnis

---

- Lukas J, Lukas C and Bartek J (2004) Mammalian cell cycle checkpoints: signalling pathways and their organization in space and time. *DNA repair* **3**(8-9):997-1007.
- Mackey JR, Mani RS, Selner M, Mowles D, Young JD, Belt JA, Crawford CR and Cass CE (1998) Functional nucleoside transporters are required for gemcitabine influx and manifestation of toxicity in cancer cell lines. *Cancer research* **58**(19):4349-4357.
- Maeda N, Kokai Y, Ohtani S, Sahara H, Kuriyama I, Kamisuki S, Takahashi S, Sakaguchi K, Sugawara F, Yoshida H, Sato N and Mizushina Y (2007a) Anti-tumor effects of dehydroaltenusin, a specific inhibitor of mammalian DNA polymerase alpha. *Biochemical and biophysical research communications* **352**(2):390-396.
- Maeda N, Yoshida H, Sato N, Mizushina Y, Kokai Y, Ohtani S, Sahara H, Hada T, Ishimaru C, Kuriyama I, Yonezawa Y and Iijima H (2007b) Anti-Tumor Effects of the Glycolipids Fraction from Spinach which Inhibited DNA Polymerase Activity. *Nutrition and cancer* **57**(2):216-223.
- Malumbres M and Carnero A (2003) Cell cycle deregulation: a common motif in cancer. *Progress in cell cycle research* **5**:5-18.
- Manggau M, Kim DS, Ruwisch L, Vogler R, Korting HC, Schafer-Korting M and Kleuser B (2001) 1Alpha,25-dihydroxyvitamin D3 protects human keratinocytes from apoptosis by the formation of sphingosine-1-phosphate. *J Invest Dermatol* **117**(5):1241-1249.
- Matsubara K, Saito A, Tanaka A, Nakajima N, Akagi R, Mori M and Mizushina Y (2007) Epicatechin conjugated with fatty acid is a potent inhibitor of DNA polymerase and angiogenesis. *Life sciences* **80**(17):1578-1585.
- Matsuda A and Sasaki T (2004) Antitumor activity of sugar-modified cytosine nucleosides. *Cancer science* **95**(2):105-111.
- McGowan CH (2003) Regulation of the eukaryotic cell cycle. *Progress in cell cycle research* **5**:1-4.
- McGuire TF, Trump DL and Johnson CS (2001) Vitamin D(3)-induced apoptosis of murine squamous cell carcinoma cells. Selective induction of caspase-dependent MEK cleavage and up-regulation of MEKK-1. *The Journal of biological chemistry* **276**(28):26365-26373.
- Metelmann HR and Von Hoff DD (1983) In vitro activation of dacarbazine (DTIC) for a human tumor cloning system. *International journal of cell cloning* **1**(1):24-32.
- Michaelis M, Cinatl J, Vogel JU, Pouckova P, Driever PH and Cinatl J (2001) Treatment of drug-resistant human neuroblastoma cells with cyclodextrin inclusion complexes of aphidicolin. *Anti-cancer drugs* **12**(5):467-473.
- Michaelis M, Vogel JU, Cinatl J, Langer K, Kreuter J, Schwabe D, Driever PH and Cinatl J (2000) Cytotoxicity of aphidicolin and its derivatives against neuroblastoma cells in vitro: synergism with doxorubicin and vincristine. *Anti-cancer drugs* **11**(6):479-485.
- Michaelis M, Zimmer A, Handjou N, Cinatl J and Cinatl J, Jr. (2005) Increased systemic efficacy of aphidicolin encapsulated in liposomes. *Oncology reports* **13**(1):157-160.
- Mizushina Y, Xu X, Matsubara K, Murakami C, Kuriyama I, Oshige M, Takemura M, Kato N, Yoshida H and Sakaguchi K (2003a) Pyridoxal 5'-phosphate is a selective inhibitor in vivo of DNA polymerase alpha and epsilon. *Biochemical and biophysical research communications* **312**(4):1025-1032.
- Mizushina Y, Xu X, Murakami C, Okano T, Takemura M, Yoshida H and Sakaguchi K (2003b) Selective inhibition of mammalian DNA polymerase alpha by vitamin D2 and D3. *Journal of pharmacological sciences* **92**(3):283-290.
- Molina-Arcas M, Moreno-Bueno G, Cano-Soldado P, Hernandez-Vargas H, Casado FJ, Palacios J and Pastor-Anglada M (2006) Human equilibrative nucleoside transporter-1 (hENT1) is required for the transcriptomic response of the nucleoside-derived drug 5'-DFUR in breast cancer MCF7 cells. *Biochemical pharmacology* **72**(12):1646-1656.
- Nagai K, Nagasawa K, Kihara Y, Okuda H and Fujimoto S (2007) Anticancer nucleobase analogues 6-mercaptopurine and 6-thioguanine are novel substrates for equilibrative nucleoside transporter 2. *International journal of pharmaceutics* **333**(1-2):56-61.
- Nakamura O, Ueki K, Hibi T, Shitara N, Matsutani M, Takakura K and Oikawa T (1992) [Inhibition of neovascularization and tumor growth by dexamethasone]. *No to shinkei = Brain and nerve* **44**(1):37-41.

## 6. Literaturverzeichnis

---

- Nasheuer HP, Moore A, Wahl AF and Wang TS (1991) Cell cycle-dependent phosphorylation of human DNA polymerase alpha. *The Journal of biological chemistry* **266**(12):7893-7903.
- Nickel W, Austermann S, Bialek G and Grosse F (1992) Interactions of azidothymidine triphosphate with the cellular DNA polymerases alpha, delta, and epsilon and with DNA primase. *The Journal of biological chemistry* **267**(2):848-854.
- Nozawa H, Tadakuma T, Ono T, Sato M, Hiroi S, Masumoto K and Sato Y (2006) Small interfering RNA targeting epidermal growth factor receptor enhances chemosensitivity to cisplatin, 5-fluorouracil and docetaxel in head and neck squamous cell carcinoma. *Cancer science* **97**(10):1115-1124.
- O'Malley BW, Jr., Cope KA, Johnson CS and Schwartz MR (1997) A new immunocompetent murine model for oral cancer. *Archives of otolaryngology--head & neck surgery* **123**(1):20-24.
- Oguro M, Suzuki-Hori C, Nagano H, Mano Y and Ikegami S (1979) The mode of inhibitory action by aphidicolin on eukaryotic DNA polymerase alpha. *European journal of biochemistry / FEBS* **97**(2):603-607.
- Olsanska L, Cihlar T, Votruba I and Holy A (1997) Transport of Adefovir (PMEA) in human T-lymphoblastoid cells. *Collect Czech Chem Commun* **62**:821-828.
- Oshige M, Takenouchi M, Kato Y, Kamisuki S, Takeuchi T, Kuramochi K, Shiina I, Suenaga Y, Kawakita Y, Kuroda K, Sato N, Kobayashi S, Sugawara F and Sakaguchi K (2004) Taxol derivatives are selective inhibitors of DNA polymerase alpha. *Bioorganic & medicinal chemistry* **12**(10):2597-2601.
- Pastor-Anglada M, Molina-Arcas M, Casado FJ, Bellosillo B, Colomer D and Gil J (2004) Nucleoside transporters in chronic lymphocytic leukaemia. *Leukemia* **18**(3):385-393.
- Patel PH and Loeb LA (2001) Getting a grip on how DNA polymerases function. *Nature structural biology* **8**(8):656-659.
- Pilorget A, Annabi B, Bouzeghrane F, Marvaldi J, Luis J and Beliveau R (2005) Inhibition of angiogenic properties of brain endothelial cells by platelet-derived sphingosine-1-phosphate. *J Cereb Blood Flow Metab* **25**(9):1171-1182.
- Prasad G, Edelson RA, Gorycki PD and Macdonald TL (1989) Structure-activity relationships for the inhibition of DNA polymerase alpha by aphidicolin derivatives. *Nucleic acids research* **17**(15):6339-6348.
- Pratt S, Shepard RL, Kandasamy RA, Johnston PA, Perry W, 3rd and Dantzig AH (2005) The multidrug resistance protein 5 (ABCC5) confers resistance to 5-fluorouracil and transports its monophosphorylated metabolites. *Mol Cancer Ther* **4**(5):855-863.
- Rassner G (2002) *Dermatologie: Lehrbuch und Atlas*. Urban und Fischer, München Jena.
- Reid G, Wielinga P, Zelcer N, van der Heijden I, Kuil A, de Haas M, Wijnholds J and Borst P (2003) The human multidrug resistance protein MRP4 functions as a prostaglandin efflux transporter and is inhibited by nonsteroidal antiinflammatory drugs. *Proc Natl Acad Sci U S A* **100**(16):9244-9249.
- Richartz A, Höltje M, Brandt B, Schäfer-Korting M and Höltje H-D (2007) Targeting human DNA polymerase α. *J Enz Inhib Med Chem* **in press**
- Ritter CA (2005) Transportproteine vermitteln Resistenzen. *Pharmazeutische Zeitung* **150**(34):2984-2989.
- Ritter CA, Jedlitschky G, Meyer zu Schwabedissen H, Grube M, Kock K and Kroemer HK (2005) Cellular export of drugs and signaling molecules by the ATP-binding cassette transporters MRP4 (ABCC4) and MRP5 (ABCC5). *Drug metabolism reviews* **37**(1):253-278.
- Rius M, Nies AT, Hummel-Eisenbeiss J, Jedlitschky G and Keppler D (2003) Cotransport of reduced glutathione with bile salts by MRP4 (ABCC4) localized to the basolateral hepatocyte membrane. *Hepatology (Baltimore, Md)* **38**(2):374-384.
- Rodriguez CO, Jr., Mitchell BS, Ayres M, Eriksson S and Gandhi V (2002) Arabinosylguanine is phosphorylated by both cytoplasmic deoxycytidine kinase and mitochondrial deoxyguanosine kinase. *Cancer research* **62**(11):3100-3105.

## 6. Literaturverzeichnis

---

- Ruwisch L, Schafer-Korting M and Kleuser B (2001) An improved high-performance liquid chromatographic method for the determination of sphingosine-1-phosphate in complex biological materials. *Naunyn Schmiedebergs Arch Pharmacol* **363**(3):358-363.
- Sabini E, Ort S, Monnerjahn C, Konrad M and Lavie A (2003) Structure of human dCK suggests strategies to improve anticancer and antiviral therapy. *Nature structural biology* **10**(7):513-519.
- Sargent JM, Elgie AW, Williamson CJ, Lewandowicz GM and Taylor CG (2001) Circumvention of ara-C resistance by aphidicolin in blast cells from patients with AML. *British journal of cancer* **84**(5):680-685.
- Schuetz JD, Connelly MC, Sun D, Paibir SG, Flynn PM, Srinivas RV, Kumar A and Fridland A (1999) MRP4: A previously unidentified factor in resistance to nucleoside-based antiviral drugs. *Nature medicine* **5**(9):1048-1051.
- Schwartz PM, Barnett SK, Atillasoy ES and Milstone LM (1992) Methotrexate induces differentiation of human keratinocytes. *Proc Natl Acad Sci U S A* **89**(2):594-598.
- Schwartz PM, Barnett SK and Milstone LM (1995) Keratinocytes differentiate in response to inhibitors of deoxyribonucleotide synthesis. *J Dermatol Sci* **9**(2):129-135.
- Sessa C, Zucchetti M, Davoli E, Califano R, Cavalli F, Frustaci S, Gumbrell L, Sulkes A, Winograd B and D'Incalci M (1991) Phase I and clinical pharmacological evaluation of aphidicolin glycinate. *Journal of the National Cancer Institute* **83**(16):1160-1164.
- Sheaff R, Ilsley D and Kuchta R (1991) Mechanism of DNA polymerase alpha inhibition by aphidicolin. *Biochemistry* **30**(35):8590-8597.
- Shibuya H, Kato Y, Saito M, Isobe T, Tsuboi R, Koga M, Toyota H and Mizuguchi J (2003) Induction of apoptosis and/or necrosis following exposure to antitumour agents in a melanoma cell line, probably through modulation of Bcl-2 family proteins. *Melanoma research* **13**(5):457-464.
- So AG and Downey KM (1992) Eukaryotic DNA replication. *Critical reviews in biochemistry and molecular biology* **27**(1-2):129-155.
- Sobotta (2005) *Atlas Histologie : Zytologie, Histologie, mikroskopische Anatomie; 15 Tabellen / Sobotta*. Elsevier, Urban und Fischer, München ; Jena.
- Stockfleth E (2004) Aktinische Keratose, in *Leitlinien der Deutschen Dermatologischen Gesellschaft*, AWMF online.
- Takahashi H, Manabe A, Ishida-Yamamoto A, Hashimoto Y and Izuka H (2002) Aberrant expression of apoptosis-related molecules in psoriatic epidermis. *J Dermatol Sci* **28**(3):187-197.
- Townsend AJ and Cheng YC (1987) Sequence-specific effects of ara-5-aza-CTP and ara-CTP on DNA synthesis by purified human DNA polymerases in vitro: visualization of chain elongation on a defined template. *Molecular pharmacology* **32**(3):330-339.
- Toyota M, Sasaki M and Ihara M (2003) Diastereoselective formal total synthesis of the DNA polymerase alpha inhibitor, aphidicolin, using palladium-catalyzed cycloalkenylation and intramolecular Diels-Alder reactions. *Organic letters* **5**(8):1193-1195.
- Trump DL, Hershberger PA, Bernardi RJ, Ahmed S, Muindi J, Fakih M, Yu WD and Johnson CS (2004) Anti-tumor activity of calcitriol: pre-clinical and clinical studies. *The Journal of steroid biochemistry and molecular biology* **89-90**(1-5):519-526.
- Tsujiie M, Nakamori S, Nakahira S, Takeda S, Takahashi Y, Hayashi N, Okami J, Nagano H, Dono K, Umehita K, Sakon M and Monden M (2006) Schedule-dependent therapeutic effects of gemcitabine combined with uracil-tegafur in a human pancreatic cancer xenograft model. *Pancreas* **33**(2):142-147.
- Tsuneyoshi K, Haraguchi M, Hongye Z, Gotanda T, Tachiwada T, Sumizawa T, Furukawa T, Baba M, Akiyama S and Nakagawa M (2006) Induction of thymidine phosphorylase expression by AZT contributes to enhancement of 5'-DFUR cytotoxicity. *Cancer letters* **244**(2):239-246.
- Urosevic M, Maier T, Benninghoff B, Slade H, Burg G and Dummer R (2003) Mechanisms underlying imiquimod-induced regression of basal cell carcinoma in vivo. *Arch Dermatol* **139**(10):1325-1332.

## 6. Literaturverzeichnis

---

- Vermes I, Haanen C, Steffens-Nakken H and Reutelingsperger C (1995) A novel assay for apoptosis. Flow cytometric detection of phosphatidylserine expression on early apoptotic cells using fluorescein labelled Annexin V. *J Immunol Methods* **184**(1):39-51.
- Vogt T, McClelland M, Jung B, Popova S, Bogenrieder T, Becker B, Rumpler G, Landthaler M and Stolz W (2001) Progression and NSAID-induced apoptosis in malignant melanomas are independent of cyclooxygenase II. *Melanoma research* **11**(6):587-599.
- Waga S and Stillman B (1998) The DNA replication fork in eukaryotic cells. *Annual review of biochemistry* **67**:721-751.
- Wang J, Choudhury D, Chattopadhyaya J and Eriksson S (1999) Stereoisomeric selectivity of human deoxyribonucleoside kinases. *Biochemistry* **38**(51):16993-16999.
- Wang N, He Q, Skog S, Eriksson S and Tribukait B (2001) Investigation on cell proliferation with a new antibody against thymidine kinase 1. *Anal Cell Pathol* **23**(1):11-19.
- Wang T (1996) Cellular DNA Polymerases, in *DNA Replication in Eukaryotic Cells* (DePamphilis ML ed) pp 461-493, Cold Spring Harbor Laboratory Press, New York.
- Weyermann J, Lochmann D and Zimmer A (2005) A practical note on the use of cytotoxicity assays. *International journal of pharmaceutics* **288**(2):369-376.
- Wielinga PR, van der Heijden I, Reid G, Beijnen JH, Wijnholds J and Borst P (2003) Characterization of the MRP4- and MRP5-mediated transport of cyclic nucleotides from intact cells. *The Journal of biological chemistry* **278**(20):17664-17671.
- Wright GE, Dudycz LW, Kazimierczuk Z, Brown NC and Khan NN (1987) Synthesis, cell growth inhibition, and antitumor screening of 2-(p-n-butylanilino)purines and their nucleoside analogues. *Journal of medicinal chemistry* **30**(1):109-116.
- Zhu C, Johansson M and Karlsson A (2000) Differential incorporation of 1-beta-D-arabinofuranosylcytosine and 9-beta-D-arabinofuranosylguanine into nuclear and mitochondrial DNA. *FEBS letters* **474**(2-3):129-132.