

Literaturverzeichnis

1. Aggleton, J. P., Desimone, R. & Mishkin, M. (1986). The origin, course, and termination of the hippocampothalamic projections in the macaque. *J.Comp Neurol.*, 243, 409-421.
2. Anders, S., Lotze, M., Erb, M., Grodd, W. & Birbaumer, N. (2004). Brain activity underlying emotional valence and arousal: a response-related fMRI study. *Hum.Brain Mapp.*, 23, 200-209.
3. Anderson, E. A., Sinkey, C. A., Lawton, W. J. & Mark, A. L. (1989). Elevated sympathetic nerve activity in borderline hypertensive humans. Evidence from direct intraneural recordings. *Hypertension*, 14, 177-183.
4. Andren, L., Hansson, L., Bjorkman, M. & Jonsson, A. (1980). Noise as a contributory factor in the development of elevated arterial pressure. A study of the mechanisms by which noise may raise blood pressure in man. *Acta Med.Scand.*, 207, 493-498.
5. Anthony, B. J. & Graham, F. K. (1985). Blink reflex modification by selective attention: evidence for the modulation of 'automatic' processing. *Biol.Psychol.*, 21, 43-59.
6. Anthony, B. J. & Putnam, L. E. (1985). Cardiac and blink reflex concomitants of attentional selectivity: a comparison of adults and young children. *Psychophysiology*, 22, 508-516.
7. Bachen, E. A., Manuck, S. B., Marsland, A. L., Cohen, S., Malkoff, S. B., Muldoon, M. F. et al. (1992). Lymphocyte subset and cellular immune responses to a brief experimental stressor. *Psychosom.Med.*, 54, 673-679.
8. Ben Shakh, G. (1994). The roles of stimulus novelty and significance in determining the electrdermal orienting response: Interactive vs. additive approaches. *Psychophysiology*, 31, 402-411.
9. Berg W.K. & Balaban, M. T. (1999). Startle elicitation: stimulus parameters, recording techniques, and quantification. In M.E.Dawson, A. M. Schell & A. H. Böhmelt (Eds.), *Startle modification* (pp. 21-50). Cambridge: Cambridge University Press.
10. Berg, K. M. (1973). *Elicitation of acoustic startle in the human*. Dissertation Abstracts International, 34, 5217B-5218B, University Microfilms No. 74-3510, 99.
11. Berg, W. K. & Graham, F. K. (1970). Reproducible effects of stimulus intensity on heart rate response curves. *Psychophysiology*, 6, 653-654.
12. Birbaumer, N. & Schmidt, R. F. (2003). *Biologische Psychologie*. (4 ed.) Berlin: Springer-Verlag.
13. Blaustein, M. P. (1977). Sodium ions, calcium ions, blood pressure regulation, and hypertension: a reassessment and a hypothesis. *Am.J.Physiol*, 232, C165-C173.

14. Blaustein, M. P. (1985). How salt causes hypertension: the natriuretic hormone-Na/Ca exchange--hypertension hypothesis. *Klin.Wochenschr.*, 63 Suppl 3, 82-85.
15. Blumenthal, T. D. (1988). The startle response to acoustic stimuli near startle threshold: effects of stimulus rise and fall time, duration, and intensity. *Psychophysiology*, 25, 607-611.
16. Blumenthal, T. D., Schicatano, E. J., Chapman, J. G., Norris, C. M. & Engeninger, E. R., Jr. (1996). Prepulse effects on magnitude estimation of startle-eliciting stimuli and startle responses. *Percept.Psychophys.*, 58, 73-80.
17. Bohlin, G. & Graham, F. K. (1977). Cardiac deceleration and reflex blink facilitation. *Psychophysiology*, 14, 423-431.
18. Bohlin, G., Graham, F. K., Silverstein, L. D. & Hackley, S. A. (1981). Cardiac orienting and startle blink modification in novel and signal situations. *Psychophysiology*, 18, 603-611.
19. Bonnet, M., Bradley, M. M., Lang, P. J. & Requin, J. (1995). Modulation of spinal reflexes: arousal, pleasure, action. *Psychophysiology*, 32, 367-372.
20. Boucsein, W. (1992). *Electrodermal activity*. New York: Plenum Press.
21. Bradley, M. M., Cuthbert, B. N. & Lang, P. J. (1993). Pictures as prepulse: attention and emotion in startle modification. *Psychophysiology*, 30, 541-545.
22. Bradley, M. M., Cuthbert, B. N. & Lang, P. J. (1990). Startle reflex modification: emotion or attention? *Psychophysiology*, 27, 513-522.
23. Bradley, M. M., Lang, P. J. & Cuthbert, B. N. (1993). Emotion, novelty, and the startle reflex: habituation in humans. *Behav.Neurosci.*, 107, 970-980.
24. Braff, D. L. & Geyer, M. A. (1990). Sensorimotor gating and schizophrenia. Human and animal model studies. *Arch.Gen.Psychiatry*, 47, 181-188.
25. Brown, J. S., Kalish, H. I. & Farber, I. E. (1951). Conditioned fear as revealed by magnitude of startle response to an auditory stimulus. *J.Exp.Psychol.*, 41, 317-328.
26. Buchholz, K., Schachinger, H., Wagner, M., Schorr, U., Sharma, A. M. & Deter, H. C. (2001). Enhanced affective startle modulation in salt-sensitive subjects. *Hypertension*, 38, 1325-1329.
27. Buchholz, K., Schachinger, H., Wagner, M., Sharma, A. M. & Deter, H. C. (2003). Reduced vagal activity in salt-sensitive subjects during mental challenge. *Am.J.Hypertens.*, 16, 531-536.
28. Buchholz, K., Schorr, U., Turan, S., Sharma, A. M. & Deter, H. C. (1999). [Emotional irritability and anxiety in salt-sensitive persons at risk for essential hypertension]. *Psychother.Psychosom.Med.Psychol.*, 49, 284-289.

29. Cacioppo, J. T., Petty, R. E., Losch, M. E. & Kim, H. S. (1986). Electromyographic activity over facial muscle regions can differentiate the valence and intensity of affective reactions. *J.Pers.Soc.Psychol.*, 50, 260-268.
30. Campese, V. M., Romoff, M. S., Levitan, D., Saglikes, Y., Friedler, R. M. & Massry, S. G. (1982). Abnormal relationship between sodium intake and sympathetic nervous system activity in salt-sensitive patients with essential hypertension. *Kidney Int.*, 21, 371-378.
31. Chabanel, A. & Chien, S. (1995). Blood viscosity as a factor in human hypertension. In J.H.Laragh & B. M. Brenner (Eds.), *Hypertension: Pathophysiology, Diagnosis And Management* (pp. 329-337). New York, Raven Press.
32. Codispoti, M., Bradley, M. M. & Lang, P. J. (2001). Affective reactions to briefly presented pictures. *Psychophysiology*, 38, 474-478.
33. Cook, E. W., III, Hawk, L. W., Jr., Davis, T. L. & Stevenson, V. E. (1991). Affective individual differences and startle reflex modulation. *J.Abnorm.Psychol.*, 100, 5-13.
34. Cubeddu, L. X., Alfieri, A. B., Hoffmann, I. S., Jimenez, E., Roa, C. M., Cubeddu, R. et al. (2000). Nitric oxide and salt sensitivity. *Am.J.Hypertens.*, 13, 973-979.
35. Davis, M. (1989). Neural systems involved in fear-potentiated startle. *Ann.N.Y.Acad.Sci.*, 563, 165-183.
36. Dawson, M. E., Hazlett, E. A., Filion, D. L., Nuechterlein, K. H. & Schell, A. M. (1993). Attention and schizophrenia: impaired modulation of the startle reflex. *J.Abnorm.Psychol.*, 102, 633-641.
37. De Blasi, A., Lipartiti, M., Motulsky, H. J., Insel, P. A. & Fratelli, M. (1985). Agonist-induced redistribution of beta-adrenergic receptors on intact human mononuclear leukocytes: redistributed receptors are nonfunctional. *J.Clin.Endocrinol.Metab*, 61, 1081-1088.
38. de la Sierra, A., Lluch, M. M., Coca, A., Aguilera, M. T., Giner, V., Bragulat, E. et al. (1996). Fluid, ionic and hormonal changes induced by high salt intake in salt-sensitive and salt-resistant hypertensive patients. *Clin.Sci.(Lond)*, 91, 155-161.
39. DelPezzo, E. M. & Hoffman, H. S. (1980). Attentional factors in the inhibition of a reflex by a visual stimulus. *Science*, 210, 673-674.
40. Depaulis, A. & Bandler, R. (1991). *The Midbrain Periaqueductal Gray Matter: Functional, Anatomical, And Neurochemical Organization*. New York: Plenum Press.
41. Deter, H. C., Buchholz, K., Schorr, U., Schachinger, H., Turan, S. & Sharma, A. M. (1997). Psychophysiological reactivity of salt-sensitive normotensive subjects. *J.Hypertens.*, 15, 839-844.
42. Dickinson, A. & Dearing, M. F. (1979). Appetitive-aversive interactions and inhibitory processes. In A.Dickinson & R. A. Boakes (Eds.), *Mechanisms Of Learning And Motivation* (pp. 203-231). Hillsdale, New Jersey: Erlbaum.

43. Dworkin, B. (1988). Hypertension as a learned response :the baroreceptor reinforcement hypothesis. In T.Elbert (Ed.), *Behavioral medicine in cardiovascular disorders* (pp. 17-47). Chichester: Wiley.
44. Dworkin, B., Filewich, R. J., Miller, N. E., Craigmeyle, N. & Pickering, T. G. (1979). Baroreceptor activation reduces reactivity to noxious stimuli: implications for hypertension. *Science*, *205*, 1299-1301.
45. Dworkin, B. R., Elbert, T., Rau, H., Birbaumer, N., Pauli, P., Droste, C. et al. (1994). Central effects of baroreceptor activation in humans: Attenuation of skeletal reflexes and pain perception. *Proc.Natl.Acad.Sci U.S.A*, *91*, 6329-6333.
46. Ely, D. L. (1997). Overview of dietary sodium effects on and interactions with cardiovascular and neuroendocrine functions. *Am.J.Clin.Nutr.*, *65*, 594S-605S.
47. Englis, B. G., Vaughn, K. B. & Lanzetta, J. T. (1982). Conditioning of counter-emphatic emotional responses. *Journal Of Experimental Social Psychology*, *18*, 375-391.
48. Filion, D. L., Dawson, M. E. & Schell, A. M. (1994b). Probing the orienting response with startle modification and secondary reaction time. *Psychophysiology*, *31*, 68-78.
49. Filion, D. L., Dawson, M. E. & Schell, A. M. (1994a). Probing the orienting response with startle modification and secondary reaction time. *Psychophysiology*, *31*, 68-78.
50. Filion, D. L., Dawson, M. E. & Schell, A. M. (1993). Modification of the acoustic startle-reflex eyeblink: a tool for investigating early and late attentional processes. *Biol.Psychol.*, *35*, 185-200.
51. Floras, J. S. & Hara, K. (1993). Sympathoneural and haemodynamic characteristics of young subjects with mild essential hypertension. *J.Hypertens.*, *11*, 647-655.
52. Folkow, B. (1992). Critical review of studies on salt and hypertension. *Clin.Exp.Hypertens.A*, *14*, 1-14.
53. Folkow, B. (1982). Physiological aspects of primary hypertension. *Physiol Rev.*, *62*, 347-504.
54. Folkow, B. & Ely, D. (1998). Importance of the blood pressure-heart rate relationship. *Blood Press*, *7*, 133-138.
55. Frohlich, E. D. & Tarazi, R. C. (1979). Is arterial pressure the sole factor responsible for hypertensive cardiac hypertrophy? *Am.J.Cardiol.*, *44*, 959-963.
56. Gautier, C. H. & Cook, E. W., III (1997). Relationships between startle and cardiovascular reactivity. *Psychophysiology*, *34*, 87-96.
57. Graham, F. K. (1979). Distinguishing among orienting, defense and startle reflexes. In H.D.Kimmel, E. H. van Olst & J. F. Orlebeke (Eds.), *The Orienting Reflex In Humans* (pp. 137-168). Hillsdale, New Jersey: Erlbaum.
58. Graham, F. K. & Clifton, R. K. (1966). Heart-rate change as a component of the orienting response. *Psychol.Bull.*, *65*, 305-320.

59. Graham, F. K., Putnam, L. E. & Leavitt, L. A. (1975a). Lead-stimulation effects of human cardiac orienting and blink reflexes. *J.Exp.Psychol.Hum.Percept.Perform.*, *104*, 175-182.
60. Graham, F. K., Putnam, L. E. & Leavitt, L. A. (1975b). Lead-stimulation effects of human cardiac orienting and blink reflexes. *J.Exp.Psychol.Hum.Percept.Perform.*, *104*, 175-182.
61. Graham, F. K. & Slaby, D. A. (1973b). Differential heart rate changes to equally intense white noise and tone. *Psychophysiology*, *10*, 347-362.
62. Graham, F. K. & Slaby, D. A. (1973a). Differential heart rate changes to equally intense white noise and tone. *Psychophysiology*, *10*, 347-362.
63. Grassi, G. (1998). Role of the sympathetic nervous system in human hypertension. *J.Hypertens.*, *16*, 1979-1987.
64. Grassi, G., Cattaneo, B. M., Seravalle, G., Lanfranchi, A. & Mancia, G. (1998). Baroreflex control of sympathetic nerve activity in essential and secondary hypertension. *Hypertension*, *31*, 68-72.
65. Grassi, G., Colombo, M., Seravalle, G., Spaziani, D. & Mancia, G. (1998). Dissociation between muscle and skin sympathetic nerve activity in essential hypertension, obesity, and congestive heart failure. *Hypertension*, *31*, 64-67.
66. Grignolo, A., Light, K. C. & Obrist, P. A. (1981). Beta-adrenergic influence on cardiac dynamics during shock-avoidance in dogs. *Pharmacol.Biochem.Behav.*, *14*, 313-319.
67. Grim, C. E., Miller, J. Z., Luft, F. C., Christian, J. C. & Weinberger, M. H. (1979). Genetic influences on renin, aldosterone, and the renal excretion of sodium and potassium following volume expansion and contraction in normal man. *Hypertension*, *1*, 583-590.
68. Gunther, S., Gimbrone, M. A., Jr. & Alexander, R. W. (1981). Regulation by angiotensin II of its receptors in resistance blood vessels. *Nature*, *287*, 230-232.
69. Hackley, S. A. & Graham, F. K. (1984). Early selective attention effects on cutaneous and acoustic blink reflexes. *Physiological Psychology*, *11*, 235-242.
70. Hamlyn, J. M., Blaustein, M. P., Bova, S., DuCharme, D. W., Harris, D. W., Mandel, F. et al. (1991). Identification and characterization of a ouabain-like compound from human plasma. *Proc.Natl.Acad.Sci U.S.A.*, *88*, 6259-6263.
71. Hartmann, B. & Bassenge, E. (1989). [Noninvasive, continuous measurement of finger artery pressure with the servo-plethysmo-manometer Finapres]. *Herz*, *14*, 251-259.
72. Hatton, H. M., Berg, W. K. & Graham, F. K. (1970). Effects of acoustic rise time on heart rate response. *Psychonom Sci*, *19*, 101-103.
73. Heagerty, A. M. (1997). Structural changes in resistance arteries in hypertension. In A.Zanchetti & G. Mancia (Eds.), *Handbook Of Hypertension, Vol 17: Pathophysiology Of Hypertension* (pp. 426-437). Amsterdam, Netherlands: Elsevier Science.

74. Hisa, H., Chen, Y. H., Radke, K. J., Izzo, J. L., Jr., Sladek, C. D. & Blair, M. L. (1989). Adrenergic control of renin during dietary sodium deprivation in conscious dogs. *Am.J.Physiol*, 256, E863-E871.
75. Hodes, R. L., Cook, E. W., III & Lang, P. J. (1985). Individual differences in autonomic response: conditioned association or conditioned fear? *Psychophysiology*, 22, 545-560.
76. Holand, S., Girard, A., Laude, D., Meyer-Bisch, C. & Elghozi, J. L. (1999). Effects of an auditory startle stimulus on blood pressure and heart rate in humans. *J.Hypertens.*, 17, 1893-1897.
77. Iwamoto, T., Kita, S., Zhang, J., Blaustein, M. P., Arai, Y., Yoshida, S. et al. (2004). Salt-sensitive hypertension is triggered by Ca²⁺ entry via Na⁺/Ca²⁺ exchanger type-1 in vascular smooth muscle. *Nat.Med.*, 10, 1193-1199.
78. Julius, S. (1988). The blood pressure seeking properties of the central nervous system. *J.Hypertens.*, 6, 177-185.
79. Julius, S. & Conway, J. (1968). Hemodynamic studies in patients with borderline blood pressure elevation. *Circulation*, 38, 282-288.
80. Kahn, J. P., Perumal, A. S., Gully, R. J., Smith, T. M., Cooper, T. B. & Klein, D. F. (1987). Correlation of type A behaviour with adrenergic receptor density: implications for coronary artery disease pathogenesis. *Lancet*, 2, 937-939.
81. Kanagawa, K., Sugimura, K., Kuratsukuri, K., Ikemoto, S., Kishimoto, T. & Nakatani, T. (2003). Norepinephrine activates P44 and P42 MAPK in human prostate stromal and smooth muscle cells but not in epithelial cells. *Prostate*, 56, 313-318.
82. Konorski, J. (1967). Some new ideas concerning the physiological mechanisms of perception. *Acta Biol.Exp.(Warsz.)*, 27, 147-161.
83. Lacey, J. I. (1967). Somatic response patterning and stress: some revisions of activation theory. In M.H.Appley & R. Trumbull (Eds.), *Psychological Stress: Issues In Research* (pp. 14-42). New York: Appleton-Century-Crofts.
84. Landis, C. & Hunt, W. A. (1939). *The Startle Pattern*. New York: Farrar & Rinehart.
85. Lang, P. J., Bradley, M. M. & Cuthbert, B. N. (1990). Emotion, attention, and the startle reflex. *Psychol.Rev.*, 97, 377-395.
86. Lang, P. J., Bradley, M. M. & Cuthbert, B. N. (1998). Emotion, motivation, and anxiety: brain mechanisms and psychophysiology. *Biol.Psychiatry*, 44, 1248-1263.
87. Lang, P. J., Greenwald, M. K., Bradley, M. M. & Hamm, A. O. (1993). Looking at pictures: affective, facial, visceral, and behavioral reactions. *Psychophysiology*, 30, 261-273.
88. Lang, P. J., Öhman, A. & Vaitl, D. (1988). *The International Affective Picture System (photographic slides)*. Gainesville, Florida: Center for Research in Psychophysiology, University of Florida.

89. Langewouters, G. J., Zwart, A., Busse, R. & Wesseling, K. H. (1986). Pressure-diameter relationships of segments of human finger arteries. *Clin.Phys.Physiol Meas.*, 7, 43-56.
90. LeDoux, J. E., Cicchetti, P., Xagoraris, A. & Romanski, L. M. (1990). The lateral amygdaloid nucleus: sensory interface of the amygdala in fear conditioning. *J.Neurosci.*, 10, 1062-1069.
91. Levine, H. J. (1997). Rest heart rate and life expectancy. *J.Am.Coll.Cardiol.*, 30, 1104-1106.
92. Levinson, D. F., Edelberg, R. & Bridger, W. H. (1984). The orienting response in schizophrenia: proposed resolution of a controversy. *Biol.Psychiatry*, 19, 489-507.
93. Luft, F. C., Rankin, L. I., Henry, D. P., Bloch, R., Grim, C. E., Weyman, A. E. et al. (1979). Plasma and urinary norepinephrine values at extremes of sodium intake in normal man. *Hypertension*, 1, 261-266.
94. Maki, T., Kontula, K. & Harkonen, M. (1990). The beta-adrenergic system in man: physiological and pathophysiological response. Regulation of receptor density and functioning. *Scand.J.Clin.Lab Invest Suppl*, 201, 25-43.
95. Mancia, G. (1997). Bjorn Folkow Award Lecture. The sympathetic nervous system in hypertension. *J.Hypertens.*, 15, 1553-1565.
96. Mancia, G., Grassi, G., Giannattasio, C. & Seravalle, G. (1999). Sympathetic activation in the pathogenesis of hypertension and progression of organ damage. *Hypertension*, 34, 724-728.
97. Mark, A. L. (1996). The sympathetic nervous system in hypertension: a potential long-term regulator of arterial pressure. *J.Hypertens.Suppl*, 14, S159-S165.
98. Markovitz, J. H., Matthews, K. A., Kannel, W. B., Cobb, J. L. & D'Agostino, R. B. (1993). Psychological predictors of hypertension in the Framingham Study. Is there tension in hypertension? *JAMA*, 270, 2439-2443.
99. Masterson, F. A. & Crawford, M. (1982). Defense motivation system: A theory of avoidance behaviour. *The Behavioral and Brain Sciences*, 5, 661-695.
100. Middeke, M., Remien, J. & Holzgreve, H. (1984). The influence of sex, age, blood pressure and physical stress on beta 2-adrenoceptor density of mononuclear cells. *J.Hypertens.*, 2, 261-264.
101. Miller, G. A. (1948). The perception of short bursts of noise. *J.Acoust.Soc.Am.*, 20, 160-170.
102. Miller, M. W., Patrick, C. J. & Levenston, G. K. (2002). Affective imagery and the startle response: probing mechanisms of modulation during pleasant scenes, personal experiences, and discrete negative emotions. *Psychophysiology*, 39, 519-529.
103. Miyajima, E., Yamada, Y., Yoshida, Y., Matsukawa, T., Shionoiri, H., Tochikubo, O. et al. (1991). Muscle sympathetic nerve activity in renovascular hypertension and primary aldosteronism. *Hypertension*, 17, 1057-1062.

104. Motulsky, H. J., Cunningham, E. M., DeBlasi, A. & Insel, P. A. (1986). Desensitization and redistribution of beta-adrenergic receptors on human mononuclear leukocytes. *Am.J.Physiol*, 250, E583-E590.
105. Mulder, L. J., Veldman, J. B., Ruddel, H., Robbe, H. W. & Mulder, G. (1991). On the usefulness of finger blood-pressure measurements for studies on mental workload. *Homeost.Health Dis.*, 33, 47-60.
106. Murakami, E., Hiwada, K. & Kokubu, T. (1980). Pathophysiological characteristics of labile hypertensive patients determined by the cold pressor test. *Jpn.Circ.J.*, 44, 438-442.
107. Naliboff, B. D., Benton, D., Solomon, G. F., Morley, J. E., Fahey, J. L., Bloom, E. T. et al. (1991). Immunological changes in young and old adults during brief laboratory stress. *Psychosom.Med.*, 53, 121-132.
108. Nicholls, M. G., Kiowski, W., Zweifler, A. J., Julius, S., Schork, M. A. & Greenhouse, J. (1980). Plasma norepinephrine variations with dietary sodium intake. *Hypertension*, 2, 29-32.
109. Obrist, P. A., Gaebelien, C. J., Teller, E. S., Langer, A. W., Grignolo, A., Light, K. C. et al. (1978). The relationship among heart rate, carotid dP/dt, and blood pressure in humans as a function of the type of stress. *Psychophysiology*, 15, 102-115.
110. Oelkers, W., Brown, J. J., Fraser, R., Lever, A. F., Morton, J. J. & Robertson, J. I. (1974). Sensitization of the adrenal cortex to angiotensin II in sodium-deplete man. *Circ.Res.*, 40, 69-77.
111. Parati, G., Casadei, R., Groppelli, A., Di Rienzo, M. & Mancia, G. (1989). Comparison of finger and intra-arterial blood pressure monitoring at rest and during laboratory testing. *Hypertension*, 13, 647-655.
112. Pavlov, I. P. (1927). *Conditioned Reflexes*. London: Routledge and Kegan Paul.
113. Penaz, J., Voigt, A. & Teichmann, W. (1976). [Contribution to the continuous indirect blood pressure measurement]. *Z.Gesamte Inn.Med.*, 31, 1030-1033.
114. Persson, P. B. & Kirchheim, H. R. (1991). *Baroreceptor Reflexes*. Berlin: Springer Verlag.
115. Perry, W. & Braff, D. L. (1994). Information-processing deficits and thought disorder in schizophrenia. *Am.J.Psychiatry*, 151, 363-367.
116. Roberts, A. C., Robbins, T. W., Everitt, B. J. & Muir, J. L. (1992). A specific form of cognitive rigidity following excitotoxic lesions of the basal forebrain in marmosets. *Neuroscience*, 47, 251-264.
117. Romoff, M. S., Keusch, G., Campese, V. M., Wang, M. S., Friedler, R. M., Weidmann, P. et al. (1979). Effect of sodium intake on plasma catecholamines in normal subjects. *J.Clin.Endocrinol.Metab*, 48, 26-31.

118. Rowell, L. B. (1983). Cardiovascular adjustments to thermal stress. In J.T. Shepherd & F. M. Abboud (Eds.), *Handbook Of Physiology* (pp. 967-1023). Bethesda: American Physiological Society.
119. Scharf, B. & Fishken, D. (1970). Binaural summation of loudness: reconsidered. *J.Exp.Psychol.*, *86*, 374-379.
120. Schneirla, T. (1959). An evolutionary and developmental theory of biphasic processes underlying approach and withdrawal. In Lincoln: University of Nebraska Press.
121. Schorr, U. & Sharma, A. M. (2000). Salt intake and left ventricular work load. *J.Hypertens.*, *18*, 1721-1724.
122. Sharma, A. M., Schattenfroh, S., Kribben, A. & Distler, A. (1989). Reliability of salt-sensitivity testing in normotensive subjects. *Klin.Wochenschr.*, *67*, 632-634.
123. Sharma, A. M., Schattenfroh, S., Thiede, H. M., Oelkers, W. & Distler, A. (1992). Effects of sodium salts on pressor reactivity in salt-sensitive men. *Hypertension*, *19*, 541-548.
124. Sharma, A. M., Schorr, U., Cetto, C. & Distler, A. (1994). Dietary v intravenous salt loading for the assessment of salt sensitivity in normotensive men. *Am.J.Hypertens.*, *7*, 1070-1075.
125. Sharma, A. M., Schorr, U., Oelkers, W. & Distler, A. (1993). Effects of sodium salts on plasma renin activity and norepinephrine response to orthostasis in salt-sensitive normotensive subjects. *Am.J.Hypertens.*, *6*, 780-785.
126. Sherwood, A., Allen, M. T., Obrist, P. A. & Langer, A. W. (1986). Evaluation of beta-adrenergic influences on cardiovascular and metabolic adjustments to physical and psychological stress. *Psychophysiology*, *23*, 89-104.
127. Sherwood, A., Hinderliter, A. L. & Light, K. C. (1995). Physiological determinants of hyperreactivity to stress in borderline hypertension. *Hypertension*, *25*, 384-390.
128. Siddle, D. A. (1991). Orienting, habituation, and resource allocation: an associative analysis. *Psychophysiology*, *28*, 245-259.
129. Silbernagl, S. & Despopoulos, A. (1991). Niere, Salz- und Wasserhaushalt. In S.Silbenagl & A. Despopoulos (Eds.), *Taschenatlas der Physiologie* (4 ed., pp. 120-153). München: Thieme Verlag, Dt. Taschenbuch-Verlag.
130. Silverstein, L. D., Graham, F. K. & Bohlin, G. (1981). Selective attention effects on the reflex blink. *Psychophysiology*, *18*, 240-247.
131. Skrabal, F., Gasser, R. W., Finkenstedt, G., Rhomberg, H. P. & Lochs, A. (1984a). Low-sodium diet versus low-sodium/high-potassium diet for treatment of hypertension. *Klin.Wochenschr.*, *62*, 124-128.
132. Skrabal, F., Herholz, H., Neumayr, M., Hamberger, L., Ledochowski, M., Sporer, H. et al. (1984b). Salt sensitivity in humans is linked to enhanced sympathetic responsiveness and to enhanced proximal tubular reabsorption. *Hypertension*, *6*, 152-158.

133. Skrabal, F., Kotanko, P. & Luft, F. C. (1989). Inverse regulation of alpha-2 and beta-2 adrenoceptors in salt-sensitive hypertension: an hypothesis. *Life Sci.*, 45, 2061-2076.
134. Sokolov E.N. (1963a). Higher nervous functions; the orienting reflex. *Annu.Rev.Physiol*, 25, 545-580.
135. Sokolov E.N. (1963b). *Perception And The Conditioned Reflex*. New York: Macmillan.
136. Solomon, R. L. & Corbit, J. D. (1974). An opponent-process theory of motivation. I. Temporal dynamics of affect. *Psychol.Rev.*, 81, 119-145.
137. Somova, L., Mackraj, L. & Chetty, S. (1998). Sympathetic and platelet adrenergic activity and salt sensitivity: an experimental study. *Methods Find.Exp.Clin.Pharmacol.*, 20, 657-665.
138. Stevens, S. S. (1955). The measurement of loudness. *J.Acoust.Soc.Am.*, 27, 815-829.
139. Sullivan, J. M., Prewitt, R. L. & Ratts, T. E. (1988). Sodium sensitivity in normotensive and borderline hypertensive humans. *Am.J.Med.Sci.*, 295, 370-377.
140. Sutton, S. K., Davidson, R. J., Donzella, B., Irwin, W. & Dotts, D. A. (1997). Manipulating affective state using extended picture presentations. *Psychophysiology*, 34, 217-226.
141. Tomanek, R. J. (1989). Sympathetic nerves modify mitochondrial and capillary growth in normotensive and hypertensive rats. *J.Mol.Cell Cardiol.*, 21, 755-764.
142. Turpin, G. (1986). Effects of stimulus intensity on autonomic responding: the problem of differentiating orienting and defense reflexes. *Psychophysiology*, 23, 1-14.
143. Turpin, G., Schaefer, F. & Boucsein, W. (1999). Effects of stimulus intensity, rise time, and duration on autonomic and behavioral responding: implications for the differentiation of orienting, startle, and defense responses. *Psychophysiology*, 36, 453-463.
144. Turpin, G. & Siddle, D. A. (1978). Cardiac and forearm plethysmographic responses to high intensity auditory stimulation. *Biol.Psychol.*, 6, 257-281.
145. Turpin, G. & Siddle, D. A. (1983). Effects of stimulus intensity on cardiovascular activity. *Psychophysiology*, 20, 611-624.
146. Vanman, E. J., Boehmelt, A. H., Dawson, M. E. & Schell, A. M. (1996). The varying time courses of attentional and affective modulation of the startle eyeblink reflex. *Psychophysiology*, 33, 691-697.
147. vanOyen, W. C. & Vrana, S. R. (2000). Emotional imagery, the visual startle, and covariation bias: an affective matching account. *Biol.Psychol.*, 52, 187-204.
148. Vollmer, R. R., Corey, S. P., Meyers, S. A., Stricker, E. M. & Fluharty, S. J. (1990). Angiotensin augments epinephrine release in pithed rats fed a low-sodium diet. *Am.J.Physiol*, 258, R187-R192.

149. Volpe, M., Lembo, G., Morganti, A., Condorelli, M. & Trimarco, B. (1988). Contribution of the renin-angiotensin system and of the sympathetic nervous system to blood pressure homeostasis during chronic restriction of sodium intake. *Am.J.Hypertens.*, 1, 353-358.
150. Vrana, S. R., Spence, E. L. & Lang, P. J. (1988). The startle probe response: a new measure of emotion? *J.Abnorm.Psychol.*, 97, 487-491.
151. Weinberger, M. H. & Fineberg, N. S. (1991). Sodium and volume sensitivity of blood pressure. Age and pressure change over time. *Hypertension*, 18, 67-71.
152. Weinberger, M. H., Stegner, J. E. & Fineberg, N. S. (1993). A comparison of two tests for the assessment of blood pressure responses to sodium. *Am.J.Hypertens.*, 6, 179-184.
153. Winton, M. W., Putnam, L. E. & Krauss, R. M. (1984). Facial and Autonomic Manifestations of the Dimensional Structure of Emotion. *Journal Of Experimental Social Psychology*, 20, 195-216.
154. Witvliet, C. V. & Vrana, S. R. (1995). Psychophysiological responses as indices of affective dimensions. *Psychophysiology*, 32, 436-443.
155. Yamada, Y., Miyajima, E., Tochikubo, O., Matsukawa, T., Shionoiri, H., Ishii, M. et al. (1988). Impaired baroreflex changes in muscle sympathetic nerve activity in adolescents who have a family history of essential hypertension. *J.Hypertens.Suppl*, 6, S525-S528.
156. Yamaguchi, N., de Champlain, J. & Nadeau, R. (1975). Correlation between the response of the heart to sympathetic stimulation and the release of endogenous catecholamines into the coronary sinus of the dog. *Circ.Res.*, 36, 662-668.
157. Young, S. L. & Fanselow, M. S. (1992). Associative regulation of Pavlovian fear conditioning: unconditional stimulus intensity, incentive shifts, and latent inhibition. *J.Exp.Psychol.Anim Behav.Process*, 18, 400-413.