

8 Literaturverzeichnis

- Acland, H., McGavin, M.D., Carlton, W.W., Zachary, J.F. (2001):
Reproductive system: Female.
In: Thomson's special veterinary pathology, 3rd Edition, Mosby, St. Louis, 601-634
- Archbald, L.F., Tsai, I.-F., Thatcher, W.W., Tran, T., Wolfsdorf, K., Risco, C. (1998):
Use of plasma concentrations of 13,14-dihydro,15-keto-PGF_{2α} (PGFM) in the diagnosis
of subclinical endometritis and its relationship to fertility in the postpartum dairy cow.
Theriogenology 49, 1425-1436
- Aslan, S., Handler, J., Wesenauer, G., Arbeiter, K. (2002):
Eignung der sonographischen Beurteilung von Ovardynamik und Uterusinvolution zur
Fertilitätsprognose im Puerperium des Rindes.
Dtsch. Tierärztl. Wochenschr. 109, 52-55
- Aurich, J.E., Andresen, P., Ahlers, D. (1995):
Fruchtbarkeitsstörungen beim weiblichen Rind.
in: Buiatrik Bd. I, Euterkrankheiten, Geburtshilfe und Gynäkologie, Andrologie und
Besamung, Grunert, E. (Hrsg.), 5. Auflage, Verlag Schaper, Hannover, S. 217-241
- Barr, H.L. (1975):
Influence of estrus detection on days open in dairy herds.
J. Dairy Sci. 58, 246-247
- Bartlett, P.C., Kirk, J.H., Wilke, M.A., Kaneene, J.B., Mather, E.C. (1986):
Metritis complex in michigan holstein-frisian cattle: Incidence, descriptive epidemiology
and estimated economic impact.
Prev. Vet. Med. 4, 235-248
- Beaudeau, F., Ducrocq, V., Fourichon, C., Seegers, H. (1995):
Effect of disease on length of productive life of french holstein dairy cows assessed by
survival analysis.
J. Dairy Sci. 78, 103-117

- Bekana, M., Ekman, T., Kindahl, H. (1994):
Ultrasonography of the bovine postpartum uterus with retained fetal membranes.
J. Vet. Med. A. 41, 653-662
- Bekana, M., Jonsson, P., Kindahl, H. (1996):
Intrauterine bacterial findings and hormonal profiles in post-partum cows with normal puerperium.
Acta Vet. Scand. 37, 251-263
- Berchtold, M. (1982):
Uteruserkrankungen.
In: Fertilitätsstörungen beim weiblichen Rind, Grunert, E., Berchtold, M. (Hrsg.), Verlag Paul Parey, Berlin und Hamburg, 258-286
- Bollwein, H., Schmauder, S., Kiassis, E., Stolla, R. (2003):
Examination of changes in the echostructure of the endometrium during estrous cycle in cows using a computer-assisted texture analysis program.
36. Jahrestagung Physiologie und Pathologie der Fortpflanzung, 19.-21.02.2003, Wien, Tagungsband
- Bonafos, L.D., Kot, K., Ginther, O.J. (1995):
Physical characteristics of the uterus during the bovine estrus cycle and early pregnancy.
Theriogenology 43, 713-721
- Bondurant, R.H. (1999):
Inflammation in the bovine female reproductive tract.
J. Anim. Sci. 77 (Suppl. 2), 101-110
- Bonnett, B.N. (1988):
The relationship of endometrial biopsy and rectal palpation findings to reproductive performance in postpartum cows.
Ph.D. thesis, University of Guelph, Canada

Bonnett, B.N., Miller, R.B., Etherington, W.G., Martin, S.W., Johnson, W.H. (1991a):
Endometrial biopsy in holstein-frisian dairy cows, I. Technique, histological criteria and
results.
Can. J. Vet. Res. 55, 155-161.

Bonnett, B.N., Miller, R.B., Martin, S.W., Etherington, W.G., Buckrell, B.C. (1991b):
Endometrial biopsy in hostein-frisian dairy cows, II. Correlations between histological
criteria.

Can. J. Vet. Res. 55, 162-167

Bonnett, B.N., Martin, S.W., Gannon, V.P.J., Miller, R.B., Etherington, W.G. (1991c):
Endometrial biopsy in holstein-frisian dairy cows, III. Bacteriological analysis and
correlations with histological findings.

Can. J. Vet. Res. 55, 168-173

Bonnett, B.N., Martin, S.W., Meek, A.H. (1993):
Associations of clinical findings, bacteriological and histological results of endometrial
biopsy with reproductive performance of postpartum dairy cows.
Prev. Vet. Med. 15, 205-220

Borsberry, S. (1987):
Incidence of bovine periparturient diseases and their effects on reproductive efficiency.
DBR, University of Liverpool

Borsberry, S., Dobson, H. (1989):
Periparturient diseases and their effect on reproductive performance in five dairy herds.
Vet. Rec. 124, 217-219

Borsberry, S. (1999):
Prevention and control of bovine endometritis.
Irish Vet. J. 52, 149-156

Bostedt, H., Maurer, G. (1990):

Beziehungen zwischen gynäkologischer Überwachungsintensität in der Post-partum-Periode und Fertilitätsresultat in Milchkuhbeständen.
Tierärztl. Praxis 18, 449-457

Bouters, R., Vandeplassche, M. (1977):

Post partum infection in cattle: Diagnosis and preventive and curative treatment.
J. South Afr. Vet. Ass. 48, 237-239

Brem, G., Kräusslich, H. (1999):

Hereditär bedingte Fruchtbarkeitsstörungen.

in: Fertilitätsstörungen beim weiblichen Rind, Grunert, E., de Kruif, A. (Hrsg.),
3. Auflage, Verlag Paul Parey, Berlin, 301-306

Bretzlaff, K. (1987):

Rationale for treatment of endometritis in the dairy cow.
Food Anim. Pract. 3, 593-607

Britt, J.H. (1985):

Enhanced reproduction and its economic implications.
J. Dairy Sci. 68, 1585-1592

Bühl, A., Zöfel, P. (2002):

ROC-Kurven.

In: SPSS 11, Einführung in die moderne Datenanalyse unter Windows, 8. überarb. und erw. Auflage, Pearson Education Deutschland GmbH, S. 633-639

Busch, W., Willer, S. (1986):

Infektionsbedingte Fortpflanzungsstörungen beim Rind.
Monatsh. Vet. Med. 41, 27-32

Cadario, M.E., Thatcher, M.J., LeBlanc, M.M. (1995):

Relationship between prostaglandin and uterine clearance of radiocolloid in the mare.
Biol. Reprod. 1, 495-500

Coleman, D.A., Thayne, W.V., Dailey, R.A. (1985):

Factors affecting reproductive performance of dairy cows.

J. Dairy Sci., 68, 1793-1803

Curtis, C.R., Erb, H.N., Sniffen, C.J., Smith, R.D., Kronfeld, D.S. (1985):

Path analysis of dry period nutrition, postpartum metabolic and reproductive disorders and mastitis in Holstein cows.

J. Dairy Sci. 68, 2347-2360.

de Kruif, A., Gunnink, J.W., de Bois, C.H.W. (1982):

Onderzoek en behandeling van endometritis post partum bij het rund.

Tijdschr. Diergeneesk 107, 717-725

de Kruif, A. (1994):

Postpartale Endometritis beim Rind.

Prakt. Tierarzt 12, 1071-1078

de Kruif, A., Mansfeld, R., Hoedemaker, M. (1998):

Tierärztliche Bestandsbetreuung beim Milchrind, 1. Auflage, Ferdinand Enke Verlag,
Stuttgart

de Kruif, A. (1999):

Uteruserkrankungen.

In: Fertilitätsstörungen beim weiblichen Rind, Grunert, E., Berchtold, M. (Hrsg.), Parey
Buchverlag Berlin, 191-207

Del Vecchio, R.P., Matsas, D.J., Fortin, S., Sponenberg, L.P., Lewis, G.S. (1994):

Spontaneous uterine infections are associated with elevated prostaglandin F2a metabolite concentrations in postpartum dairy cows.

Theriogenology 41, 413

Devine, D.A., Lindsay, F.E.F. (1984):

Hysteroscopy in the cow using a flexible fibrescope.

Vet. Rec. 115, 627-628

Dijkhuizen, A.A., Stelwagen J., Renkema, J.A. (1985):
Economic aspects of reproductive failure in dairy cattle, I. Financial loss at farm level,
Prev. Vet. Med. 3, 251-263

Dohmen, M.J.W., Lohuis, J.A.C.M., Huszenicza, Gy., Nagy, P., Gacs, M. (1995):
The relationship between bacteriological and clinical findings in cows with
subacute/chronic endometritis.
Theriogenology 43, 1379-1388

Drillich, M. (1999):
Vergleich des strategischen Einsatzes von Prostaglandin F_{2α} mit konventionellen
Methoden des Fruchtbarkeitsmanagements in zwei Milchviehbetrieben.
Dissertation, Freie Universität Berlin, Fachbereich Veterinärmedizin

Drillich, M., Tenhagen, B.-A., Heuwieser, W. (1999):
Einfluss eines Wartezyklus auf den Erstbesamungserfolg nach Brunstsynchronisation mit
Prostaglandin F_{2α}.
Tagung der DVG-Fachgruppe „Fortpflanzung und ihre Störung“, Gießen, 23.04.1999,
Tagungsband

Drillich, M., Beetz, O., Pfützner, A., Sabin, M., Sabin, H.-J., Kutzer, P., Nattermann, H.,
Heuwieser, W. (2001):
Evaluation of a systemic antibiotic treatment of toxic puerperal metritis in dairy cows.
J. Dairy Sci. 84, 2010-2017

Drillich, M., Bergmann, J., Falkenberg, U., Kurth, A., Heuwieser, W. (2002):
Einfluss der Intensität der Puerperalkontrolle auf die Fruchtbarkeitsleistung von
Hochleistungskühen.
Dtsch. tierärztl. Wochenschr. 109, 386-390

Erb, H.N., Martin, S.W. (1980):
Interrelationships between production and reproductive diseases in Holstein cows. Age
and seasonal patterns.
J. Dairy Sci. 63, 1918-1924

- Erb, H.N., Martin, S.W., Ison, N., Swaminathan, S. (1981a):
Interrelationships between production and reproductive diseases in Holstein cows.
Conditional relationships between production and disease.
J. Dairy Sci. 64, 272-281
- Erb, H.N., Martin, S.W., Ison, N., Swaminathan, S. (1981b):
Interrelationships between production and reproductive diseases in Holstein cows. A path analysis.
J. Dairy Sci. 64, 282-289
- Erb, H.N., Smith, R.D., Oltenacu, P.A., Guard, C.L., Hillman, R.B., Powers, P.A., Smith, M.C., White, M.E. (1985):
Path model of reproductive disorders and performance, milk fever, mastitis, milk yield, and culling in Holstein cows.
J. Dairy Sci. 68, 3337-3349
- Esslemont, R. J. (1992):
Measuring dairy herd fertility.
Vet. Rec. 131, 209-212
- Esslemont, R.J., Kossaibati, M.A. (1997):
Culling in 50 dairy herds in England.
Vet. Rec. 140, 36-39
- Etherington, W.G., Martin, S.W., Dohoo, I.R., Bosu, W.T. (1985):
Interrelationships between ambient temperature, age at calving, postpartum reproductive events and reproductive performance in dairy cows: A path analysis.
Can. J. Comp. Med. 49, 254-260
- Ferguson, J.D., Galligan, D.T. (1993):
Prostaglandin synchronization programs in dairy herds - Part I.
Compend. Contin. Educ. Pract. Vet. 15, 646-655

Ferguson, J.D. (1994):

Reproductive health programs – future directions.

Proc. North east dairy producers meeting, März 1994 Rochester, 16-28

Ferguson, J.D., Galligan, D.T. (2000):

Assessment of reproductive efficiency in dairy herds.

Compend. Contin. Educ. Pract. Vet. 22, 150-158

Ferry, J.W. (1993):

Dairy reproduction beyond palpation.

Bov. Pract. 27, 58-60

Fetrow, J., McClary, D., Harman, R., Butcher, K., Weaver, L., Studer, E., Ehrlich, J.,

Etherington, W., Guterbock, W., Klingborg, D., Reneau, J., Williamson, N. (1990):

Calculating selected reproductive indices: Recommendations of the American Association
of Bovine Practitioners.

J. Dairy Sci. 73, 78-90

Fissore, R.A., Edmondson, A.J., Pashen, R.L., Bondurant, R.H. (1986):

The use of ultrasonography for the study of the bovine reproductive tract. II. Non-pregnant, pregnant and pathological conditions of the uterus.

Anim. Reprod. Sci. 12, 167-177

Flückiger, M. (1997):

Grundlagen der Ultraschalldiagnostik.

In: Atlas und Lehrbuch der Ultraschalldiagnostik beim Rind, Braun, Ueli (Hrsg.),

1. Auflage, Parey Buchverlag Berlin, S. 1-8

Fonseca, F.A., Britt, J.H., McDaniel, B.T., Wilk, J.C., Rakes, A.H. (1983):

Reproductive traits of Holsteins and Jerseys. Effects of age, milk yield and clinical abnormalities on involution of cervix and uterus, ovulation, estrous cycles, detection of estrus, conception rate and days open.

J. Dairy Sci. 66, 1128-1147

- Fourichon, C., Seegers, H., Malher, X. (2000):
Effect of disease on reproduction in the dairy cow: A meta-analysis.
Theriogenology 53, 1729-1759
- Gay, J.M., Upham, G.L. (1994):
Effect of exogenous prostaglandin F_{2α} in clinically normal postparturient dairy cows with palpable corpus luteum.
J. Am. Vet. Med. Assoc. 205, 870-873
- Giger, R. (1995):
Die Ultraschalluntersuchung des Geschlechtsapparates beim weiblichen Rind.
Swiss Vet. 12, 13-18
- Gilbert, R.O. (1992):
Bovine endometritis: The burden of proof.
Cornell Vet. 82, 11-14
- Gilbert, R.O., Schwark, W.S. (1992):
Pharmacological considerations in the management of peripartum conditions in the cow.
Vet. Clin. North Am. Food Anim. Pract. 8, 29-56
- Gilbert, R.O., Hoffman, D.J. (1995):
Endometrial cytology as means of diagnosis of bovine endometritis.
Proc. 28. Ann. Meet. Soc. Theriogenology, September 1995, San Antonio, Texas, 310
(Abstract)
- Gilbert, R.O., Shin, S.T., Guard, C.L., Erb, H.N. (1998):
Incidence of endometritis and effects on reproductive performance of dairy cows.
Theriogenology, 49, 251 (Abstract)
- Ginther, O.J., Pierson, R.A. (1984):
Ultrasonic anatomy and pathology of the equine uterus.
Theriogenology 21, 505-516

Gonzales, H.E., Crowell, W.A., Caudle, A.B., Thompson, F.N. (1985):
Morphometric studies of the bovine uterus: Microscopic lesions and retrospective reproductive history.
Am. J. Vet. Res. 46, 2588-2595

Griffin, J.F.T., Hartigan, P.J., Nunn, W.R. (1974a):
Non-specific uterine infection and bovine fertility I. Infection patterns and endometritis during the first seven weeks postpartum.
Theriogenology 1, 91-106

Griffin, J.F.T., Hartigan, P.J., Nunn, W.R. (1974b):
Non-specific uterine infection and bovine fertility. II. Infection patterns and endometritis before and after service.
Theriogenology, 1, 107-114

Gröhn, Y.T., Erb, H.N., McCulloch, C.E., Saloniemi, H.S. (1990):
Epidemiology of reproductive disorders in dairy cattle: Associations among host characteristics, disease and production.
Prev. Vet. Med. 8, 25-39

Gröhn, Y.T., Eicker, S.W., Ducrocq, V., Hertil, J.A. (1998):
The effect of disease on culling Holstein dairy cows in New York State.
J. Dairy Sci., 81: 966-978.

Gröhn, Y.T., Rajala-Schultz, P.J. (2000):
Epidemiology of reproductive performance in dairy cows.
Anim. Reprod. Sci. 60, 605-614

Grunert, E., Blesenkemper, E. (1980):
Untersuchungen über die mögliche Beeinflussung der Zwischenkalbezeit bei Rindern der Rasse Deutsche Schwarzbunte.
Zuchthygiene 15, 162-172

Grunert, E. (1990):
Weiblicher Geschlechtsapparat und Euter.
In: Die klinische Untersuchung des Rindes, Dirksen, H.-D. (Hrsg.), 3. Auflage, Verlag
Paul Parey Berlin und Hamburg, S. 472-514

Grunert, E. (1999):
Die gynäkologische Untersuchung.
In: Fertilitätsstörungen beim weiblichen Rind, Grunert, E., de Kruif, A. (Hrsg.), 3.
neubearb. Auflage, Verlag Paul Parey Berlin, S. 29-62

Guggenmoos-Holzmann, I., Wernecke, K.-D. (1995):
ROC-Kurven.
In: Medizinische Statistik, Blackwell Wissenschafts-Verlag Berlin-Wien, S. 150-154

Hammon, D.S., Holyoak, G.R., Jenson, J., Bingham, H.R. (2001):
Effects of endometritis at the beginning of the breeding period on reproductive
performance in dairy cows.
Proc. 34th Ann. Conf. Am. Assoc. Bov. Pract., Vancouver, Canada, 13.-15. September
2001, 142-143

Hauser, B., Bostedt, H. (2002):
Ultrasonographic observations of the uterine regression in the ewe under different
obstetrical conditions.
J. Vet. Med. A 49, 511-516

Hawk, H.W., Brinsfield, T.H., Turner, G.D., Whitmore, G.W., Norcross, M.A. (1964):
Effect of ovarian status on induced acute inflammatory responses in cattle uteri.
Am. J. Vet. Res. 25, 362-366

Heuwieser, W. (1997):
Strategische Anwendung von Prostaglandin F_{2α} – Grundlagen und Ziele von
Prostaglandinprogrammen.
Prakt. Tierarzt 78, 141-149

Heuwieser, W., Tenhagen, B.-A., Tischer, M., Lühr, J., Blum, H. (2000):
Effect of three programs for the treatment of endometritis on the reproductive
performance of a dairy herd.
Vet. Rec. 18, 338-341

Kähn, W. (1991):
Uterusbefunde beim Rind.
In: Atlas und Lehrbuch der Ultraschalldiagnostik, Gynäkologische Untersuchung und
Reproduktion, Pferd, Rind, Schaf, Ziege, Schwein, Hund, Katze, Nachdruck der ersten
Auflage, Schlütersche Verlagsanstalt und Druckerei, Hannover, S. 113-141

Kähn, W. (1997):
Ultraschalldiagnostik an Uterus, Fetus und Ovarien.
In: Atlas und Lehrbuch der Ultraschalldiagnostik beim Rind, Braun, Ueli (Hrsg.), Verlag
Paul Parey Berlin, S. 207-225

Kaneene, J.B., Miller, R. (1995):
Risk factors for metritis in Michigan dairy cattle using herd- and cow-based modelling
approaches.
Prev. Vet. Med. 23, 183-200

Kasimanickam, R., Leslie, K., Duffield, T., Gartley, C., Johnson, W. (1999):
A comparison of the cytobrush and uterine lavage technique to evaluate endometrial
cytology in postpartum dairy cows.
Proc. 32th Ann. Meet. Soc. for Theriogenology, Nashville, Tennessee,
22.-24. September 1999, 6 (Abstract)

Kasimanickam, R., Walton, J. Leslie, K., Foster, R., Duffield, T., Gartley, C., Johnson,
W.H. (2001):
Uterine ultrasonography as a predictor of reproductive performance in postpartum dairy
cows.
Proc. 34th Ann. Meet. Soc. for Theriogenology, Vancouver, Canada, 12.-15. September
2001, 25 (Abstract)

Kasimanickam, R. (2002):

Diagnosis and treatment of subclinical endometritis in postpartum dairy cows.

DVSc thesis, University of Guelph, Guelph, Ontario, Canada

Kasimanickam, R., Duffield, T.F., Foster, R.A., Gartley, C.J., Leslie, K.E., Walton, J.S., Johnson, W.H. (2004):

Endometrial cytology and ultrasonography for the detection of subclinical endometritis in postpartum dairy cows.

Theriogenology 62, 9-23

Kinsel, M.L. (1996):

Dairy cow postpartum disease: Definitions, decisions and dilemmas.

Proc. 29th Ann. Conf. Am. Assoc. Bovine Pract., San Diego, California, 12.-14.

September 1996, 3-6

Knutti, B., Küpfer, U., Busato, A. (2000):

Reproductive efficiency of cows with endometritis after treatment with intrauterine infusions or prostaglandin injections, or no treatment.

J. Vet. Med. A. 47, 609-615

Lander Chacin, M.F., Hansen, P.J., Drost, M. (1990):

Effects of stage of the estrous cycle and steroid treatment on uterine immunoglobulin content and polymorphonuclear leukocytes in cattle.

Theriogenology 34, 1169-1184

Lean, I.J., Galland, J.C., Scott, J.L. (1989):

Relationships between fertility, peak milk yields and lactational persistency in dairy cows.

Theriogenology 31, 1093-1103

LeBlanc, M.M., Neuwirth, L., Asbury, A.C. (1994):

Scintigraphic measurement of uterine clearance in normal mares and mares with recurrent endometritis.

Equine Vet. J. 26, 109-113

- LeBlanc, S.J., Duffield, T.F., Leslie, K.E., Bateman, K.G., Keefe, G.P., Walton, J.S., Johnson, W.H. (2002):
Defining and diagnosing postpartum clinical endometritis and its impact on reproductive performance in dairy cows.
J. Dairy Sci. 85, 2223-2236
- Lee, L.A., Ferguson, J.D., Galligan, D.T. (1989):
Effect of disease on days open assessed by survival analysis.
J. Dairy Sci. 72, 1020-1026
- Leidl, W. (1993):
Die Sonographie in der gynäkologischen Diagnostik.
Tierärztl. Praxis, Sonderheft, 53-57
- Lewis, G.S., Thatcher, W.W., Bliss, E.L., Drost, M., Collier, R.J. (1984):
Effects of heat stress during pregnancy on postpartum reproductive changes in Holstein cows.
J. Anim. Sci. 58, 174-186
- Lewis, G.S. (1997):
Symposium: Health problems of the postpartum cow, uterine health and disorders.
J. Dairy Sci. 80, 984-994
- Lin, H.K., Oltenacu, P.A., Van Vleck, L.D., Erb, H.N., Smith, R.D. (1989):
Heritabilities of and genetic correlations among six health problems in Holstein cows.
J. Dairy Sci. 72, 180-186
- Lindsay, F.E.F., Devine, D. (1983):
Hysteroscopy in the periparturient cow.
J. Anat. 137, 802
- Lotthammer, K.-H. (1984):
Ursachen und Maßnahmen beim primär nicht infektiösen Genitalkatarrh des Rindes.
Prakt. Tierarzt, Coll. Vet. XV, 79-84

Lotthammer, K.-H. (1999):

Umweltbedingte Fruchtbarkeitsstörungen.

In: Fertilitätsstörungen beim weiblichen Rind, Grunert, E., de Kruif, A. (Hrsg.),

3. Auflage, Verlag Paul Parey, Berlin, 307-335

Mansfeld, R., de Kruif, A., Hoedemaker, M., Heuwieser, W. (1999):

Fruchtbarkeitsüberwachung auf Herdenbasis.

In: Fertilitätsstörungen beim weiblichen Rind, Grunert, E., de Kruif, A. (Hrsgb.),

3.Auflage, Verlag Paul Parey, Berlin, S. 337-350

Manspeaker, J.E., Haaland, M.A., Robl, M.G., Davidson, J.P., Edwards, G.H. (1983):

Evaluation of endometrial scarring in dairy cattle.

Proc. Soc. Theriogenology Ann. Meet., Nashville, September 1983, 100-123

Marion, G.G., Gier, H.T. (1968):

Factors affecting bovine ovarian activity after parturition.

J. Anim. Sci. 27, 1621-1626

Markusfeld, O. (1984):

Factors responsible for post parturient metritis in dairy cattle.

Vet. Rec. 114, 539-542

Markusfeld, O. (1987):

Periparturient traits in seven high producing dairy herds. Incidence rates association with parity, and interrelationships among traits.

J. Dairy Sci. 70, 158-164

Martin, S.W., Aziz, S.A., Sandals, W.C.D., Curtis, R.A. (1982):

The association between clinical disease, production and culling of Holstein-Friesian cows.

Can. J. Anim. Sci. 62, 633-640

Martinez, J., Thibier, M. (1984):

Reproductive disorders in dairy cattle. Respective influence of herds, seasons, milk yield and parity.

Theriogenology 21, 569-581

Mateus, L., Lopes da Costa, L., Bernardo, F., Robalo Silva, J. (2002):

Influence of puerperal uterine infection on uterine involution and postpartum ovarian activity in dairy cows.

Reprod. Dom. Anim. 37, 31-35

McDougall, S. (2001):

Effect of intrauterine antibiotic treatment on reproductive performance of dairy cows following periparturient disease.

New Zeal. Vet. J. 49, 150-158

McEntee, K. (1985):

The female genitale system.

In: Pathology of domestic animals, Jubb, K.V.F., Kennedy, P.C., Palmer, N. (Hrsg), 3rd Edition, Vol. 3, Orlando, Academic Press, S. 305-407

Meadows, A.W., Beal, W.E. (1999):

Ultrasound diagnostics and fetal sexing.

Proc. Ann. Meet. Soc. for Theriogenology 1999, 415-420

Messier, S., Higgins, R., Couture. Y., Morin, M. (1984):

Comparison of swabbing and biopsy for studying the flora of the bovine uterus.

Can. Vet. J. 25, 283-288

Metzner, M., Mansfeld, R. (1992):

Tierärztliche Betreuung von Milcherzeugerbetrieben, Teil 2: Die Beurteilung von Fruchtbarkeitsparametern. Möglichkeiten und Grenzen.

Prakt. Tierarzt 9, 800-814

Metzner, M., Leßmann, H.W., Merck, C.C. (1992):
Die Hysteroskopie als diagnostisches Hilfsmittel bei Erkrankungen der Gebärmutter des Rindes.
Tierärztl. Praxis 20, 364-367

Metzner, M., Wilhelm, M., Hoedemaker, M., Mansfeld, R. (1993):
Bewertung und Optimierung von systematischen Fruchtbarkeitsüberwachungen in der Bestandsbetreuung.
Prakt. Tierarzt, Coll. Vet. XXIV, 62-67

Metzner, M., Weiler, H. (1994):
On the importance of histopathological findings of tissue samples of the endometrium for clinical diagnosis of endometritis in cows.
Proc. 18th World Buiatric Congress, 26th Congress of the Italian Association of Buiatrics, Bologna, Italy, 29. August - 2. September 1994, 309-312

Miller, H.V., Kimsey, P.B., Kendrick, J.W., Darien, B., Doering, L. (1980):
Endometritis of dairy cattle: Diagnosis, treatment and fertility.
Bovine Pract. 15, 13-23

Morrow, D.A., Roberts, S.J., McEntee, K., Gray, H.G. (1966):
Postpartum ovarian activity and uterine involution in dairy cattle.
J. Am. Vet. Assoc. 149, 1596-1609

Müller, E., Rath, D., Klug, E., Merkt, H. (1986):
Die Anwendbarkeit der Sonographie zur Diagnostik am weiblichen Genitale des Rindes.
Berl. Münch. Tierärztl. Wochenschr. 99, 311-318

Müller, K. (2000):
Genauigkeit und Wirtschaftlichkeit einer Trächtigkeitsuntersuchung mittels Ultraschall zwischen dem 20. und 34. Tag nach der künstlichen Besamung bei Kühen und Färsen.
Dissertation, Freie Universität Berlin, Fachbereich Veterinärmedizin

Murray, R.D., Allison, J.D., Gard, R.P. (1990):
Bovine endometritis: Comparative efficacy of alfa prostol and intrauterine therapies, and
other factors influencing clinical success.
Vet. Rec. 127, 86-90

Nickel, R., Schummer, A., Seiferle, E. (1987):
Weibliche Geschlechtsorgane.
In: Lehrbuch der Anatomie der Haustiere, Band II, 6. Auflage, Verlag Paul Parey, Berlin,
S. 376-396

Noakes, D.A., Till, D., Smith, G.R. (1989):
Bovine uterine flora postpartum: A comparison of swabbing and biopsy.
Vet. Rec. 124, 563-563

Okano, A., Tomizuka, T. (1987):
Ultrasonic observation of postpartum involution in the cow.
Theriogenology 27, 369-376

Olson, J.D., Bretzlaff, K.N., Mortimer, R.G., Ball, L. (1986):
The metritis-pyometra complex.
In: Current therapy in Theriogenology: Diagnosis, treatment and prevention of
reproductive diseases in small and large animals, 2nd Ed., W.B. Saunders Co.,
Philadelphia, PA., 227-236

Olson, J.D. (1996):
Metritis/Endometritis: Medically sound treatment.
Bov. Pract. 29, 8-14

Oltenacu, P.A., Britt, J.H., Braun, R.K., Mellenberger, R.W. (1983):
Relationships among type of parturition, type of discharge from genital tract, involution of
cervix and subsequent reproductive performance in Holstein cows.
J. Dairy Sci. 66, 612-619

Oltenacu, P.A., Frick, A., Lindhé, B. (1990):
Epidemiological study of several clinical diseases, reproductive performance and culling
in primiparous swedish cattle.
Prev. Vet. Med. 9, 59-74

Paisley, L.G., Mickelsen, W.D., Anderson, P.B. (1986):
Mechanisms and therapy for retained fetal membranes and uterine infections of cows: A
review.
Theriogenology 25, 353-381

Peter, A.T., Bosu, W.T.K. (1988):
Relationship of uterine infections and folliculogenesis in dairy cows during early
puerperium.
Theriogenology 30, 1045-1051

Peter, A., Jakovljevic, S., Pierson, A. (1992):
Use of real-time ultrasonography in bovine and equine reproduction.
Compend. Contin. Educ. Pract. Vet. 14, 1116-1124

Pfrang, C. (2003):
Frühträchtigkeitsdiagnostik beim Rind mittels Ultraschall – ein interaktives Lern- und
Trainingsprogramm auf CD ROM.
Dissertation, Freie Universität Berlin, Fachbereich Veterinärmedizin

Pierson, R.A., Ginther, O.J. (1984a):
Ultrasonography of the bovine ovary.
Theriogenology 21, 495-505

Pierson, R.A., Ginther, O.J. (1984b):
Ultrasonography for detection of pregnancy and study of embryonic development in
heifers.
Theriogenology, 22, 225-233

Pierson, R.A., Ginther, O.J. (1987):

Ultrasonographic appearance of the bovine uterus during the estrous cycle.

J. Am.Vet. Med. Assoc. 190, 995-101

Pierson, R.A., Ginther, O.J. (1988):

Ultrasonic imaging of the ovaries and uterus in cattle.

Theriogenology 29, 21-37

Raab, D., Drillich, M., Heuwieser, W. (2003):

Diagnosis of subclinical endometritis and its effect on reproductive performance.

Proc. 36th Ann. Conf. American Assoc. Bov. Pract., Columbus, 18.-20. September 2003,
166 (Abstract)

Radostits, O.M., Leslie, K.E., Fetrow, J. (1994):

Maintaining reproductive efficiency in dairy cattle.

In: Herd health: Food animal production medicine, Radostits, O.M., Leslie, K.E., Fetrow, J. (Hrsg.), 2. Auflage, W.B. Saunders Company, Philadelphia, S. 141-158

Rajala-Schultz, P.J., Gröhn, Y.T. (1999):

Culling of dairy cows: Part I. Effects of diseases on culling in Finnish Ayrshire cows.

Prev. Vet. Med. 41, 195-208

Reeves, J.J., Rantanen, N.W., Hauser, M. (1984):

Transrectal real-time ultrasound scanning.

Theriogenology 21, 485-494

Roberts, S.J. (1971):

Infertility in the cow.

In: Veterinary Obstetrics and genital diseases.

2. Auflage, Ithaca, New York, S. 301-401

Rodriguez-Martinez, H., McKenna, D., Weston, P.G. (1987):

Uterine motility in the cow during the estrous cycle, I. Spontaneous activity.

Theriogenology 27, 337-347

Roth, J.A., Kaeberle, M.L., Appell, L.H., Nachreiner, R.F. (1983):
Association of increased estradiol and progesterone blood values with altered bovine
polymorphonuclear leukocyte function.
Am. J. Vet. Res. 44 (2), 247-253

Rowson L.E.A., Lamming, G.E., Fry, R.M. (1953):
The relationship between ovarian hormones and uterine infection.
Vet. Rec. 65, 335-340

Sandals, W.C.D., Curtis, R.A., Cote, J.F., Martin, S.W. (1979):
The effect of retained placenta and metritis complex on reproductive performance in dairy
cattle – a case control study.
Can. Vet. J. 20, 131-135

Schmidt-Adamopoulou, B. (1978):
Endometritisdiagnostik beim Rind, ein Vergleich der klinischen mit der pathologisch-
histologischen Diagnose von Uterusbiopsien.
Dtsch. Tierärztl. Wochenschr. 85, 474-477

Seguin, B.E., Morrow, D.A., Oxender, W.D. (1974):
Intrauterine therapy in the cow.
J. Am. Vet. Med. Assoc. 164, 609-612

Smith, B.I., Donovan, G.A., Risco, C., Littell, R., Young, C., Stanker, L.H., Elliot, J.
(1998):
Comparison of various antibiotic treatments for cows diagnosed with toxic puerperal
metritis.
J. Dairy Sci. 81, 1555-1562

Smith, B.I., Risco, C.A. (2002):
Clinical manifestation of postpartum metritis in dairy cattle.
Food Animal Compendium 24, 56-63

Sprecher, D.J., Nebel, R.L., Whittier, W.D. (1988):
Predictive value of palpation per rectum versus milk and serum progesteron levels for the diagnosis of bovine follicular and luteal cysts.
Theriogenology 30, 701-710

Steffan, J., Adriamanga, S., Thibier, M. (1984):
Treatment of metritis with antibiotics or prostaglandin F2a and influence of ovarian cyclicity in dairy cows.
Am. J. Vet. Res. 45, 1090-1094

Stevens, R.D., Dinsmore, R.P., Ball, L., Powers, B.E. (1995):
Postpartum pathologic changes associated with a palpable uterine lumen in dairy cattle.
Bov. Pract. 29, 93-97

Studer, E., Morrow, D.A. (1978):
Postpartum evaluation of bovine reproductive potential: Comparison of findings from genital tract examination per rectum, uterine culture and endometrial biopsy.
J. Am. Vet. Med. Assoc. 172, 489-494

Tenhagen B.-A., Tischer, M., Heuwieser, W., Blum, H. (1998):
Influence of puerperal endometritis on the economy of reproduction in dairy herds.
Proc. 10th Middle-European Buiatrics Congress, 21.-23. Mai 1998, Siófok, Ungarn,
136-139

Tenhagen, B.-A., Heuwieser, W. (1999):
Comparison of a conventional reproductive management programme based on rectal palpation und uterine treatment of endometritis with a strategic prostaglandin F2a programme.
J. Vet. Med. A 46, 167-176

Tenhagen, B.-A., Drillich, M., Heuwieser, W. (2001):
Analysis of cow factors influencing conception rates after two timed breeding protocols.
Theriogenology 56, 831-838

Tenant, B., Peddicord, R.G. (1968):

The influence of delayed uterine involution and endometritis on bovine fertility.

Cornell Vet. 58, 185-192

Thurmond, M.C., Jameson, C.M., Picano, J.P. (1993):

Effect of intrauterine antimicrobial treatment in reducing calving-to-conception interval in cows with endometritis.

J. Am. Vet. Med. Assoc. 203, 1576-1578

Tischer, M. (1998):

Vergleich von intrauterinen Arzneimittelapplikationen mit einem strategischen Prostaglandinprogramm zur Behandlung von chronischen Endometritiden in einer Milchviehherde.

Dissertation, Freie Universität Berlin, Fachbereich Veterinärmedizin

Troedsson, M.H.T., Liu, I.K.M., Ing, M., Pascoe, J., Thurmond, M. (1993):

Multiple site electromyography recordings of uterine activity following an intrauterine bacterial challenge in mares susceptible and resistant to chronic uterine infection.

J. Reprod. Fertil. 99, 307-313

Vandeplassche, M., Bouters, R. (1982):

The impact of gynaecological and obstetrical problems resulting out of pregnancy and parturition.

In: Factors affecting fertility in the postpartum cow, Karg, H., Schallenberger, E., (Hrsgb.), The Hague, Martinus Nijhoff Publishers, S. 30-44

Weaver, L.D., Goodger, W.J. (1987a):

Design and economic evaluation of dairy reproductive health programs for large dairy herds – Part I.

Compend. Contin. Educ. Pract. Vet. 9, 297-309

Weaver, L.D., Goodger, W.J. (1987b):

Design and economic evaluation of dairy reproductive health programs for large dairy herds – Part II.

Compend. Contin. Educ. Pract. Vet. 9, 355-366

Wiltbank, M.C. (1998):

Improving reproductive efficiency in high producing dairy cattle.

Proc. 20th World Buiatrics Congress, Sydney, Australia, 6.-10. Juli 1998, 571-583

Young, M.I. (1989):

Responses to dinoprost in the bovine early post partum period.

Vet. Rec. 124, 511-512

Youngquist, R.S., Little, T.W.A. (1988):

Anestrus and infertility in the cow.

In: Fertility and infertility in veterinary practice, Laing, J.A., Brinley Morgan, W.J., Wager, W.C. (Hrsgb.), 4th edition, London, Bailliere Tindall, S. 91-112