

Literaturverzeichnis

- Ackleson, S. G., W. M. Balch, und P. M. Holligan, Response of water-leaving radianceto particulate calcite and chlorophyll-a concentrations: a model for Gulf of Maine coccolithophore blooms, *J. Geophys. Res.*, 99, 7483–7499, 1994.
- Antoine, D., und A. Morel, Atmospheric correction over the ocean (Case 1 waters), *ESA Dokument ATBD 2.7, Doc. No.: PO-TN-MEL-GS-0005*, Laboratoire de Physique et Chimie Marines, 2000.
- Babin, M., Coastal surveillance through observation of ocean colour (COASTLOOC), *Final report*, Laboratoire de Physique et Chimie Marines, Villefranche-sur-mer, Frankreich, 2000.
- Balch, W. M., R. W. Eppley, R. M. Abbott, und F. M. H. Reid, Bias in satellite-derived pigment measurements due to coccolithophores and dinoflagellates, *Journal of Plankton Research*, 11, 575–581, 1989.
- Béchu, G., P. Y. Deschamps, und J. M. Nicolas, MERIS Level-2 Products Validation Using SIMBADA Radiometer Network, in *ENVISAT Validation Workshop Proceedings*, ESA ESRIN, Frascati, Italy, 2002.
- Belviso, S., und C. Moulin, Assessment of a global climatology of oceanic dimethylsulfide (DMS) concentrations based on seawifs imagery (1998-2001), *Can. J. Fish. Aquat. Sci.*, 61, 804–816, 2004.
- Bennartz, R., und J. Fischer, A modified k-distribution approach applied to narrow band water vapour and oxygen absorption estimates in the near infrared, *J. Quant. Spectrosc. Radiat. Transfer*, Seiten 539–553, 2000.
- Bézy, J.-L., S. Delwart, und M. Rast, MERIS - A New Generation of Ocean-Colour Sensor onboard Envisat, *ESA Bulletin*, 103, 48–56, 2000.
- Bishop, C. M., *Neural Networks for Pattern Recognition*, Oxford University Press, 1995.

- Brückner, H., Küsten - sensible Geo- und Ökosysteme unter zunehmendem Stress, *Petermanns Geographische Mittelungen*, 143, 6–21, 1999.
- Bricaud, A., und D. Stramski, Spectral absorption coefficients of living phytoplankton and nonalgal biogenous matter: A comparision between the Peru upwelling area and the Saragasso Sea, *Limnol. Oceanogr.*, 35, 562–582, 1990.
- Bricaud, A., A. Morel, und L. Prieur, Absorption by dissolved organic matter in the sea (yellow substance) in the UV and visible domains, *Limnol. Oceanogr.*, 26, 43–53, 1981.
- Bricaud, A., M. Babin, A. Morel, und H. Claustre, Variability in the chlorophyll-specific absorption coefficients of natural phytoplankton: Analysis and parameterization, *J. Geophys. Res.*, 100, 13,321–1332, 1995.
- Bricaud, A., A. Morel, M. Babin, K. Allali, und H. Claustre, Variations of light absorption by suspended particles with chlorophyll-a concentration in oceanic (case 1) waters: Analysis and implications for bio-optical models, *J. Geophys. Res.*, 103, 31,033–31,044, 1998.
- Brockmann, C., Scope of Water Products - The Quality and Science Flags, in *MERIS User Workshop Proceedings*, ESA ESRIN, Frascati, Italy, 2003.
- Bukata, R. P., J. H. Jerome, G. A. Borstad, L. N. Brown, und J. F. R. Gower, Mitigating the impact of trans-spectral processes on multivariate retrieval of water quality parameters from case 2 waters, *Can. J. Remote Sensing*, 30, 8–16, 2004.
- Burkett, V., J. O. Codignotto, D. L. Forbes, N. Mimura, R. J. Beamish, und V. Ittekkot, *Coastal Zones and Marine Ecosystems. In: Climate Change 2001, Impacts, Adaptation and Vulnerability: Contribution of Working Group II to the Third Assessment Report of the Intergovernmental Panel on Climate Change*, Cambridge University Press, 2001.
- Carder, K. L., und R. G. Steward, A remote-sensing reflectance model of a red tide dinoflagellate off west Florida, *Limnol. Oceanogr.*, 30, 286–298, 1985.
- Carder, K. L., G. R. Harvey, und P. B. Ortner, Marine humic and fulvic acids: Their effect on remote sensing of ocean chlorophyll, *Limnol. Oceanogr.*, 34, 68–81, 1989.
- Colagrande, P., und L. D'Alba, Meris cyclic report 24th, *ESA Document*, European Space Agency ESA, 2004.

- Cox, C., und W. Munk, Measurements of the roughness of the sea surface from photographs of the sun's glitter, *J. Opt. Soc. Am.*, 44, 838 – 850, 1954.
- Doerffer, R., *Oceanography from Space*, Kapitel Factor analysis in ocean colour interpretation, New York: Plenum Press, 1981.
- Doerffer, R., Protocols for Validation of MERIS Water Products, *Internes ESA Dokument Doc. No.: PO-TN-MEL-GS-0043*, GKSS, 2002.
- Doerffer, R., und J. Fischer, Measurements and Model Simulations of Sun-Stimulated Chlorophyll Fluorescence within a Daily Cycle, *Adv. Space Res.*, 7, 117–120, 1987.
- Doerffer, R., und J. Fischer, Concentration of chlorophyll, suspended matter and Gelbstoff in case-II waters derived from CZCS satellite data with inverse modelling methods, *J. Geophys. Res.*, 99, 7457–7466, 1994.
- Doerffer, R., und H. Schiller, Pigment index, sediment and gelbstoff retrieval from directional water leaving radiance reflectances using inverse modelling technique, *ESA Dokument ATBD 2.12, Doc. No.: PO-TN-MEL-GS-0005*, GKSS, 1997.
- Fell, F., und J. Fischer, Numerical simulation of the light field in the atmosphere-ocean system using the matrix-operator method, *J. Quant. Spectrosc. Radiat. Transfer*, 3, 351–388, 2001.
- Fischer, J., Fernerkundung von Schwebstoffen im Ozean, *Hamburger Geophysikalische Einzelschriften*, 65, 1983.
- Fischer, J., On the Information Content of Multispectral Radiance Measurements over an Ocean, *Int. J. Remote Sensing*, 6, 773–786, 1985.
- Fischer, J., und R. Doerffer, An inverse technique for remote detection of suspended matter, phytoplankton and yellow substance from CZCS measurements, *Advances in Space Research*, 7, 21–26, 1987.
- Fischer, J., und H. Graßl, Radiative transfer in an atmosphere-ocean system: an azimuthally dependent matrix-operator approach, *Appl. Opt.*, 23, 1035–1039, 1984.
- Fischer, J., und U. Kronfeld, Sun-stimulated chlorophyll fluorescence. 1. Influence of oceanic properties, *Int. J. Remote Sensing*, 11, 2125–2147, 1990.

- Fischer, J., R. Doerffer, und H. Grassl, Factor analysis of multispectral radiances over coastal and open ocean water based on radiative transfer calculations, *Appl. Opt.*, 25(3), 448–456, 1986.
- Frouin, R., M. Schwindling, und P. Y. Deschamps, Spectral reflectance of sea foam in the visible and near infrared: In situ measurements and remote sensing implications, *J. Geophys. Res.*, 101, 14,361–14,371, 1996.
- Gege, P., Gewässeranalyse mit passiver Fernerkundung: Ein Modell zur Interpretation optischer Spektralmessungen, Dissertation, Universität Hamburg, 1994.
- Gordon, H. R., Remove of atmospheric effects from satellite imagery of the oceans, *Applied Optics*, 17, 1631–1636, 1978.
- Gordon, H. R., und A. Morel, *Remote Assessment of Ocean Color for Interpretation of Satellite Visible Imagery. A Review*, Springer-Verlag, New York, 1983.
- Gordon, H. R., R. W. Austin, D. K. Clark, W. A. Hovis, und C. S. Yentsch, Ocean color measurements, *Advances in Geophysics*, 27, 297–333, 1985.
- Gould, R. W., R. A. Arnone, und P. M. Martinolich, Spectral dependence of the scattering coefficient in case 1 and case 2 waters, *Appl. Opt.*, 38, 2377–2383, 1999.
- Gower, J. F. R., R. Doerffer, und G. A. Borstad, Interpretation of the 685 nm peak in water-leaving radiance spectra in terms of fluorescence, absorption and scattering, and its observation by MERIS, *Int. J. Remote Sensing*, 20, 1771–1786, 1999.
- Hale, G. M., und M. R. Querry, Optical constants of water in the 200nm to 200 μ m wavelength region, *Appl. Opt.*, 80, 555–563, 1973.
- Hansen, J. E., und L. D. Travis, Light scattering in planetary atmospheres, *Space Sci. Rev.*, 16, 527–610, 1974.
- Heymann, K., GKSS, Persönliche Mitteilung, 2004.
- Højerslev, N. K., und I. Trabjerg, A new perspective for remote sensing of plankton pigments and water quality, *Technischer Bericht 51*, Univ. Copenhagen, Inst. Phys. Oceanoogr. Rep., 1990.
- Holben, B. N., T. F. Eck, I. Slutsker, D. Tanré, J. P. Buis, A. Setzer, E. Vermote, J. A. Reagan, Y. J. Kaufman, T. Nakajima, F. Lavenu, I. Jankowiak, und A. Smirnov, AERONET

- A Federated Instrument Network and Data Archive for Aerosol Characterization, *Remote Sens. Environ.*, 66, 1–16, 1998.
- Holligan, P. M., M. Voillier, D. S. Harbour, P. Camus, und M. Champagne-Phillipe, Satellite and ship studies of coccolithophore production along a continental shelf edge, *Nature*, 304, 339–342, 1983.
- Holm-Hansen, O., C. J. Lorenzen, R. W. Holmes, und J. D. H. Strickland, Fluorometric determination of chlorophyll, *J. du Cons. Intl. Pour l'Expl. de la Mer*, 30, 3–15, 1965.
- Hovis, W. A., D. K. Clark, F. Anderson, R. W. Austin, W. H. Wilson, E. T. Baker, D. Ball, H. R. Gordon, J. L. Mueller, S. Y. E. Sayed, B. Sturm, R. C. Wrigley, und C. S. Yentsch, Nimbus-7 coastal zone color scanner: System description and initial imagery, *Science*, 210, 60–63, 1980.
- IOCCG, *Remote Sensing of Ocean Colour in Coastal, and Other Optically-Complex, Waters*, Band 3, International Ocean-Colour Coordinating Group, 2000.
- IOCCG, Online im Internet URL: <http://www.ioccg.org>, Stand Juli, 2004.
- Ittekkot, V., S. Jilan, E. Miles, E. Desa, B. N. Desai, J. T. Everett, J. J. Magnuson, A. Tsyban, und S. Zuta, *Oceans. In: Climate Change 1995: Impacts, Adaptations, and Mitigation of Climate Change: Scientific-Technical Analysis. Contribution of Working Group II to the Second Assessment Report of the Intergovernmental Panel on Climate Change*, Cambridge University Press, 1996.
- Jamet, C., C. Moulin, und S. Thiria, Monitoring aerosol optical properties over the Mediterranean from SeaWiFS images using a neural network inversion, *Geophys. Res. Lett.*, 31, L13,107, 2004.
- Jeffrey, S. W., und G. F. Humphrey, New spectrophotometric equations for determining chlorophylls a, b, c1 and c2 in higher plants, algae and natural phytoplankton, *Biochem. Physiol. Pflanzen*, 167, 191–194, 1975.
- Kalle, K., Zum Problem der Meereswasserfarbe, *Ann. Hydrol. Mar. Mitt.*, 66, 1–13, 1938.
- Kelletat, D., *Physische Geographie der Meere und Küsten*, Teubner Stuttgart, 1999.
- Kettle, A. J., M. O. Andreae, D. Amouroux, T. W. Andreae, T. S. B. H. Berresheim, H. Bingemer, R. Boniforti, M. A. J. Curran, G. R. DeTullio, G. Helas, G. B. Jones,

M. D. Keller, R. P. Kiene, C. Leck, M. Levasseur, M. Maspero, P. Matrai, A. R. McTaggart, N. Mihalopoulos, B. C. Nguyen, A. Novo, J. P. Putaud, S. Rapsomanikis, G. Roberts, G. Schebeske, S. Sharma, R. Simo, R. Staubes, S. Turner, und G. Uher, A global database of sea surface dimethylsulfide (DMS) measurements and a procedure to predict sea surface DMS as a function of latitude, longitude and month, *Global Biogeochemical Cycles*, 13, 399–444, 1999.

Kirk, J. T. O., *Light and Photosynthesis in Aquatic Ecosystems*, Cambridge University Press, 1994.

Kishino, M., M. Takahashi, N. Okami, und S. Ichimura, Estimation of spectral absorption coefficients of phytoplankton in the sea, *Bull. Marine Sci.*, 37, 634–642, 1985.

Koepke, P., Effective reflectance of oceanic whitecaps, *Appl. Opt.*, 23, 1816–1824, 1984.

Krawczyk, H., A. Neumann, T. Walzel, und G. Zimmermann, Investigation of interpretation possibilities of spectral high dimensional measurements by means of principal component analysis - a concept for physical interpretation of those measurements, in *Proc. SPIE*, 1993.

Land, P. E., und J. D. Haigh, Atmospheric correction over case 2 waters with an iterative fitting algorithm, *Appl. Opt.*, 35, 5443–5451, 1996.

Linke, F., *Linkes Meteorologisches Taschenbuch Bd.2*, Hrsg. Baur, F., Akademische Verlagsgesellschaft Geest & Porting, Leipzig, 1953.

Lippmann, R. P., An Introduction to Computing with Neural Nets, *IEEE ASSP Magazine*, 4, 4–22, 1987.

Maritorena, S., A. Morel, und B. Gentili, Diffuse reflectance of oceanic shallow waters: Influence of water depth and bottom albedo, *Limnol. Oceanogr.*, 39, 1689–1703, 1994.

Maske, H., und H. Haardt, Quantitative in vivo absorption spectra of phytoplankton: Detrital absorption and comparison with fluorescence excitation spectra, *Limnol. Oceanogr.*, 32, 620–633, 1987.

Mie, G., Beiträge zur Optik trüber Medien, speziell kolloidalen Metall-Lösungen, *Ann. Phys.*, 25, 377–445, 1908.

Minsky, M., und S. Papert, *Perceptrons: An Introduction to Computational Geometry*, MIT press, 1969.

- Mitchell, B. G., und D. A. Kiefer, Chlorophyll-a specific absorption and fluorescence excitation spectra for light-limited phytoplankton, *Deep-Sea Res.*, 35, 639–663, 1998.
- Mobley, C. D., *Light and Water*, Academic Press, San Diego, CA, 1994.
- Mobley, C. D., B. Gentili, H. R. Gordon, Z. Jin, G. W. Kattawar, A. Morel, P. Reinersman, K. Stammes, und R. H. Stawn, Comparison of numerical models for computing underwater light fields, *Appl. Opt.*, 32, 7484–7505, 1993.
- Monahan, E., und I. G. O’Muircheartaigh, Optimal powerlaw description of oceanic whitemcap coverage dependence on wind speed, *J. Phys. Oceanogr.*, 10, 2094–2099, 1980.
- Montagner, F., Reference Model for MERIS Level 2 Processing, *Internes ESA Dokument Doc. No.: PO-TN-MEL-GS-0026*, ACRI, 2001.
- Montagner, F., und V. Billat, Sun Glint Flag Algorithm, *ESA Dokument ATBD 2.13, Doc. No.: PO-TN-MEL-GS-0005*, ACRI, 2000.
- Moore, K. D., K. J. Voss, und H. R. Gordon, Spectral reflectance of whitecaps: Their contribution to water-leaving radiance, *J. Geophys. Res.*, 105, 6493–6499, 2000.
- Morel, A., *Optical aspects of oceanography*, Kapitel : Optical properties of pure water and pure sea water, Seiten 1–24, London: Academic Press, 1974.
- Morel, A., In-water and remote measurements of ocean color, *Bound. Lay. Met.*, 18, 177–201, 1980.
- Morel, A., Chlorophyll-specific scattering coefficient of phytoplankton. A simplified theoretical approach, *Deep Sea Res.*, 34, 1023–1105, 1987.
- Morel, A., und L. Prieur, Analysis of variations in ocean colour, *Limnol. Oceanogr.*, 22, 709–722, 1977.
- Mueller, J. L., R. R. Bidigare, C. Trees, J. Dore, D. Karl, und L. V. Heukelem, Ocean Optics Protocols For Satellite Ocean Color Sensor Validation, Revision 4, Volume V: Biogeochemical and Bio-Optical Measurements and Data Analysis Protocols, *Technischer Bericht NASA/TM-2003-21621/rev-Vol V*, National Aeronautical and Space Administration, 2003.
- Neumann, A., H. Krawczyk, und T. Walzel, A complex approach to quantitative interpretation of spectral high resolution imagery, in *Third Thematic Conference on Remote Sensing for Marine and Coastal Environments, Seattle, USA*, 1995.

- Neville, R. A., und J. F. R. Gower, Passive remote sensing of phytoplankton via chl-a fluorescence, *J. Geophys. Res.*, 82, 3487–3493, 1977.
- O'Reilley, J. E., S. Maritorena, B. G. Mitchell, D. A. Siegel, K. L. Carder, S. A. Garver, M. K. Kahru, und C. McClain, Ocean color chlorophyll algorithms for SeaWiFS, *J. Geophys. Res.*, 103, 24,937–24,953, 1998.
- Petzold, T. J., *Light in the sea*, Kapitel Volumen scattering functions for selected ocean waters, Scripps Inst. Oceanogr., La Jolla, SIO Ref. 72-79, 1972.
- Plass, G. N., G. W. Kattawar, und F. E. Catchings, Matrix operator theory of radiative transfer. 1: Rayleigh scattering, *Appl. Opt.*, 12, 314–329, 1973.
- Pope, R. M., und E. S. Fry, Absorption spectrum (380-700 nm) of pure water. II. Integrating cavity measurements, *Appl. Opt.*, 36, 8710–8723, 1997.
- Preisendorfer, R. W., Application of radiative transfer theory to light measurements in the sea, *Union Geod. Geophys. Inst. Monogr.*, 10, 11–30, 1961.
- Preusker, R., Fernerkundung des Luftdrucks am Oberrand von Wolken mit Messungen in der O2A-Bande, Dissertation, Freie Universität Berlin, 2001.
- Prieur, L., und S. Sathyendranath, An optical classification of coastal and oceanic waters based on the specific absorption curves of phytoplankton pigments, dissolved organic matter, and other particulate materials, *Limnol. Oceanogr.*, 26, 671–689, 1981.
- Rayleigh, J., On the scattering of light by small particles, *Phil. Mag.*, 41, 447–454, 1871.
- Roesler, C. S., M. J. Perry, und K. L. Carder, Modeling in situ phytoplankton absorption from total absorption spectra in productive inland marine waters, *Limnol. Oceanogr.*, 34, 1510–1523, 1989.
- Rosenblatt, R., *Principles of Neurodynamics*, Spartan Books, New York, 1959.
- Rumelhart, D., und J. McClelland, *Parallel Distributed Processing*, MIT press, 1986.
- Santer, R., F. Zagolski, und E. Dilligard, Radiative Transfer Code Comparison for MERIS Vicarious Calibration, in *ENVISAT Validation Workshop Proceedings*, 2002, ES-RIN, Frascati, Italy, 2002.
- Sarle, W. S., Neural Networks and Statistical Models, in *Proceedings of the Nineteenth Annual SAS Users Group International Conference*, 1994.

- Sathyendranath, S., L. Lazzara, und L. Prieur, Variations in the spectral values of specific absorption of phytoplankton, *Limnol. Oceanogr.*, 32, 403–415, 1987.
- Sathyendranath, S., L. Prieur, und A. Morel, A three-component model of ocean colour and its application of phytoplankton pigments in coastal waters, *Int. J. Remote Sensing*, 10, 1373–1394, 1989.
- Schiller, H., und R. Doerffer, Neural network for emulation of an inverse model—operational derivation of Case II water properties from MERIS data, *Int. J. Remote Sensing*, 20, 1735–1746, 1999.
- Shettle, E. P., und R. W. Fenn, Models for the aerosols of the lower atmosphere and the effects of humidity variations on their optical properties, *AFGL-TR-79-0214*, AFGL, 1979.
- Smith, R. C., und K. S. Baker, Optical properties of the clearest natural waters (200-800 nm), *Appl. Opt.*, 20, 177–184, 1981.
- Spitzer, D., und R. W. J. Dirks, Contamination of the reflectance of natural waters by solar-induced fluorescence of dissolved organic matter, *Appl. Opt.*, 24, 444–445, 1985.
- Steer, H., V. Ittekkot, und R. J. T. Klein, Weltmeere und Küsten im Wandel des Klimas, *Petermanns Geographische Mitteilungen*, 1999.
- Stramska, M., und T. Petelski, Observation of oceanic whitecaps in the north polar waters of the Atlantic, *J. Geophys. Res.*, 108, 3086–3096, 2003.
- Stramski, D., und A. Morel, Optical properties of photosynthetic picoplankton in different physiological states as affected by growth irradiance, *Deep-Sea Res.*, 37, 245–266, 1990.
- Tanaka, A., M. Kishino, R. Doerffer, H. Schiller, T. Oishi, und T. Kubota, Development of a neural network algorithm for retrieving concentrations of chlorophyll, suspended matter and yellow substance from radiance data of the ocean color and temperature scanner, *J. Oceanogr.*, 60, 519–530, 2004.
- Tilstone, G. H., G. F. Moore, K. Sørensen, R. Röttgers, P. V. Jørgensen, V. M. Vicente, und K. G. Ruddick, REVAMP Inter-calibration Report, *Projektbericht*, 2002.
- US-Government, U.S. Standard Atmosphere, *Technischer Bericht*, Printing Office, Washington D.C., 1976.

- Vodacek, A., S. A. Green, und N. V. Blough, An experimental model of the solar-stimulated fluorescence of chromophoric dissolved organic matter, *Limnol. Oceanogr.*, 39, 1–11, 1994.
- Vogel, H., *Gerthsen Physik*, 18. Auflage, Springer-Verlag, Berlin, 1995.
- WCP, A preliminary cloudless standard atmosphere for radiation computation, *Technischer Bericht*, WCP-Report 112, WMO/TD-No.24, 1986.
- Werbos, P. J., Beyond Regression: New Tools For Prediction And Analysis In The Behavioral Sciences, Dissertation, Harvard University, MA, 1974.
- Whitlock, C. H., D. S. Bartlett, und E. A. Gurganus, Sea Foam Reflectance and Influence on Optimum Wavelength for Remote Sensing of Ocean Aerosols, *Geophys. Res. Lett.*, 9, 719–722, 1982.
- Young, A. T., Revised Depolarization Corrections for Atmospheric extinction, *Appl. Opt.*, 19, 3427–3428, 1980.
- Zhang, T., Retrieval of Oceanic Constituents with Artificial Neural Network Based on Radiative Transfer Simulation Techniques, Dissertation, Freie Universität Berlin, 2003.
- Zhang, T., F. Fell, und J. Fischer, Modelling the backscattering ratio of marine particles in case-2 waters, in *Proceedings of the Ocean Optics XVI*, Published on CDROM, Santa Fe, USA, 2002.
- Zimmermann, G., *Fernerkundung des Ozeans*, Akademie Verlag, Berlin, 1991.