

Literatur

- Albelda, S. M. and Buck, C. A. (1990). Integrins and other cell adhesion molecules. *FASEB J.*, 4:2868–2880.
- Albelda, S. M., Mette, S. A., Elder, D. E., Stewart, R., Damjanovich, L., Herlyn, M., and Buck, C. A. (1990). Integrin distribution in malignant melanoma: association of the beta 3 subunit with tumor progression. *Cancer Res.*, 50:6757–6764.
- Alessi, P., Ebbinghaus, C., and Neri, D. (2004). Molecular targeting of angiogenesis. *Biochim. Biophys. Acta*, 1654:39–49.
- Allen, T. M. (2002). Ligand-targeted therapeutics in anticancer therapy. *Nature Rev. Cancer*, 2:750–763.
- Barbas, C. F., Kang, A. S., Lerner, R. A., and Benkovic, S. J. (1991). Assembly of combinatorial antibody libraries on phage surfaces: The gene III site. *Proc. Natl. Acad. Sci. USA*, 88:7978–7982.
- Becerril, B., Poul, M.-A., and Marks, J. D. (1999). Toward selection of internalizing antibodies from phage libraries. *Biochem. Biophys. Res. Commun.*, 255:386–393.
- Bellis, D. D. and Schwartz, I. (1990). Regulated expression of foreign genes fused to lac: control by glucose levels in growth medium. *Nucleic Acids Res.*, 18:1311.
- Bergers, G. and Benjamin, L. E. (2003). Tumorigenesis and the angiogenic switch. *Nature Rev. Cancer*, 3:401–410.
- Borsi, L., Balza, E., Carnemolla, B., Sassi, F., Castellani, P., Berndt, A., Kosmehl, H., Biro, A., Siri, A., Orecchia, P., Grassi, J., Neri, D., and Zardi, L. (2003). Selective targeted delivery of tnfalpha to tumor blood vessels. *Blood*, 102:4384–4392.
- Bouis, D., Hospers, G. A. P., Meijer, C., Molema, G., and Mulder, N. H. (2001). Endothelium in vitro: a review of human vascular endothelial cell lines for blood vessel-related research. *Angiogenesis*, 4:91–102.
- Bradbury, A. R. M. and Marks, J. D. (2004). Antibodies from phage antibody libraries. *J. Immunol. Methods*, 290:29–49.

- Bradford, M. M. (1976). A rapid and sensitive method for the quantification of microgram quantities of protein utilizing the principle of protein-dye binding. *Anal. Biochem.*, 72:248–254.
- Broders, O., Breitling, F., and Dübel, S. (2003). Hyperphage - improving antibody presentation in phage display. *Methods Mol. Biol.*, 205:295–302.
- Brooks, P. C. (1996). Cell adhesion molecules in angiogenesis. *Cancer Metastasis Rev.*, 15:187–194.
- Brooks, P. C., Clark, R. A., and Cheresh, D. A. (1994). Requirement of vascular integrin alpha v beta 3 for angiogenesis. *Science*, 264:569–571.
- Brooks, P. C., Stromblad, S., Klemke, R., Visscher, D., Sarkar, F. H., and Cheresh, D. A. (1995). Requirement of vascular integrin alpha v beta 3 for angiogenesis. *J. Clin. Invest.*, 96:1815–1822.
- Burg, M., Ravey, E. P., Gonzales, M., Amburn, E., Faix, P. H., Baird, A., and Larocca, D. (2004). Selection of internalizing ligand-display phage using rolling circle amplification for phage recovery. *DNA Cell Biol.*, 23:457–462.
- Campbell, J. H. and Campbell, G. R. (1986). Endothelial cell influences on vascular smooth muscle phenotype. *Annu. Rev. Physiol.*, 48:295–306.
- Carmeliet, P. (2003). Angiogenesis in health and disease. *Nat. Med.*, 9:653–660.
- Carnemolla, B., Borsi, L., Balza, E., Castellani, P., Meazza, R., Berndt, A., Ferrini, S., Kosmehl, H., Neri, D., and Zardi, L. (2002). Enhancement of the antitumor properties of interleukin-2 by its targeted delivery to the tumor blood vessel extracellular matrix. *Blood*, 99:1659–1665.
- Carter, P. (2001). Improving the efficacy of antibody-based cancer therapies. *Nature Rev. Cancer*, 1:118–129.
- Chi, J.-T., Chang, H. Y., Haraldsen, G., Jahnsen, F. L., Troyanskaya, O. G., Chang, D. S., Wang, Z., Rockson, S. G., v. d. Rijn, M., Botstein, D., and Brown, P. O. (2003). Endothelial cell diversity revealed by global expression profiling. *Proc. Natl. Acad. Sci. USA*, 100:10623–10628.

- Cleaver, O. and Melton, D. A. (2003). Endothelial signaling during development. *Nat. Med.*, 9:661–668.
- Conway, E. M., Collen, D., and Carmeliet, P. (2001). Molecular mechanisms of blood vessel growth. *Cardiovasc. Res.*, 49:507–521.
- Croix, B. S., Rago, C., Velculescu, V., Traverso, G., Romans, K. E., Montgomery, E., Lal, A., Riggins, G. J., Lengauer, C., Vogestein, B., and Kinzler, K. W. (2000). Genes expressed in human tumor endothelium. *Science*, 289:1197–1201.
- DeLisser, H., Christofidou-Solomodou, M., Strieter, R., Burdick, M., Robinson, C., Wexler, R., Kerr, J., Garlanda, C., Merwin, J., Madri, J., and Albelda, S. (1997). Involvement of endothelial PECAM-1/CD31 in angiogenesis. *Am. J. Pathol.*, 151:671–677.
- Denekamp, J. (1982). Endothelial cell proliferation as a novel approach to targeting tumour therapy. *Br. J. Cancer*, 45:136–139.
- Drevs, J., Hofmann, I., Wittig, H. H. C., Madjar, H., Muller, M., Wood, J., Martiny-Baron, G., Unger, C., and Marme, D. (2000). Effects of PTK787/ZK 222584, a specific inhibitor of vascular endothelial growth factor receptor tyrosine kinases, on primary tumor, metastasis, vessel density, and blood flow in a murine renal cell carcinoma model. *Cancer Res.*, 60:4819–4824.
- Dvorak, H. F., Nagy, J. A., Dvorak, J. T., and Dvorak, A. M. (1988). Identification and characterization of the blood vessels of solid tumors that are leaky to circulating macromolecules. *Am. J. Pathol.*, 133:95–109.
- Engerman, R. L., Pfaffenbach, D., and Davis, M. D. (1967). Cell turnover of capillaries. *Lab. Invest.*, 17:738–743.
- Folkman, J. (1997). Tumor angiogenesis: Therapeutic implications. *N. Engl. J. Med.*, 285:1182–1186.
- Folkman, J. (1999). Angiogenic zip code. *Nat. Biotechnol.*, 17:749.
- Folkman, J. and D'Amore, P. A. (1996). Blood vessel formation: what is its molecular basis. *Cell*, 87:1153–1155.
- Folkman, J. and Klagsbrun, M. (1987). Angiogenic factors. *Science*, 235:442–447.

- Griffiths, A. D., Williams, S. C., Hartley, O., Tomlinson, I. M., Waterhouse, P., Kontermann, W. L. C. R. E., Jones, P. T., Low, N. M., and et al., T. J. A. (1994). Isolation of high affinity human antibodies directly from large synthetic repertoires. *EMBO J.*, 13:3245–3260.
- Halin, C., Rondini, S., Nilsson, F., Berndt, A., Kosmehl, H., Zardi, L., and Neri, D. (2002). Enhancement of the antitumor activity of interleukin-12 by targeted delivery to neovasculature. *Nat. Biotechnol.*, 20:264–269.
- Hannum, R. S., Ojeifo, J. O., Zwiebel, J. A., and McLeskey, S. W. (2001). Isolation of tumor-derived endothelial cells. *Microvasc. Res.*, 61:287–290.
- Hawkins, R. E., Russell, S. J., and Winter, G. (1992). Selection of phage antibodies by binding affinity mimicking affinity maturation. *J. Mol. Biol.*, 226:889–896.
- Hegmans, J. P., Radosevic, K., Voerman, J. S., Burgers, J. A., Hoogsteden, H. C., and Prins, J.-B. (2002). A model system for optimising the selection of membrane antigen-specific human antibodies on intact cells using phage antibody display technology. *J. Immunol. Methods*, 262:191–204.
- Heitner, T., Moor, A., Garrison, J. L., Marks, C., Hasan, T., and Marks, J. D. (2001). Selection of cell binding and internalizing epidermal growth factor receptor antibodies from a phage display library. *J. Immunol. Methods*, 248:17–30.
- Heldin, C.-H. (1995). Dimerization of cell surface receptors in signal transduction. *Cell*, 80:213–223.
- Hicklin, D. J., Witte, L., Zhu, Z., Liao, F., Wu, Y., Li, Y., and P, P. B. (2001). Monoclonal antibody strategies to block angiogenesis. *Drug Discov. Today*, 6:517–528.
- Ho, M., Yang, E., Matcuk, G., Deng, D., Sampas, N., Tselenko, A., Tabibiazar, R., Zhang, Y., chen, M., Talbi, S., Ho, Y. D., Wang, J., Tsao, P. S., Ben-Dor, A., Yakhini, Z., Bruhn, L., and Quertermous, T. (2003). Identification of endothelial cell genes by combined database mining and microarray analysis. *Physiol. Genomics*, 13:249–262.
- Hobson, B. and Denekamp, J. (1984). Endothelial proliferation in tumors and normal tissues: continuous labeling studies. *Br. J. Cancer*, 49:405–413.

- Holliger, P., Prospero, T., and Winter, G. (1993). Diabodies: small bivalent and bispecific antibody fragments. *Proc. Natl. Acad. Sci. USA*, 90:6444–6448.
- Hoogenboom, H. R., de Bruine, A. P., Hufton, S. E., Hoet, R. M., Arends, J.-M., and Roovers, R. C. (1998). Antibody phage display technology and its applications. *Immunotechnology*, 4:1–20.
- Hoogenboom, H. R., Lutgerink, J. T., Pelsers, M. M., Rousch, M. J., Coote, J., Neer, N. V., Bruine, A. D., Nieuwenhoven, F. A. V., Glatz, J. F., and Arends, J. W. (1999). Selection-dominant and nonaccessible epitopes on cell-surface receptors revealed by cell-panning with a large phage antibody library. *Eur. J. Biochem.*, 260:774–784.
- Hoogenboom, H. R. and Winter (1992). By-passing immunisation. Human antibodies from synthetic repertoires of germline VH gene segments rearranged in vitro. *J. Mol. Biol.*, 227:3381–388.
- Hudson, P. J. and Souriau, C. (2003). Engineered antibodies. *Nat. Med.*, 9:129–134.
- Hurwitz, H., Fehrenbacher, L., Novotny, W., Cartwright, T., Hainsworth, J., Heim, W., Berlin, J., Baron, A., Griffing, S., Holmgren, E., Ferrara, N., Fyfe, G., Rogers, B., Ross, R., and Kabbinavar, F. (2004). Bevacizumab plus Irinotecan, Fluorouracil, and Leucovorin for metastatic colorectal cancer. *N. Engl. J. Med.*, 350:2335–2342.
- Ivanenkov, V., Felici, F., and Menon, A. G. (1999). Uptake and intracellular fate of phage display vectors in mammalian cells. *Biochim. Biophys. Acta*, 1448:450–462.
- Jain, R. K. (2003). Molecular regulation of vessel maturation. *Nature Medicine*, 9:685–693.
- Jain, R. K. and Munn, L. L. (2000). Leaky vessels ? Call Ang1 ! *Nat. Med.*, 6:131–132.
- Janeway, C. A., Travers, P., Walport, M., and Capra, J. D. (1999). *Immunobiology: the immune system in health and disease*. Fourth edition. Elsevier Science Ltd/Garland Publishing.
- Kalluri, R. (2003). Basement membranes: structures, assembly and role in tumour angiogenesis. *Nat. Rev. Cancer*, 3:422–433.
- Kay, B. K., Winter, J., and McCafferty, J. (1996). *Phage display of peptides and proteins - A Laboratory Manual*. Academic Press.

- Kerbel, R. and Folkman, J. (2002). Clinical translation of angiogenesis inhibitors. *Nat. Rev. Cancer*, 2:727–739.
- Kevil, C. G., Paynes, D. K., Mire, E., and Alexander, J. S. (1998). Vascular permeability factor/vascular endothelial cell growth factor-mediated permeability occurs through disorganization of endothelial junctional proteins. *J. Biol. Chem.*, 273:15099–15103.
- Klussman, K., Mixan, B. J., Cerveny, C. G., Meyer, D. L., Senter, P. D., and Wahl, A. F. (2004). Secondary mAb-vcMMAE conjugates are highly sensitive reporters of antibody internalization via lysosome pathway. *Bioconjug. Chem.*, 15:765–773.
- Knappik, A., Ge, L., Honegger, A., Pack, P., Fischer, M., Wellnhofer, G., Hoess, A., Wölle, J., and an B. Virnekäs, A. P. (2000). Fully synthetic human combinatorial antibody libraries (HuCAL) based on modular consensus frameworks and CDRx randomized with trinucleotides. *J. Mol. Biol.*, 296:57–86.
- Kohls, M. D. and Lappi, D. A. (2000). Mab-Zap: a tool for evaluation antibody efficacy for use in an immuntotoxin. *Biotechniques*, 28:162–165.
- Kretzchmar, T. and Geiser, M. (1995). Evaluation of antibodies fused to minor coat protein III and major coat protein VIII of bacteriophage M13. *Gene*, 155:61–65.
- Kruif, J., Terstappen, L., Boel, E., and Logtenberg, T. (1995). Rapid selection of cell subpopulation-specific human monoclonal antibodies from a synthetic phage antibody library. *Proc. Natl. Acad. Sci. USA*, 92:3938–3942.
- Kyhse-Andersen, J. (1984). Electroblotting of multiple gels: a simple apparatus without buffer tank for rapid transfer of proteins from polyacrylamide to nitrocellulose. *J. Biochem. Biophys. Methods*, 10:203–209.
- Köhler, G. and Milstein, C. (1975). Continuous cultures of fused cells secreting antibody of predefined specificity. *Nature*, 256:495–497.
- Lacorre, D. A., Baekkevold, E. S., Garrido, I., Brandtzaeg, P., Haraldsen, G., Amalric, F., and Girard, J. P. (2004). Plasticity of endothelial cells: rapid dedifferentiation of freshly isolated high endothelial venules endothelial cells outside the lymphoid tissue microenvironment. *Blood*, 103:4164–4172.

- Laemmli, U. K. (1970). Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature*, 227:680–685.
- Marks, J. D., Hoogenboom, H. R., Bonnert, T. P., McCafferty, J., Griffiths, A. D., and Winter, G. (1991). By-passing immunization. Human antibodies from V-gene libraries displayed on phage. *J. Mol. Biol.*, 222:581–597.
- Marme, D. (2003). The impact of anti-angiogenic agents on cancer therapy. *J. Cancer Res. Clin. Oncol.*, 129:607–620.
- McCafferty, J., Griffiths, A. D., Winter, G., and Chiswell, D. J. (1990). Phage antibodies: filamentous phage displaying antibody variable domains. *Nature*, 348:552–554.
- Mellman, I. (1996). Endocytosis and molecular sorting. *Annu. Rev. Cell Dev. Biol.*, 12:575–625.
- Molema, G., Meijer, D. K. F., and de Leij, L. F. M. H. (1998). Tumor vasculature targeted therapies: getting the players organized. *Biochem. Pharmacol.*, 55:1939–1945.
- Molenaar, T. J., Michon, I., de Haas, S. A., van Berkel, T. J., Kuiper, J., and Biessen, E. A. (2002). Uptake and processing of modified bacteriophage M13 in mice: implications for phage display. *Virology*, 293:182–191.
- Mutuberria, R., Hoogenboom, H. R., v. d. Linden, E., d. Bruine, A. P., and Roovers, R. C. (1999). Model systems to study the parameters determining the success of phage antibody selections on complex antigens. *J. Immunol. Methods*, 231:65–81.
- Mutuberria, R., Satijn, S., Huijbers, A., v. d. Linden, E., Lichtenbeld, H., Chames, P., Arends, J.-W., and Hoogenboom, H. R. (2004). Isolation of human antibodies to tumor-associated endothelial cell markers by in vitro human endothelial cell selection with phage display libraries. *J. Immunol. Methods*, 287:31–47.
- Nielsen, U. B. and Marks, J. D. (2000). Internalizing antibodies and targeted cancer therapy: direct selection from phage display libraries. *Pharm. Sci. Technol. Today*, 3:282–291.
- Nissim, A., Hoogenboom, H. R., Tomlinson, I. M., Flynn, G., Midgley, C., Lane, D., and Winter, G. (1994). Antibody fragments from a 'single pot' phage display library as immunochemical reagents. *EMBO J.*, 13:692–698.

- O'Connel, D., Becerril, B., Roy-Burman, A., Daws, M., and Marks, J. D. (2002). Phage versus phagemid libraries for generation of human monoclonal antibodies. *J. Mol. Biol.*, 321:49–56.
- Peipp, M., Simon, N., Loichinger, A., Baum, W., Mahr, K., Zunino, S. J., and Fey, G. H. (2001). An improved procedure for the generation of recombinant single-chain Fv antibody fragments reacting with human CD13 on intact cells. *J. Immunol. Methods*, 251:161–176.
- Pereira, S., Maruyama, H., Siegel, D., Belle, P. V., Elder, D., Curtis, P., and Herlyn, D. (1997). A model system for detection and isolation of a tumor cell surface antigen using antibody phage display. *J. Immunol. Methods*, 203:11–24.
- Plückthun, A. and Pack, P. (1997). New protein engineering approaches to multivalent and bispecific antibody fragments. *Immunotechnology*, 3:83–105.
- Poul, M.-A., Becerril, B., Nielsen, U. B., Morisson, P., and Marks, J. D. (2000). Selection of tumor-specific internalizing human antibodies from phage libraries. *J. Mol. Biol.*, 301:1149–1161.
- Reynolds, L. P., Killilea, S. D., and Redmer, D. A. (1992). Angiogenesis in the female reproductive system. *FASEB J.*, 6:886–892.
- Rondot, S., Koch, J., Breitling, F., and Dübel, S. (2001). A helper phage to improve single-chain antibody presentation in phage display. *Nat. Biotechnol.*, 19:75–78.
- Santimaria, M., Moscatelli, G., Viale, G. L., Giovannoni, L., Neri, G., Viti, F., Borsi, A. L. L., Castellani, P., Zardi, L., Neri, D., and Riva, P. (2003). Immunoscintigraphic detection of the ED-B domain of fibronectin, a marker of angiogenesis, in patients with cancer. *Clin. Cancer Res.*, 9:571–579.
- Sheets, M. D., Amersdorfer, P., Finnern, R., Sargent, P., Lindqvist, E., Schier, R., Hemingsen, G., Wong, C., Gerhart, J. C., and Marks, J. D. (1998). Efficient construction of a large nonimmune phage antibody library: The production of high-affinity human single-chain antibodies to protein antigens. *Proc. Natl. Acad. Sci. USA*, 95:6157–6162.
- Smith, G. P. (1985). Filamentous fusion phage: novel expression vectors that display cloned antigens on the virion surface. *Science*, 228:1315–1317.

- Smith, J., Kontermann, R. E., Embleton, J., and Kumar, S. (2005). Antibody phage display technologies with special reference to angiogenesis. *FASEB J.*, 19:331–341.
- Soderlind, E., Strandberg, L., Jirholt, P., Kobayashi, N., Alexeiva, V., Aberg, A. M., Nilsson, A., Jansson, B., Ohlin, M., Wingren, C., Danielsson, L., Carlsson, R., and Borrebaeck, C. A. (2000). Recombining germline-derived cdr sequences for creating diverse single-framework antibody libraries. *Nature Biotechnol.*, 18:852–856.
- Soltes, G., Barker, H., Marmai, K., Pun, E., Yuen, A., and Wiersma, E. J. (2003). A new helper phage and phagemid vector system improves viral display of antibody Fab fragments and avoids propagation of insert-less virions. *J. Immunol. Methods*, 275:233–244.
- Takei, K. and Haucke, V. (2001). Clathrin-mediated endocytosis: membrane factors pull the trigger. *Trends Cell Biol.*, 11:385–391.
- Tarli, L., Balza, E., Viti, F., Borsi, L., Castellani, P., Berndorff, D., Dinkelborg, L., Neri, D., and Zardi, L. (1999). A high-affinity human antibody that targets tumoral blood vessels. *Blood*, 94:192–198.
- Thorpe, P. E. and Ran, S. (2002). Mapping zip codes in human vasculature. *Pharmacogenomics J.*, 2:205–206.
- Ullrich, A. and Schlessinger, J. (1990). Signal transduction by receptors with tyrosine kinase activity. *Cell*, 61:203–212.
- Vieira, J. and Messing, J. (1987). Production of single-stranded plasmid DNA. *Methods Enzymol.*, 153:3–11.
- Viti, F., Nilsson, F., Demartis, S., Huber, A., and Neri, D. (2000). Design and use of a phage display libraries for the selection of antibodies and enzymes. *Methods Enzymol.*, 326:480–505.
- Völkel, T., Hölig, P., Merdan, T., Müller, R., and Kontermann, R. E. (2004a). Targeting of immunoliposomes to endothelial cells using a single-chain fv fragment directed against human endoglin (CD105). *Biochem. Biophys. Res. Commun.*, 1663:158–166.
- Völkel, T., Müller, R., and Kontermann, R. E. (2004b). Isolation of endothelial cell-specific human antibodies from a novel fully synthetic scFv library. *Biochem. Biophys. Res. Commun.*, 317:515–521.

- Watters, J. M., Telleman, P., and Junghans, R. P. (1997). An optimized method for cell-based phage display panning. *Immunotechnology*, 3:21–29.
- Wiewrodt, R., Thomas, A. P., Cipelletti, L., Christofidou-Solomidou, M., Weitz, D. A., Feinstein, S. I., Schaffer, D., Albelda, S. M., Koval, M., and Muzykantov, V. R. (2002). Size-dependent intracellular immunotargeting of therapeutic cargoes into endothelial cells. *Blood*, 99:912–922.
- Williamson, R. A., Burioni, R., Sanna, P. P., Partridge, L. J., Barbas, C. F., and Burton, D. R. (1993). Human monoclonal antibodies against a plethora of viral pathogens from single combinatorial libraries. *Proc. Natl. Acad. Sci. USA*, 90:4141–4145.
- Winter, G., Griffiths, A., Hawkins, R., and Hoogenboom, H. (1994). Making antibodies by phage display technology. *Annu. Rev. Immunol.*, 12:433–455.
- Wood, J. M., Bold, G., Buchdunger, E., Cozens, R., Ferrari, S., Frei, J., Hofmann, F., Mestan, J., Mett, H., O'Reilly, T., Persohn, E., Rosel, J., Schnell, C., Stover, D., Theuer, A., Towbin, H., Wenger, F., Woods-Cook, K., Menrad, A., Siemeister, G., Schirner, M., Thierauch, K.-H., Schneider, M. R., Drevs, J., Martiny-Baron, G., and Totzke, F. (2000). PTK787/ZK 222584, a novel and potent inhibitor of vascular endothelial growth factor receptor tyrosine kinases, impairs vascular endothelial growth factor-induced responses and tumor growth after oral administration. *Cancer Res.*, 60:2178–2189.
- Yancopoulos, G. D., Davis, S., Gale, N. W., Rudge, J. S., Wiegand, S. J., and Holash, J. (2000). Vascular-specific growth factors and blood vessel formation. *Nature*, 407:242–248.
- Zardi, L., Carnemolla, B., Siri, A., Petersen, T. E., Paolella, G., Sebastio, G., and Baralle, F. E. (1987). Transformed human cells produce a new fibronectin isoform by preferential alternative splicing of a previously unobserved exon. *EMBO J.*, 6:2337–2342.