

6. LITERATURVERZEICHNIS

- 1 Aizawa D, Shimizu K, Komatsu M, Ito M, Suzuki M, Ohno K, Uozato H. Clinical outcomes of wavefront-guided laser in situ keratomileusis: 6-month follow-up. J Cataract Refract Surg 2003; 29:1507-1513
- 2 Applegate RA, Howland HC, Sharp RP, Cottingham AJ, Yee RW. Corneal aberrations and visual performance after radial keratotomy. J Refract Surg 1998; 14:397-407
- 3 Applegate RA. Limits to vision: Can we do better than nature? J Refract Surg 2000 ; 16: 547-551
- 4 Applegate RA, Hilmantel G, Howland HC, Tu EY, Starck T, Zayac EJ. Corneal first surface optical aberrations and visual performance. J Refract Surg 2000a; 16:507-514
- 5 Applegate RA, Thibos LN, Bradley A, Salmon TO, Atchison DA. Reference axis selection: Subcommittee report of the OSA working group to establish standards for measurement and reporting of optical aberrations of the eye. J Refract Surg 2000b; 16:656-658
- 6 Applegate RA, Thibos LN, Hilmantel G. Optics of aberroscopy and super vision. J Cataract Refract Surg 2001; 27:1093-1107
- 7 Applegate RA, Sarver EJ, Khemsara V. Are all aberrations equal? J Refract Surg 2002; 18:556-562
- 8 Applegate RA, Ballentine C, Gross H, Sarver EJ, Sarver CA. Visual acuity as a function of Zernike mode and level of root mean square error. Optom Vis Sci 2003; 80:97-105
- 9 Applegate RA, Marsack JD, Ramos R, Sarver EJ. Interaction between

- aberrations to improve or reduce visual performance. *J Cataract Refract Surg* 2003a; 29:1487-1495
- 10 Artal P, Guirao A. Contributions of the cornea and the lens to the aberrations of the human eye. *Opt Lett* 1998; 23:1713-1715
 - 11 Artal P, Berrio E, Guirao A, Piers P. Contribution of the cornea and internal surfaces to the change of ocular aberrations with age. *J Opt Soc Am A* 2002; 19:137-143
 - 12 Artal P, Fernandez EJ, Manzanera S. Are optical aberrations during accommodation a significant problem for refractive surgery? *J Refract Surg* 2002a; 18:563-566
 - 13 Atchison DA, Collins MJ, Wildsoet CF, Christinsen J, Waterworth MD. Measurement of monochromatic ocular aberrations of human eyes as a function of accommodation by the Howland aberroscope technique. *Vision Res* 1995; 35:313-323
 - 14 Barbero S, Marcos S, Merayo-Llodes J. Corneal and total optical aberrations in a unilateral aphakic patient. *J Cataract Refract Surg* 2002; 28:1594-1600
 - 15 Barbero S, Marcos S, Merayo-Llodes J, Moreno-Barriuso E. Validation of the estimation of corneal aberrations from videokeratography in keratokonius. *J Refract Surg* 2002a; 18:263-270
 - 16 Bellucci R, Morselli S, Piers P. Comparison of wavefront aberrations and optical quality of eyes implanted with five different intraocular lenses. *J Refract Surg* 2004; 20:297-306
 - 17 Bland JM, Altman DG. Statistical methods for assessing agreement between two methods of clinical measurement. *Lancet* 1986; i: 307-310

- 18 Bland JM, Altman DG. Measuring agreement in method comparison studies. *Stat Methods Med Res* 1999; 8:135-160
- 19 Bogan SJ, Waring III GO, Ibrahim O, Drews C, Curtis L. Classification of normal corneal topography based on computer-assisted videokeratography. *Arch Ophthalmol* 1990; 108:945-949
- 20 Bueeler M, Mrochen M, Seiler T. Maximum permissible lateral decentration in aberration-sensing and wavefront-guided corneal ablation. *J Cataract Refract Surg* 2003; 29:257-263
- 21 Bueeler M, Mrochen M. Limitations of pupil tracking in refractive surgery: systematic error in determination of corneal locations. *J Refract Surg* 2004; 20:371-378
- 22 Calver RI, Cox MJ, Elliot DB. Effect of aging on the monochromatic aberrations of the human eye. *J Opt Soc Am A* 1999; 16:2069-2078
- 23 Carkeet A, Velaedan S, Tan YK, Lee DYJ, Tan DTH. Higher order ocular aberrations after cycloplegic and non-cycloplegic pupil dilataion. *J Refract Surg* 2003; 19:316-322
- 24 Carones F, Vigo L, Scandola E. Wavefront-guided treatment of abnormal eyes using the LADARvision platform. *J Refract Surg* 2003; 19:703-708
- 25 Castejón-Mochón JF, López-Gil N, Benito A, Artal P. Ocular wave-front aberration statistics in a normal young population. *Vision Res* 2002; 42:1611-1617
- 26 Chalita MR, Xu M, Krueger RR. Correlation of aberrations with visual symptoms using wavefront analysis in eyes after laser in situ keratomileusis. *J Refract Surg* 2003; 19:682-686
- 27 Chalita MR, Chavala S, Xu M, Krueger RR. Wavefront analysis and its

- correlation with visual symptoms, refraction, and topography. *Ophthalmology* 2004; 111:447-453
- 28 Chalita MR, Finkenthal J, Xu M, Krueger RR. LADARWave wavefront measurement in normal eyes. *J Refract Surg* 2004a; 20:132-138
- 29 Cheng X, Bradley A, Hong X, Thibos LN. Relationship between refractive error and monochromatic aberrations of the eye. *Optom Vis Sci* 2003; 80:43-49
- 30 Donders FC. *Astigmatismus und cylindrische Glaeser*. Berlin: Verlag von Hermann Peters, 1862; 6-10,16-18
- 31 Förster W, Stupp T, Fiedler J, Wottke M. Influence of medical and natural mydriasis on higher order aberrations of the eye. *J Refract Surg* 2003; 19: 380-382
- 32 Gießler S, Hammer T, Duncker GIW. Aberrometrie in Mydriasis - welche Art der Mydriasis ist zu bevorzugen? *Klin Monatsbl Augenheilkd* 2002; 219:655-659
- 33 Glasser A, Campbell MCW. Presbyopia and the optical changes in the human crystalline lens with age. *Vision Res* 1998; 38:209-229
- 34 Gobbe M, Guillon M, Maissa C. Measurement repeatability of corneal aberrations. *J Refract Surg* 2002; 18:567-571
- 35 Guirao A, Gonzalez C, Redondo M, Geraghty E, Norrby S, Artal P. Average optical performance of the human eye as a function of age in a normal population. *Invest Ophthalmol Vis Sci* 1999; 40:203-213
- 36 Guirao A, Artal P. Corneal wave aberration from videokeratography: accuracy and limitations of the procedure. *J Opt Soc Am A* 2000; 17:955-965

- 37 Guirao A, Redondo M, Artal P. Optical aberrations of the human cornea as a function of age. *J Opt Soc Am A* 2000a; 17:1697-1702
- 38 Guirao A, Redondo M, Geraghty E, Piers P, Norrby S, Artal P. Corneal optical aberrations and retinal image quality in patients in whom monofocal intraocular lenses were implanted. *Arch Ophthalmol* 2002; 120:1143-1151
- 39 Hammer T, Duncker GIW, Gießler S. Ergebnisse der wellenfrontgestützten LASIK. *Ophthalmologe* 2004; 101:824-829
- 40 Hament WJ, Nabar VA, Nuijts RMMA. Repeatability and validity of Zywave aberrometer measurements. *J Cataract Refract Surg* 2002; 28:2135-2141
- 41 He JC, Burns SA, Marcos S. Monochromatic aberrations in the accommodated human eye. *Vision Res* 2000; 40:41-48
- 42 He JC, Gwiazda J, Thorn F, Held R, Huang W. Change in corneal shape and corneal wave-front aberrations with accommodation. *J Vis* 2003; 3:456-463
- 43 Helmholtz H. *Handbuch der physiologischen Optik*. Leipzig: Leopold Voss, 1867; 90-103, 125-147
- 44 Hofer H, Artal P, Singer B, Aragón JL, Williams DR. Dynamics of the eye's wave aberration. *J Opt Soc Am A* 2001; 18:497-506
- 45 Holladay JT, Lynn MJ, Waring GO, Gemmil M, Keehn GC, Fielding B. The relationship of visual acuity, refractive error, and pupil size after radial keratotomy. *Arch Ophthalmol* 1991; 109:70-76:
- 46 Hong X, Thibos LN, Bradley A, Woods RL, Applegate R. Comparison of monochromatic ocular aberrations measured with an objective cross-cylinder aberroscope and a Shack-Hartmann aberrometer. *Optom Vis Sci* 2003; 80:15-25

- 47 Howland HC, Howland B. A subjective method for the measurement of monochromatic aberrations of the eye. *J Opt Soc Am* 1977; 67:1508-1518
- 48 Kaemmerer M, Mrochen M, Mierdel P, Krinke HE, Seiler T. Clinical experience with the Tscherning aberrometer. *J Refract Surg* 2000; 16:584-587
- 49 Kaisermann I, Hazarbassanov R, Varssano D, Grinbaum A. Contrast sensitivity after wavefront-guided LASIK. *Ophthalmology* 2004; 111:454-457
- 50 Kanjani N, Jacob S, Agarwal Am, Agarwal At, Agarwal S, Agarwal T, Doshi A, Doshi S. Wavefront- and topography-guided ablation in myopic eyes using Zyoptix. *J Cataract Refract Surg* 2004; 30:398-402
- 51 Klein SA, Garcia DG. Line of sight and alternative representations of aberrations of the eye. *J Refract Surg* 2000; 16:630-635
- 52 Knorz M, Hugger P, Jendritzka B, Liermann A. Dämmerungssehvermögen nach Myopiekorrektur mittels LASIK. *Ophthalmologe* 1999; 96:711-716
- 53 Koh S, Maeda N, Kuroda T, Fujikado T, Tano Y, Hirohara Y, Mihashi T. Effect of tear film break-up on higher-order aberrations measured with wavefront sensor. *Am J Ophthalmol* 2002; 134:115-117.
- 54 Kohnen T, Bühren J. Derzeitiger Stand der wellenfrontgeführten Hornhautchirurgie zur Korrektur von Refraktionsfehlern. *Ophthalmologe* 2004; 101:631-647
- 55 Krueger RR, Mrochen M, Kaemmerer M, Seiler T. Understanding refraction and accommodation through ‚retinal imaging‘ aberrometry. *Ophthalmology* 2001; 108:674-678
- 56 Krummenauer F. Differenzplots oder Punktwolken - wann was anwenden ? *Klin Monatsbl Augenheilkd* 2002; 219:682-685

- 57 Kuroda T, Fujikado T, Ninomiya S, Maeda N, Hirohara Y, Mihashi T. Effect of ocular light scatter and higher order aberrations. *J Refract Surg* 2002; 18:598-602
- 58 Liang J, Grimm B, Goelz S, Bille JF. Objective measurement of wave aberrations of the human eye with the use of a Hartmann-Shack wave-front sensor. *J Opt Soc Am A* 1994; 11:1949-1957
- 59 Liang J, Williams DR. Aberrations and retinal image quality of the normal human eye. *J Opt Soc Am A* 1997; 14:2873-2883
- 60 Liang J, Williams DR, Miller DT. Supernormal vision and high-resolution retinal imaging through adaptive optics. *J Opt Soc Am A* 1997a; 14:2884-2892
- 61 Lingelbach B. Zernike-Polynome. *Z Prakt Augenheilkd* 1999; 20:157-164
- 62 Lopez-Gil N, Castejon-Mochon JF, Benito A, Marin JM, Lo-a-Foe G, Marin G, Fermigier B, Renard D, Joyeux D, Chateau N, Artal P. Aberration generation by contact lenses with aspheric and asymmetric surfaces. *J Refract Surg* 2002; 18:603-609
- 63 MacRae SM. Supernormal vision, hypervision, and customized corneal ablation. *J Cataract Refract Surg* 2000; 26:154-157
- 64 MacRae SM, Williams DR. Wavefront guided ablation. *Am J Ophthalmol* 2001;132:915-919
- 65 Marcos S. Aberrations and visual performance following standard laser vision correction. *J Refract Surg* 2001; 17:596-601
- 66 Marcos S, Barbero S, Llorente L, Lloves JM. Optical response to LASIK surgery for myopia from total and corneal aberration measurements. *Invest Ophthalmol*

Vis Sci 2001a; 42:3349-3356

- 67 Marcos S. Are changes in ocular aberrations with age a significant problem for refractive surgery? J Refract Surg 2002; 18:572-578
- 68 Martin M, Becker KA, Auffahrt GU. Refraktionsänderung der Hornhaut im Rahmen der Akkommodation. In: Auffahrt GU, Welt R, Demeler U, (Hrsg):16. Tagung der Deutschsprachigen Gesellschaft für Intraokularlinsen-Implantation und refraktive Chirurgie, Köln: Biermann Verlag 2002; S. 219-223
- 69 Martinez CE, Applegate RA, Klyce SD, McDonald MB, Medina JP, Howland, HC. Effect of pupillary dilatation on corneal optical aberrations after photorefractive keratectomy. Arch Ophthalmol 1998; 116:1053-1062
- 70 Mattioli R, Tripoli NK. Corneal geometry reconstruction with the Keratron videokeratograph. Optom Vis Sci 1997; 74:881-894
- 71 McDonald M. Summit-autonomous custom cornea laser in situ keratomileusis outcomes. J Refract Surg 2000; 16:617-618
- 72 McLellan JS, Marcos S, Burns SA. Age-related changes in monochromatic wave aberrations of the human eye. Invest Ophthalmol Vis Sci 2001; 42:1390-1395
- 73 Mester U, Dillinger P, Anterist N. Impact of a modified optic design on visual function: Clinical comparative study. J Cataract Refract Surg 2003; 29:652-660
- 74 Mierdel P, Krinke HE, Wiegand W, Kaemmerer M, Seiler T. Meßplatz zur Bestimmung der monochromatischen Aberration des menschlichen Auges. Ophthalmologie 1997; 94:441-445
- 75 Mierdel P, Kaemmerer M, Krinke HE, Seiler T. Effects of photorefractive keratectomy and cataract surgery on ocular optical errors of higher order.

Graefes Arch Clin Exp Ophthalmol 1999; 237:725-729

- 76 Mirshahi A, Bühren J, Gerhardt D, Kohnen T. In vivo and in vitro repeatability of Hartmann-Shack aberrometry. J Cataract Refract Surg 2003; 29:2295-2301
- 77 Moreno-Barriuso E, Navarro R. Laser ray-tracing versus Hartmann-Shack sensor for measuring optical aberrations in the human eye. J Opt Soc Am A Opt Image Sci Vis 2000; 17:974-985
- 78 Moreno-Barriuso E, Lloves JM, Marcos S, Navarro R, Llorente L, Barbero S. Ocular aberrations before and after myopic corneal refractive surgery: LASIK-induced changes measured with laser ray tracing. Invest Ophthalmol Vis Sci 2001; 42:1396-1403
- 79 Moreno-Barriuso E, Marcos S, Navarro R, Burns SA. Comparing laser ray-tracing, the spatially resolved refractometer, and the Hartmann-Shack sensor to measure the ocular wave aberration. Optom Vis Sci 2001a; 78:152-156
- 80 Mrochen M, Kaemmerer M, Mierdel P, Krinke HE, Seiler T. Principles of Tscherning aberrometry. J Refract Surg 2000; 16:570-571
- 81 Mrochen M, Kaemmerer M, Seiler T. Wavefront-guided laser in situ keratomileusis: Early results in three eyes. J Refract Surg 2000a; 16:116-121
- 82 Mrochen M, Eldine MS, Kaemmerer M, Seiler T, Hütz W. Improvement in photorefractive corneal laser surgery results using an active eye-tracking system. J Cataract Refract Surg 2001; 27:1000-1006
- 83 Mrochen M, Kaemmerer M, Mierdel P, Krinke HE, Seiler T. Is the human eye a perfect optic? SPIE 2001a; 4245:30-35
- 84 Mrochen M, Kaemmerer M, Mierdel P, Seiler T. Increased higher-order optical aberration after laser refractive surgery. J Cataract Refract Surg 2001b; 27:

362-369

- 85 Mrochen M, Kaemmerer M, Seiler T. Clinical results of wavefront-guided laser in situ keratomileusis 3 months after surgery. *J Cataract Refract Surg* 2001c; 27:201-207
- 86 Mrochen M, Seiler T. Grundlagen der wellenfrontgeführten refraktiven Hornhautchirurgie. *Ophthalmologe* 2001d; 98:703-714
- 87 Mrochen M, Krueger RR, Bueeler M, Seiler T. Aberration-sensing and wavefront-guided laser in situ keratomileusis: management of decentered ablation. *J Refract Surg* 2002; 18:418-429
- 88 Mrochen M, Jankov M, Bueeler M, Seiler T. Correlations between corneal and total wavefront aberrations. *J Refract Surg* 2003; 19:104-112
- 89 Mrochen M, Donitzky C, Wüllner C, Löffler J. Wavefront-optimized ablation profiles: Theoretical background. *J Cataract Refract Surg* 2004; 30:775-785
- 90 Nagy Z, Palágyi-Deák I, Kelemen E, Kovács A. Wavefront-guided photorefractive keratectomy for myopia and myopic astigmatism. *J Refract Surg* 2002; 18:615-619
- 91 Nagy Z, Palágyi-Deák I, Kovács A, Kelemen E, Förster W. First Results with wavefront-guided photorefractive keratectomy for hyperopia. *J Refract Surg* 2002a; 18:620-623
- 92 Netto MV, Ambrosio R Jr, Wilson SE. Pupil size in refractive surgery candidates. *J Refract Surg* 2004; 20:337-342
- 93 Oshika T, Klyce SD, Applegate RA, Howland HC. Changes in corneal wavefront aberrations with aging. *Invest Ophthalmol Vis Sci* 1999; 40:1351-1355

- 94 Oshika T, Klyce SD, Applegate RA, Howland HC, Danasoury AE. Comparison of corneal wavefront aberrations after photorefractive keratectomy and laser in situ keratomileusis. *Am J Ophthalmol* 1999a; 127:1-7
- 95 Oshika T, Mimura T, Tanaka S, Amano S, Fukuyama M, Yoshitomi F, Maeda N, Fujikado T, Hirohara Y, Mihashi T. Apparent accommodation and corneal wavefront aberration in pseudophakic eyes. *Invest Ophthalmol Vis Sci* 2002; 43: 2882-2886
- 96 Oshika T, Miyata K, Tokunaga T, Samejima T, Amano S, Tanaka S, Hirohara Y, Mihashi T, Maeda N, Fujikado T. Higher order wavefront aberrations of cornea and magnitude of refractive correction in laser in situ keratomileusis. *Ophthalmology* 2002a; 109:1154-1158
- 97 Panagopoulou SI, Pallikaris IG. Wavefront customized ablations with the WASCA Asclepion Workstation. *J Refract Surg* 2001; 17:608-612
- 98 Porter J, Guirao A, Cox IG, Williams DR. Monochromatic aberrations of the human eye in a large population. *J Opt Soc Am A* 2001; 18:1793-1803
- 99 Preußner PR. Die Anwendbarkeit der Wellenfrontkorrektur in der Augenheilkunde. *Klin Monatsbl Augenheilkd* 2004; 221:456-463
- 100 Roberts C. Corneal topography: A review of terms and concepts. *J Cataract Refract Surg* 1996; 22:624-629
- 101 Roberts C. The cornea is not a piece of plastic. *J Refract Surg* 2000; 16:407-414
- 102 Roberts C. Biomechanics of the cornea and wavefront-guided laser refractive surgery. *J Refract Surg* 2002; 18:589-592
- 103 Schlote T, Derse M, Wannke B, Bende T, Jean B. Beeinflussung des

- mesopischen Sehens durch die PRK zur Myopiekorrektur. *Klin Monatsbl Augenheilkd* 1999; 214:136-141
- 104 Schmickler S, Gerl R. ORK (optimized refractive keratectomy) mittels cornealer Wavefront-Analyse. In: Auffahrt GU, Welt R, Demeler U (Hrsg):17. Tagung der Deutschsprachigen Gesellschaft für Intraokularlinsen-Implantation und refraktive Chirurgie, Köln: Biermann Verlag 2002; S.283-286
- 105 Schwiegerling J, Greivenkamp JE, Miller JM. Representation of videokeratoskopik height data with Zernike polynomials. *J Opt Soc Am A* 1995; 12:2105-2113
- 106 Schwiegerling J. Theoretical limits to visual performance. *Surv Ophthalmol* 2000; 45:139-146
- 107 Schwiegerling J, Greivenkamp JE. Using corneal height maps and polynomial decomposition to determine corneal aberrations. *Optom Vis Sci* 2003; 80:587-595
- 108 Seiler T, Genth U, Holschbach A, Derse M. Aspheric photorefractive keratectomy with excimer laser. *Refract Corneal Surg* 1993; 9:166-172
- 109 Seiler T, Kaemmerer M, Mierdel P, Krinke HE. Ocular optical aberrations after photorefractive keratectomy for myopia and myopic astigmatism. *Arch Ophthalmol* 2000; 118:17-21
- 110 Seiler T, Mrochen M, Kaemmerer M. Operative correction of ocular aberrations to improve visual acuity. *J Refract Surg* 2000a; 16:S619-S622
- 111 Seiler T, Dastjerdi MH. Customized corneal ablation. *Curr Opin Ophthalmol* 2002; 13:256-260
- 112 Stevens JD, Sekundo W. Wellenfrontanalyse und adaptive Optiken.

Ophthalmologie 2003; 100:593-601

- 113 Stoiber J, Ruckhofer J, Hitzl W, Grabner G. Evaluation of donor tissue with a new videokeratoscope. *Cornea* 2001; 20:859-863
- 114 Thibos LN. Wavefront data reporting and terminology. *J Refract Surg* 2001; 17:578-483
- 115 Thibos LN, Applegate RA, Schwiegerling JT, Webb R, VSIA Standards Taskforce Members. Standards for Reporting the optical aberrations of the eyes. *J Refract Surg* 2002; 18:652-660
- 116 Thompson KP, Staver PR, Garcia JR, Burns SA, Webb RH, Stulting RD. Using Inter Wave aberrometry to measure and improve the quality of vision in LASIK surgery. *Ophthalmology* 2004; 111:1368-1379
- 117 Tripoli NK, Cohen KL, Holmgren DE, Coggins JM. Assessment of radial aspheres by the arc-step algorithm as implemented by the Keratron keratoscope. *Am J Ophthalmol* 1995; 120: 658-664
- 118 Tscherning M. Die monochromatischen Aberrationen des menschlichen Auges. *Z Psychol Physiol Sinne* 1894; 6:456-471
- 119 Verdon W, Bullimore M, Maloney K. Visual performance after photorefractive keratectomy. *Arch Ophthalmol* 1996; 114:1465-1472
- 120 Wang L, Dai E, Koch DD, Nathoo A. Optical aberrations of the human anterior cornea. *J Cataract Refract Surg* 2003; 29:1514-1521
- 121 Wang L, Koch DD. Anterior corneal optical aberrations induced by laser in situ keratomileusis for hyperopia. *J Cataract Refract Surg* 2003a; 29:1702-1708
- 122 Wang L, Koch DD. Ocular higher-order aberrations in individuals screened for

- refractive surgery. J Cataract Refract Surg 2003b; 29:1896-1903
- 123 Wang L, Wang N, Koch DD. Evaluation of refractive error measurements of the WaveScan WaveFront system and the Tracey wavefront aberrometer. J Cataract Refract Surg 2003c; 29:970-979
- 124 Werner W, Roth EH. Abbildungseigenschaften sphärischer und asphärischer Intraokularlinsen. Klin Monatsbl Augenheilkd 1999; 214:246- 250
- 125 Wesemann W. Optische und physiologische Grenzen der wellenfront-gesteuerten Hornhautchirurgie. Ophthalmologe 2004; 101:521-537
- 126 Wilson S, Ambrosio R. Computerized corneal topography and its importance to wavefront technology. Cornea 2001; 20:441-454
- 127 Yasuda A, Yamaguchi T, Ohkoshi K. Changes in corneal curvature in accommodation. J Cataract Refract Surg 2003; 29:1297-1301