

### VI Referenzen

1. Aaronson,S.A. and G.J.Todaro. 1968. Development of 3T3-like lines from Balb-c mouse embryo cultures: transformation susceptibility to SV40. *J. Cell Physiol* 72:141-148.
2. Agata,Y., A.Kawasaki, H.Nishimura, Y.Ishida, T.Tsubata, H.Yagita, and T.Honjo. 1996. Expression of the PD-1 antigen on the surface of stimulated mouse T and B lymphocytes. *Int. Immunol.* 8:765-772.
3. Aicher,A., M.Hayden-Ledbetter, W.A.Brady, A.Pezzutto, G.Richter, D.Magaletti, S.Buckwalter, J.A.Ledbetter, and E.A.Clark. 2000. Characterization of human inducible costimulator ligand expression and function. *J. Immunol.* 164:4689-4696.
4. Akbari,O., G.J.Freeman, E.H.Meyer, E.A.Greenfield, T.T.Chang, A.H.Sharpe, G.Berry, R.H.Dekruyff, and D.T.Umetsu. 2002. Antigen-specific regulatory T cells develop via the ICOS-ICOS-ligand pathway and inhibit allergen-induced airway hyperreactivity. *Nat. Med.* 8:1024-1032.
5. Andrews,D.M., C.E.Andoniou, F.Granucci, P.Ricciardi-Castagnoli, and M.A.gli-Esposti. 2001. Infection of dendritic cells by murine cytomegalovirus induces functional paralysis. *Nat. Immunol.* 2:1077-1084.
6. Atalay,R., A.Zimmermann, M.Wagner, E.Borst, C.Benz, M.Messerle, and H.Hengel. 2002. Identification and expression of human cytomegalovirus transcription units coding for two distinct Fcgamma receptor homologs. *J. Virol.* 76:8596-8608.
7. Beier,K.C., A.Hutloff, A.M.Dittrich, C.Heuck, A.Rauch, K.Büchner, B.Ludewig, H.D.Ochs, H.W.Mages, and R.A.Krocze. 2000. Induction, binding specificity and function of human ICOS. *Eur. J. Immunol.* 30:3707-3717.
8. Bertram,E.M., A.Tafuri, A.Shahinian, V.S.Chan, L.Hunziker, M.Recher, P.S.Ohashi, T.W.Mak, and T.H.Watts. 2002. Role of ICOS versus CD28 in antiviral immunity. *Eur. J. Immunol.* 32:3376-3385.
9. Bhattacharya,A., M.E.Dorf, and T.A.Springer. 1981. A shared alloantigenic determinant on Ia antigens encoded by the I-A and I-E subregions: evidence for I region gene duplication. *J. Immunol.* 127:2488-2495.
10. Bonhagen,K., O.Liesenfeld, M.J.Stadecker, A.Hutloff, K.Erb, A.J.Coyle, M.Lipp, R.A.Krocze, and T.Kamradt. 2003. ICOS+ Th cells produce distinct cytokines in different mucosal immune responses. *Eur. J. Immunol.* 33:392-401.
11. Borriello,F., M.P.Sethna, S.D.Boyd, A.N.Schweitzer, E.A.Tivol, D.Jacoby, T.B.Strom, E.M.Simpson, G.J.Freeman, and A.H.Sharpe. 1997. B7-1 and B7-2 have overlapping, critical roles in immunoglobulin class switching and germinal center formation. *Immunity.* 6:303-313.
12. Brizzard,B.L., R.G.Chubet, and D.L.Vizard. 1994. Immunoaffinity purification of FLAG epitope-tagged bacterial alkaline phosphatase using a novel monoclonal antibody and peptide elution. *Biotechniques* 16:730-735.
13. Brodie,D., A.V.Collins, A.Iaboni, J.A.Fennelly, L.M.Sparks, X.N.Xu, P.A.van der Merwe, and S.J.Davis. 2000. LICOS, a primordial costimulatory ligand? *Curr. Biol.* 10:333-336.
14. Broers,A.E., H.R.van Der, J.W.van Esser, J.W.Gratiama, S.Henzen-Logmans, V.Kuenen-Boumeester, B.Lowenberg, and J.J.Cornelissen. 2000. Increased transplant-related morbidity and mortality in CMV-seropositive patients despite highly effective prevention of CMV disease after allogeneic T-cell-depleted stem cell transplantation. *Blood* 95:2240-2245.

15. Brown,M.G., A.O.Dokun, J.W.Heusel, H.R.Smith, D.L.Beckman, E.A.Blattenberger, C.E.Dubbelde, L.R.Stone, A.A.Scalzo, and W.M.Yokoyama. 2001. Vital involvement of a natural killer cell activation receptor in resistance to viral infection. *Science* 292:934-937.
16. Budt,M., H.Reinhard, A.Bigl, and H.Hengel. 2004. Herpesviral Fcgamma receptors: culprits attenuating antiviral IgG? *Int. Immunopharmacol.* 4:1135-1148.
17. Bukowski,J.F., B.A.Woda, S.Habu, K.Okumura, and R.M.Welsh. 1983. Natural killer cell depletion enhances virus synthesis and virus-induced hepatitis in vivo. *J. Immunol.* 131:1531-1538.
18. Bukowski,J.F., B.A.Woda, and R.M.Welsh. 1984. Pathogenesis of murine cytomegalovirus infection in natural killer cell-depleted mice. *J. Virol.* 52:119-128.
19. Carreno,B.M. and M.Collins. 2002. The B7 family of ligands and its receptors: new pathways for costimulation and inhibition of immune responses. *Annu. Rev. Immunol.* 20:29-53.
20. Chapoval,A.I., J.Ni, J.S.Lau, R.A.Wilcox, D.B.Flies, D.Liu, H.Dong, G.L.Sica, G.Zhu, K.Tamada, and L.Chen. 2001. B7-H3: a costimulatory molecule for T cell activation and IFN-gamma production. *Nat. Immunol.* 2:269-274.
21. Chee,M.S., A.T.Bankier, S.Beck, R.Bohni, C.M.Brown, R.Cerny, T.Horsnell, C.A.Hutchison, III, T.Kouzarides, J.A.Martignetti, and . 1990. Analysis of the protein-coding content of the sequence of human cytomegalovirus strain AD169. *Curr. Top. Microbiol. Immunol.* 154:125-169.
22. Coyle,A.J., S.Lehar, C.Lloyd, J.Tian, T.Delaney, S.Manning, T.Nguyen, T.Burwell, H.Schneider, J.A.Gonzalo, M.Gosselin, L.R.Owen, C.E.Rudd, and J.C.Gutierrez-Ramos. 2000. The CD28-related molecule ICOS is required for effective T cell-dependent immune responses. *Immunity.* 13:95-105.
23. Crnkovic-Mertens,I., M.Messerle, I.Milotic, U.Szepan, N.Kucic, A.Krmpotic, S.Jonjic, and U.H.Koszinowski. 1998. Virus attenuation after deletion of the cytomegalovirus Fc receptor gene is not due to antibody control. *J. Virol.* 72:1377-1382.
24. del,V.M., H.Hengel, H.Hacker, U.Hartlaub, T.Ruppert, P.Lucin, and U.H.Koszinowski. 1992. Cytomegalovirus prevents antigen presentation by blocking the transport of peptide-loaded major histocompatibility complex class I molecules into the medial-Golgi compartment. *J. Exp. Med.* 176:729-738.
25. Dialynas,D.P., Z.S.Quan, K.A.Wall, A.Pierres, J.Quintans, M.R.Loken, M.Pierres, and F.W.Fitch. 1983. Characterization of the murine T cell surface molecule, designated L3T4, identified by monoclonal antibody GK1.5: similarity of L3T4 to the human Leu-3/T4 molecule. *J. Immunol.* 131:2445-2451.
26. Dong,C., A.E.Juedes, U.A.Temann, S.Shresta, J.P.Allison, N.H.Ruddle, and R.A.Flavell. 2001. ICOS co-stimulatory receptor is essential for T-cell activation and function. *Nature* 409:97-101.
27. Dong,H., G.Zhu, K.Tamada, and L.Chen. 1999. B7-H1, a third member of the B7 family, co-stimulates T-cell proliferation and interleukin-10 secretion. *Nat. Med.* 5:1365-1369.
28. Farrell,H.E., H.Vally, D.M.Lynch, P.Fleming, G.R.Shellam, A.A.Scalzo, and N.J.vis-Poynter. 1997. Inhibition of natural killer cells by a cytomegalovirus MHC class I homologue in vivo. *Nature* 386:510-514.

29. Fowler,K.B., S.Stagno, R.F.Pass, W.J.Britt, T.J.Boll, and C.A.Alford. 1992. The outcome of congenital cytomegalovirus infection in relation to maternal antibody status. *N. Engl. J. Med.* 326:663-667.
30. Frank,I. and H.M.Friedman. 1989. A novel function of the herpes simplex virus type 1 Fc receptor: participation in bipolar bridging of antiviral immunoglobulin G. *J. Virol.* 63:4479-4488.
31. Freeman,G.J., F.Borriello, R.J.Hodes, H.Reiser, K.S.Hathcock, G.Laszlo, A.J.McKnight, J.Kim, L.Du, D.B.Lombard, and . 1993. Uncovering of functional alternative CTLA-4 counter-receptor in B7-deficient mice. *Science* 262:907-909.
32. Fugier-Vivier,I., C.Servet-Delprat, P.Rivailler, M.C.Rissoan, Y.J.Liu, and C.Rabourdin-Combe. 1997. Measles virus suppresses cell-mediated immunity by interfering with the survival and functions of dendritic and T cells. *J. Exp. Med.* 186:813-823.
33. Gibson,W., K.S.Clopper, W.J.Britt, and M.K.Baxter. 1996. Human cytomegalovirus (HCMV) smallest capsid protein identified as product of short open reading frame located between HCMV UL48 and UL49. *J. Virol.* 70:5680-5683.
34. Gonzalo,J.A., J.Tian, T.Delaney, J.Corcoran, J.B.Rottman, J.Lora, A.Al-garawi, R.Kroczek, J.C.Gutierrez-Ramos, and A.J.Coyle. 2001. ICOS is critical for T helper cell-mediated lung mucosal inflammatory responses. *Nat. Immunol.* 2:597-604.
35. Gredmark,S. and C.Soderberg-Naucler. 2003. Human cytomegalovirus inhibits differentiation of monocytes into dendritic cells with the consequence of depressed immunological functions. *J. Virol.* 77:10943-10956.
36. Green,J.M., P.J.Noel, A.I.Sperling, T.L.Walunas, G.S.Gray, J.A.Bluestone, and C.B.Thompson. 1994. Absence of B7-dependent responses in CD28-deficient mice. *Immunity*. 1:501-508.
37. Greenwald,R.J., G.J.Freeman, and A.H.Sharpe. 2005. The B7 family revisited. *Annu. Rev. Immunol.* 23:515-548.
38. Grimbacher,B., A.Hutloff, M.Schlesier, E.Glocker, K.Warnatz, R.Drager, H.Eibel, B.Fischer, A.A.Schaffer, H.W.Mages, R.A.Kroczek, and H.H.Peter. 2003. Homozygous loss of ICOS is associated with adult-onset common variable immunodeficiency. *Nat. Immunol.* 4:261-268.
39. Hasan,M., A.Krmpotic, Z.Ruzsics, I.Bubic, T.Lenac, A.Halenius, A.Loewendorf, M.Messerle, H.Hengel, S.Jonjic, and U.H.Koszinowski. 2005. Selective down-regulation of the NKG2D ligand H60 by mouse cytomegalovirus m155 glycoprotein. *J. Virol.* 79:2920-2930.
40. Hathcock,K.S., G.Laszlo, H.B.Dickler, J.Bradshaw, P.Linsley, and R.J.Hodes. 1993. Identification of an alternative CTLA-4 ligand costimulatory for T cell activation. *Science* 262:905-907.
41. Henry,S.C., K.Schmader, T.T.Brown, S.E.Miller, D.N.Howell, G.G.Daley, and J.D.Hamilton. 2000. Enhanced green fluorescent protein as a marker for localizing murine cytomegalovirus in acute and latent infection. *J. Virol. Methods* 89:61-73.
42. Hertel,L., V.G.Lacaille, H.Strobl, E.D.Mellins, and E.S.Mocarski. 2003. Susceptibility of immature and mature Langerhans cell-type dendritic cells to infection and immunomodulation by human cytomegalovirus. *J. Virol.* 77:7563-7574.

43. Holtappels,R., M.F.Pahl-Seibert, D.Thomas, and M.J.Reddehase. 2000. Enrichment of immediate-early 1 (m123/pp89) peptide-specific CD8 T cells in a pulmonary CD62L(lo) memory-effector cell pool during latent murine cytomegalovirus infection of the lungs. *J. Virol.* 74:11495-11503.
44. Holtappels,R., J.Podlech, N.K.Grzimek, D.Thomas, M.F.Pahl-Seibert, and M.J.Reddehase. 2001. Experimental preemptive immunotherapy of murine cytomegalovirus disease with CD8 T-cell lines specific for ppM83 and pM84, the two homologs of human cytomegalovirus tegument protein ppUL83 (pp65). *J. Virol.* 75:6584-6600.
45. Holtappels,R., D.Thomas, J.Podlech, and M.J.Reddehase. 2002. Two antigenic peptides from genes m123 and m164 of murine cytomegalovirus quantitatively dominate CD8 T-cell memory in the H-2d haplotype. *J. Virol.* 76:151-164.
46. Hudson,J.B. 1979. The murine cytomegalovirus as a model for the study of viral pathogenesis and persistent infections. *Arch. Virol.* 62:1-29.
47. Hussell,T. and P.J.Openshaw. 1998. Intracellular IFN-gamma expression in natural killer cells precedes lung CD8+ T cell recruitment during respiratory syncytial virus infection. *J. Gen. Virol.* 79 ( Pt 11):2593-2601.
48. Hutloff,A., A.M.Dittrich, K.C.Beier, B.Eljaschewitsch, R.Kraft, I.Anagnostopoulos, and R.A.Krocze. 1999. ICOS is an inducible T-cell co-stimulator structurally and functionally related to CD28. *Nature* 397:263-266.
49. Iwasaki,A. and R.Medzhitov. 2004. Toll-like receptor control of the adaptive immune responses. *Nat. Immunol.* 5:987-995.
50. Jainchill,J.L., S.A.Aaronson, and G.J.Todaro. 1969. Murine sarcoma and leukemia viruses: assay using clonal lines of contact-inhibited mouse cells. *J. Virol.* 4:549-553.
51. Janke,M., E.J.Witsch, H.W.Mages, A.Hutloff, and R.A.Krocze. 2006. Eminent role of ICOS costimulation for T cells interacting with plasmacytoid dendritic cells. *Immunology* 118:353-360.
52. Jenkins,M.K., P.S.Taylor, S.D.Norton, and K.B.Urdahl. 1991. CD28 delivers a costimulatory signal involved in antigen-specific IL-2 production by human T cells. *J. Immunol.* 147:2461-2466.
53. Jonjic,S., I.Pavic, P.Lucin, D.Rukavina, and U.H.Koszinowski. 1990. Efficacious control of cytomegalovirus infection after long-term depletion of CD8+ T lymphocytes. *J. Virol.* 64:5457-5464.
54. Khayyamian,S., A.Hutloff, K.Büchner, M.Grafe, V.Henn, R.A.Krocze, and H.W.Mages. 2002. ICOS-ligand, expressed on human endothelial cells, costimulates Th1 and Th2 cytokine secretion by memory CD4+ T cells. *Proc. Natl. Acad. Sci. U. S. A* 99:6198-6203.
55. Kleijnen,M.F., J.B.Huppa, P.Lucin, S.Mukherjee, H.Farrell, A.E.Campbell, U.H.Koszinowski, A.B.Hill, and H.L.Ploegh. 1997. A mouse cytomegalovirus glycoprotein, gp34, forms a complex with folded class I MHC molecules in the ER which is not retained but is transported to the cell surface. *EMBO J.* 16:685-694.
56. Knight,S.C. and S.Patterson. 1997. Bone marrow-derived dendritic cells, infection with human immunodeficiency virus, and immunopathology. *Annu. Rev. Immunol.* 15:593-615.

57. Koszinowski,U.H., G.M.Keil, H.Volkmer, M.R.Fibi, A.Ebeling-Keil, and K.Munch. 1986. The 89,000-Mr murine cytomegalovirus immediate-early protein activates gene transcription. *J. Virol.* 58:59-66.
58. Krmpotic,A., D.H.Busch, I.Bubic, F.Gebhardt, H.Hengel, M.Hasan, A.A.Scalzo, U.H.Koszinowski, and S.Jonjic. 2002. MCMV glycoprotein gp40 confers virus resistance to CD8+ T cells and NK cells in vivo. *Nat. Immunol.* 3:529-535.
59. Krmpotic,A., I.Bubic, B.Polic, P.Lucin, and S.Jonjic. 2003. Pathogenesis of murine cytomegalovirus infection. *Microbes. Infect.* 5:1263-1277.
60. Krmpotic,A., M.Hasan, A.Loewendorf, T.Saulig, A.Halenius, T.Lenac, B.Polic, I.Bubic, A.Kriegeskorte, E.Pernjak-Pugel, M.Messerle, H.Hengel, D.H.Busch, U.H.Koszinowski, and S.Jonjic. 2005. NK cell activation through the NKG2D ligand MULT-1 is selectively prevented by the glycoprotein encoded by mouse cytomegalovirus gene m145. *J. Exp. Med.* 201:211-220.
61. Kroczek,R.A., H.W.Mages, and A.Hutloff. 2004. Emerging paradigms of T-cell co-stimulation. *Curr. Opin. Immunol.* 16:321-327.
62. Krop,I., A.R.de Fougerolles, R.R.Hardy, M.Allison, M.S.Schlissel, and D.T.Fearon. 1996. Self-renewal of B-1 lymphocytes is dependent on CD19. *Eur. J. Immunol.* 26:238-242.
63. Latchman,Y., C.R.Wood, T.Chernova, D.Chaudhary, M.Borde, I.Chernova, Y.Iwai, A.J.Long, J.A.Brown, R.Nunes, E.A.Greenfield, K.Bourque, V.A.Boussiotis, L.L.Carter, B.M.Carreno, N.Malenkovich, H.Nishimura, T.Okazaki, T.Honjo, A.H.Sharpe, and G.J.Freeman. 2001. PD-L2 is a second ligand for PD-1 and inhibits T cell activation. *Nat. Immunol.* 2:261-268.
64. Ledbetter,J.A., R.V.Rouse, H.S.Micklem, and L.A.Herzenberg. 1980. T cell subsets defined by expression of Lyt-1,2,3 and Thy-1 antigens. Two-parameter immunofluorescence and cytotoxicity analysis with monoclonal antibodies modifies current views. *J. Exp. Med.* 152:280-295.
65. Lenac,T., M.Budt, J.Arapovic, M.Hasan, A.Zimmermann, H.Simic, A.Krmpotic, M.Messerle, Z.Ruzsics, U.H.Koszinowski, H.Hengel, and S.Jonjic. 2006. The herpesviral Fc receptor fcr-1 down-regulates the NKG2D ligands MULT-1 and H60. *J. Exp. Med.* 203:1843-1850.
66. Liang,L., E.M.Porter, and W.C.Sha. 2002. Constitutive expression of the B7h ligand for inducible costimulator on naive B cells is extinguished after activation by distinct B cell receptor and interleukin 4 receptor-mediated pathways and can be rescued by CD40 signaling. *J. Exp. Med.* 196:97-108.
67. Ling,V., P.W.Wu, H.F.Finnerty, K.M.Bean, V.Spaulding, L.A.Fouser, J.P.Leonard, S.E.Hunter, R.Zollner, J.L.Thomas, J.S.Miyashiro, K.A.Jacobs, and M.Collins. 2000. Cutting edge: identification of GL50, a novel B7-like protein that functionally binds to ICOS receptor. *J. Immunol.* 164:1653-1657.
68. Ling,V., P.W.Wu, J.S.Miyashiro, S.Marusic, H.F.Finnerty, and M.Collins. 2001. Differential expression of inducible costimulator-ligand splice variants: lymphoid regulation of mouse GL50-B and human GL50 molecules. *J. Immunol.* 166:7300-7308.
69. Liu,Y.J. 2005. IPC: professional type 1 interferon-producing cells and plasmacytoid dendritic cell precursors. *Annu. Rev. Immunol.* 23:275-306.
70. Ljunggren,H.G. and K.Karre. 1985. Host resistance directed selectively against H-2-deficient lymphoma variants. Analysis of the mechanism. *J. Exp. Med.* 162:1745-1759.

71. Lodoen,M.B., G.Abenes, S.Umamoto, J.P.Houchins, F.Liu, and L.L.Lanier. 2004. The cytomegalovirus m155 gene product subverts natural killer cell antiviral protection by disruption of H60-NKG2D interactions. *J. Exp. Med.* 200:1075-1081.
72. Loewendorf,A., C.Kruger, E.M.Borst, M.Wagner, U.Just, and M.Messerle. 2004. Identification of a mouse cytomegalovirus gene selectively targeting CD86 expression on antigen-presenting cells. *J. Virol.* 78:13062-13071.
- 72a. Loewendorf,A. 2005, Dissertation, MLU Halle-Wittenberg
73. Lohning,M., A.Hutloff, T.Kallinich, H.W.Mages, K.Bonhagen, A.Radbruch, E.Hamelmann, and R.A.Kroczek. 2003. Expression of ICOS in vivo defines CD4+ effector T cells with high inflammatory potential and a strong bias for secretion of interleukin 10. *J. Exp. Med.* 197:181-193.
74. Lucin,P., S.Jonjic, M.Messerle, B.Polic, H.Hengel, and U.H.Koszinowski. 1994. Late phase inhibition of murine cytomegalovirus replication by synergistic action of interferon-gamma and tumour necrosis factor. *J. Gen. Virol.* 75 ( Pt 1):101-110.
75. Mages,H.W., A.Hutloff, C.Heuck, K.Büchner, H.Himmelbauer, F.Oliveri, and R.A.Kroczek. 2000. Molecular cloning and characterization of murine ICOS and identification of B7h as ICOS ligand. *Eur. J. Immunol.* 30:1040-1047.
76. Maldonado-Lopez,R. and M.Moser. 2001. Dendritic cell subsets and the regulation of Th1/Th2 responses. *Semin. Immunol.* 13:275-282.
77. Mathys,S., T.Schroeder, J.Ellwart, U.H.Koszinowski, M.Messerle, and U.Just. 2003. Dendritic cells under influence of mouse cytomegalovirus have a physiologic dual role: to initiate and to restrict T cell activation. *J. Infect. Dis.* 187:988-999.
78. McAdam,A.J., T.T.Chang, A.E.Lumelsky, E.A.Greenfield, V.A.Boussiotis, J.S.Duke-Cohan, T.Chernova, N.Malenkovich, C.Jabs, V.K.Kuchroo, V.Ling, M.Collins, A.H.Sharpe, and G.J.Freeman. 2000. Mouse inducible costimulatory molecule (ICOS) expression is enhanced by CD28 costimulation and regulates differentiation of CD4+ T cells. *J. Immunol.* 165:5035-5040.
79. McAdam,A.J., R.J.Greenwald, M.A.Levin, T.Chernova, N.Malenkovich, V.Ling, G.J.Freeman, and A.H.Sharpe. 2001. ICOS is critical for CD40-mediated antibody class switching. *Nature* 409:102-105.
80. McLellan,A.D., M.Kapp, A.Eggert, C.Linden, U.Bommhardt, E.B.Broker, U.Kammerer, and E.Kampgen. 2002. Anatomic location and T-cell stimulatory functions of mouse dendritic cell subsets defined by CD4 and CD8 expression. *Blood* 99:2084-2093.
81. Metlay,J.P., M.D.Witmer-Pack, R.Agger, M.T.Crowley, D.Lawless, and R.M.Steinman. 1990. The distinct leukocyte integrins of mouse spleen dendritic cells as identified with new hamster monoclonal antibodies. *J. Exp. Med.* 171:1753-1771.
82. Miltenyi,S., W.Muller, W.Weichel, and A.Radbruch. 1990. High gradient magnetic cell separation with MACS. *Cytometry* 11:231-238.
83. Morse,H.C., III, W.F.Davidson, R.A.Yetter, E.D.Murphy, J.B.Roths, and R.L.Coffman. 1982. Abnormalities induced by the mutant gene lpr: expansion of a unique lymphocyte subset. *J. Immunol.* 129:2612-2615.
84. Moutaftsi,M., A.M.Mehl, L.K.Borysiewicz, and Z.Tabi. 2002. Human cytomegalovirus inhibits maturation and impairs function of monocyte-derived dendritic cells. *Blood* 99:2913-2921.

85. Moutaftsi,M., P.Brennan, S.A.Spector, and Z.Tabi. 2004. Impaired lymphoid chemokine-mediated migration due to a block on the chemokine receptor switch in human cytomegalovirus-infected dendritic cells. *J. Virol.* 78:3046-3054.
86. Muller,M.T. and J.B.Hudson. 1977. Cell cycle dependency of murine cytomegalovirus replication in synchronized 3T3 cells. *J. Virol.* 22:267-272.
87. Murphy,K.M., A.B.Heimberger, and D.Y.Loh. 1990. Induction by antigen of intrathymic apoptosis of CD4+CD8+TCR $\delta$  thymocytes in vivo. *Science* 250:1720-1723.
88. Nakazawa,A., I.Dotan, J.Brimnes, M.Allez, L.Shao, F.Tsushima, M.Azuma, and L.Mayer. 2004. The expression and function of costimulatory molecules B7H and B7-H1 on colonic epithelial cells. *Gastroenterology* 126:1347-1357.
89. O'Garra,A. and N.Arai. 2000. The molecular basis of T helper 1 and T helper 2 cell differentiation. *Trends Cell Biol.* 10:542-550.
90. Ogasawara,K., S.K.Yoshinaga, and L.L.Lanier. 2002. Inducible costimulator costimulates cytotoxic activity and IFN-gamma production in activated murine NK cells. *J. Immunol.* 169:3676-3685.
91. Ozato,K., N.M.Mayer, and D.H.Sachs. 1982. Monoclonal antibodies to mouse major histocompatibility complex antigens. *Transplantation* 34:113-120.
92. Ozkaynak,E., W.Gao, N.Shemmeri, C.Wang, J.C.Gutierrez-Ramos, J.Amaral, S.Qin, J.B.Rottman, A.J.Coyle, and W.W.Hancock. 2001. Importance of ICOS-B7RP-1 costimulation in acute and chronic allograft rejection. *Nat. Immunol.* 2:591-596.
93. Pear,W.S., G.P.Nolan, M.L.Scott, and D.Baltimore. 1993. Production of high-titer helper-free retroviruses by transient transfection. *Proc. Natl. Acad. Sci. U. S. A* 90:8392-8396.
94. Podlech,J., R.Holtappels, M.F.Pahl-Seibert, H.P.Steffens, and M.J.Reddehase. 2000. Murine model of interstitial cytomegalovirus pneumonia in syngeneic bone marrow transplantation: persistence of protective pulmonary CD8-T-cell infiltrates after clearance of acute infection. *J. Virol.* 74:7496-7507.
95. Poggi,A., C.Bottino, M.R.Zocchi, G.Pantaleo, E.Ciccone, C.Mingari, L.Moretta, and A.Moretta. 1987. CD3+ WT31- peripheral T lymphocytes lack T44 (CD28), a surface molecule involved in activation of T cells bearing the alpha/beta heterodimer. *Eur. J. Immunol.* 17:1065-1068.
96. Ravetch,J.V. and S.Bolland. 2001. IgG Fc receptors. *Annu. Rev. Immunol.* 19:275-290.
97. Rawlinson,W.D., H.E.Farrell, and B.G.Barrell. 1996. Analysis of the complete DNA sequence of murine cytomegalovirus. *J. Virol.* 70:8833-8849.
98. Razi-Wolf,Z., G.J.Freeman, F.Galvin, B.Benacerraf, L.Nadler, and H.Reiser. 1992. Expression and function of the murine B7 antigen, the major costimulatory molecule expressed by peritoneal exudate cells. *Proc. Natl. Acad. Sci. U. S. A* 89:4210-4214.
99. Reddehase,M.J., F.Weiland, K.Munch, S.Jonjic, A.Luske, and U.H.Koszinowski. 1985. Interstitial murine cytomegalovirus pneumonia after irradiation: characterization of cells that limit viral replication during established infection of the lungs. *J. Virol.* 55:264-273.
100. Reddehase,M.J., S.Jonjic, F.Weiland, W.Mutter, and U.H.Koszinowski. 1988. Adoptive immunotherapy of murine cytomegalovirus adrenalitis in the immunocompromised host: CD4-helper-independent antiviral function of CD8-positive memory T lymphocytes derived from latently infected donors. *J. Virol.* 62:1061-1065.

101. Reusch,U., W.Muranyi, P.Lucin, H.G.Burgert, H.Hengel, and U.H.Koszinowski. 1999. A cytomegalovirus glycoprotein re-routes MHC class I complexes to lysosomes for degradation. *EMBO J.* 18:1081-1091.
102. Richter,G., M.Hayden-Ledbetter, M.Irgang, J.A.Ledbetter, J.Westermann, I.Korner, K.Daemen, E.A.Clark, A.Aicher, and A.Pezzutto. 2001. Tumor necrosis factor-alpha regulates the expression of inducible costimulator receptor ligand on CD34(+) progenitor cells during differentiation into antigen presenting cells. *J. Biol. Chem.* 276:45686-45693.
103. Riley,J.L., P.J.Blair, J.T.Musser, R.Abe, K.Tezuka, T.Tsuji, and C.H.June. 2001. ICOS costimulation requires IL-2 and can be prevented by CTLA-4 engagement. *J. Immunol.* 166:4943-4948.
104. Riley,J.L., P.J.Blair, J.T.Musser, R.Abe, K.Tezuka, T.Tsuji, and C.H.June. 2001. ICOS costimulation requires IL-2 and can be prevented by CTLA-4 engagement. *J. Immunol.* 166:4943-4948.
105. Rolink,A., F.Melchers, and J.Andersson. 1996. The SCID but not the RAG-2 gene product is required for S mu-S epsilon heavy chain class switching. *Immunity.* 5:319-330.
106. Rudd,C.E. and H.Schneider. 2003. Unifying concepts in CD28, ICOS and CTLA4 co-receptor signalling. *Nat. Rev. Immunol.* 3:544-556.
107. Sakaguchi,S., M.Ono, R.Setoguchi, H.Yagi, S.Hori, Z.Fehervari, J.Shimizu, T.Takahashi, and T.Nomura. 2006. Foxp3CD25CD4 natural regulatory T cells in dominant self-tolerance and autoimmune disease. *Immunol. Rev.* 212:8-27.
108. Salio,M., M.Cella, M.Suter, and A.Lanzavecchia. 1999. Inhibition of dendritic cell maturation by herpes simplex virus. *Eur. J. Immunol.* 29:3245-3253.
109. Shahinian,A., K.Pfeffer, K.P.Lee, T.M.Kundig, K.Kishihara, A.Wakeham, K.Kawai, P.S.Ohashi, C.B.Thompson, and T.W.Mak. 1993. Differential T cell costimulatory requirements in CD28-deficient mice. *Science* 261:609-612.
110. Shortman,K. 1968. The separation of different cell classes from lymphoid organs. II. The purification and analysis of lymphocyte populations by equilibrium density gradient centrifugation. *Aust. J. Exp. Biol. Med. Sci.* 46:375-396.
111. Shortman,K. and Y.J.Liu. 2002. Mouse and human dendritic cell subtypes. *Nat. Rev. Immunol.* 2:151-161.
112. Skaletskaya,A., L.M.Bartle, T.Chittenden, A.L.McCormick, E.S.Mocarski, and V.S.Goldmacher. 2001. A cytomegalovirus-encoded inhibitor of apoptosis that suppresses caspase-8 activation. *Proc. Natl. Acad. Sci. U. S. A* 98:7829-7834.
113. SMITH,M.G. 1954. Propagation of salivary gland virus of the mouse in tissue cultures. *Proc. Soc. Exp. Biol. Med.* 86:435-440.
114. Springer,T., G.Galfre, D.Secher, and C.Milstein. 1978. Monoclonal xenogeneic antibodies to mouse leukocyte antigens: identification of macrophage-specific and other differentiation antigens. *Curr. Top. Microbiol. Immunol.* 81:45-50.
115. Stagno,S., R.F.Pass, M.E.Dworsky, and C.A.Alford, Jr. 1982. Maternal cytomegalovirus infection and perinatal transmission. *Clin. Obstet. Gynecol.* 25:563-576.
116. Swallow,M.M., J.J.Wallin, and W.C.Sha. 1999. B7h, a novel costimulatory homolog of B7.1 and B7.2, is induced by TNFalpha. *Immunity.* 11:423-432.

117. Tafuri,A., A.Shahinian, F.Bladt, S.K.Yoshinaga, M.Jordana, A.Wakeham, L.M.Boucher, D.Bouchard, V.S.Chan, G.Duncan, B.Odermatt, A.Ho, A.Itie, T.Horan, J.S.Whoriskey, T.Pawson, J.M.Penninger, P.S.Ohashi, and T.W.Mak. 2001. ICOS is essential for effective T-helper-cell responses. *Nature* 409:105-109.
118. Tesciuba,A.G., S.Subudhi, R.P.Rother, S.J.Faas, A.M.Frantz, D.Elliott, J.Weinstock, L.A.Matis, J.A.Bluestone, and A.I.Sperling. 2001. Inducible costimulator regulates Th2-mediated inflammation, but not Th2 differentiation, in a model of allergic airway disease. *J. Immunol.* 167:1996-2003.
119. Thale,R., P.Lucin, K.Schneider, M.Eggers, and U.H.Koszinowski. 1994. Identification and expression of a murine cytomegalovirus early gene coding for an Fc receptor. *J. Virol.* 68:7757-7765.
120. Thäle,R., U.Szepan, H.Hengel, G.Geginat, P.Lucin, and U.H.Koszinowski. 1995. Identification of the mouse cytomegalovirus genomic region affecting major histocompatibility complex class I molecule transport. *J. Virol.* 69:6098-6105.
121. Tomonari,K. 1988. A rat antibody against a structure functionally related to the mouse T-cell receptor/T3 complex. *Immunogenetics* 28:455-458.
122. Totsuka,T., T.Kanai, R.Iiyama, K.Uraushihara, M.Yamazaki, R.Okamoto, T.Hibi, K.Tezuka, M.Azuma, H.Akiba, H.Yagita, K.Okumura, and M.Watanabe. 2003. Ameliorating effect of anti-inducible costimulator monoclonal antibody in a murine model of chronic colitis. *Gastroenterology* 124:410-421.
123. Vidric,M., W.K.Suh, U.Dianzani, T.W.Mak, and T.H.Watts. 2005. Cooperation between 4-1BB and ICOS in the immune response to influenza virus revealed by studies of CD28/ICOS-deficient mice. *J. Immunol.* 175:7288-7296.
124. Villegas,E.N., L.A.Lieberman, N.Mason, S.L.Blass, V.P.Zediak, R.Peach, T.Horan, S.Yoshinaga, and C.A.Hunter. 2002. A role for inducible costimulator protein in the. *J. Immunol.* 169:937-943.
125. Wagner,M., S.Jonjic, U.H.Koszinowski, and M.Messerle. 1999. Systematic excision of vector sequences from the BAC-cloned herpesvirus genome during virus reconstitution. *J. Virol.* 73:7056-7060.
126. Wagner,M., Z.Ruzsics, and U.H.Koszinowski. 2002. Herpesvirus genetics has come of age. *Trends Microbiol.* 10:318-324.
127. Wang,S., G.Zhu, A.I.Chapoval, H.Dong, K.Tamada, J.Ni, and L.Chen. 2000. Costimulation of T cells by B7-H2, a B7-like molecule that binds ICOS. *Blood* 96:2808-2813.
128. Witsch,E.J., M.Peiser, A.Hutloff, K.Büchner, B.G.Dorner, H.Jonuleit, H.W.Mages, and R.A.Kroczek. 2002. ICOS and CD28 reversely regulate IL-10 on re-activation of human effector T cells with mature dendritic cells. *Eur. J. Immunol.* 32:2680-2686.
129. Yoshinaga,S.K., J.S.Whoriskey, S.D.Khare, U.Sarmiento, J.Guo, T.Horan, G.Shih, M.Zhang, M.A.Coccia, T.Kohno, A.Tafuri-Bladt, D.Brankow, P.Campbell, D.Chang, L.Chiu, T.Dai, G.Duncan, G.S.Elliott, A.Hui, S.M.M McCabe, S.Scully, A.Shahinian, C.L.Shaklee, G.Van, T.W.Mak, and G.Senaldi. 1999. T-cell co-stimulation through B7RP-1 and ICOS. *Nature* 402:827-832.

## VI Referenzen

---

130. Yoshinaga,S.K., M.Zhang, J.Pistillo, T.Horan, S.D.Khare, K.Miner, M.Sonnenberg, T.Boone, D.Brankow, T.Dai, J.Delaney, H.Han, A.Hui, T.Kohno, R.Manoukian, J.S.Whoriskey, and M.A.Coccia. 2000. Characterization of a new human B7-related protein: B7RP-1 is the ligand to the co-stimulatory protein ICOS. *Int. Immunol.* 12:1439-1447.
131. Zhu,H., Y.Shen, and T.Shenk. 1995. Human cytomegalovirus IE1 and IE2 proteins block apoptosis. *J. Virol.* 69:7960-7970.
132. Ziegler,H., W.Muranyi, H.G.Burgert, E.Kremmer, and U.H.Koszinowski. 2000. The luminal part of the murine cytomegalovirus glycoprotein gp40 catalyzes the retention of MHC class I molecules. *EMBO J.* 19:870-881.