

# Bibliography

- Agarkova, I., Auerbach, D., Ehler, E., and Perriard, J. A novel marker for vertebrate embryonic heart, the eh-myomesin isoform. *J Biol Chem*, 275(14):10256–64 (2000).
- Agarkova, I., Ehler, E., Lange, S., Schoenauer, R., and Perriard, J. M-band: a safeguard for sarcomere stability? *J Muscle Res Cell Motil*, 24(2-3):191–203 (2003).
- Agarkova, I., Schoenauer, R., Ehler, E., Carlsson, L., Carlsson, E., Thornell, L., and Perriard, J. The molecular composition of the sarcomeric m-band correlates with muscle fiber type. *Eur J Cell Biol*, 83(5):193–204 (2004).
- Bahler, M., Wallimann, T., and Eppenberger, H. Myofibrillar m-band proteins represent constituents of native thick filaments, frayed filaments and bare zone assemblages. *J Muscle Res Cell Motil*, 6(6):139–146 (1985).
- Bang, M., Centner, T., Fornoff, F., Geach, A., Gotthardt, M., McNabb, M., Witt, C., Labeit, D., Gregorio, C., Granzier, H., and Labeit, S. The complete gene sequence of titin, expression of an unusual approximately 700-kda titin isoform, and its interaction with obscurin identify a novel z-line to i-band linking system. *Circ Res*, 89(11):1065–1072 (2001).
- Blumig, I. Multiple necroses and granulomas in the organs of an infant as a result of general bacterium pyocyaneum infection. *Zentralbl Allg Pathol*, 92(5-6):145–53 (1954).
- Bodine, S., Latres, E., Baumhueter, S., Lai, V., Nunez, L., Clarke, B., Poueymirou, W., Panaro, F., Na, E., Dharmarajan, K., Pan, Z., Valenzuela, D., DeChiara, T., Stitt, T., Yancopoulos, G., and Glass, D. Identification of ubiquitin ligases required for skeletal muscle atrophy. *Science*, 294(5547):1704–8 (2001).
- Borisov, A., Sutter, S., Kontogianni-Konstantopoulos, A., Bloch, R., Westfall, M., and Russell, M. Essential role of obscurin in cardiac myofibrillogenesis and hypertrophic response: evidence from small interfering rna-mediated gene silencing. *Histochem Cell Biol*, Epub:1–12 (2005).
- Bradford, M. A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. *Anal Biochem*, 7(72):248–54 (1976).
- Cazorla, O., Freiburg, A., Helmes, M., Centner, T., McNabb, M., Wu, Y., Trombitas,

- K., Labeit, S., and Granzier, H. Differential expression of cardiac titin isoforms and modulation of cellular stiffness. *Circ Res*, 86(1):59–67 (2000).
- Centner, T., Fougerousse, F., Freiburg, A., Witt, C., Beckmann, J., Granzier, H., Trombitas, K., Gregorio, C., and Labeit, S. Molecular tools for the study of titin's differential expression. *Adv Exp Med Biol*, 481(discussion 50-2):35–49 (2000).
- Centner, T., Yano, J., Kimura, E., McElhinny, A., Pelin, K., Witt, C., Bang, M., Trombitas, K., Granzier, H., Gregorio, C., Sorimachi, H., and Labeit, S. Identification of muscle specific ring finger proteins as potential regulators of the titin kinase domain. *J Mol Biol*, 306(4) (2001).
- Chao, T. H., Hayashi, M., Tapping, R. I., Kato, Y., and Lee, J. D. Mekk3 directly regulates mek5 activity as part of the big mitogen-activated protein kinase 1 (bmk1) signaling pathway. *J Biol Chem*, 274(51):36035–36038 (1999).
- Chu, P., Bardwell, W., Gu, Y., Ross, J., and Chen, J. Fhl2 (slim3) is not essential for cardiac development and function. *Mol Cell Biol*, 20(20):7460–7462 (2000).
- Dabiri, G., Turnacioglu, K., Sanger, J., and Sanger, J. Myofibrillogenesis visualized in living embryonic cardiomyocytes. *Proc Natl Acad Sci U S A*, 94(17):9493–9498 (1997).
- Dahl, K., Kahn, S., Wilson, K., and Discher, D. The nuclear envelope lamina network has elasticity and a compressibility limit suggestive of a molecular shock absorber. *J Cell Sci*, 117(20):4779–86 (2004).
- Dai, K. and Liew, C. A novel human striated muscle ring zinc finger protein, smrz, interacts with smt3b via its ring domain. *J Biol Chem*, 276(26):23992–23999 (2001).
- Edman, A., Squire, J., and Sjostrom, M. Fine structure of the a-band in cryosections. diversity of m-band structure in chicken breast muscle. *J Ultrastruct Mol Struct Res*, 100(1):1–12 (1988).
- Ehler, E., Rothen, B., Hammerle, S., Komiyama, M., and Perriard, J. Myofibrillogenesis in the developing chicken heart: assembly of z-disk, m-line and the thick filaments. *J Cell Biol*, 112(Pt 10):1529–39 (1999).
- Eilertsen, K. and Keller, T. Identification and characterization of two huge protein components of the brush border cytoskeleton: evidence for a cellular isoform of titin. *J Cell Biol*, 119(3):549–557 (1992).
- Fischer, R. and Fowler, V. Tropomodulins: life at the slow end. *Trends Cell Biol*, 13(11):593–601 (2003).
- Freiburg, A. and Gautel, M. A molecular map of the interactions between titin and myosin-binding protein c. implications for sarcomeric assembly in familial hypertrophic cardiomyopathy. *Eur J Biochem*, 235(1-2):317–323 (1996).
- Freiburg, A., Trombitas, K., Hell, W., Caazorla, O., Fougerousse, F., Centner, T., Kolmerer, B., Witt, C., Beckmann, J., Gregorio, C., Granzier, H., and Labeit, S. Series of exon-skipping events in the elastic spring region of titin as the structural basis for myofibrillar elastic diversity. *Circ Res*, 86(11):1114–21 (2000).

- Fritz-Six, K., Cox, P., Fischer, R., Xu, B., Gregorio, C., Zogbhi, H., and Fowler, V. Aberrant myofibril assembly in tropomodulin1 null mice leads to aborted heart development and embryonic lethality. *J Cell Biol*, 163(5):1033–44 (2003).
- Furst, D., Osborn, M., Nave, R., and Weber, K. The organization of titin filaments in the half-sarcomere revealed by monoclonal antibodies in immunoelectron microscopy: a map of ten nonrepetitive epitopes starting at the z line extends close to the m line. *J Cell Biol*, 106(5):1563–1572 (1988).
- Garvey, S., Rajan, C., Lerner, A., Frankel, W., and Cox, G. The muscular dystrophy with myositis (mdm) mouse mutation disrupts a skeletal muscle-specific domain of titin. *Genomics*, 79(2):146–149 (2002).
- Gautel, M., Castiglione, M., Pfuhl, M., Motta, A., and Pastore, A. A calmodulin-binding sequence in the c-terminus of human cardiac titin kinase. *Eur J Biochem*, 230(2):752–759 (1995).
- Gautel, M., Leonard, K., and Labeit, S. Phosphorylation of ksp motifs in the c-terminal region of titin in differentiating myoblasts. *EMBO J*, 12(10):3827–3834 (1993).
- Geetha, T. and Wooten, M. Structure and functional properties of the ubiquitin binding protein p62. *FEBS Lett*, 512(1–3):19–24 (2002).
- Gerull, B., Gramlich, M., Atherton, J., McNabb, M., Trombitas, K., Sasse-Klaassen, S., Seidman, J., Seidman, C., Granzier, H., Labeit, S., Frenneaux, M., and Thierfelder, L. Mutations of ttn, encoding the giant muscle filament titin, cause familial dilated cardiomyopathy. *Nat Genet*, 30(2):201–204 (2002).
- Gotthardt, M., Hammer, R., Hubner, N., Monti, J., Witt, C., McNabb, M., Richardson, J., Granzier, H., Labeit, S., and Herz, J. Conditional expression of mutant m-line titins results in cardiomyopathy with altered sarcomere structure. *J Biol Chem*, 278(8):6059–6065 (2003).
- Grater, F., Shen, J., Jiang, H., Gautel, M., and Grubmuller, H. Mechanically induced titin kinase activation studied by force-probe molecular dynamics simulations. *Biophys J*, 88(2):790–804 (2005).
- Gregorio, C., Granzier, H., Sorimachi, H., and Labeit, S. Muscle assembly: a titanic achievement? *Curr Opin Cell Biol*, 11(1):18–25 (1999).
- Gregorio, C., Trombitas, K., Centner, T., Kolmerer, B., Stier, G., Kunke, K., Suzuki, K., Obermayr, F., Herrmann, B., Granzier, H., Sorimachi, H., and Labeit, S. The nh<sub>2</sub> terminus of titin spans the z-disc: its interaction with a novel 19-kd ligand (t-cap) is required for sarcomeric integrity. *J Cell Biol*, 143(4):1013–1027 (1998).
- Grove, B., Cerny, L., Perriard, J., and Eppenberger, H. Myomesin and m-protein: expression of two m-band proteins in pectoral muscle and heart during development. *J Cell Biol*, 101(4):1413–1421 (1985).

- Gui, Y., Linask, K., Khowsathit, P., and Huhta, J. Doppler echocardiography of normal and abnormal embryonic mouse heart. *Pediatr Res*, 40(4):633–642 (1996).
- Hackman, P., Vihola, A., Haravuori, H., Marchand, S., Sarparanta, J., De Seze, J., Labeit, S., Witt, C., Peltonen, L., Richard, I., and Udd, B. Tibial muscular dystrophy is a titinopathy caused by mutations in *ttn*, the gene encoding the giant skeletal-muscle protein titin. *Am J Hum Genet*, 71(3):492–500 (2002).
- Harris, B., Li, H., Terry, M., and Ferrari, M. Calcium transients regulate titin organization during myofibrillogenesis. *Cell Motil Cytoskeleton*, 60(3):129–39 (2005).
- Heierhorst, J., Probst, W., Vilim, F., Buku, A., and Weiss, K. Autophosphorylation of molluscan twitchin and interaction of its kinase domain with calcium/calmodulin. *J Biol Chem*, 269(33):21086–93 (1994).
- Horowitz, R., Kempner, E., Bisher, M., and Podolsky, R. A physiological role for titin and nebulin in skeletal muscle. *Nature*, 323(6084):160–4 (1986).
- Houchmandzadeh, B. and Dimitrov, S. Elasticity measurements show the existence of thin rigid cores inside mitotic chromosomes. *J Cell Biol*, 145(2):215–23 (1999).
- Improto, S., Krueger, J., Gautel, M., Atkinson, R., Lefevre, J., Moulton, S., Trewella, J., and Pastore, A. The assembly of immunoglobulin-like modules in titin: implications for muscle elasticity. *J Mol Biol*, 284(3):761–77 (1998).
- Itoh, Y., Suzuki, T., Kimura, S., Ohashi, K., Higuchi, H., Sawada, H., Shimizu, T., Shibata, M., and Maruyama, K. Extensible and less-extensible domains of connectin filaments in stretched vertebrate skeletal muscle sarcomeres as detected by immunofluorescence and immunoelectron microscopy using monoclonal antibodies. *J Biochem (Tokyo)*, 104(4):504–8 (1988).
- Jagoe, R. and Goldberg, A. What do we really know about the ubiquitin-proteasome pathway in muscle atrophy? *Curr Opin Clin Nutr Metab Care*, 4(3):183–90 (2001).
- Kato, Y., Kravchenko, V. V., Tapping, R. I., Han, J., Ulevitch, R. J., and Lee, J. D. Pathological changes of myocardial cytoskeleton in cardiomyopathic hamster. *Mol Cell Biochem*, 144(1):75–9 (1995).
- Kaufmann, M. *The atlas of mouse development*. Academic Press, Inc. (1992).
- Kawaguchi, N., Fujitani, N., Schaper, J., and Onishi, S. Bmk1/erk5 regulates serum-induced early gene expression through transcription factor mef2c. *EMBO J*, 16:7054–7066 (1997).
- Keller, T. r., Eilertsen, K., Higginbotham, M., Kazmierski, S., Kim, K., and Velichkova, M. Role of titin in nonmuscle and smooth muscle cells. *Adv Exp Med Biol*, 481(review):265–77 (2000).
- Kim, E., Naisbitt, S., Hsueh, Y., Rao, A., Rothschild, A., Craig, A., and Sheng, M. Gkap, a novel synaptic protein that interacts with the guanylate kinase-like domain of the psd-95/sap90 family of chan-

- nel clustering molecules. *J Cell Biol*, 136(3):669–78 (1997).
- Knappeis, G. and Carlsen, F. The ultrastructure of the m line in skeletal muscle. *J Cell Biol*, 38(1):202–11 (1968).
- Knoll, R., Hoshijima, M., Hoffman, H., Person, V., Lorenzen-Schmidt, I., Bang, M., Hayashi, T., Shiga, N., Yasukawa, H., Schaper, W., McKenna, W., Yokoyama, M., Schork, N., Omens, J., McCulloch, A., Kimura, A., Gregorio, C., Poller, W., Schaper, J., Schultheiss, H., and Chien, K. The cardiac mechanical stretch sensor machinery involves a z disc complex that is defective in a subset of human dilated cardiomyopathy. *Cell*, 111(7):943–55 (2002).
- Kolmerer, B., Olivieri, N., Witt, C., Hermann, B., and Labeit, S. Genomic organization of m line titin and its tissue-specific expression in two distinct isoforms. *J Mol Biol*, 256(3):556–563 (1996).
- Kolodziejczyk, S., Wang, L., Balazsi, K., DeRepentigny, Y., Kothary, R., and Megeney, L. Mef2 is upregulated during cardiac hypertrophy and is required for normal post-natal growth of the myocardium. *Curr Biol*, 9(20):1203–6 (1999).
- Kontogianni-Konstantopoulos, A., Catino, D., Strong, J., and Bloch, R. De novo myofibrillogenesis in c2c12 cells: Evidence for the independent assembly of m-lines and z-disks. *Am J Physiol Cell Physiol*, 290(2):C626–37 (2005).
- Labeit, S., Gautel, M., Lakey, A., and Trinick, J. Towards a molecular understanding of titin. *EMBO J*, 11(5):1711–1716 (1992).
- Labeit, S. and Kolmerer, B. Titins: giant proteins in charge of muscle ultrastructure and elasticity. *Science*, 270(5234):293–296 (1995).
- Laemmli, U. Cleavage of structural proteins during the assembly of the head of bacteriophage t4. *Nature*, 227(259):680–685 (1970).
- Lahmers, S., Wu, Y., Call, D., Labeit, S., and Granzier, H. Developmental control of titin isoform expression and passive stiffness in fetal and neonatal myocardium. *Circ Res*, 94(4):505–13 (2004).
- Landacre, F. and Amstutz, H. Data on the number of somites compared with age in the white rat. *The Ohio Journal of Science*, 29(6):253–59 (1929).
- Lange, S., Auerbach, D., McLoughlin, P., Perriard, E., Schafer, B., Perriard, J., and Ehler, E. Subcellular targeting of metabolic enzymes to titin in heart muscle may be mediated by dral/fhl-2. *J Cell Sci*, 115(Pt 24):4925–4936 (2002).
- Lange, S., Himmel, M., Auerbach, D., Agarkova, I., Hayess, K., D.O., F., Perriard, J., and Ehler, E. Dimerisation of myomesin: implications for the structure of the sarcomeric m-band. *J Mol Biol*, 345(2):289–98 (2005a).
- Lange, S., Xiang, F., Yakovenko, A., Virola, A., Hackman, P., Rostkova, E., Kristensen, J., Brandmeier, B., Franzen, G., Hedberg, B., Gunnarsson, L., Hughes, S., Marchand, S., Sejersen, T., Richard, I.,

- Edstrom, L., Ehler, E., Udd, B., and Gautel, M. The kinase domain of titin controls muscle gene expression and protein turnover. *Science*, 308(308):1599–603 (2005b).
- Lecker, S., Jagoe, R., Gilbert, A., Gomes, M., Baracos, V., Bailey, J., Price, S., Mitch, W., and Goldberg, A. Anthracyclines induce calpain-dependent titin proteolysis and necrosis in cardiomyocytes. *FASEB J*, 18(1):39–51 (2004).
- Lim, C., Zuppinger, C., Guo, X., Kuster, G., Helmes, M., Eppenberger, H., Suter, T., Liao, R., and Sawyer, D. Anthracyclines induce calpain-dependent titin proteolysis and necrosis in cardiomyocytes. *J Biol Chem*, 279(9):8290–9 (2004).
- Linke, W., Ivemeyer, M., Labeit, S., Hinssen, H., Ruegg, J., and Gautel, M. Actin-titin interaction in cardiac myofibrils: probing a physiological role. *Biophys J*, 73(2):905–919 (1997).
- Lints, T., Parsons, L., Hartley, L., Lyons, I., and Harvey, R. Nkx-2.5: a novel murine homeobox gene expressed in early heart progenitor cells and their myogenic descendants. *Development*, 119(2):419–31 (1993).
- Lopez, M., Berggren, K., Chernokalskaya, E., Lazarev, A., Robinson, M., and Patton, W. A comparison of silver stain and sypro ruby protein gel stain with respect to protein detection in two-dimensional gels and identification by peptide mass profiling. *Electrophoresis*, 21(17):3673–83 (2000).
- Lyons, I., Parsons, L., Hartley, L., Li, R., Andrews, J., Robb, L., and Harvey, R. Myogenic and morphogenetic defects in the heart tubes of murine embryos lacking the homeo box gene nkx2-5. *Genes Dev*, 9(13):1654–66 (1995).
- Machado, C. and Andrew, D. D-titin. a giant protein with dual roles in chromosomes and muscles. *J Cell Biol*, 151(3):639–652 (2000).
- Machado, C., Sunkel, C., and Andrew, D. Human autoantibodies reveal titin as a chromosomal protein. *J Cell Biol*, 141(2):321–333 (1998).
- MacLellan, W., Brand, T., and Schneider, M. Transforming growth factor-beta in cardiac ontogeny and adaptation. *Cir Res*, 73(5):783–91 (1993).
- Makarenko, I., Opitz, C., Leake, M., Neagoie, C., Kulke, M., Gwathmey, J., del Monte, F., Hajjar, R., and Linke, W. Passive stiffness changes caused by upregulation of compliant titin isoforms in human dilated cardiomyopathy hearts. *Cir Res*, 95(7):708–16 (2004).
- Maruyama, K., Matsubara, S., Natori, R., Nonomura, Y., and Kimura, S. Connectin, an elastic protein of muscle. characterization and function. *J Biochem (Tokyo)*, 82(2):317–37 (1977).
- May, S., Stewart, N., Chang, W., and Peterson, A. A titin mutation defines roles for circulation in endothelial morphogenesis. *Dev Biol*, 270(1):31–46 (2004).
- Mayans, O., van der Ven, P., Wilm, M., Mues, A., Young, P., Furst, D.,

- Wilmanns, M., and Gautel, M. Structural basis for activation of the titin kinase domain during myofibrillogenesis. *Nature*, 395(6705):863–869 (1998).
- McElhinny, A., Kakinuma, K., Sorimachi, H., Labeit, S., and Gregorio, C. Muscle-specific ring finger-1 interacts with titin to regulate sarcomeric m-line and thick filament structure and may have nuclear functions via its interaction with glucocorticoid modulatory element binding protein-1. *J Cell Biol*, 157(1):125–136 (2002).
- McElhinny, A., Perry, C., Witt, C., Labeit, S., and Gregorio, C. Muscle-specific ring finger-2 (murf-2) is important for microtubule, intermediate filament and sarcomeric m-line maintenance in striated muscle development. *J Cell Sci*, 117((Pt 15)):3175–88 (2004).
- Millan, F., Denhez, F., Kondaiah, P., and Akhurst, R. Embryonic gene expression patterns of tgf beta 1, beta 2 and beta 3 suggest different developmental functions in vivo. *Development*, 111(1):131–43 (1991).
- Miller, G., Musa, H., Gautel, M., and Peckham, M. A targeted deletion of the c-terminal end of titin, including the titin kinase domain, impairs myofibrillogenesis. *J Cell Sci*, 116(Pt 23):4811–4819 (2003a).
- Miller, M., Bang, M., Witt, C., Labeit, D., Trombitas, C., Watanabe, K., Granzier, H., McElhinny, A., Gregorio, C., and Labeit, S. The muscle ankyrin repeat proteins: Carp, ankrd2/arpp and darp as a family of titin filament-based stress response molecules. *J Mol Biol*, 333(5):951–64 (2003b).
- Morano, I., Hadicke, K., Grom, S., Koch, A., Swinger, R., Bohm, M., Bartel, S., Erdmann, E., and Krause, E. Titin, myosin light chains and c-protein in the developing and failing human heart. *J Mol Cell Cardiol*, 26(2):361–8 (1994).
- Moreira, E., Wiltshire, T., Faulkner, G., Nilforoushan, A., Vainzof, M., Suzuki, O., Valle, G., Reeves, R., Zatz, M., Passos-Bueno, M., and Jenne, D. Limb-girdle muscular dystrophy type 2g is caused by mutations in the gene encoding the sarcomeric protein telethonin. *Nature Genetics*, 24(2):163–66 (2000).
- Muhle-Goll, C., Habeck, M., Cazorla, O., Nilges, M., Labeit, S., and Granzier, H. Structural and functional studies of titin's fn3 modules reveal conserved surface patterns and binding to myosin s1 - a possible role in the frank-starling mechanism of the heart. *J Mol Biol*, 313(2):431–447 (2001).
- Nave, R., Furst, D., and Weber, K. Visualization of the polarity of isolated titin molecules: a single globular head on a long thin rod as the m band anchoring domain? *J Cell Biol*, 109(5):2177–87 (1989).
- Nicol, R., Frey, N., Pearson, G., Cobb, M., Richardson, J., and Olson, E. Activated mek5 induces serial assembly of sarcomeres and eccentric cardiac hypertrophy. *EMBO J*, 20(11):2757–67. (2001).
- Obermann, W., Gautel, M., Steiner, F., van der Ven, P., Weber, K., and Furst,

- D. The structure of the sarcomeric m band: localization of defined domains of myomesin, m-protein, and the 250-kd carboxy-terminal region of titin by immunoelectron microscopy. *J Cell Biol*, 134(6):1441–1453 (1996).
- Obermann, W., Gautel, M., Weber, K., and Furst, D. Molecular structure of the sarcomeric m band: mapping of titin and myosin binding domains in myomesin and the identification of a potential regulatory phosphorylation site in myomesin. *EMBO J*, 16(2):211–220 (1997).
- Ohtsuka, H., Yajima, H., Maruyama, K., and Kimura, S. Binding of the n-terminal 63 kda portion of connectin/titin to alpha-actinin as revealed by the yeast two-hybrid system. *FEBS*, 401(1):165–7 (1997a).
- Ohtsuka, H., Yajima, H., Maruyama, K., and Kimura, S. The n-terminal z repeat 5 of connectin/titin binds to the c-terminal region of alpha-actinin. *Biochem Biophys Res Commun*, 235(1):1–3 (1997b).
- Ontell, M. and Kozeka, K. The organogenesis of murine striated muscle: a cytoarchitectural study. *Am J Anat*, 171(1):13–148 (1984).
- Opitz, C., Leake, M., Makarenko, I., Benes, V., and Linke, W. Developmentally regulated switching of titin size alters myofibrillar stiffness in the perinatal heart. *Circ Res*, 94(7):967–975 (2004).
- Pelin, K., Ridanpaa, M., Donner, K., Wilton, S., Krishnarajah, J., Laing, N., Kolmerer, B., Millevoi, S., Labeit, S., de la Chapelle, A., and Wallgren-Petterson, C. Refined localisation of the genes for nebulin and titin on chromosome 2q allows the assignment of nebulin as a candidate gene for autosomal recessive nemaline myopathy. *Eur J Hum Genet*, 5(4):229–34 (1997).
- Person, V., Kostin, S., Suzuki, K., Labeit, S., and Schaper, J. Antisense oligonucleotide experiments elucidate the essential role of titin in sarcomerogenesis in adult rat cardiomyocytes in long-term culture. *J Cell Sci*, 113 (Pt 21):3851–3859 (2000).
- Pizon, V., Iakovenko, A., van der Ven, P., Kelly, R., Fatu, C., Furst, D., Karsenti, E., and Gautel, M. Transient association of titin and myosin with microtubules in nascent myofibrils directed by the murf2 ring-finger protein. *J Cell Sci*, 115(Pt 23):4469–4482 (2002).
- Prindull, G. Apoptosis in the embryo and tumorigenesis. *Eur J Cancer*, 31A(1):116–23 (1995).
- Regan, C., Li, W., Boucher, D., Spatz, S., Su, M., and Kuida, K. Erk5 null mice display multiple extraembryonic vascular and embryonic cardiovascular defects. *Proc Natl Acad Sci U S A*, 99(14):9248–53 (2002).
- Richard, I., Broux, O., Allamand, V., Fougerousse, F., Chiannilkulchai, N., Bourg, N., Brenguier, L., Devaud, C., Pasturaud, P., Roudaut, C., and et al. Mutations in the proteolytic enzyme calpain 3 cause limb-girdle muscular dystrophy type 2a. *Cell*, 81(1):27–40 (1995).

- Robertson, E., Bradley, A., Kuehn, M., and Evans, M. Germ-line transmission of genes introduced into cultured pluripotential cells by retroviral vector. *Nature*, 323(6087):445–8 (1986).
- Sambrook, J. and Russell, D. *Molecular cloning: a laboratory manual*. Cold Spring Harbour Press. (2000).
- Sanger, F., Nicklen, S., and Coulson, A. Dna sequencing with chain-terminating inhibitors. *Proc Natl Acad Sci U S A*, 74(12):5463–7 (1977).
- Satoh, M., Takahashi, M., Sakamoto, T., Hiroe, M., Marumo, F., and A., K. Structural analysis of the titin gene in hypertrophic cardiomyopathy: identification of a novel disease gene. *Biochem Biophys Res Commun*, 262(2):411–7 (1999).
- Schaart, G., Viebahn, C., Langmann, W., and Ramaekers, F. Desmin and titin expression in early postimplantation mouse embryos. *Development*, 107(3):585–96 (1989).
- Schoenauer, R., Bertoncini, P., Machaidze, G., Aebi, U., Perriard, J., Hegner, M., and Agarkova, I. Myomesin is a molecular spring with adaptable elasticity. *J Mol Biol*, 349(2):367–379 (2005).
- Sealy, W. and Lyons, C. Necrosis of the liver produced by the combination of experimental hyperthyroidism and inflammation. *Arch Surg*, 59(6):1319–26 (1949).
- Siedner, S., Kruger, M., Schroeter, M., Metzler, D., Roell, W., Fleischmann, B., Hescheler, J., Pfitzer, G., and Stehle, R. Developmental changes in contractility and sarcomeric proteins from the early embryonic to the adult stage in the mouse heart. *J Physiol*, 15(548):493–505 (2003).
- Sjostrom, M. and Squire, J. Fine structure of the a-band in cryo-sections. the structure of the a-band of human skeletal muscle fibres from ultra-thin cryo-sections negatively stained. *J Mol Biol*, 109(1):49–68 (1977).
- Smithies, O., Gregg, R., Boggs, S., Koralewski, M., and Kucherlapati, R. Insertion of dna sequences into the human chromosomal beta-globin locus by homologous recombination. *Nature*, 317(6034):230–4 (1985).
- Sorimachi, H., Freiburg, A., Kolmerer, B., Ishiura, S., Stier, G., Gregorio, C., Labeit, D., Linke, W., Suzuki, K., and Labeit, S. Tissue-specific expression and alpha-actinin binding properties of the z-disc titin: implications for the nature of vertebrate z- discs. *J Mol Biol*, 270(5):688–695 (1997).
- Sorimachi, H., Kinbara, K., Kimura, S., Takahashi, M., Ishiura, S., Sasagawa, N., Sorimachi, N., Shimada, H., Tagawa, K., and Maruyama, K. Muscle-specific calpain, p94, responsible for limb girdle muscular dystrophy type 2a, associates with connectin through is2, a p94-specific sequence. *J Biol Chem*, 270(52):31158–31162 (1995).
- Thiel, R., Chahoud, I., Jurgens, M., and Neubert, D. Time-dependent differences in the development of somites of four different mouse strains. *Teratog Carcinog Mutagen*, 13(6):247–57 (1993).

- Trinick, J. Titin as a scaffold and spring-cytoskeleton. *Curr Biol*, 6(3):258–260 (1996).
- Trombitas, K., Freiburg, A., Centner, T., Labeit, S., and Granzier, H. Molecular dissection of n2b cardiac titin's extensibility. *Biophys J*, 77(6):3189–96 (1999).
- Wang, K., McClure, J., and Tu, A. Titin: Major myofibrillar components of striated muscle. *Histol Histopathol*, 76(8):3698–3702 (1979).
- Wang, S., Jeng, C., and M.C., S. Studies on the interaction between titin and myosin. *Histol Histopathol*, 7(3):333–7 (1992).
- Warren, C., Krzesinski, P., and Greaser, M. Vertical agarose gel electrophoresis and electroblotting of high-molecular-weight proteins. *Electrophoresis*, 24(11):1695–702 (2003).
- Wernyj, R., Ewing, C., and Isaacs, W. Multiple antibodies to titin immunoreact with ahnak and localize to the mitotic spindle machinery. *Cell Motil Cytoskeleton*, 50(2):101–13 (2001).
- Witt, C., Ono, Y., Puschmann, E., McNabb, M., Wu, Y., Gotthardt, M., Witt, S., Haak, M., Labeit, D., Gregorio, C., Soriomachi, H., Granzier, H., and Labeit, S. Induction and myofibrillar targeting of carp, and suppression of the nkx2.5 pathway in the mdm mouse with impaired titin-based signaling. *J Mol Biol*, 336(1):145–54 (2004).
- Wyllie, A., Kerr, J., and Currie, A. Cell death: the significance of apoptosis. *Int Rev Cytol*, 68:251–306 (1980).
- Xu, X., Meiler, S., Zhong, T., Mohideen, M., Crossley, D., Burggren, W., and Fishman, M. Cardiomyopathy in zebrafish due to mutation in an alternatively spliced exon of titin. *Nat Genet*, 30(2):205–209 (2002).
- Yamaguchi, K., Shirakabe, K., Shibuya, H., Irie, K., Oishi, I., Ueno, N., Taniguchi, T., Nishida, E., and Matsumoto, K. Identification of a member of the mapkkk family as a potential mediator of tgf-beta signal transduction. *Science*, 270(5244):2008–2011 (1995).
- Young, P., Ehler, E., and Gautel, M. Obscurin, a giant sarcomeric rho guanine nucleotide exchange factor protein involved in sarcomere assembly. *J Cell Biol*, 154(1):123–136 (2001).
- Zastrow, M., Flaherty, D., Benian, G., and Wilson, K. Nuclear titin interacts with a- and b-type lamins in vitro and in vivo. *J Cell Sci*, 119(2):239–49 (2006).
- Zou, P., Pinotsis, N., Lange, S., Song, Y., Popov, A., Mavridis, I., Mayans, O., Gautel, M., and Wilmanns, M. Palindromic assembly of the giant muscle protein titin in the sarcomeric z-disk. *Nature*, 439(7073):229–33 (2006).
- Zu, Y., Ai, Y., Gilchrist, A., Maulik, N., Watras, J., Sha'afi, R., Das, D., and Huang, C. High expression and activation of map kinase-activated protein kinase 2 in cardiac muscle cells. *J Mol Cell Cardiol*, 29(8):2159–68 (1997).