

7. Literaturverzeichnis

- ABE T., CHOW J.W., LEAN J.M. & CHAMBERS T.J. (1993):
 Estrogen does not restore bone lost after ovariectomy in the rat.
J Bone Miner Res. 8: 831-838.
- ABE T., SATO K., MIYAKOSHI N., KUDO T., TAMURA Y., TSUCHIDA T. & KASUKAWA Y. (1999):
 Trabecular remodeling processes in the ovariectomized rat: modified node-strut analysis.
Bone 24: 591-596.
- ANONYMUS (1994):
 Consensus development conference V: Diagnosis, prophylaxis and treatment of osteoporosis.
Am J Med. 86: 646-650.
- ARJMANDI B.H., SALIH M.A., HERBERT D.C., SIMS S.H. & KALU D.N. (1993):
 Evidence for estrogen receptor-linked calcium transport in the intestine.
Bone and Mineral 21: 63-74
- AUBIN J.E. & TURKSEN K. (1996):
 Monoclonal antibodies as tools for studying the osteoblast lineage.
Microsc Res Tech. 33: 128-140.
- BARON R., VIGNERY A., NEFF L., SILVERGLATE A. & SANTA MARIA A. (1983):
 Processing of undecalcified bone specimens for bone histomorphometry.
 In: Recker, R.R. (Ed.): *Bone histomorphometry: Techniques and interpretation.*
 Boca Raton, Florida: CRC Press, 13-35.
- BARON R., TROSS R. & VIGNERY A. (1984):
 Evidence of sequential remodeling in rat trabecular bone: morphology, dynamic histomorphometry, and changes during skeletal maturation.
Anat Rec. 208: 137-145.
- BAUSS F., ESSWEIN A., REIFF K., SPONER G. & MÜLLER-BECKMANN B. (1996):
 Effect of 17 β -estradiol-bisphosphonate conjugates, potential bone-seeking estrogen pro-drugs, on 17 β -estradiol serum kinetics and bone mass in rats.
Calcif Tissue Int. 59: 168-173.
- BONJOUR J.P., THEINTZ G., LAW F., SLOSMAN D. & RIZZOLI R. (1994):
 Peak bone mass.
Osteoporosis Int. 4 (Suppl. 1): S7-S13.
- BOWMAN B.M. & MILLER S.C. (1986):
 The proliferation and differentiation of the bone-lining cell in estrogen-induced osteogenesis.
Bone 7: 351-357.
- BRACHE V., ALVAREZ-SANCHEZ F., FAUNDES A. ET AL. (1990):
 Ovarian endocrine function through five years of continuous treatment with Norplant® subdermal contraceptive implants.
Contraception 41: 169-177.

- BROWN J.P., DELMAS P.D., MALAVAL L., EDOUARD C., CHAPUY M.C. & MEUNIER P.J. (1984):
 Serum bone GLA-protein: a specific marker for bone formation in postmenopausal osteoporosis.
Lancet 1: 1091-1093.
- BUTCHER R.L., COLLINS W.E. & FUGO N.W. (1974):
 Plasma concentration of LH, FSH, prolactin, progesteron and estradiol-17 β throughout the 4-day estrus cycle of the rat.
Endocrinology 94: 1704-1708.
- CANN C.E. (1998):
 Bone densitometry as an adjunct to GnRH agonist therapy.
J Reprod Med. 43 (3 Suppl.): 321-330.
- CHOW J.W., LEAN J.M., ABE T. & CHAMBERS T.J. (1992):
 The anabolic effect of 17- β -estradiol on the trabecular bone of adult rats is suppressed by indomethacin.
J Endocrinol. 133: 189-195.
- CHRISTIANSEN C. & LINDSAY R. (1991):
 Estrogens, bone loss and preservation.
Osteoporos Int. 1: 7-13.
- CLARK R.G. & TARTTELIN M.F. (1982):
 Some effects of ovariectomy and estrogen replacement on body composition in the rat.
Physiol Behav. 28: 963-969.
- COMPSTON J.E., MELLISH R.W.E., CROUCHER P.I. & GARRAHAN N.J. (1989):
 Structural mechanisms of trabecular bone loss in man.
Bone Miner. 6: 339-350.
- COXAM V., BOWMAN B.M., MECHAM M., ROTH C.M., MILLER M.A. & MILLER S.C. (1996):
 Effect of dihydrotestosterone alone and combined with estrogen on bone mineral density, bone growth, and formation rates in ovariectomized rats.
Bone 19: 107-114.
- CROMER B.A. (1999):
 Effects of hormonal contraceptives on bone mineral density.
Drug Safety 20: 213-222.
- CROMER B.A., BLAIR J.M., MAHAM J.D., ZIBNERS L. & NAUMOVSKI Z. (1996):
 A prospective comparison of bone density in adolescent girls receiving depot medroxyprogesterone acetate (Depo-Provera), levonorgestrel (Norplant), or oral contraceptives
J Pediatr. 5: 671-676.
- CUNDY T., EVANS M., ROBERTS H., WATTIE D., AMES R. & REID I.R. (1991):
 Bone density in woman receiving depot medroxyprogesterone acetate for contraception.
BMJ. 303: 13-16.
- CUNDY T., CORNISH J., EVANS M.C., ROBERTS H. & REID I.R. (1994):
 Recovery of bone density in woman who stop using medroxyprogesterone acetate.
BMJ. 308: 247-248.
- DANIEL H.W. (1976):
 Osteoporosis of the slender smoker.
Arch Intern Med. 136: 298-304.

- DANIELSEN C.D., MOSEKILDE L. & SVENSTRUP B. (1993):
 Cortical bone mass, composition and mechanical properties in female rats in relation to age, long-term ovariectomy, and estrogen substitution.
Calcif Tissue Int. 52: 26-33.
- DAWOOD M.Y. (1994):
 Hormonal therapies for endometriosis: implication for bone metabolism.
Acta Obstet Gynecol Scand. (Suppl 159): 22-34.
- DE CHERNEY A. (1993):
 Physiologic and pharmacologic effects of estrogen and progestins on bone.
J Reproductive Med. 38 (12 Suppl): 1007-1114.
- DEMPSTER D.W., BIRCHMAN R., XU R., LINDSAY R. & SHEN V. (1995):
 Temporal changes in cancellous bone structure of rats immediately after ovariectomy.
Bone 16: 157-161.
- DI X., LI Y., ZHANG C., JIANG J. & GU S. (1999):
 Effects of levonorgestrel-releasing subdermal contraceptive implants on bone density and bone metabolism.
Contraception 60: 161-166.
- ENZELSBERGER H., METKA M., HEYTMANEK G. & HUBER J. (1989):
 Der Einfluß oraler Kontrazeptiva auf die Knochendichte bei klimakterischen Frauen.
Zent.bl. Gynäkol. 111: 967-973.
- ERBFN, R.G. (1990):
 Histomorphometrische Studien über Einflüsse der Ovariextomie auf das Skelett der Ratte und prophylaktische Wirkungen von Vitamin-D-Metaboliten.
 München: Ludwig-Maximilians-Univ., Fachbereich Veterinärmedizin, Diss.
- ERIKSEN E.F., COLVARD D.S., BERG N.J., GRAHAM M.L., MANN K.G., SPELSBERG T.C. & RIGGS B.L. (1988):
 Evidence of estrogen receptors in normal human osteoblast-like cells.
Science 241: 84-86.
- FINKELMAN R.D., LINKHART T.A., MOHAN S., LAU K.H.W., BAYLINK D.J. & BELL N.H. (1988):
 Vitamin D deficiency causes a selective reduction deposition of TGF-beta in rat bone: Possible mechanism for impaired osteoinduction.
Proc Natl Acad Sci USA 85: 3657-3660.
- FREEMANN M.E. (1988):
 The ovarian cycle of the rat.
 In: Knobil E. & Neill J. (Eds.): *The physiology of reproduction*.
 Raven Press, Ltd., New York, 1893-1928.
- FROST H.M. & JEE W.S.S. (1992):
 On the rat model of human osteopenias and osteoporoses.
Bone and Mineral 18: 227-236.
- FROST H.M. (1976):
 Some concepts crucial to the effective study of bone turnover and bone balance in human skeletal disease and in experimental models of skeletal physiology and pathophysiology.
 In: Jaworski Z.F.G. (Ed.): *Proceedings of the first workshop on bone morphometry*.
 Ottawa: University of Ottawa Press, 246-253.

- FROST H.M. (1983):
 Bone histomorphometry: analysis of trabecular bone dynamics.
 In: Recker, R.R. (Ed.): Bone histomorphometry: Techniques and interpretation.
 CRC Press, Boca Raton, Florida: 109-131.
- GALLAGHER J.C., GOLDGAR D. & MOY A. (1987):
 Total bone calcium in normal woman: effect of age and menopause status.
J Bone Miner Res. 2 (6): 491-496.
- GALLAGHER J.C. (1990):
 The pathogenesis of osteoporosis.
Bone and Mineral 9 (3): 215-227.
- GALLAGHER J.C., KABLE W.K. & GOLDGAR D. (1991):
 Effect of progestin therapy on cortical and trabecular bone: Comparison with estrogen.
Am J Med. 90: 171-179.
- GARNERO P., SORNAY-RENDU E., & DELMAS P.D. (1995):
 Decreased bone turnover in oral contraceptive users.
Bone 16: 499-503.
- GARRAHAN N.J., MELLISH R.W.E. & COMPSTON J.E. (1986):
 A new method for the two-dimensional analysis of bone structure in human iliac crest
 biopsies.
J Microscopy 142: 341-349.
- GASPARD U.J., ROMUS M.A., GILLIAIN D., DUVIVIER J., DEMEY-PONSART E. &
 FRANCHIMONT P. (1983):
 Plasma hormone levels in woman receiving new oral contraceptives containing ethinyl
 estradiol plus levonorgestrel or desogestrel.
Contraception 30: 467-482.
- GASSER (1995):
 Assessing bone quantity by pQCT.
Bone 17 (Suppl.): 145S-154S.
- GBOLADE B., ELLIS S. & RANDALL S. (1998):
 Bone density in long term users of depot medroxyprogesterone acetate.
Br J Obstet Gynaecol. 105: 790-794.
- GOLDSMITH N.F. & JOHNSTON J.O. (1975):
 Bone mineral effect of oral contraceptives, pregnancy and lactation.
J Bone Joint Surg. 57A: 657-668.
- GUNDBERG C.M., HAUSCHKA P.V., LIAN J.B. & GALLOP P.M. (1984):
 Osteocalcin: isolation, characterization, and detection.
Methods Enzymol. 107: 516-544.
- HARTARD M., BOTTERMANN P., BARTENSTEIN P., JESCHKE D. & SCHWAIGER
 M. (1997):
 Effects on bone mineral density of low-dosed oral contraceptives compared to and
 combined with physical activity.
Contraception 55: 87-90.
- HASAN S.H. & CALDWELL B.V. (1971):
 Radioimmunoassay of Estradiol-17 β using charcoal dextran suspension.
 In: Kirkham K.E. & Hunter W.M. (Eds): Radioimmunoassay methods.
 Edinburgh and London: Churchill Livingstone: 334-337.

- HATTERSLEY G., KERBY J.A. & CHAMBERS T.J. (1991):
 Identification of osteoclast precursors in multilineage hemopoietic colonies.
Endocrinology 125: 259-262.
- HAYASHI T., YAMAMURO T., OKUMURA H., KASAI R. & TADA K. (1989):
 Effect of (Asu 1,7) -eel calcitonin on the prevention of osteoporosis induced by combination of immobilization and ovariectomy in the rat.
Bone 10: 25-28.
- HEANEY R.P. (1996):
 Pathogenesis of postmenopausal osteoporosis.
 In: Favus J.M. (Ed.): *Primer on the metabolic bone diseases and disorders of mineral metabolism*.
 3. ed., Lippincott-Raven, Philadelphia, New York: 252-254.
- HERGENRÖDER A.C., SMITH E.O., SHYPAILO R., JONES L.A., KLISH W.J. & ELLIS K. (1997):
 Bone mineral changes in young woman with hypothalamic amenorrhea treated with oral contraceptives, medroxyprogesterone, or placebo over 12 months.
Am J Obstet Gynecol. 176 (5): 1017-1025.
- HERVEY E. & HERVEY G.R. (1967):
 The effects of progesterone on body weight and composition in the rat.
J Endocrinology 37: 361-384.
- HOLLAND E.F., LEATHER A.T., STUDD J.W. & GARNETT T.J. (1993):
 The effect of a new sequential oestradiol valerate and levonorgestrel preparation on the bone mineral density of postmenopausal woman.
Br J Obstet Gynaecol. 100 (10): 966-967.
- HORSMEN A., JONES M., FRANCIS R. & NORDIN C. (1983):
 The effect of estrogen dose on postmenopausal bone loss.
N Engl J Med. 309 (23):1405-1407.
- HRESHCHYSHYN M.M., HOPKINS A., ZYLSTRA S. & ANBAR M. (1988):
 Associations of parity, breast-feeding, and birth control pills with lumbar spine and femoral neck bone densities.
Am J Obstet Gynecol. 159: 318-322.
- ISSEROW J.A., RUCINSKI B., ROMERO D.F., MANN G.N., LIU C.C. & EPSTEIN S. (1995):
 The effect of medroxyprogesterone acetate on bone metabolism in the oophorectomized, tamoxifen-treated rat.
Endocrinology 136: 713-719.
- IVEY J.L. & BAYLINK D.J. (1981):
 Postmenopausal osteoporosis: proposed roles of defective coupling and estrogen deficiency.
Metab Bone Dis Relat Res. 3 (1): 3-7.
- JILKA R.L. (1998):
 Cytokines, bone remodeling, and estrogen deficiency: a 1998 update.
Bone 23: 75-81.
- JILKA R.L., HANGOC G., GIRASOLE G., PASSIERI G., WILLIAMS D.C., ABRAMS J.S., BOYCE B., BROXMEYER H. & MANOLAGAS S.C. (1992):
 Increased osteoclast development after estrogen loss: mediation by interleukin 6.
Science 257: 88-91.

JOHANNSON E.D.B. (1975):

Plasma levels of progesterone and oestrogens in woman treated with an oral contraceptive of low oestrogen content (Ovostat 1375).
Acta Obstet Gynec Scand. 54: 217-221.

JUNG-HOFFMANN C., HEIDT F. & KUHL H. (1988):

Effect of two oral contraceptives containing 30 μ g ethinylestradiol and 75 μ g gestodene or 150 μ g desogestrel upon various hormonal parameters.
Contraception 38 (6): 593-603.

KALU D.N., LIU C.C., HARDIN R.R. & HOLLIS B.W. (1989):

The aged rat model of ovarian hormone deficiency bone loss.
Endocrinology 124: 7-16.

KALU D.N. (1991):

The ovariectomized rat model of postmenopausal bone loss.
Bone and Mineral 15: 175-192.

KALU D.N., LIU C.C., SALERNO E., HOLLIS B., ECHON R. & RAY M. (1991):

Skeletal response of ovariectomized rats to low and high doses of 17 β -estradiol.
Bone Miner. 14: 175-187.

KATSUKI Y., TAKANO Y., FUTAMURA Y., SHIBUTANI Y., AOKI D., UDAGAWA Y. & NOZAWA S. (1998):

Effects of dienogest, a synthetic steroid, on experimental endometriosis in rats.
Eur J Endocrinol. 138: 216-226.

KE H.Z., CHEN H.K., SIMMONS H.A., QI H., CRAWFORD D.T., PIRIE C.M., CHIDSEY-FRINK K.L., MA Y.F., JEE W.S.S. & THOMPSON D.D. (1997):

Comparative effects of droloxifene, tamoxifen, and estrogen on bone, serum cholesterol, and uterine histology in the ovariectomized rat model.
Bone 20: 31-39.

KIMMEL D.B. (1991):

Quantitative histologic changes in the proximal tibial growth cartilage of aged female rats.
Cells Mater Suppl. 1: 11-18.

KNAUTHE R. & HABENICHT U.-F. (1998):

Levonorgestrel has beneficial effects on trabecular bone loss in 3 month old ovariectomized female rats.

Exp Clin Endocrinol Diabetes Suppl. 1: S37.

KUHNZ W. & BEIER S. (1994):

Comparative progestational and androgenic activity of norgestimate and levonorgestrel in the rat.

Contraception 49: 275-289.

KUOHUNG W., BORGATTA L. & STUBBLEFIELD P. (2000):

Low-dose oral contraceptives and bone mineral density: An evidence-based analysis.
Contraception 61: 77-82.

LABHSETWAR A.P. & BAINBRIDGE J.G. (1971):

Inhibition of ovulation by intracranial implantation of progesterone in the 4-day cyclic rat.

J Reprod Fert. 27: 445-449.

- LANE N.E., HAUPT D., KIMMEL D.B., MODIN G. & KINNEY J.H. (1999):
 Early estrogen replacement therapy reverses the rapid loss of trabecular bone volume and prevents further deterioration of connectivity in the rat.
J Bone Miner Res. 14: 206-214.
- LEA C.K. & FLANAGAN A.M.(1999):
 Ovarian androgens protect against bone loss in rats made oestrogen deficient by treatment with ICI 182,780.
J Endocrinology 160: 111-117.
- LI X.J., JEE W.S.S., KE H.Z., MORI S. & AKAMINE T. (1991):
 Age related changes of cancellous and cortical bone histomorphometry in female Sprague-Dawley rats.
Cells Mater Suppl. 1: 25-35.
- LI X.J. & JEE W.S.S. (1991):
 Adaption of diaphyseal structure with agingand decreased mechanical loading in the adult rat..A densitometric and histomorphometric study.
Anat Rec. 229: 291-297.
- LINDSAY R. (1988):
 Sex steroids in the pathogenesis and prevention of osteoporosis.
 In Riggs B.L. (Ed.): *Osteoporosis: Etiology, diagnosis and management.*
 Raven Press, New York: 333-358.
- LINDSAY R., THOME J. & KANDERS B. (1986):
 The effect of oral contraceptive use on vertebral bone mass in pre- and postmenopausal woman.
Contraception 34: 333-339.
- LINDSAY R., HART D.M., PURDIE D., FERGUSON M.M., CLARK A.S. & KRASZEWSKI A. (1978):
 Comparative effects of oestrogen and a progestogen on bone loss in postmenopausal woman.
Clin Sci Mol Med. 54: 193-195
- LING W.Y., JOHNSTON D.W., LEA R.H., BENT A.E., SCOTT J.Z. & TOEWS M.R. (1985):
 Serum Gonadotropin and ovarian steroid levels in woman during administration of a norethindrone-ethynodiol triphasic oral contraceptive.
Contraception 32: 367-375.
- LLOYD T., BUCHANAN J.R., URSINO G.R., MYERS C., WOODWARD G. & HALBERT D.R. (1988):
 Long-term oral contraceptive use does not affect trabecular bone density.
Am J Obstet Gynecol. 160 (2): 402-404.
- LONG J.A. & EVANS H.M. (1922):
 The estrus cycle of the rat and its sociated phaenomana.
Mem. Univ. Calif. 6: 1-148.
- MAC DOUGALL J., DAVIES M.C., OVERTON C.E., GULEKLI B., HALLS M., BOUNDS W., JACOBS H.S. & GUILLEBAUD H.S. (1999):
 Bone density in a population of long term oral contraceptive pill users does not differ from that in menstruating woman.
The British Journal of Family Planning 25: 96-100.

- MAIS V., FRUZETTI F., AJOSSA S., PAOLETTI A.M., GUERRIERO S. & MELIS G.B. (1993):
Bone metabolism in young woman taking a monophasic pill containing 20µg ethinylestradiol: A prospective study.
Contraception 48: 445-452.
- MALLUCHE H.H., FAUGERE M.C., RUSH M. & FRIEDLER R. (1986):
Osteoblastic insufficiency is responsible for maintenance of osteopenia after loss of ovarian function in experimental beagle dogs.
Endocrinology 119: 2649-2654
- MANOLAGAS S.C. (2000):
Birth and death of bone cells: Basic regulatory mechanism and implications for the pathogenesis and treatment of osteoporosis.
Endocrine reviews 21: 115-137.
- MANOLAGAS S.C. & JILKA R.L. (1995):
Bone marrow, cytokines, and bone remodeling - emerging insights into the pathophysiology of osteoporosis.
N Engl J Med. 322: 305-311.
- MARTIN T.J., RAISZ L.G. & RODAN G. (1987):
Calcium regulation and bone metabolism.
in: Martin T.J. & Raiz L.G. (Eds.): *Clinical endocrinology of calcium metabolism*. Marcel Decker, New York - Basel: 1-52.
- MARTIN T.J., WAH NG K. & NICHOLSON G.C. (1988):
Cell biology of bone.
in: Martin T.J. (Ed.): *Bailliere's clinical endocrinology and metabolism*. Vol. 2, Nr.1 :Metabolic bone disease.
Bailliere Tindall, London-Philadelphia-Sydney: 1-29.
- MCDONNELL D.P. & NORRIS J.D. (1997):
Analysis of the molecular pharmacology of estrogen receptor agonists and antagonists provides insights into the mechanism of action of estrogen in bone.
Osteoporos Int. 7, Suppl. 1: S29-S34.
- MICHAËLSSON K., BARON J.A., FARAHMAND B.Y., PERSSON I. & LJUNGHALM S. (1999):
Oral-contraceptive use and risk of hip fracture:a case-control study.
The Lancet 353: 1481-1484.
- MILLER S.C. & JEE W.S.S. (1987):
The bone lining cell: a distinct phenotype.
Calcif.Tissue Int. 41: 1-5.
- MILLER S.C., BOWMANN B.M. & JEE W.S.S. (1995):
Available animal Models of osteopenia-small and large.
Bone 17 (Suppl.): 117S-123S.
- MISHELL D.R., KHARMA K.M., THORNEYCROFT I.H. & NAKAMURA R.M. (1972):
Estrogenic activity in woman receiving an injectable progestogen for contraception.
Am J Obstet Gynecol. 113: 372-376.
- MORI S., JEE W.S.S., LI X.J. & CHAN S. (1990):
Effects of PGE2 on production of new cancellous bone in the axial skeleton of ovariectomized rats.
Bone 1: 103-113.

- NEUMANN F., ELGER W. & BERSWORDT-WALLRABE R. (1966):
 Aufhebung der Testosteronpropionat-induzierten Unterdrückung des Vaginal-Zyklus und der Ovulation durch ein Antiandrogen-wirksames Steroid an Ratten.
Acta Endocrinologica 25: 63-71.
- NILAS L. & CHRISTIANSEN C. (1988):
 Bone Mass and its relationship to age and the menopause.
J Clin Endocrinol Metab. 65: 697-702.
- NORDIN B.E., MACGREGOR J. & SMITH D.A. (1966):
 The incidence of osteoporosis in normal woman: its relation to age and the menopause.
Q J Med. 35(137): 25-38.
- ORTIZ A., HIROI M., STANCZYK F.Z., GOEBELSMANN U. & MISHELL D.R. (1977):
 Serum medroxyprogesterone acetate (MPA) concentrations and ovarian function following intramuscular injection of Depot-MPA.
J Clin Endocrinol Metab. 44: 32-38.
- OR-WALKER B.J., EVANS M.C., AMES R.W., CLEARWATER J.M., CUNDY T. & REID I.R. (1998):
 The effect of past use of the injectable contraceptive depot medroxyprogesterone acetate on bone mineral density in normal post-menopausal woman.
Clinical Endocrinology 49: 615-618.
- OURSLER M.J., LANDERS J.P., RIGGS B.L. & SPELSBERG T.C. (1993):
 Oestrogen effects on osteoblasts and osteoclasts.
Ann Met. 25: 361-371.
- OWEN M. (1985):
 Lineage of osteogenic cells and their relationship to the stromal system.
 In: Peck W.A. (Ed.): *Bone and mineral research*.
 Vol.3, New York: Elsevier: 1-26.
- PAOLETTI A.M., ORRU M., FLORIS S., MANNIAS M., VACCA A.M.B., AJOSSA S., GUERRIERO S. & MELIS G.B. (2000):
 Evidence that treatment with monophasic oral contraceptive formulations containing ethinyestradiol plus gestoden reduces bone resorption in young woman.
Contraception 61: 259-263.
- PARFITT A.M. (1983 A):
 Stereological basis of bone histomorphometry: theory of quantitative microscopy and reconstruction of the third dimension.
 In: Recker R.R. (Ed.): *Bone Histomorphometry: Techniques and interpretation*.
 Boca Raton, Florida: CRC Press, 53-87.
- PARFITT A.M. (1983 B):
 Relationship between surface, volume and thickness of iliac trabecular bone in aging and osteoporosis.
J Clin Invest. 72: 1396-1409.
- PARFITT A.M. (1983 C):
 The physiologic and clinical significance of bone histomorphometric data.
 In: Recker R.R. (Ed.): *Bone Histomorphometry: Techniques and Interpretation*.
 Boca Raton, Florida: CRC Press, 143-223
- PARFITT A.M. (1984 A):
 The cellular basis of bone remodeling: The quantum concept reviewed in the light of recent advances in the cell biology of bone.
Calcif Tissue Int. 36, Suppl. 1: S37-S45.

PARFITT A.M. (1984 B):

Age-related changes in trabecular and cortical bone: cellular mechanisms and biomechanical consequences.

Calcif Tissue Int. 36, Suppl. 1: S123-S128.

PARFITT A.M., DREZNER M.K., GLORIEUX F.H., KANIS J.A., MALLUCHE H.H., MEUNIER P.J., OTT S.M. & RECKER R.R. (1987):

Bone histomorphometry: standardization of nomenclature, symbols and units.

J Bone Miner Res. 2: 595-610.

PASCO J.A., KOTOWICZ M.A., HENRY M.J., PANAHY S., SEEMAN E. & NICHOLSON G.C. (2000):

Oral contraceptives and bone mineral density: A population-based study.

Am J Obstet Gynecol. 182: 265-269.

PAVIA L.C., PINTO-NETO A.M. & FAUNDES A. (1998):

Bone density among long-term users of medroxyprogesterone acetate as a contraceptive.

Contraception 59: 351-355.

PHILLIPS A., HAHN D.W., KLIMEK S. & MCGUIRE J.L. (1987):

A comparison of the potencies and activities of progestogens used in contraceptives.

Contraception 36: 1981-1992.

PINCUS G., ROCK J., GARCIA C.-R., RICE-WRAY E., PANIAGUA M. & RODRIGUEZ I. (1958):

Fertility control with oral medication.

Amer J Obstet Gynecol. 75: 1333-1346.

POLATTI F., PEROTTI F., FILIPPA N., GALLINA D. & NAPPI R.E. (1995):

Bone mass and long-term monophasic oral contraceptive treatment in young woman.

Contraception 51: 221-224.

PRICE P.A., PARTHEMORE J.G. & DEFTOS L.J. (1980):

New biochemical marker for bone metabolism. Measurement by radioimmunoassay of bone GLA-protein in the plasma of normal subjects and patients with bone disease.

J Clin Invest. 66: 878-883.

QUINN J.M.W., NEALE S., FUJIKAWA Y., MCGEE J.O. & ATHANASOU N.A. (1998):

Human osteoclast formation from blood monocytes, peritoneal macrophages and bone marrow cells.

Calcif Tissue 62: 527-531.

RAYNAUD J.P. & OJASOO T. (1983):

Promegeston, a new progestin.

J Gynecol Obstet Biol Reprod. (Paris) 12(7): 697-710.

RECKER R.R., DAVIES M., HINDERS S.M., HEANEY R.P., STEGMAN M.R. & KIMMEL D.B. (1992):

Bone gain in young adult woman.

Jama 268: 2403-2408.

REED M.J., FORTHERBY K., PECK J.E. & GORDON Y. (1973):

Localization of norethisterone in the reproductive tract of woman.

J Endocrinol. 59(3): 569-577.

REGINSTER J.Y., SARLET N., DEROISY R., ALBERT A., GASPARD U. & FRAUNCHIMONT (1992):

Minimal levels of serum estradiol prevent postmenopausal bone loss.

Calcif Tissue 51: 340-343.

- RIIS B.J., RODBRO P. & CHRISTIANSEN C. (1986):
 The role of serum concentrations of sex steroids and bone turnover in the development and occurrence of postmenopausal osteoporosis.
Calcif Tissue Int. 38: 318-322.
- RIZZOLI R. & BONJOUR J.-P. (1999):
 Determinants of peak bone mass and mechanisms of bone loss.
Osteoporos Int. 9, Suppl. 2: S17-S23.
- RODAN G.A., RAISZ L.G. & BILEZIKIAN J.P. (1996):
 Pathophysiology of Osteoporosis.
 In: *Principles of bone biology*.
 Academic Press. Inc.: 979-989.
- RODIN A., CHAPMANN M. & FOGELMAN I. (1991):
 Bone density in users of combined oral contraception.
Br J Family Planning 16: 125-129.
- SATO M. (1995):
 Comparative X-ray densitometry of bones from ovariectomized rats.
Bone 17: 157S-162S.
- SCHENK R.K., OLAH A.J. & HERRMANN W. (1984):
 Preparation of calcified tissues for light microscopy.
 In: Dickson G.R. (Ed.): *Methods of calcified tissue preparation*.
 Amsterdam - New York – Oxford: Elsevier Science Publishers B.V.: 1-56.
- SHEN V., DEMPSTER D.W., BIRCHMAN R., XU R. & LINDSAY R. (1993):
 Loss of Cancellous Bone Mass and connectivity in ovariectomized rats can be restored by combined treatment with parathyroid hormone and estradiol.
J Clin Invest. 91: 2479-2487.
- SHIRLING D., ASHBY J.P. & BAIRD J.D. (1981):
 Effect of progesterone on lipid metabolism in the intact rat.
J Endocr. 90: 285-294.
- SIMS N.A., MORRIS H.A., MOORE R.J. & DURBRIGDE T.C. (1996):
 Increased bone resorption precedes increased bone formation in the ovariectomized rat.
Calcif Tissue Int. 59:121-127.
- SISENWINE S.F., KIMMEL H.B., LIU A.L. & RUELIUS H.W. (1974):
 Stereoselective biotransformations of dl-norgestrel and its enantiomers in the African green monkey.
Drug Metab Dispos. 2(1): 65-70.
- SPONA J., SCHNEIDER W.H.F., BIEGLEMAYER CH., SCHROEDER R. & PIRKER R. (1979):
 Ovulation inhibition with different doses of Levonorgestrel and other progestogens: clinical and experimental investigations.
Acta Obstet Gynecol Scand. 88 (Suppl.): 7-15.
- SPEROFF L., ROWAN J., SYMONS J., GENANT H. & WILBORN G. (1996):
 The comparative effect on bone density, endometrium, and lipids of continuous hormones as replacement therapy (CHART study). A randomized controlled trial.
JAMA 276: 1397-1403.
- STEPAN J.J., POSPICHAL J., PRESL J. & PACOVSKY V. (1987):
 Bone loss and biochemical indices of bone remodeling in surgically induced postmenopausal women.
Bone 8: 279-284.

- SUDA T. & MIYAJURA C. (1997):
 Pathogenesis of bone loss due to estrogen deficiency.
Osteoporos Int. 7 (Suppl.3): S43-S46.
- TAKANO-YAMAMOTO T. & RODAN G.A. (1990):
 Direct effects of 17 β -estradiol on trabecular bone in ovariectomized rats.
Proc Natl Acad Sci USA 87: 2172-2176.
- TANEEPANICHSKUL S., INTARAPRASERT S., THEPPISAI U. &
 CHATURACHINDA K. (1997):
 Bone mineral density in long-term depot medroxyprogesterone acetate acceptors.
Contraception 56: 1-3.
- TANG O.S., TANG G., YIP P., LI B. & FAN S. (1999):
 Long term depot-Medroxyprogesterone acetate and bone mineral density.
Contraception 59: 25-29.
- TAUBERT H. D. & KUHL H. (1995):
 Kontrazeption mit Hormonen.
 2. Auflage, Georg Thieme Verlag Stuttgart - New York.
- THOMAS M.L., XU X., NORFLEET A.M. & WATSON C.S. (1993):
 The presence of functional estrogen receptors in intestinal epithelial cells.
Endocrinology 132: 426-430.
- THOMPSON D.D., SIMMONS H.A., PIRIE C.M. & KE H.Z. (1995):
 FDA Guidelines and animal models for osteoporosis.
Bone 17 Suppl. 4: 125S-133S.
- TOBIAS J.H., CHOW J., COLSTON K.W. & CHAMBERS T.J. (1991):
 High concentrations of 17 β -Estradiol stimulate trabecular bone formation in adult female rats.
Endocrinology 128: 408-412.
- TRÉMOLLIÈRES F.A., STRONG D.D., BAYLIN D.J. & MOHAN S. (1992):
 Progesterone and promegestone stimulate human bone cell proliferation and insulin-like growth factor-2 production.
Acta Endocrinologica 126: 329-337.
- TRÉMOLLIÈRES F.A., POUILLES J.M. & RIBOT C. (1993):
 Effect of long-term administration of progestogen on post-menopausal bone loss: result of a two-year, controlled randomized study.
Clin Endocrinology 38: 627-631.
- TURNER R.T., RIGGS B.L. & SPELLSBERG N.H. (1994):
 Skeletal effects of estrogen.
Endocr Rev. 15: 129-154.
- TURNER R.T., VANDERSTEENHOVEN J.J. & BELL N.H. (1987):
 The effects of ovariectomy and 17 beta-estradiol on cortical bone histomorphometry in growing rats.
J Bone Miner Res. 2(2): 115-122.
- VOLPE A., AMRAM A., CAGNACCI A. & BATTAGLIA C. (1997):
 Biochemical aspects of hormonal contraception: effects on bone metabolism.
Eur J Contracept Repro Health Care 2: 123-126.

- WAIBEL-TREBER S., MINNE H.W., SCHARLA S.H., BREMEN T., ZIEGLER R. & LEYENDECKER G. (1989):
Reversible bone loss in women treated with GnRH-agonists for endometriosis and uterine leiomyoma.
Hum Reprod. 4(4): 384-388.
- WANG Y., YANO T., KIKUCHI A., YANO N., MATSUMI H., ANDO K., KASAI Y., WATANABE M., OKAGAKI R., OSUGA Y. & TAKETANI Y. (2000):
Comparison of the effects of add-back therapy with various natural oestrogens on bone metabolism in rats administered a long acting gonadotrophin-releasing hormone agonist.
J Endocrinol. 165: 467-473.
- WEINSTEIN R.S. & HUTSON M.S. (1987):
Decreased trabecular width and increased trabecular spacing contribute to bone loss with aging.
Bone 8: 137-142.
- WESTERLIND K.C., WAKLEY G.K., EVANS G.L. & TURNER R.T. (1993):
Estrogen does not increase bone formation in growing rats.
Endocrinology 133: 2924-2934.
- WILKS J.W., SPILSMAN C.H. & CAMPBELL J.A. (1983):
Arrest of folliculogenesis and inhibition of ovulation in the monkey following weekly administration of progestins.
Fertil Steril. 40: 688-693.
- WILLIAMS S.R., FRENCH B., SPEROFF T. & SPEROFF L. (1990):
A study of combined continuous ethynodiol dienoate and norethindrone acetate for postmenopausal hormone replacement.
Am J Obstet Gynecol. 162: 438-446.
- WRONSKI T.J. & YEN C.-F. (1991):
The ovariectomized rat as an animal model for postmenopausal bone loss.
Cells and Materials Suppl. 1: 69-74.
- WRONSKI T.J., SCHENCK P.A., CINTRON M. & WALSH C.C. (1987):
Effect of body weight on osteopenia in ovariectomized rats.
Calcif Tissue Int. 40: 155-159.
- WRONSKI T.J., CINTRON M., DOHERTY A.L. & DANN L.M. (1988):
Oestrogen treatment prevents osteopenia and depresses bone turnover in ovariectomized rats.
Endocrinology 123: 681-686.
- YASUMURA S., ALOIA J.F., GUNDBERG C.M., YEH J., VASWANI A.N., YUEN K., LO MONTE A.F., ELLIS K.J. & COHN S.H. (1987):
Serum osteocalcin and total body Calcium in normal pre- and postmenopausal woman and postmenopausal osteoporotic patients.
J Clin Endocrinol Metab. 64: 681-685.
- YEH J.K., CHEN M.M. & ALOIA J.F. (1997):
Effects of 17 β -Estradiol administration on cortical and cancellous bone of ovariectomized rats with and without hypophyectomy.
Bone 20: 413-420.

ZITTERMANN A., SCHWARZ I., SCHELD K., SUDHOP T., BERTHOLD H.K., VON BERGMANN K., VAN DER VEN H. & STEHLE P. (2000):
Physiologic fluctuations of serum estradiol levels influence biochemical markers of bone resorption in young woman.
J Clin Endocrinol Metab. 85: 95-101.