

8 LITERATURVERZEICHNIS

Alston AE (1989) An integrated system for tracking of landmarks in video data: TOMAS-The Torsional Ocular Movement Analysis System. S. M. Thesis, MIT, Cambridge

Arai Y, Suzuki JI, Hess BJM, Henn V (1990) Caloric nystagmus in three dimensions under otolithic control in rhesus monkeys. ORL 52: 218- 25

Arai J (2001) A new light on caloric test-what was disclosed by three dimensional analysis of caloric nystagmus? Biol Sci Space 15(4):387-92

Arai Y, Yakushin SB, Cohen B, Suzuki JI, Raphan T (2002) Spatial orientation of caloric nystagmus in semicircular canal-plugged monkeys. J Neurophysiol 88:914-28

Aw ST, Haslwanter T, Fetter M, Dichgans J. (2000) Three-dimensional spatial characteristics of caloric nystagmus. Exp Brain Res 134(3):289-94.

Aw ST, Haslwanter T, Fetter M, Heimberger J, Todd MJ. Contribution of the vertical semicircular canals to the caloric nystagmus. Acta Otolaryngol. 1998 Sep;118(5):618-27.

Baker R, Berthoz A. (1974) Organization of vestibular nystagmus in oblique oculomotor system. J Neurophysiol 37(1):195-217.

Baker R, Goldberg J, Hermann G, Peterson B (1984) Spatial and temporal response properties of secondary neurons that receive convergent input in vestibular nuclei of alert cats. Brain Res 294(1):138-43

Baloh RW, Honrubia V (1990) The central vestibular system. Ch. 3. In: Baloh RW, Honrubia V (eds) Clinical neurophysiology of the vestibular system. Davis, Philadelphia

Bárány R (1921) Diagnose von Krankheitserscheinungen im Bereich des Otolithenapparates. Acta Otolaryngol (Stockholm) 2: 434-437

Bárány R (1907) Physiologie und Pathologie des Bogengangsapparates beim Menschen. Deuticke, Vienna.

Bárány R (1906) Über die vom Ohrlabyrinth ausgelöste Gegenrollung der Augen bei Normalhörenden, Ohrenkranken und Taubstummen. Arch Ohrenheilkd 98:1-30

Barbur JL, Thomson WD. (1987) Pupil response as an objective measure of visual acuity. Ophthalmic Physiol Opt 7(4):425-9

Barmack NH (1987) The influence of gravity on horizontal and vertical vestibulo-ocular and optokinetic reflexes in the rabbit. Brain Res 424:89-98

Barnes GR, Benson AJ.(1978) Adaptation in the caloric response. In: Hood JD, ed. Vestibular mechanisms in health and disease. New York: Academic Press: 254-62

- Bergstedt** M (1961) The effect of gravitational force on the vestibular caloric test. *Acta Otolaryngol (Stockh)* 53: 551-62
- Berthoz** A, Brandt T, Dichgans J, Probst T, Bruzek W, Vieville T. (1986) European vestibular experiments on the Spacelab-1 mission: 5. Contribution of the otoliths to the vertical vestibulo-ocular reflex. *Exp Brain Res* 64(2):272-8
- Berthoz** A, Israel I, Vieville T, Zee D. (1987) Linear head displacement measured by the otoliths can be reproduced through the saccadic system. *Neurosci Lett* 82(3):285-90.
- Böhmer** A, Straumann D, Kawachi N, Arai Y, Henn V (1992) Three dimensional analysis of caloric nystagmus in rhesus monkeys. *Acta Otolaryngol (Stockh)* 112: 916- 26
- Borries** G (1926) Fixation and nystagmus. Linds, Copenhagen.
- Brandt** T, Dieterich M (1987) Pathological eye-head coordination in roll: tonic ocular tilt reaction in mesencephalic and medullary lesions. *Brain* 110:649-66
- Büttner** U, Buettner UW (1978) Parietal cortex (2v) neuronal activity in the alert monkey during natural vestibular and optokinetic stimulation. *Brain Res* 153(2):392-7
- Büttner** U, Waespe W (1981) Vestibular nerve activity in the alert monkey during vestibular and optokinetic nystagmus. *Exp Brain Res.* 41(3-4):310-5
- Büttner-Ennever** JA, Büttner U (1988) The reticular formation. In: Büttner-Ennever JA (Hrsg) *Neuroanatomy of the oculomotor system. Review of oculomotor research*, Vol 2, Elsevier, Amsterdam-New York-Oxford, pp119-202
- Clarke** AH, Scherer H, Schleibinger J (1988) Body position and caloric nystagmus. *Acta Otolaryngol (Stockh)* 106: 339-347
- Clarke** AH, Scherer H. (1988) Caloric testing of the vestibular function during orbital flight. *Adv Otorhinolaryngol* 42:31-5
- Clarke** AH, Scherer H, Gundlach P. (1988) Caloric stimulation during short episodes of microgravity. *Arch Otorhinolaryngol* 245(3):175-9
- Clarke** AH, Teiwes W, Scherer H (1993) Evaluation of the torsional VOR in weightlessness. *J Vest Res* 3/3:207-18
- Clarke** AH, Teiwes W, Scherer H (1991a) Videooculography - an alternative method for measurement of three-dimensional eye movements. In: Schmidt R, Zambarbieri D (Hrsg.) *Oculomotor Control and Cognitive Processes*. Elsevier, Amsterdam, S 431-443
- Clarke** AH, Teiwes W, Scherer H (1992) Variation of gravitoinertial force and its influence on ocular torsion and caloric nystagmus. *Ann NY Acad Sci* 656: 820-822

- Clarke AH, Waltmann K, Scherer H** (1993) Thee-dimensional aspects of caloric nystagmus in humans: II. Caloric-induced torsional deviation. *Acta Otolaryngol (Stockh)* 113: 693-698
- Clarke AH, Teiwes W, Scherer H** (1993) Thee-dimensional aspects of caloric nystagmus in humans: I. The influence of increased gravitoinertial force. *Acta Otolaryngol (Stockh)* 113: 687-692
- Clarke AH, Engelhorn A, Scherer H.** (1996) Ocular counterrolling in response to asymmetric radial acceleration. *Acta Otolaryngol* 116(5):652-6. Erratum in: *Acta Otolaryngol (Stockh)* 1996 116(6):919
- Clarke AH, Engelhorn A.** (1998) Unilateral testing of utricular function. *Exp Brain Res* 121(4):457-64
- Clarke AH.** (2001) Perspectives for the comprehensive examination of semicircular canal andotolith function. *Biol Sci Space* 15(4):393-400. Review.
- Clarke AH, Schonfeld U, Hamann C, Scherer H.** (2001) Measuring unilateral otolith function via the otolith-ocular response and the subjective visual vertical. *Acta Otolaryngol Suppl* 545:84-7
- Clarke AH, Ditterich J, Drüen K, Schönfeld U, Steineke C.** (2002) Using high frame rate CMOS sensors for three-dimensional eye tracking. *Behav Res Methods Instrum Comput* 34(4):549-560
- Clement G, Vieville T, Lestienne F, Berthoz A.** (1986) Modifications of gain asymmetry and beating field of vertical optokinetic nystagmus in microgravity. *Neurosci Lett* 63(3):271-4
- Coats AC, Smith SY** (1967) Body position and the intensity of caloric nystagmus. *Acta Otolaryngol (Stockh)* 63: 515- 32
- Cohen B, Suzuki JI.** (1963) Eye movements induced by ampullary nerve stimulation. *Am J Physiol* 204:347-51
- Cohen B** (1974) The vestibulo-ocular reflex arc.In: Kornhuber HH (ed) *Handbook of sensory physiology. Vestibular system*. Springer, Berlin-Heidelberg-New York, pp 477-540
- Collewijn H, Van der Steen J, Ferman L, Jansen TC.** (1985) Human ocular counterroll: assessment of static and dynamic properties from electromagnetic scleral coil recordings. *Exp Brain Res* 59(1):185-96
- Collewijn H, Ferman L, van den Berg AV** (1988) The behavior of human gaze in three dimensions. *Ann NY Acad Sci* 545: 105- 27
- Curthoys IS, Blanks RH, Markham CH.** (1977) Semicircular canal functional anatomy in cat, guinea pig and man. *Acta Otolaryngol* 83(3-4):258-65

- Curthoys IS** (1987) Eye movements produced by utricular and sacular stimulation. Aviat Space Environ Med 58 (Suppl 9): A192-97
- Dieterich M** (1992) Funktionelle Hirnstamm-Diagnostik: Vestibuläre Läsionen mit Störung der Augen-Kopf-Position in der Rollebene. Habilitationsschrift LMU München
- Diamond SG, Markham CH** (1983) Ocular Counterrolling as an Indicator of Vestibular function. Neurology 33: 1460-1469
- Feldmann H, Hüttenbrink KB, Delank KW** (1991) Transport of heat in caloric vestibular stimulation. Conduction, convection or radiation? Acta Otolaryngol (Stockh) 111(2): 169-75
- Ferman L, Collewijn H, Jansen TC, van den Berg AV** (1987) Human gaze stability in the horizontal, vertical and torsional direction during voluntary head movements, evaluated with a three-dimensional scleral induction coil technique. Vision Res 27: 811-28
- Fernández C, Goldberg GM** (1971) Physiology of peripheral neurons innervating semicircular canals of the squirrel monkey II. Response to sinusoidal stimulation and dynamics of peripheral vestibular system. J Neurophysiology 34: 661
- Fernández C, Goldberg GM** (1976) Physiology of peripheral neurons innervating otolith organs of the squirrel monkey I. Response to static tilts and to long-lasting centrifugal force. J Neurophysiology 39: 970-84
- Fernández C, Goldberg GM** (1976) Physiology of peripheral neurons innervating otolith organs of the squirrel monkey II. Directional sensitivity and force-to-response relations. J Neurophysiology 39: 985-95
- Fetter M, Hain TC, Zee DS.** (1986) Influence of eye and head position on the vestibulo-ocular reflex. Exp Brain Res 64(1): 208-16.
- Fetter M, Sievering F** (1995) Three dimensional eye movement analysis in benign paroxysmal positioning vertigo and nystagmus. Acta Otolaryngol (Stockh) 115: 353- 7
- Fetter M, Aw S, Haslwanter T, Heimberger J, Dichgans J.** (1998) Three-dimensional eye movement analysis during caloric stimulation used to test vertical semicircular canal function. Am J Otol 19(2):180-7
- Fischer MHZ** (1927) Messende Untersuchungen über die Gegenrollung der Augen und die Lokalisation der scheinbaren Vertikalen. v Graefe's Arch Ophthalmol 118: 633- 80
- Fluur E, Mellström A.** (1970) Utricular stimulation and oculomotor reactions. Laryngoscope 80: 1701-12
- Fluur E, Mellström A.** (1970) Saccular stimulation and oculomotor reactions. Laryngoscope 80: 1713-21

- Fluur** E, Mellström A. (1971) The otolith organs and their influence on oculomotor movements. *Exp Neurol* 30: 139-47
- Free** WT, Jones GM (1960) A cine technique for measurement of eye movements in a dynamic environment. *J Physiol (Lond)* 150: 2-3
- Friberg** L, Olsen TS, Roland PE, Paulson OB, Lassen NA. (1985) Focal increase of blood flow in the cerebral cortex of man during vestibular stimulation. *Brain* 108(3):609-23.
- Gray** O (1955) A Brief Survey of the Phylogeny of the Labyrinth. *J Laryngol Otol* 69: 151-179.
- Graybiel** A, Woellner RC. (1959) A new and objective method for measuring ocular torsion. *Am J Ophthalmol* 47(3):349-52
- Graybiel** A, O'Donnell RD, Fluur E, Nagaba M, Smith MG. (1980) Mechanisms underlying modulations of thermal nystagmus responses in parabolic flight. *Acta Otolaryngol (Stockh)* Suppl 378
- Goto** F, Meng H, Bai R, Sato H, Imagawa M, Sasaki M, Uchino Y. (2003) Eye movements evoked by the selective stimulation of the utricular nerve in cats. *Auris Nasus Larynx* 30(4):341-8.
- Halmagyi** GM, Curthoys IS, Daj MJ (1993) The effects of unilateral vestibular deafferentation on human otolith function. In: Sharpe JA, Barber HO (eds) *The vestibulo-ocular reflex and vertigo*. Raven, New York
- Hamann** C, Schönfeld U, Clarke AH. (2001) Otolith-ocular reflex in linear acceleration of low frequencies. *HNO*: 49(10):818-24
- Hamann** KF. (1994) Physiologie und Pathophysiologie des vestibulären Systems. In: Naumann HH, Helms J, Herberhold C, Kastenbauer E (Hrsg) *Oto-Rhino-Laryngologie in Klinik und Praxis*. Thieme Stuttgart New York
- Hardy** M (1934) Observations on the innervation of the macula saculi in man. *Anat Rec* 59: 403-78
- Hartmann** R, Klinke R (1980) Discharge properties of afferent fibers of the Goldfish saccular canal with high frequency stimulation. *Pflügers Arch* 388: 111-21
- Hatamian** M, Anderson DJ. (1983) Design considerations for a real-time ocular counterroll instrument. *IEEE Trans Biomed Eng* 30(5):278-88
- Henn** V. (1988) Representation of three-dimensional space in the vestibular, oculomotor, and visual systems. Introduction. *Ann N Y Acad Sci* 545:1-9. Review

- Hess BJ, Dieringer N** (1991) Spatial organization of linear vestibuloocular reflexes of the rat: responses during horizontal and vertical linear acceleration J Neurophysiol 66(6): 1805-18
- Hunter, J.** (1786). Observations on certain parts of the animal oeconomy. Ed: Scheller (1813), Vieweg, Braunschweig
- Howard IP** (1982) Human visual orientation. Wiley, New York
- Jackson DK** (1992) Characterization of the torsional optokinetic response to rolling visual fields in humans. M. Sc. Thesis, MIT, Cambridge
- Jones GM.** (1963) Ocular Nystagmus recorded simultaneously in three orthogonal planes. Acta Otolaryngol 56:619-31
- Jones MG** (1965) Vestibulo-ocular disorganization in the aerodynamic spin. Aerospace Med 36: 976- 83
- Jongkees LB, Philipszoon AJ.** (1962) Nystagmus provoked by linear accelerations. Acta Physiol Pharmacol Neerl 10:239-47
- Keck W, Thoma J** (1988) Conduction of thermal stimuli in the human temporal bone. Arch ORL 245: 335-39
- Kellogg RS, Graybiel A.** (1967) Lack of response to thermal stimulation of the semicircular canals in the weightless part of parabolic flight. Aerospace Med 38: 487-90
- Kirienko NM, Money KE, Landolt JP, Graybiel A, Johnson WH** (1984) Clinical testing of the otoliths: A critical assessment of ocular counterrolling. J Otolaryngol 13:281-88
- Klinke R.** (1992) Thermal effects on the vestibular hair cell synapse have to be considered for the explanation of caloric nystagmus. Acta Otolaryngol 112(3):574-8.
- Krejcova H, Highstein S, Cohen B.** (1971) Labyrinthine and extra-labyrinthine effects on ocular counter-rolling. Acta Otolaryngol 72(3):165-71
- Levine JL.** (1984) Performance of an eyetracker for office use. Comput Biol Med 14(1):77-89
- Lichtenberg BK, Young LR, Arrott AP.** (1982) Human ocular counterrolling induced by varying linear accelerations. Exp Brain Res 48(1):127-36
- Lindeman HH** (1973) The anatomy of the otolith organs. Adv Otorhinolaryngol 20:405-433
- Löwenstein O, Roberts TDM** (1949) The equilibrium function of the otolith organs of the thornback ray (*raja clavata*). J Physiol 110: 392-415
- Lorente de Nò** (1933) Vestibulo-ocular reflex arc. Arch Neurol Psychiat 30: 245-291
- Markham CH, Estes MS, Blanks RHI** (1973) Vestibular influences on ocular accommodation incats. Equilibrium Res §: 102-15

- Markham CH** (1989) Anatomy and physiology of otolith-controlled ocular counterrolling. Acta Otolaryngol (Stockh) Suppl 468: 263-66.
- Matsuo V**, Cohen B. (1984) Vertical optokinetic nystagmus and vestibular nystagmus in the monkey: up-down asymmetry and effects of gravity. Exp Brain Res 53(2):197-216
- McLaren JW**, Hillman DE. (1979) Displacement of the semicircular canal cupula during sinusoidal rotation. Neuroscience 4(12):2001-8
- Merchant J**, Morissette R, Porterfield JL. (1974) Remote measurement of eye direction allowing subject motion over one cubic foot of space. IEEE Trans Biomed Eng 21(4):309-17
- Merfeld DM**, Teiwes W, Clarke AH, Scherer H, Young LR. (1996) The dynamic contributions of the otolith organs to human ocular torsion. Exp Brain Res 110(2):315-21.
- Merfeld DM**. (1996) Vestibulo-ocular reflex of the squirrel monkey during eccentric rotation with centripetal acceleration along the naso-occipital axis. Brain Res Bull 40(5-6):303-9.
- Miller EF** (1962) Counterrolling of the human eyes produced by head tilt with respect to gravity. Acta Otolaryngol 54:479-501
- Minor LB** Goldberg J (1990) Influence of static head position on the horizontal nystagmus evoked by caloric, rotational and optokinetic stimulation in the squirrel monkey. Exp Brain Res 82: 1-13
- Moore ST**, Curthoys IS, McCoy SG. (1991) VTM--an image-processing system for measuring ocular torsion. Comput Methods Programs Biomed 35(3):219-30
- Moses RA** (1950) Torsion of the eye on oblique gaze. Arch Ophthalmol 44: 136-9
- Mulch G**, Scherer H (1980) Thermische Prüfung. In: HNO-Informationen. Demeter Verlag, Gräfelfing, S.:26-34
- Mulder** (1875) Über parallele Rollbewegungen der Augen, v.. Graefe's Arch. Ophthalmol. 21:68
- Nagel A** (1871) Über das Vorkommen von wahren Rollungen des Auges um die Gesichtslinie. Archiv für Ophthalmologie XVII: 237
- Nieuwenhuys R**, Voogd J, Huizen van C (1991) Das Zentralnervensystem des Menschen. Springer, Berlin Heidelberg New York Tokyo
- Niven JI**, Hixson WC, Correia MJ. (1966) Elicitation of horizontal nystagmus by periodic linear acceleration. Acta Otolaryngol 62(4):429-41
- Ott D**, Gehle F, Eckmiller R (1990) Video-oculographic measurement of 3 dimensional eye rotations. J Neurosci Methods 35(3):229-34

- Oosterfeld** WJ, van der Laarse WD (1969) Effect of gravity on vestibular apparatus. Aerospace Med 40: 382-85
- Owada** K Okubo K (1960) The otolithic reaction on nystagmus by caloric stimulations. Acta Otolaryngol (Stockh) Suppl 179: 1-6
- Paige** GD (1985) Caloric Responses After Horizontal Canal Inactivation. Acta Otolaryngol (Stockh) 100: 321-327
- Paige** GD, Tomko DL. (1991) Eye movement responses to linear head motion in the squirrel monkey. I. Basic characteristics. J Neurophysiol 65(5):1170-82
- Parker** JA, Kenyon RV, Young LR. (1985) Measurement of torsion from multitemporal images of the eye using digital signal processing techniques. IEEE Trans Biomed Eng 32(1):28-36
- Penfield** W (1957) Vestibular sensation and the cerebral cortex. Ann Otol Rhinol Laryngol 66(3):691-8.
- Raphan** T, Cohen B, Matsuo V. (1977) A velocity storage mechanism responsible for optokinetic nystagmus (OKN), optokinetic afternystagmus (OKAN) and vestibular nystagmus. In: Baker N, Berthoz A (eds) Control of gaze by brainstem neurons: Elsevier, Amsterdam, pp. 37-47
- Raphan** T, Matsuo V, Cohen B. (1979) Velocity storage in the vestibulo-ocular reflex arc (VOR). Exp Brain Res. 35(2):229-48
- Raphan** T, Cohen B. (1981) The role of integration in oculomotor control. In: Zuber BL, ed. Models of oculomotor behavior and control. Florida: CRC Press 91
- Raphan** T, Cohen B (2002) The vestibulo-ocular reflex in three dimensions. Exp Brain Res. 145(1):1-27
- Raphan** T Sturm D (1991) Modeling the spatiotemporal organization of velocity storage in the vestibuloocular reflex by optokinetic studies. J Neurophysiol 66(4): 1410-1421
- Ruete** T (1845) Das Ophthalmotrop. Vandenhoeck und Ruprecht, Göttingen
- Robinson** DA. (1963) A method of measuring eye movement using a scleral search coil in a magnetic field. IEEE Trans Biomed Eng 10:137-45
- Scherer** H (1984) Das Gleichgewicht. Springer Verlag Berlin-Heidelberg
- Scherer** H (1984) Die kalorische Reaktion in der Schwerelosigkeit des Weltalls. Arch Ohr-Nas-Kehlk-Heilk: Suppl II
- Scherer** H, Clarke AH (1985) The caloric vestibular reaction in space: Physiological considerations. Acta Otolaryngol (Stockh) 100: 328-36

- Scherer** H, Clarke AH, Brandt U, Merbold U, Parker R (1986) Caloric Nystagmus in microgravity. In: European vestibular experiments in Spacelab-1 mission. Exp Brain Res 64: 255- 63
- Simonsz** HJ (1984) Investigations of ocular counterrolling and Bielschowsky head-tilt test, stiffness in passiv ocular rolling and displacement of recti eye muscles. Doctoral thesis, Amsterdam
- Skrebitzky** A (1871) Ein Beitrag zur Lehre von den Augenbewegungen. Albrecht von Graefes. Arch klin Ophthalmol 17:107
- Suzuki** JI, Tokumaso K, Goto K (1969) Eye movements from single utrikular nerve stimulation in the cat. Arch Otolaryngol 68:350-62
- Szentágothai** J (1943) Die zentrale Innervation der Augenbewegungen. Arch Psychiat Nervenkr 116: 721-60
- Szentágothai** J (1950) The elementary vestibulo-ocular reflex arc. J Neurophysiol 13: 395-407
- Takemori** S, Tanaka M, Moriyama H. (1989) An analysis of ocular counter-rolling measured with search coils. Acta Otolaryngol Suppl 468:271-6
- Teiwes** W (1991) Video-Okulographie: Registrierung von Augenbewegungen in drei Freiheitsgraden zur Erforschung und medizinischen Diagnostik des Gleichgewichtssystems. Med. Dissertation. Technische Universität Berlin
- Tsuji** J, Ito J, Naito Y, Honjo I (1990) The influnece of caloric stimulation on the otolith organs in the cat. Eur Arch Otorhinolaryngol 248: 68-70
- Uchino** Y, Suzuki S. (1983) Axon collaterals to the extraocular motoneuron pools of inhibitory vestibuloocular neurons activated from the anterior, posterior and horizontal semicircular canals in the cat. Neurosci Lett 37(2):129-35
- Uchino** Y, Sasaki M, Sato H, Imagawa M, Suwa H, Isu N. (1996) Utriculoocular reflex arc of the cat. J Neurophysiol. 76(3): 1896-903.
- Uchino** Y, Sato H, Kushiro K, Zakir M, Imagawa M, Ogawa Y, Katsuta M, Isu N. (1999) Cross-striolar and commissural inhibition in the otolith system. Ann N Y Acad Sci 871: 162-72
- Uchino** Y. (2001) Otolith and semicircular canal inputs to single vestibular neurons in cats. Biol Sci Space 15(4):375-81
- Uchino** Y, Sato H, Zakir M, Kushiro K, Imagawa M, Ogawa Y, Ono S, Meng H, Zhang X, Katsuta M, Isu N, Wilson VJ. (2001) Commissural effects in the otolith system. Exp Brain Res 136(4):421-30

- Vieville T, Masse D.** (1987) Ocular counter-rolling during active head tilting in humans. *Acta Otolaryngol* 103(3-4):280-90
- Waespe W, Schwarz U.** (1986) Characteristics of eye velocity storage during periods of suppression and reversal of eye velocity in monkeys. *Exp Brain Res* 65(1):49-58
- Woellner RC, Graybiel A.** (1960) The loss of counter-rolling of the eyes in three persons presumably without functional otolith organs. *Ann Otol Rhinol Laryngol* 69:1006-12
- Yagi T, Kurosaki S, Yamanobe S, Morizono T** (1992) Three-componet analysis of caloric nystagmus in humans. *Arch Otolaryngol Head neck Surg* 118(10):1077-80
- Yakushin SB, Dai M, Raphan T, Suzuki J, Arai Y, Cohen B** (2001) Changes in the vestibulo-okular reflex after plugging of the semicircular canals. *Ann N Y Acad Sci* 942:287-99
- Yamanobe S, Taira S, Morizono T, Yagi T, Kamio T.** (1990) Eye movement analysis system using computerized image recognition. *Arch Otolaryngol Head Neck Surg* 116(3):338-41
- Yasui S, Young LR** (1984) In the predictive control of foveal eye tracking and slow phases of optokinetic and vestibular nystagmus. *J Physiol (Lond)* 347: 17- 33
- Young LR, Lichtenberg BK, Arrott AP, Crites TA, Oman CM, Edelman ER.** (1981) Ocular torsion on earth and in weightlessness. *Ann N Y Acad Sci* 374:80-92
- Zee DS, Hain TC** (1993) Otolith-ocular reflexes. In: Sharpe JA, Barber HO (Hrsg.) *The Vestibulo-Ocular-Reflex and Vertigo*. Raven, New York: 69-78
- Zenner HP, Zimmermann U**(1991) Motile response of vestibular hair cells following electrical or chemical stimuli. *Acta Otolaryngol (Stockh)*: 111:291-97
- Zenner HP, Zimmermann U.** (1995) Caloric evoked motile responses of mammalian vestibular sensory cells. *Acta Otolaryngol (Stockh)*:115(4):484-7