

## Literaturverzeichnis

---

### **Literaturverzeichnis**

- Ahrens, P. B., Ankel, H. (1987) The role of asparagine-linked carbohydrate in natural killer cell-mediated cytosis. *J. Biol. Chem.* **262**, 7575-7579
- Alviano, C. S., Travassos, L. R., Schauer, R. (1999) Sialic acids in fungi: a minireview. *Glycoconj. J.* **16**, 545-554
- Angata, T., Varki, A. (2002) Chemical diversity in the sialic acids and related alpha-keto acids: An evolutionary perspective. *Chem. Rev.* **102**, 439-469
- Apweiler, R., Hermjakob, H., and Sharon, N. (1999) On the frequency of protein glycosylation, as deduced from analysis of the SWISS-PROT database. *Biochim. Biophys. Acta* **1473**, 4-8
- Argov, Z., Yarom, R. (1984) „Rimmed vacuole myopathy“ sparing the quadriceps. A unique disorder in Iranian Jews. *J. Neurol. Sci.* **64**, 33-43
- Argov, Z., Tiram, E., Eisenberg, I., Sadeh, M., Seidman, C. E., Seidman, J. G., Karpati, G., Mitrani-Rosenbaum, S. (1997) Various types of hereditary inclusion body myopathies map to chromosome 9p1-q1. *Ann. Neurol.* **41**, 548-551
- Ashwell, G., Harford, J. (1982) Carbohydrate-specific receptors of the liver. *Annu. Rev. Biochem.* **51**, 531-554
- Askanas, V., Engel, W. K. (1995) New advances in the understanding of sporadic inclusion-body myositis and hereditary inclusion-body myopathies. *Curr. Opin. Rheumatol.* **7**, 486-496
- Askanas, V., Engel, W. K., Yang, C. C., Alvarez, R. B., Lee, V. M., Wisniewski, T. (1998) Light and electron microscopic immunolocalization of presenilin 1 in abnormal muscle fibers of patients with sporadic inclusion-body myositis and autosomal-recessive inclusionbody myopathy. *Am. J. Pathol.* **152**, 889-895
- Bardor, M., Nguyen, D. H., Diaz, S., Varki, A. (2005) Mechanism of uptake and incorporation of the non-human sialic acid *N*-glycolylneuraminic acid into human cells. *J. Biol. Chem.* **280**, 4228-4237
- Basu, S., Basu, M., Basu, S. S. (1995) Biological specificity of sialytransferases. In: *Biology of the sialic acids* (Rosenberg, A.; Plenum Press, New York), 69-93
- Beltrán-Valero de Bernabé, D., Currier, S., Steinbrecher, A., Celli, J., van Beusekom, E., van der Zwaag, B., Kayserili, H., Merlini, L., Chitayat, D., Dobyns, W. B., Cormand, B., Lehesjoki, A. E., Cruces, J., Voit, T., Walsh, C. A., van Bokhoven, H., Brunner, H. G. (2002) Mutations in the O-mannosyltransferase gene POMT1 give rise to the severe neuronal migration disorder Walker-Warburg syndrome. *Am. J. Hum. Genet.* **71**, 1033-1043
- Benie, A. J., Blume, A., Schmidt, R. R., Reutter, W., Hinderlich, S., Peters, T. (2004) Characterization of ligand binding to the bifunctional key enzyme in the sialic acid biosynthesis by NMR: II. Investigation of the ManNAc kinase functionality. *J. Biol. Chem.* **279**, 55722-55727
- Bhavanandan, V. P. (1991) Cancer-associated mucins and mucin-type glycoproteins. *Glycobiology* **1**, 493-503
- Blume, A., Weidemann, W., Stelzl, U., Wanker, E. E., Lucka, L., Donner, P., Reutter, W., Horstkorte R., Hinderlich, S. (2004a) Domain specific characteristics of the bifunctional key enzyme of sialic acid biosynthesis, UDP-*N*-acetylglucosamine 2-epimerase/*N*-acetylmannosamine kinase. *Biochem. J.* **384**, 599-607
- Blume, A., Benie, A. J., Stolz, F., Schmidt, R. R., Reutter, W., Hinderlich, S., Peters, T. (2004b) Characterization of ligand binding to the bifunctional key enzyme in the sialic acid biosynthesis by NMR: I. Investigation of the UDP-GlcNAc 2-epimerase functionality. *J. Biol. Chem.* **279**, 55715-55721

## Literaturverzeichnis

---

- Borsig, L., Wong, R., Hynes, R. O., Varki, N. M., Varki, A. (2002) Synergistic effects of L- and P-selectin in facilitating tumor metastasis can involve non-mucin ligands and implicate leukocytes as enhancers of metastasis. *Proc. Natl. Acad. Sci. USA* **99**, 2193-2198
- Bradford, M. M. (1976) A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. *Anal. Biochem.* **72**, 248-254
- Bremer, E. G., Schlessinger, J., Hakomori, S. (1986) Ganglioside-mediated modulation of cell growth. Specific effects of GM3 on tyrosine phosphorylation of the epidermal growth factor receptor. *J. Biol. Chem.* **261**, 2434-2440
- Bresalier, R. S., Rockwell, R. W., Dahiya, R., Duh, Q. Y., Kim, Y. S. (1990) Cell surface sialoprotein alterations in metastatic murine colon cancer cell lines selected in an animal model for colon cancer metastasis. *Cancer Res.* **50**, 1299-1307
- Brusés, J. L., Rutishauser, U. (2001) Roles, regulation and mechanism of polysialic acid function during neural development. *Biochimie* **83**, 635-643
- Cardini, C. E., Leloir, L. F. (1957) Enzymatic formation of acetylgalactosamine. *J. Biol. Chem.* **225**, 317-324
- Carpenter, S., Karpati, G., Heller, I., Eisen, A. (1978) Inclusion body myositis: a distinct variety of idiopathic inflammatory myopathy. *Neurology* **28**, 8-17
- Chai, W., Yuen, C. T., Kogelberg, H., Carruthers, R. A., Margolis, R. U., Feizi, T., Lawson, A. M. (1999) High prevalence of 2-mono- and 2,6-di-substituted manolterminating sequences among O-glycans released from brain glycopeptides by reductive alkaline hydrolysis. *Eur. J. Biochem.* **263**, 879-888
- Chan, M. C., Cheung, C. Y., Chui, W. H., Tsao, S. W., Nicholls, J. M., Chan, Y. O., Chan, R. W., Long, H. T., Poon, L. L., Guan, Y., Peiris, J. S. (2005) Proinflammatory cytokine responses induced by influenza A (H5N1) viruses in primary human alveolar and bronchial epithelial cells. *Respir. Res.* **6**, 135
- Christmann, M., Tomicic, M. T., Roos, W. P., Kaina, B. (2003) Mechanisms of human DNA repair: an update. *Toxicology* **193**, 3-34
- Colli, W. (1993) Trans-sialidase: a unique enzyme activity discovered in the protozoan Trypanosoma cruzi. *FASEB J.* **7**, 1257-1264
- Collins, B. E., Fralich, T. J., Itonori, S., Ichikawa, Y., Schnaar, R. L. (2000) Conversion of cellular sialic acid expression from N-acetyl- to N-glycolylneuraminic acid using a synthetic precursor, N-glycolylmannosamine pentaacetate: inhibition of myelin-associated glycoprotein binding to neural cells. *Glycobiology* **10**, 11-20
- Comb, D. G., Roseman, S. (1958) Enzymatic synthesis of N-acetyl-D-mannosamine. *Biochim. Biophys. Acta* **29**, 653-654
- Corfield, A. P., Schauer, R. (1982) Occurrence of sialic acids. In: *Sialic acids* (Schauer, R.; Springer, Wien, New York), 5-50
- Crocker, P. R., Paulson, J., Varki, A. (2007) Siglecs and their roles in the immune system. *Nat. Rev. Immunol.* **7**, 255-266
- David, L., Nesland, J. M., Funderud, S., Sobrinho-Simoes, M. (1993) CDw75 antigen expression in human gastric carcinoma and adjacent mucosa. *Cancer* **72**, 1522-1527
- Dennis, J. W., Laferte, S. (1985) Recognition of asparagine-linked oligosaccharides on murine tumor cells by natural killer cells. *Cancer Res.* **45**, 6034-6040
- Dreyfuss, A. I., Clark, J. R., Andersen, J. W. (1992) Lipid-associated sialic acid, squamous cell carcinoma antigen, carcinoembryonic antigen and lactic dehydrogenase levels as tumor markers in squamous cell carcinoma of the head and neck. *Cancer* **70**, 2499-2503

## Literaturverzeichnis

---

- Eckhardt, M., Mühlenhoff, M., Bethe, A., Gerady-Schahn, R. (1996) Expression cloning of the golgi CMP-sialic acid transporter. *Proc. Natl. Acad. Sci. USA* **93**, 7572-7576
- Effertz, K., Hinderlich, S., Reutter, W. (1999) Selective loss of either the epimerase or kinase activity of UDP-N-acetylglucosamine-2-epimerase/N-acetylmannosamine kinase due to site-directed mutagenesis based on sequence alignments. *J. Biol. Chem.* **274**, 28771-28778
- Egrie, J. C., Browne, J. K. (2001) Development and characterization of novel erythropoiesis stimulating protein (NESP). *Nephrol. Dial. Transplant.* **16**, 3-13
- Eisenberg, I., Thiel, C., Levi, T., Tiram, E., Argov, Z., Sadeh, M., Jackson, C. L., Thierfelder, L., Mitrani-Rosenbaum, S. (1999) Fine-structure mapping of the hereditary inclusion body myopathy locus. *Genomics* **55**, 43-48
- Eisenberg, I., Avidan, N., Potikha, T., Hochner, H., Chen, M., Olander, T., Barash, M., Sheesh, M., Sadeh, M., Grabov-Nardini, G., Shmileyevich, I., Friedmann, A., Karpati, G., Bradley, W. G., Baumbach, L., Lancet, D., Asher, E. B., Beckmann, J. S., Argov, Z., Mitrani-Rosenbaum, S. (2001) The UDP-N-acetylglucosamine-2-epimerase/N-acetylmannosamine kinase gene is mutated in recessive hereditary inclusion body monopathy. *Nat. Genet.* **29**, 83-87
- Eisenberg, I., Grabov-Nardini, G., Hochner, H., Korner, M., Sadeh, M., Bertorini, T., Bushby, K., Castellan, C., Felice, K., Mendell, J., Merlini, L., Shilling, C., Wirguin, I., Argov, Z., Mitrani-Rosenbaum, S. (2003) Mutations spectrum of GNE in hereditary inclusion body myopathy sparing the quadriceps. *Hum. Mutat.* **21**, 99-105
- Elliott, N. A., Volkert, M. R. (2004) Stress induction and mitochondrial localization of Oxr1 proteins in yeast and humans. *Mol. Cell. Biol.* **24**, 3180-3187
- Emig, S., Schmalz, D., Shakibaei, M., Buchner, K. (1995) The nuclear pore complex protein p62 is one of several sialic acid-containing proteins of the nuclear envelope. *J. Biol. Chem.* **270**, 13787-13793
- Endo, T. (2004) Structure, function and pathology of O-mannosyl glycans. *Glycoconj. J.* **21**, 3-7
- Enns, G. M., Seppala, R., Musci, T. J., Weisiger, K., Ferell, L. D., Wenger, D. A., Gahl, W. A., Packman, S. (2001) Clinical course and biochemistry of sialuria. *J. Inherit. Metab. Dis.* **24**, 328-336
- Fahr, C., Schauer, R. (2001) Detection of sialic acids and gangliosides with special reference to 9-O-acetylated species in basaliomas and normal human skin. *J. Invest. Dermatol.* **116**, 254-260
- Ferreira, H., Seppala, R., Pinto, R., Huizing, M., Martins, E., Braga, A. C., Gomes, L., Krasnewich, D. M., Sa Miranda, M. C., Gahl, W. A. (1999) Sialuria in a Portuguese girl: Clinical, biochemical and molecular characteristics. *Mol. Genet. Metab.* **67**, 131-137
- Fischer, F., Egg, G. (1990) N-acetylneuraminic acid (sialic acid) as a tumor marker in head and neck cancers. *HNO* **38**, 361-363
- Fogel, M., Altevogt, P., Schirrmacher, V. (1983) Metastatic potential severely altered by changes in tumor cell adhesiveness and cell-surface sialylation. *J. Exp. Med.* **157**, 371-376
- Fukuda, M. (1994) Cell surface carbohydrates: cell-type specific expression. In: *Molecular glycobiology* (Fukuda, M., Hindsgaul, O.; IRL Press, Oxford), 1-52
- Fukushima, K., Hirota, M., Terasaki, P. I., Wakisaka, A., Togashi, H., Chia, D., Suyama, N., Fukushi, Y., Nudelman, E., Hakomori, S. (1984) Characterization of sialosylated Lewis<sup>X</sup> as a new tumor-associated antigen. *Cancer Res.* **44**, 5279-5285
- Gagneux, P., Moore, J. J., Varki, A. (2005) The ethics of research on great apes. *Nature* **437**, 27-29
- Gal, B., Ruano, M. J., Puente, R., Garcia-Pardo, L. A., Rueda, R., Gil, A., Hueso, P. (1997) Developmental changes in UDP-N-acetylglucosamine 2-epimerase activity of rat and guinea-pig liver. *Comp. Biochem. Physiol. B. Biochem. Mol. Biol.* **118**, 13-15

## Literaturverzeichnis

---

- Giordanengo, V., Ollier, L., Lanteri, M., Lesimple, J., March, D., Thyss, S., Lefebvre, J. C. (2004) Epigenetic reprogramming of UDP-N-acetylglucosamine 2-epimerase/N-acetylmannosamine kinase (GNE) in HIV-1-infected CEM T cells. *FASEB J.* **18**, 1961-1963
- Gosh, S., Roseman, S. (1961) Enzymatic phosphorylation of N-acetylmannosamine. *Proc. Natl. Acad. Sci. USA* **47**, 955-958
- Hakomori, S. (1989) Biochemical basis and clinical application of tumor-associated carbohydrate antigens: Current trends and future perspectives. *Gan To Kagaku Ryoho* **16**, 715-731
- Hakomori, S. (2000) Traveling for the glycosphingolipid path. *Glycoconj. J.* **17**, 627-647
- Hanai, N., Dohi, T., Nores, G. A., Hakomori, S. (1988) A novel ganglioside, de-N-acetyl-GM3 (II3NeuNH2LacCer), acting as a strong promoter for epidermal growth factor receptor kinase and as a stimulator for cell growth. *J. Biol. Chem.* **263**, 6296-6301
- Harduin-Lepers, A., Recchi, M. A., Delannoy, P. (1995) 1994, the year of sialyltransferases. *Glycobiology* **5**, 741-758
- Harms, E., Kreisel, W., Morris, H. P., Reutter, W. (1973) Biosynthesis of N-acetylneuraminic acid in Morris hepatomas. *Eur. J. Biochem.* **32**, 254-262
- Harris, R. J., Spellman, M. W. (1993) O-linked fucose and other post-translational modifications unique to EGF modules. *Glycobiology* **3**, 219-224
- Hartnell, A., Steel, J., Turley, H., Jones, M., Jackson, D. G., Crocker, P. R. (2001) Characterization of human sialoadhesin, a sialic acid binding receptor expressed by resident and inflammatory macrophage populations. *Blood* **97**, 288-296
- Herrler, G., Rott, R., Klenk, H. D., Müller, H. P., Shukla, A. K., Schauer, R. (1985) The receptor-destroying enzyme of influenza C virus is neuraminate-O-acetyl esterase. *EMBO J.* **4**, 1503-1506
- Herrmann, M., von der Lieth, C. W., Stehling, P., Reutter, W., Pawlita, M. (1997) Consequences of a subtle sialic acid modification on the murine polyomavirus receptor. *J. Virol.* **71**, 5922-5931
- Higashi, H. (1990) N-glycoylneuraminic acid-containing glycoconjugate as a tumor associated antigen. Hanganutziu-Deicher antigen. *Trends Glycosci. Glycotechnol.* **2**, 7-15
- Hinderlich, S., Stäsche, R., Zeitler, R., Reutter, W. (1997) A bifunctional enzyme catalyzes the first two steps in N-acetylneuraminic acid biosynthesis of rat liver. Purification and characterization of UDP-N-acetylglucosamine 2-epimerase/N-acetylmannosamine kinase. *J. Biol. Chem.* **272**, 24313-24318
- Hinderlich, S., Salama, I., Eisenberg, I., Potikha, T., Mantey, L. R., Yarema, K. J., Horstkorte, R., Argov, Z., Sadeh, M., Reutter W., Mitrani-Rosenbaum, S. (2004) The homozygous M712T mutation of UDP-N-acetylglucosamine 2-epimerase/N-acetylmannosamine kinase results in reduced enzyme activities but not in altered overall cellular sialylation in hereditary inclusion body myopathy. *FEBS Letters* **566**, 105-109
- Hinderlich, S., Oetke, C. and Pawlita, M. (2005) Biochemical Engineering of Sialic acids. In: *Handbook of Carbohydrate Engineering* (Yarema, K. J.; Taylor & Francis, Boca Raton), 387-405
- Hong, Y., Stanley, P. (2003) Lec3 Chinese hamster ovary mutants lack UDP-N-acetylglucosamine 2-epimerase activity because of mutations in the epimerase domain of the Gne gene. *J. Biol. Chem.* **278**, 53045-53054
- Horstkorte, R., Nöhring, S., Wiechens, N., Schwarzkopf, M., Danker, K., Reutter, W., Lucka, L. (1999) Tissue expression and amino acid sequence of murine UDP-N-acetylglucosamine-2-epimerase/N-acetylmannosamine kinase. *Eur. J. Biochem.* **260**, 923-927
- Horstkorte, R., Nöhring, S., Danker, K., Effertz, K., Reutter, W., Lucka, L. (2000) Protein kinase C phosphorylates and regulates UDP-N-acetylglucosamine-2-epimerase/N-acetylmannosamine kinase. *FEBS Lett.* **470**, 315-318

## Literaturverzeichnis

- Huizing, M., Rakocevic, G., Sparks, S. E., Mamali, I., Shatunov, A., Goldfarb, L., Krasnewich, D., Gahl, W. A., Dalakas, M. C. (2004) Hypoglycosylation of alphadystroglycan in patients with hereditary IBM due to GNE mutations. *Mol. Genet. Metab.* **81**, 196-202
- Irie, A., Koyama, S., Kozutsumi, Y., Kawasaki, T., Suzuki, A. (1998) The molecular basis for the absence of N-glycolylneuraminic acid in humans. *J. Biol. Chem.* **273**, 15866-15871
- Ito, T., Couceiro, J. N., Kelm, S., Baum, L. G., Krauss, S., Castrucci, M. R., Donatelli, I., Kida, H., Paulson, J. C., Webster, R. G., Kawaoka, Y. (1998) Molecular basis for the generation in pigs of influenza A viruses with pandemic potential. *J. Virol.* **72**, 7367-7373
- Jacobs, C. L., Goon, S., Yarema, K. J., Hinderlich, S., Hang, H. C., Chai, D. H., und Bertozzi, C. R. (2001) Substrate specificity of the sialic acid biosynthetic pathway. *Biochemistry* **40**, 12864-12874
- Johnston, G. I., Cook, R. G., McEver, R. P. (1989) Cloning of GMP-140, a granule membrane protein of platelets and endothelium: sequence similarity to proteins involved in cell adhesion and inflammation. *Cell* **56**, 1033-1044
- Jones, L., Hobden, C., O'Shea, P. (1995) Use of a real-time fluorescent probe to study the electrostatic properties of the cell surface of *Candida albicans*. *Mycol. Res.* **99**, 969-976
- Kageshita, T., Hirai, S., Kimura, T., Hanai, N., Ohta, S., Ono, T. (1995) Association between sialyl Lewis(a) expression and tumor progression in melanoma. *Cancer Res.* **55**, 1748-1751
- Kawai, T., Kato, A., Higashi, H., Kato, S., Naiki, M. (1991) Quantitative determination of N-glycolylneuraminic acid expression in human cancerous tissues and avian lymphoma cell lines as a tumor-associated sialic acid by gas chromatography-mass spectrometry. *Cancer Res.* **51**, 1242-1246
- Kean, E. L. (1969) Sialic acid activating enzyme in ocular tissue. *Exp. Eye Res.* **8**, 44-54
- Kean, E. L. (1970) Nuclear cytidine 5'-monophosphosialic acid synthetase. *J. Biol. Chem.* **245**, 2301-2308
- Kean, E. L. (1991) Sialic acid activation. *Glycobiology* **1**, 441-447
- Kelm, S., Schauer, R. (1997) Sialic acids in molecular and cellular interactions. *Int. Rev. Cytol.* **175**, 137-240
- Keppler, O. T., Herrmann, M., Oppenländer, M., Meschede, W., Pawlita, M. (1994) Regulation of susceptibility and cell surface receptor for the B-lymphotropic papovavirus by N glycosylation. *J. Virol.* **68**, 6933-6939
- Keppler, O. T., Stehling, P., Herrmann, M., Kayser, H., Grunow, D., Reutter, W., Pawlita, M. (1995) Biosynthetic modulation of sialic acid-dependent virus-receptor interactions of two primate polyoma viruses. *J. Biol. Chem.* **270**, 1308-1314
- Keppler, O. T., Herrmann, M., von der Lieth, C. W., Stehling, P., Reutter, W., Pawlita, M. (1998) Elongation of the N-acyl side chain of sialic acids in MDCK II cells inhibits influenza A virus infection. *Biochem. Biophys. Res. Commun.* **253**, 437-442
- Keppler, O. T., Hinderlich, S., Langner, J., Schwarz-Albiez, R., Reutter, W., Pawlita, M. (1999) UDP-GlcNAc-2-epimerase: A regulator of cell surface sialylation. *Science* **284**, 1372-1376
- Keppler, O. T., Horstkorte, R., Pawlita, M., Schmidt, C., Reutter, W. (2001) Biochemical engineering of the N-acyl side chain of sialic acid: biological implications. *Glycobiology* **11**, 11R-18R
- Kikuchi, K., Kikuchi, H., Tsuiki, S. (1971) Activities of sialic acid-synthesizing enzymes in rat liver and rat and mouse tumors. *Biochim. Biophys. Acta* **252**, 357-368
- Kikuchi, K., Tsuiki, S. (1973) Purification and properties of UDP-N-Acetylglucosamine-2-epimerase from rat liver. *Biochim. Biophys. Acta* **327**, 193-206

## Literaturverzeichnis

---

- Kircheis, R., Kircheis, L., Oshima, H., Kohchi, C., Soma, G., Mizuno, D. (1996) Selective lysis of early embryonic cells by the alternative pathway of complement - a possible mechanism for programmed cell death in embryogenesis. *In Vivo* **10**, 389-403
- Kluge, A., Reuter, G., Lee, H., Ruch-Heeger, B., Schauer, R. (1992) Interaction of rat peritoneal macrophages with homologous sialidase-treated thrombocytes in vitro: Biochemical and morphological studies. Detection of N-(O-acetyl)glycoloylneuraminic acid. *Eur. J. Cell Biol.* **59**, 12-20
- Kolter, T., Sandhoff, K. (1997) Sialic acids-why always alpha-linked? *Glycobiology* **7**, vii-ix
- Kornfeld, S., Kornfeld, R., Neufeld, E., O'Brien, P. J. (1964) The feedback control of sugar nucleotide biosynthesis in liver. *Proc. Natl. Acad. Sci. USA* **52**, 371-379
- Krause, S., Hinderlich, S., Amsili, S., Horstkorte, R., Wiendl, H., Argov, Z., Mitrani-Rosenbaum, S., Lochmüller, H. (2005) Localization of UDP-GlcNAc 2-epimerase/ManAc kinase (GNE) in the Golgi complex and the nucleus of mammalian cells. *Exp. Cell. Res.* **304**, 365-79
- Kundig, W., Gosh, S., Roseman, S. (1966) The sialic acids. VII. N-Acyl-D-mannosamine kinase from rat liver. *J. Biol. Chem.* **241**, 5619-5626
- Laemmli, U. K. (1970) Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature* **227**, 680-685
- Lasky, L. A. (1995) Selectin-carbohydrate interactions and the initiation of the inflammatory response. *Annu. Rev. Biochem.* **64**, 113-139
- Laubli, H., Stevenson, J. L., Varki, A., Varki, N. M., Borsig, L. (2006) L-selectin facilitation of metastasis involves temporal induction of Fut7-dependent ligands at sites of tumor cell arrest. *Cancer Res.* **66**, 1536-1542
- Lee, J. H., Baker, T. J., Mahal, L. K., Zabner, J., Bertozzi, C. R., Wiemer, D. F., Welsh, M. J. (1999) Engineering novel cell surface receptors for virus-mediated gene transfer. *J. Biol. Chem.* **274**, 21878-21884
- Leitao, E. A., Bittencourt, V. C., Haido, R. M., Valente, A. P., Peter-Katalinic, J., Letzel, M., de Souza, L. M., Barreto-Bergter, E. (2003) Beta-galactofuranose-containing O-linked oligosaccharides present in the cell wall peptidogalactomannan of *Aspergillus fumigatus* contain immunodominant epitopes. *Glycobiology* **13**, 681-692
- Lemieux, G. A., Bertozzi, C. R. (1999) Exploiting differences in sialoside expression for selective targeting of MRI contrast reagents. *J. Am. Chem. Soc.* **121**, 663-672
- Lemieux, G. A., Bertozzi, C. R. (2001) Modulating cell surface immunoreactivity by metabolic induction of unnatural carbohydrate antigens. *Chem. Biol.* **8**, 265-275
- Leroy, J. G., Seppala, R., Huizing, M., Dacremont, G., De Simpel, H., Van Coster, R. N., Orvisky, E., Krasnewich, D. M., Gahl, W. A. (2001) Dominant inheritance of sialuria, an inborn error of feedback inhibition. *Am. J. Hum. Genet.* **68**, 1419-1427
- Lisewski, U. (2005) Expression von Proteine des Ubiquitin-Proteasom-Systems zur Untersuchung von Interaktionen mit der UDP-N-Acetylglucosamin-2-Epimerase/N-Acetyl-mannosaminkinase. Diplomarbeit; Freie Universität Berlin
- Liu, T., Guo, Z., Yang, Q., Sad, S., Jennings, H. J. (2000) Biochemical engineering of surface alpha 2-8 polysialic acid for immunotargeting tumor cells. *J. Biol. Chem.* **275**, 32832-32836
- Lotz, B. P., Engel, A. G., Nishino, H., Stevens, J. C., Litchy, W. J. (1989) Inclusion body myositis. Observations in 40 patients. *Brain* **112**, 727-747
- Lowe, G., Potter, B. V. (1981) The stereochemical course of yeast hexokinase-catalysed phosphoryl transfer by using adenosine 5'[gamma(S)-16O,17O,18O]triphosphate as substrate. *Biochem. J.* **199**, 227-233

## Literaturverzeichnis

- Lucka, L., Krause, M., Danker, K., Reutter, W., Horstkorte, R. (1999) Primary structure and expression analysis of human UDP-N-acetyl-glucosamine-2-epimerase/N-acetylmannosamine kinase, the bifunctional enzyme in neuraminic acid biosynthesis. *FEBS Lett.* **454**, 341-344
- Maliekal, P., Vertommen, D., Delpierre, G., Van Schaftingen, E. (2006) Identification of the sequence encoding N-acetylneuraminate-9-phosphate phosphatase. *Glycobiology* **16**, 165-172
- Malykh, Y. N., Krisch, B., Gerady-Schahn, R., Lapina, E. B., Shaw, L., Schauer, R. (1999) The presence of N-acetyleneuraminic acid in Malpighian tubules of larvae of the cicada *Philaenus spumarius*. *Glycoconj. J.* **16**, 731-739
- Manzi, A. E., Dell, A., Azadi, P., Varki, A. (1990) Studies of naturally occurring modifications of sialic acids by fast-atom bombardment-mass spectrometry. Analysis of positional isomers by periodate cleavage. *J. Biol. Chem.* **265**, 8094-8107
- Marcus, D. M. (1984) A review of the immunogenic and immuno-modulatory properties of glycosphingolipids. *Mol. Immunol.* **21**, 1083-1091
- Martin, P. J., Delmotte, M. H., Formstecher, P., Lefebvre, P. (2003) PLZF is a negative regulator of retinoic acid receptor transcriptional activity. *Nucl. Recept.* **1**, 1-11
- Martin, M. J., Rayner, J. C., Gagneux, P., Barnwell, J. W., Varki, A. (2005) Evolution of human-chimpanzee differences in malaria susceptibility: relationship to human genetic loss of N-glycolylneuraminic acid. *Proc. Natl. Acad. Sci. USA* **102**, 12819-12824
- Michele, D. E., Barresi, R., Kanagawa, M., Saito, F., Cohn, R. D., Satz, J. S., Dollar, J., Nishino, I., Kelley, R. I., Somer, H., Straub, V., Mathews, K. D., Moore, S. A., Campbell, K. P. (2002) Post-translational disruption of dystroglycan-ligand interactions in congenital muscular dystrophies. *Nature* **418**, 417-422
- Michele, D. E., Campbell, K. P. (2003) Dystrophin-glycoprotein complex: post-translational processing and dystroglycan function. *J. Biol. Chem.* **278**, 15457-15460
- Miller-Podraza, H., Bergstrom, J., Milh, M. A., Karlsson, K. A. (1997) Recognition of glycoconjugates by Helicobacter pylori. Comparison of two sialic acid-dependent specificities based on haemagglutination and binding to human erythrocyte glycoconjugates. *Glycoconj. J.* **14**, 467-471
- Moloney, D. J., Shair, L. H., Lu, F. M., Xia, J., Locke, R., Matta, K. L., Haltiwanger, R. S. (2000b) Mammalian Notch1 is modified with two unusual forms of O-linked glycosylation found on epidermal growth factor-like modules. *J. Biol. Chem.* **275**, 9604-9611
- Mühlenhoff, M., Eckhardt, M., Gerady-Schahn, R. (1998) Polysialic acid: Three-dimensional structure, biosynthesis and function. *Curr. Opin. Struct. Biol.* **8**, 558-564
- Müller-Felber, W. (2003) Diagnostics and therapy of myositis. *Fortschr. Neurol. Psychiatr.* **71**, 549-562
- Nishino, I., Noguchi, S., Murayama, K., Driss, A., Sugie, K., Oya, Y., Nagata, T., Chida, K., Takahashi, T., Takusa, Y., Ohi, T., Nishimiya, J., Sunohara, N., Ciafaloni, E., Kawai, M., Aoki, M., Nonaka, I. (2002) Distal myopathy with rimmed vacuoles is allelic to hereditary inclusion body myopathy. *Neurology* **59**, 1689-1693
- Noguchi, S., Keira, Y., Murayama, K., Ogawa, M., Fujita, M., Kawahara, G., Oya, Y., Imazawa, M., Goto, Y., Hayashi, Y. K., Nonaka, I., Nishino, I. (2004) Reduction of UDP-N-acetylglucosamine 2-epimerase/N-acetylmannosamine kinase activity and sialylation in distal myopathy with rimmed vacuoles. *J. Biol. Chem.* **279**, 11402-11407
- Nonaka, I. (1999) Distal myopathies. *Curr. Opin. Neurol.* **12**, 493-499
- Obenauer, J. C., Denson, J., Mehta, P. K., Su, X., Mukatira, S., Finkelstein, D. B., Xu, X., Wang, J., Ma, J., Fan, Y., Rakestraw, K. M., Webster, R. G., Hoffmann, E., Krauss, S., Zheng, J., Zhang, Z., Naeve, C. W. (2006) Large-scale sequence analysis of avian influenza isolates. *Science* **311**, 1576-1580

## Literaturverzeichnis

---

- Oetke, C., Hinderlich, S., Reutter, W., Pawlita, M. (2003) Epigenetically mediated loss of UDP-GlcNAc 2-epimerase/ManNAc kinase expression in hyposialylated cell lines. *Biochem. Biophys. Res. Commun.* **308**, 892-898
- Oetke, C., Vinson, M. C., Jones, C., Crocker, P. R. (2006) Sialoadhesin-deficient mice exhibit subtle changes in B- and T-cell populations and reduced immunoglobulin M levels. *Mol. Cell. Biol.* **26**, 1549-1557
- Ofek, I., Sharon, N. (1990) Adhesins as lectins: Specificity and role in infection. *Curr. Top. Microbiol. Immunol.* **151**, 91-113
- Olden, K., Parent, J. B., White, S. L. (1982) Carbohydrate moieties of glycoproteins. A re-evaluation of their function. *Biochem. Biophys. Acta.* **650**, 209-232
- Park, E. I., Mi, Y., Unverzagt, C., Gabius, H. J., Baenziger, J. U. (2005) The asialoglycoprotein receptor clears glycoconjugates terminating with sialic acid alpha 2,6GalNAc. *Proc. Natl. Acad. Sci. USA* **102**, 17125-17129
- Paulson, J. C., Weinstein, J., Schauer, A. (1989) Tissue-specific expression of sialyltransferases. *J. Biol. Chem.* **264**, 10931-10934
- Peter-Katalinic, J. P. (2005) O-Glycosylation of Proteins. *Methods in Enzymology* **405**, 139-171
- Pilatte, Y., Bignon, J., Lambre, C. R. (1993) Sialic acids as important molecules in the regulation of the immune system: pathophysiological implications of sialidases in immunity. *Glycobiology* **3**, 201-218
- Poe, J. C., Fujimoto, Y., Hasegawa, M., Haas, K. M., Miller, A. S., Sanford, I. G., Bock, C. B., Fujimoto, M., Tedder, T. F. (2004) CD22 regulates B lymphocyte function *in vivo* through both ligand-dependent and ligand-independent mechanisms. *Nat. Immunol.* **5**, 1078-1087
- Pollard-Knight, D., Potter, B. V., Cullis, P. M., Lowe, G., Cornish-Bowden, A. (1982) The stereochemical course of phosphoryl transfer catalysed by glucokinase. *Biochem. J.* **201**, 421-423
- Pon, R. A., Biggs, N. J., Jennings, H. J. (2007) Polysialic acid bioengineering of neuronal cells by N-acetyl sialic acid precursor treatment. *Glycobiology* **17**, 249-260
- Reinke, S. (2004) Klonierung, funktionelle Expression und Charakterisierung zweier neuer Isoformen der humanen UDP-N-Acetylglucosamin-2-Epimerase/N-Acetylmannosamin kinase. Diplomarbeit; Freie Universität Berlin
- Reissig, J. L., Strominger, J. L., Leloir, L. F. (1955) A modified colorimetric method for the estimation of N-acetylamino sugars. *J. Biol. Chem.* **217**, 959-966
- Rens-Domiano, S., Reisine, T. (1991) Structural analysis and functional role of the carbohydrate component of somatostatin receptors. *J. Biol. Chem.* **266**, 20094-20102
- Reuter, G., Pfeil, R., Stoll, S., Schauer, R., Kammerling, J. P., Versluis, C., Vliegenthart, J. F. (1983) Identification of new sialic acids derived from glycoprotein of bovine submandibular gland. *Eur. J. Biochem.* **134**, 139-143
- Reutter, W., Kreisel, W., Lesch, R. (1970) Defekt der UDP-N-Acetyl-D-glucosamin-2-Epimerase in Hepatomen minimaler Deviation der Ratte. *Hoppe-Seylers Z. Physiol. Chem.* **351**, 1320
- Richards, R. L., Moss, J., Alving, C. R., Fishman, P. H., Brady, R. O. (1979) Cholera toxin (cholera toxin): a bacterial lectin. *Proc. Natl. Acad. Sci. USA* **76**, 1673-1676
- Roth, J., Kempf, A., Reuter, G., Schauer, R., Gehring, W. J. (1992) Occurrence of sialic acids in *Drosophila melanogaster*. *Science* **256**, 673-675
- Roth, J., Zuber, C., Wagner, P., Taatjes, D. J., Weisgerber, C., Heitz, P. U., Goridis, C., Bitter-Suermann, D. (1988) Reexpression of poly(sialic acid) units of the neural cell adhesion molecule in Wilms tumor. *Proc. Natl. Acad. Sci. USA* **85**, 2999-3003

## Literaturverzeichnis

- Saito, M., Kitamura, H., Sugiyama, K. (2001) Occurrence of gangliosides in the common squid and pacific octopus among protostomia. *Biochim. Biophys. Acta.* **1511**, 271-280
- Salama, I., Hinderlich, S., Shlomai, Z., Eisenberg, I., Krause, S., Yarema, K., Argov, Z., Lochmuller, H., Reutter, W., Dabby, R., Sadeh, M., Ben-Bassat, H., Mitrani-Rosenbaum, S. (2005) No overall hyposialylation in hereditary inclusion body myopathy myoblasts carrying the homozygous M712T GNE mutation. *Biochem. Biophys. Res. Commun.* **328**, 221-226
- Sanger, F., Nicklen, S., Coulson, A. R. (1977) DNA sequencing with chain-terminating inhibitors. *Proc. Natl. Acad. Sci. USA* **74**, 5463-5467
- Sawada, R., Tsuboi, S., Fukuda, M. (1994) Differential E-selectin-dependent adhesion efficiency in sublines of a human colon cancer exhibiting distinct metastatic potentials. *J. Biol. Chem.* **269**, 11425-11431
- Schachner, M., Bartsch, U. (2000) Multiple functions of the myelin-associated glycoprotein MAG (siglec-4a) in formation and maintenance of myelin. *Glia.* **29**, 154-165
- Schachter, H. (2000) The joy of HexNAc. The synthesis and function of N- and O-glycan branches. *Glycoconj. J.* **17**, 465-483
- Schauer, R. (1985) Sialic acids and their role as biological masks. *Trends Biochem. Sci.* **10**, 357-360
- Schauer, R., Kelm, S., Reuter, G., Roggentin, P., Shaw, L. (1995) Biochemistry and role of sialic acids. In: *Biology of sialic acids* (Rosenberg, A.; Plenum Press, New York), 7-67
- Schengrund, C. L., Dasgupta, B. R., Ringler, N. J. (1991) Binding of botulinum and tetanus neurotoxins to ganglioside GT1b and derivates thereof. *J. Neurochem.* **57**, 1024-1032
- Schlepper-Schäfer, J., Kolb-Bachofen, V., Kolb, H. (1980) Analysis of lectin-dependent recognition of desialylated erythrocytes by Kupffer cells. *Biochem. J.* **186**, 827-831
- Schwarzkopf, M., Knobeloch, K. P., Rohde, E., Hinderlich, S., Wiechens, N., Lucka, L., Horak, I., Reutter, W., Horstkorte, R. (2002) Sialylation is essential for early development in mice. *Proc. Natl. Acad. Sci. USA* **99**, 5267-5270
- Seppala, R., Tietze, F., Krasnewich, D., Weiss, P., Ashwell, G., Barsh, G., Thomas, G. H., Pachman, S., Gahl, W. A. (1991) Sialic acid metabolism in sialuria fibroblasts. *J. Biol. Chem.* **266**, 7456-7461
- Seppala, R., Lehto, V. P., Gahl, W. A. (1999) Mutations in the human UDP-N-acetylglucosamine-2-epimerase gene define the disease sialuria and the allosteric site of the enzyme. *Am. J. Hum. Genet.* **64**, 1563-1569
- Séveno, M., Bardor, M., Paccalet, T., Gomord, V., Lerouge, P., Faye, L. (2004) Glycoprotein sialylation in plants? *Nat. Biotechnol.* **22**, 1351-1352; author reply
- Sharon, N., Lis, H. (1997) Glycoproteins: Structure and Function. In: *Glycosciences* (Gabius, H. J., Gabius, S.; Chapman&Hall, Weinheim), 133-160
- Shah, M. M., Fujiyama, K., Flynn, C. R., Joshi, L. (2003) Sialylated endogenous glycoconjugates in plant cells. *Nat. Biotechnol.* **21**, 1470-1471
- Shaw, L., Schauer, R. (1988) The biosynthesis of N-glycoloylneuraminic acid occurs by the hydroxylation of the CMP-glycoside of N-acetylneuraminic acid. *Biol. Chem. Hoppe-Seyler* **369**, 477-486
- Shimamura, M., Shibuya, N., Ito, M., Yamagata, T. (1994) Repulsive contribution of surface sialic acid residues to cell adhesion to substratum. *Biochem. Mol. Biol. Int.* **33**, 871-878
- Sillanaukee, P., Ponnio, M., Jaaskelainen, I. P., (1999) Occurrence of sialic acids in healthy humans and different disorders. *Eur. J. Clin. Invest.* **29**, 413-425

## Literaturverzeichnis

---

- Sjoberg, E. R., Manzi, A. E., Khoo, K. H., Dell, A., Varki, A., (1992) Structural and immunological characterisation of O-acetylated GD2. Evidence that GD2 is an acceptor for ganglioside O-acetyltransferase in human melanoma cells. *J. Biol. Chem.* **267**, 16200-16211
- Sommar, K. M., Ellis, D. G. (1972) Uridine diphosphate N-acetyl-D-glucosamine-2-epimerase from rat liver. I. Catalytic and regulatory properties. *Biochim. Biophys. Acta* **268**, 581-589
- Sommar, K. M., Ellis, D. G. (1972) Uridine diphosphate N-acetyl-D-glucosamine 2-epimerase from rat liver. II. Studies on the mechanism of action. *Biochim. Biophys. Acta* **268**, 590-595
- Spivak, C. T., Roseman, S. (1966) UDP-N-acetyl-D-glucosamine-2-epimerase. *Methods Enzymol.* **9**, 612-615
- Stäsche, R., Hinderlich, S., Weise, C., Effertz, K., Lucka, L., Moormann, P., Reutter, W. (1997) A bifunctional enzyme catalyzes the first two steps in N-acetylneuraminc acid biosynthesis of rat liver. Molecular cloning and functional expression of UDP-N-acetyl-glucosamine 2-epimerase/N-acetylmannosamine kinase. *J. Biol. Chem.* **272**, 24319-24324
- Stanley, P. (1981) Selection of specific wheat germ agglutinin-resistant (WgaR) phenotypes from Chinese hamster ovary cell populations containing numerous lecR genotypes. *Mol. Cell. Biol.* **1**, 687-696
- Suzuki, O., Nozaea, Y., Kawaguchi, T., Abe, M. (2002) UDP-GlcNAc-2-epimerase regulates cell surface sialylation and cell adhesion to extracellular matrix in Burkitt's lymphoma. *Int. J. Oncol.* **20**, 1005-1011
- Suzuki, Y., Ito, T., Suzuki, T., Holland, R. E. jr., Chambers, T. M., Kiso, M., Ishida, H., Kawaoka, Y. (2000) Sialic acid species as a determinant of the host range of influenza A viruses. *J. Virol.* **74**, 11825-11831
- Takeda, A. (1987) Sialylation patterns of lymphocyte function-associated antigen 1 (LFA-1) differ between T and B lymphocytes. *Eur. J. Immunol.* **17**, 281-286
- Tangvoranuntakul, P., Gagneux, P., Diaz, S., Bardor, M., Varki, N., Varki, A., Muchmore, E. (2003) Human uptake and incorporation of an immunogenic nonhuman dietary sialic acid. *Proc. Natl. Acad. Sci. USA* **100**, 12045-12050
- Tanner, M. E. (2002) Understanding Nature's Strategies for Enzyme-Catalyzed Racemization and Epimerization. *Acc. Chem. Res.* **35**, 237-246
- Tedder, T. F., Tuscano, J., Sato, S., Kehrl, J. H. (1997) CD22, a B lymphocyte-specific adhesion molecule that regulates antigen receptor signaling. *Annu. Rev. Immunol.* **15**, 481-504
- Thurin, J., Herlyn, M., Hindsgaul, O., Stromberg, N., Karlsson, K. A., Elder, D., Steplewski, Z., Koprowski, H. (1985) Proton NMR and fast-atom bombardment mass spectrometry analysis of the melanoma-associated ganglioside 9-O-acetyl-G<sub>D3</sub>. *J. Biol. Chem.* **260**, 14556-14563
- Tomimitsu, H., Shimizu, J., Ishikawa, K., Ohkoshi, N., Kanazawa, I., Mizusawa, H. (2004) Distal myopathy with rimmed vacuoles (DMRV). New GNE mutations and splice variant. *Neurology* **62**, 1607-1610
- Tomlinson, S., Pontes de Carvalho, L. C., Vandekerckhove, F., Nussenzweig, V. (1994) Role of sialic acid in the resistance of Trypanosoma cruzi trypomastigotes to complement. *J. Immunol.* **153**, 3141-3147
- Towbin, H., Staehelin, T., Gordon, J. (1979) Electrophoretic transfer of proteins from polyacrylamide gels to nitrocellulose sheets: Procedure and some applications. *Proc. Natl. Acad. USA* **76**, 4350-4354
- Varki, A. (1992) Diversity in the sialic acids. *Glycobiology* **2**, 25-40
- Varki, A. (1993) Biological roles of oligosaccharides: All of the theories are correct. *Glycobiology* **3**, 97-130

## Literaturverzeichnis

- Varki, A. (2007) Glycan-based interactions involving vertebrate sialic-acid-recognizing proteins. *Nature* **446**, 1023-1029
- Varki, N. M., Varki, A. (2007) Diversity in cell surface sialic acid presentations: implications for biology and disease. *Lab. Invest.* **87**, 851-857
- Van den Steen, P., Rudd, P. M., Dwek, R. A., Opdenakker, G. (1998) Concepts and principles of O-linked glycosylation. *Crit. Rev. Biochem. Mol. Biol.* **33**, 151-208
- Van Rinsum, J., Van Dijk, W., Hoogwinkel, G. J., Ferwerda, W. (1983) Subcellular localization and tissue distribution of sialic acid precursor-forming enzymes. *Biochem. J.* **210**, 21-28
- Velasquez, J. G., Canovas, S., Barajas, P., Marcos, J., Jimenez-Movilla, M., Gallego, R. G., Ballesta, J., Aviles, M., Coy, P. (2007) Role of sialic acid in bovine sperm-zona pellucida binding. *Mol. Reprod. Dev.* **74**, 617-628
- Viswanathan, K., Tomiya, N., Park, J., Singh, S., Lee, Y. C., Palter, K., Betenbaugh, M. J. (2006) Expression of a functional *Drosophila melanogaster* CMP-sialic acid synthetase. Differential localization of the *Drosophila* and human enzymes. *J. Biol. Chem.* **281**, 15929-15940
- Wang, Q., Song, C., Li, C. C. (2004) Molecular perspectives on p97-VCP: progress in understanding its structure and diverse biological functions. *J. Struct. Biol.* **146**, 44-57
- Wang, Z., Sun, Z., Li, A. V., Yarema, K. J. (2006) Roles for UDP-GlcNAc 2-epimerase/ManNAc 6-kinase outside of sialic acid biosynthesis: modulation of sialyltransferase and BiP expression, G<sub>M3</sub> and G<sub>D3</sub> biosynthesis, proliferation, and apoptosis, and ERK1/2 phosphorylation. *J. Biol. Chem.* **281**, 27016-27028
- Warren, L., Felsenfeld, H. (1961) *N*-Acetylmannosamine-6-phosphate and *N*-acetylneuraminic acid-9-phosphate as intermediates in sialic acid biosynthesis. *Biochem. Biophys. Res. Commun.* **5**, 185-190
- Waslay, L. C., Timony, G., Murtha, P., Stoudemire, J., Dorner, A. J., Caro, J., Krieger, M., Kaufman, R. J. (1991) The importance of N- and O-linked oligosaccharides for the biosynthesis and in vitro and in vivo biologic activities of erythropoietin. *Blood* **77**, 2624- 2632
- Watts, G. D. J., Thorne, M., Kovach, M. J., Pestronk, A., Kimonis, V. E. (2003) Clinical and genetic heterogeneity in chromosome 9p associated hereditary inclusion body myopathy: exclusion of GNE and three other candidate genes. *Neuromuscular Disorders* **13**, 559-567
- Watts, G. D. J., Wymer, J., Kovach, M. J., Mehta, S. G., Mumm, S., Darvish, D., Pestronk, A., Whyte, M. P., Kimonis, V. E. (2004) Inclusion body myopathy associated with Paget disease of bone and frontotemporal dementia is caused by mutant valosin-containing protein. *Nat. Genet.* **36**, 377-381
- Weidemann, W., Stelzl, U., Lisewski, U., Bork, K., Wanker, E. E., Hinderlich, S., Horstkorte, R. (2006) The collapsin response mediator protein 1 (CRMP-1) and the promyelocytic leukemia zinc finger protein (PLZF) bind to UDP-*N*-acetylglucosamine 2-epimerase/*N*-acetylmannosamine kinase (GNE), the key enzyme of sialic acid biosynthesis. *FEBS Lett.* **580**, 6649-6654
- Weiss, P., Tietze, F., Gahl, W. A., Seppala, R., Ashwell, G. (1989) Identification of the metabolic defect in sialuria. *J. Biol. Chem.* **264**, 17635-17636
- Wells, L., Hart G. W. (2003) O-GlcNAc turns twenty: functional implications for post-translational modification of nuclear and cytosolic proteins with a sugar. *FEBS Lett.* **546**, 154-158
- Winder, S. J. (2001) The complexities of dystroglycan. *Trends Biochem. Sci.* **26**, 118-124
- Yamashita, K., Fukushima, K., Sakiyama, T., Murata, F., Kuroki, M., Matsuoka, Y. (1995) Expression of Sia alpha 2,6Gal beta 1,4GlcNAc residues on sugar chains of glycoproteins including carcinoembryonic antigens in human colon adenocarcinoma: Applications of Trichosanthes japonica agglutinin I for early diagnosis. *Cancer Res.* **55**, 1675-1679

## Literaturverzeichnis

- Yang, L. J., Lorenzini, I., Vajn, K., Mountney, A., Schramm, L. P., Schnaar, R. L. (2006) Sialidase enhances spinal axon outgrowth *in vivo*. *Proc. Natl. Acad. Sci. USA* **103**, 11057-11062
- Yarema, K. J., Goon, S., Bertozzi, C. R. (2001) Metabolic selection of glycosylation defects in human cells. *Nat. Biotechnol.* **19**, 553-558
- Yoshida, A., Kobayashi, K., Manya, H., Taniguchi, K., Kano, H., Mizuno, M., Inazu, T., Mitsuhashi, H., Takahashi, S., Takeuchi, M., Herrmann, R., Straub, V., Talim, B., Voit, T., Topaloglu, H., Toda, T., Endo, T. (2001) Muscular dystrophy and neuronal migration disorder caused by mutations in a glycosyltransferase, POMGnT1. *Dev. Cell* **1**, 717-724
- Yunis, E. J., Samaha, F. J. (1971) Inclusion body myositis. *Lab Invest.* **25**, 240-248
- Yuyama, Y., Yoshimatsu, K., Ono, E., Saito, M., Naiki, M. (1993) Postnatal change of pig intestinal ganglioside bound by Escherichia coli with K99 fimbriae. *J. Biochem. (Tokyo)* **113**, 488-492
- Zaccai, N. R., May, A. P., Robinson, R. C., Burtnick, L. D., Crocker, P. R., Brossmer, R., Kelm, S., Jones, E. Y. (2007) Crystallographic and in silico analysis of the sialoside-binding characteristics of the Siglec sialoadhesin. *J. Mol. Biol.* **365**, 1469-1479
- Zacharski, L. R., Ornstein, D. L. (1998) Heparin and cancer. *Thromb. Haemost.* **80**, 10-23
- Zhou, Q., Hakomori, S., Kitamura, K., Igarashi, Y. (1994) GM3 directly inhibits tyrosine phosphorylation and de-N-acetyl-GM3 directly enhances serine phosphorylation of epidermal growth factor receptor, independently of receptor-receptor interaction. *J. Biol. Chem.* **269**, 1959-1965
- Zimmer, G., Suguri, T., Reuter, G., Yu, R. K., Schauer, R., Herrler, G. (1994) Modification of sialic acids by 9-O-acetylation is detected in human leucocytes using the lectin property of influenza C virus. *Glycobiology* **4**, 343-349