

8 LITERATURVERZEICHNIS

- Alousi A. A., Jasper J. R., Insel P. A. & Motulsky H. J. (1991) Stoichiometry of receptor-Gs-adenylate cyclase interactions. *FASEB J* **5**, 2300-2303.
- Anderson L. L., Marshall G. R., Crocker E., Smith S. O. & Baranski T. J. (2005) Motion of carboxyl terminus of Galpha is restricted upon G protein activation. *J Biol Chem* **280**, 31019-31026.
- Arshavsky V. Y. & Bownds M. D. (1992) Regulation of deactivation of photoreceptor G protein by its target enzyme and cGMP. *Nature* **357**, 416-417.
- Attwood T. K. & Findlay J. B. (1994) Fingerprinting G-protein-coupled receptors. *Protein Eng* **7**, 195-203.
- Baker B. F. & Monia B. P. (1999) Novel mechanisms for antisense-mediated regulation of gene expression. *Biochim Biophys Acta* **1489**, 3-18.
- Bastepe M., Gunes Y., Perez-Villamil B., Hunzelman J., Weinstein L. S. & Juppner H. (2002) Receptor-mediated adenylyl cyclase activation through XLalpha(s), the extra-large variant of the stimulatory G protein alpha-subunit. *Mol Endocrinol* **16**, 1912-1919.
- Beaudet A. L. (2004) Complex imprinting. *Nat Genet* **36**, 793-795.
- Berstein G., Blank J. L., Jhon D. Y., Exton J. H., Rhee S. G. & Ross E. M. (1992) Phospholipase C-beta 1 is a GTPase-activating protein for Gq/11, its physiologic regulator. *Cell* **70**, 411-418.
- Bertin B., Freissmuth M., Jockers R., Strosberg A. D. & Marullo S. (1994) Cellular signaling by an agonist-activated receptor/Gs alpha fusion protein. *Proc Natl Acad Sci U S A* **91**, 8827-8831.
- Bigay J., Deterre P., Pfister C. & Chabre M. (1985) Fluoroaluminates activate transducin-GDP by mimicking the gamma-phosphate of GTP in its binding site. *FEBS Lett* **191**, 181-185.
- Bockaert J. & Pin J. P. (1999) Molecular tinkering of G protein-coupled receptors: an evolutionary success. *EMBO J* **18**, 1723-1729.
- Bourne H. R., Coffino P. & Tomkins G. M. (1975) Selection of a variant lymphoma cell deficient in adenylate cyclase. *Science* **187**, 750-752.
- Bouvier M., Menard L., Dennis M. & Marullo S. (1998) Expression and recovery of functional G-protein-coupled receptors using baculovirus expression systems. *Curr Opin Biotechnol* **9**, 522-527.
- Bradford M. M. (1976) A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. *Anal Biochem* **72**, 248-254.
- Brann M. R., Collins R. M. & Spiegel A. (1987) Localization of mRNAs encoding the alpha-subunits of signal-transducing G-proteins within rat brain and among peripheral tissues. *FEBS Lett* **222**, 191-198.
- Brantl S. (2002) Antisense-RNA regulation and RNA interference. *Biochim Biophys Acta* **1575**, 15-25.

- Bray P., Carter A., Simons C., Guo V., Puckett C., Kamholz J., Spiegel A. & Nirenberg M. (1986) Human cDNA clones for four species of G alpha s signal transduction protein. *Proc Natl Acad Sci U S A* **83**, 8893-8897.
- Breitwieser G. E. & Szabo G. (1988) Mechanism of muscarinic receptor-induced K⁺ channel activation as revealed by hydrolysis-resistant GTP analogues. *J Gen Physiol* **91**, 469-493.
- Brummelkamp T. R., Bernards R. & Agami R. (2002) A system for stable expression of short interfering RNAs in mammalian cells. *Science* **296**, 550-553.
- Brunton L. L. & Heasley L. E. (1988) cAMP export and its regulation by prostaglandin A1. *Methods Enzymol* **159**, 83-93.
- Cali J. J., Zwaagstra J. C., Mons N., Cooper D. M. & Krupinski J. (1994) Type VIII adenylyl cyclase. A Ca²⁺/calmodulin-stimulated enzyme expressed in discrete regions of rat brain. *J Biol Chem* **269**, 12190-12195.
- Cassel D. & Selinger Z. (1977) Mechanism of adenylate cyclase activation by cholera toxin: inhibition of GTP hydrolysis at the regulatory site. *Proc Natl Acad Sci U S A* **74**, 3307-3311.
- Cassel D. & Selinger Z. (1978) Mechanism of adenylate cyclase activation through the beta-adrenergic receptor: catecholamine-induced displacement of bound GDP by GTP. *Proc Natl Acad Sci U S A* **75**, 4155-4159.
- Chabot B. (1996) Directing alternative splicing: cast and scenarios. *Trends Genet* **12**, 472-478.
- Chaudhry A. & Granneman J. G. (1991) Developmental changes in adenylyl cyclase and GTP binding proteins in brown fat. *Am J Physiol* **261**, R403-R411.
- Chen C. A. & Manning D. R. (2001) Regulation of G proteins by covalent modification. *Oncogene* **20**, 1643-1652.
- Clapham D. E. & Neer E. J. (1997) G protein beta gamma subunits. *Annu Rev Pharmacol Toxicol* **37**, 167-203.
- Codina J., Yatani A., Grenet D., Brown A. M. & Birnbaumer L. (1987) The alpha subunit of the GTP binding protein G_k opens atrial potassium channels. *Science* **236**, 442-445.
- Colbere-Garapin F., Chousterman S., Horodniceanu F., Kourilsky P. & Garapin A. C. (1979) Cloning of the active thymidine kinase gene of herpes simplex virus type 1 in Escherichia coli K-12. *Proc Natl Acad Sci U S A* **76**, 3755-3759.
- Coleman D. E., Berghuis A. M., Lee E., Linder M. E., Gilman A. G. & Sprang S. R. (1994) Structures of active conformations of G_i alpha 1 and the mechanism of GTP hydrolysis. *Science* **265**, 1405-1412.
- Colombo M. I., Mayorga L. S., Nishimoto I., Ross E. M. & Stahl P. D. (1994) G_s regulation of endosome fusion suggests a role for signal transduction pathways in endocytosis. *J Biol Chem* **269**, 14919-14923.
- Cooper D. M., Karpen J. W., Fagan K. A. & Mons N. E. (1998) Ca(2+)-sensitive adenylyl cyclases. *Adv Second Messenger Phosphoprotein Res* **32**, 23-51.
- Dascal N. (2001) Ion-channel regulation by G proteins. *Trends Endocrinol Metab* **12**, 391-398.

- De Lean A., Stadel J. M. & Lefkowitz R. J. (1980) A ternary complex model explains the agonist-specific binding properties of the adenylyl cyclase-coupled beta-adrenergic receptor. *J Biol Chem* **255**, 7108-7117.
- de Mazancourt P., Goldsmith P. K. & Weinstein L. S. (1994) Inhibition of adenylyl cyclase activity by galanin in rat insulinoma cells is mediated by the G-protein Gi3. *Biochem J* **303** (Pt 2), 369-375.
- de Rooij J., Zwartkruis F. J., Verheijen M. H., Cool R. H., Nijman S. M., Wittinghofer A. & Bos J. L. (1998) Epac is a Rap1 guanine-nucleotide-exchange factor directly activated by cyclic AMP. *Nature* **396**, 474-477.
- Defer N., Best-Belpomme M. & Hanoune J. (2000) Tissue specificity and physiological relevance of various isoforms of adenylyl cyclase. *Am J Physiol Renal Physiol* **279**, F400-F416.
- Dessauer C. W., Tesmer J. J., Sprang S. R. & Gilman A. G. (1998) Identification of a Galpha binding site on type V adenylyl cyclase. *J Biol Chem* **273**, 25831-25839.
- Diel S., Klass K., Wittig B. & Kleuss C. (2006) Gbetagamma activation site in adenylyl cyclase type II. Adenylyl cyclase type III is inhibited by Gbetagamma. *J Biol Chem* **281**, 288-294.
- DoKhac L., Tanfin Z. & Harbon S. (1983) Differential role of microtubules in the control of prostaglandin E2 and beta-adrenergic stimulation of cyclic AMP accumulation in the rat myometrium. *Biochem Pharmacol* **32**, 2535-2541.
- Donovan F. M., Pike C. J., Cotman C. W. & Cunningham D. D. (1997) Thrombin induces apoptosis in cultured neurons and astrocytes via a pathway requiring tyrosine kinase and RhoA activities. *J Neurosci* **17**, 5316-5326.
- Downes G. B. & Gautam N. (1999) The G protein subunit gene families. *Genomics* **62**, 544-552.
- Elbashir S. M., Harborth J., Lendeckel W., Yalcin A., Weber K. & Tuschl T. (2001a) Duplexes of 21-nucleotide RNAs mediate RNA interference in cultured mammalian cells. *Nature* **411**, 494-498.
- Elbashir S. M., Martinez J., Patkaniowska A., Lendeckel W. & Tuschl T. (2001b) Functional anatomy of siRNAs for mediating efficient RNAi in *Drosophila melanogaster* embryo lysate. *EMBO J* **20**, 6877-6888.
- Enjalbert A. & Bockaert J. (1983) Pharmacological characterization of the D2 dopamine receptor negatively coupled with adenylyl cyclase in rat anterior pituitary. *Mol Pharmacol* **23**, 576-584.
- Falk H. & Kleuss C. (2003) Quantification of cyclic adenosine 5'-monophosphate in micromanipulated cells. *Anal Biochem* **323**, 249-251.
- Feinstein P. G., Schrader K. A., Bakalyar H. A., Tang W. J., Krupinski J., Gilman A. G. & Reed R. R. (1991) Molecular cloning and characterization of a Ca²⁺/calmodulin-insensitive adenylyl cyclase from rat brain. *Proc Natl Acad Sci U S A* **88**, 10173-10177.
- Fire A., Xu S., Montgomery M. K., Kostas S. A., Driver S. E. & Mello C. C. (1998) Potent and specific genetic interference by double-stranded RNA in *Caenorhabditis elegans*. *Nature* **391**, 806-811.

- Fisher T. L., Terhorst T., Cao X. & Wagner R. W. (1993) Intracellular disposition and metabolism of fluorescently-labeled unmodified and modified oligonucleotides microinjected into mammalian cells. *Nucleic Acids Res* **21**, 3857-3865.
- Flanagan W. M., Kothavale A. & Wagner W. (1996) Effects of oligonucleotide length, mismatches and mRNA levels on C-5 propyne-modified antisense potency. *Nucleic Acids Res* **24**, 2936-2941.
- Flower D. R. (1999) Modelling G-protein-coupled receptors for drug design. *Biochim Biophys Acta* **1422**, 207-234.
- Fredriksson R., Lagerstrom M. C., Lundin L. G. & Schioth H. B. (2003) The g-protein-coupled receptors in the human genome form five main families. *Mol Pharmacol* **63**, 1256-1272.
- Fredriksson R. & Schioth H. B. (2005) The repertoire of G-protein-coupled receptors in fully sequenced genomes. *Mol Pharmacol* **67**, 1414-1425.
- Fung B. K. & Nash C. R. (1983) Characterization of transducin from bovine retinal rod outer segments. II. Evidence for distinct binding sites and conformational changes revealed by limited proteolysis with trypsin. *J Biol Chem* **258**, 10503-10510.
- Gao B. N. & Gilman A. G. (1991) Cloning and expression of a widely distributed (type IV) adenylyl cyclase. *Proc Natl Acad Sci U S A* **88**, 10178-10182.
- Geisbuhler T., Altschuld R. A., Trewyn R. W., Ansel A. Z., Lamka K. & Brierley G. P. (1984) Adenine nucleotide metabolism and compartmentalization in isolated adult rat heart cells. *Circ Res* **54**, 536-546.
- Gierschik P., Bouillon T. & Jakobs K. H. (1994) Receptor-stimulated hydrolysis of guanosine 5'-triphosphate in membrane preparations. *Methods Enzymol* **237**, 13-26.
- Gollasch M., Kleuss C., Hescheler J., Wittig B. & Schultz G. (1993) Gi2 and protein kinase C are required for thyrotropin-releasing hormone-induced stimulation of voltage-dependent Ca²⁺ channels in rat pituitary GH3 cells. *Proc Natl Acad Sci U S A* **90**, 6265-6269.
- GraphPad Software. GraphPad Prism 4.0 for Windows. San Diego, CA, USA . (2004).
- Graziano M. P., Casey P. J. & Gilman A. G. (1987) Expression of cDNAs for G proteins in Escherichia coli. *J Biol Chem* **262**, 11375-11381.
- Graziano M. P., Freissmuth M. & Gilman A. G. (1989) Expression of Gs alpha in Escherichia coli. *J Biol Chem* **264**, 409-418.
- Gu C., Ma Y. C., Benjamin J., Littman D., Chao M. V. & Huang X. Y. (2000) Apoptotic signaling through the beta -adrenergic receptor. A new Gs effector pathway. *J Biol Chem* **275**, 20726-20733.
- Hamel Y., Lacoste J., Frayssinet C., Sarasin A., Garestier T., Francois J. C. & Helene C. (1999) Inhibition of gene expression by anti-sense C-5 propyne oligonucleotides detected by a reporter enzyme. *Biochem J* **339** (Pt 3), 547-553.
- Hamm H. E. (1998) The many faces of G protein signaling. *J Biol Chem* **273**, 669-672.
- Hamm H. E. & Gilchrist A. (1996) Heterotrimeric G proteins. *Curr Opin Cell Biol* **8**, 189-196.
- Hanoune J. & Defer N. (2001) Regulation and role of adenylyl cyclase isoforms. *Annu Rev Pharmacol Toxicol* **41**, 145-174.

- Harry A., Chen Y., Magnusson R., Iyengar R. & Weng G. (1997) Differential Regulation of Adenylyl Cyclases by Gas. *J Biol Chem* **272**, 19017-19021.
- Hastings J. W. (1983) Biological diversity, chemical mechanisms, and the evolutionary origins of bioluminescent systems. *J Mol Evol* **19**, 309-321.
- Hastings M. L. & Krainer A. R. (2001) Pre-mRNA splicing in the new millennium. *Curr Opin Cell Biol* **13**, 302-309.
- Hayward B. E., Barlier A., Korbonits M., Grossman A. B., Jacquet P., Enjalbert A. & Bonthon D. T. (2001) Imprinting of the G(s)alpha gene GNAS1 in the pathogenesis of acromegaly. *J Clin Invest* **107**, R31-R36.
- Hayward B. E., Moran V., Strain L. & Bonthon D. T. (1998) Bidirectional imprinting of a single gene: GNAS1 encodes maternally, paternally, and biallelically derived proteins. *Proc Natl Acad Sci U S A* **95**, 15475-15480.
- Hein P., Frank M., Hoffmann C., Lohse M. J. & Bunemann M. (2005) Dynamics of receptor/G protein coupling in living cells. *EMBO J* **24**, 4106-4114.
- Hepler J. R. & Gilman A. G. (1992) G proteins. *Trends Biochem Sci* **17**, 383-387.
- Hescheler J., Rosenthal W., Trautwein W. & Schultz G. (1987) The GTP-binding protein, Go, regulates neuronal calcium channels. *Nature* **325**, 445-447.
- Hollinger S. & Hepler J. R. (2002) Cellular regulation of RGS proteins: modulators and integrators of G protein signaling. *Pharmacol Rev* **54**, 527-559.
- Holz G. G. (2004) Epac: A new cAMP-binding protein in support of glucagon-like peptide-1 receptor-mediated signal transduction in the pancreatic beta-cell. *Diabetes* **53**, 5-13.
- Horn F., Bettler E., Oliveira L., Campagne F., Cohen F. E. & Vriend G. (2003) GPCRDB information system for G protein-coupled receptors. *Nucleic Acids Res* **31**, 294-297.
- Houslay M. D. & Milligan G. (1997) Tailoring cAMP-signalling responses through isoform multiplicity. *Trends Biochem Sci* **22**, 217-224.
- Huang C., Hepler J. R., Chen L. T., Gilman A. G., Anderson R. G. & Mumby S. M. (1997) Organization of G proteins and adenylyl cyclase at the plasma membrane. *Mol Biol Cell* **8**, 2365-2378.
- Humes J. L., Rounbehler M. & Kuehl F. A., Jr. (1969) A new assay for measuring adenylyl cyclase activity in intact cells. *Anal Biochem* **32**, 210-217.
- Hunter M. J. & Commerford S. L. (1961) Pressure homogenization of mammalian tissues. *Biochim Biophys Acta* **47**, 580-586.
- Ihnatovych I., Hejnova L., Kostrnava A., Mares P., Svoboda P. & Novotny J. (2001) Maturation of rat brain is accompanied by differential expression of the long and short splice variants of G(s)alpha protein: identification of cytosolic forms of G(s)alpha. *J Neurochem* **79**, 88-97.
- Ischia R., Lovisetti-Scamihorn P., Hogue-Angeletti R., Wolkersdorfer M., Winkler H. & Fischer-Colbrie R. (1997) Molecular cloning and characterization of NESP55, a novel chromogranin-like precursor of a peptide with 5-HT1B receptor antagonist activity. *J Biol Chem* **272**, 11657-11662.
- Ishikawa Y., Bianchi C., Nadal-Ginard B. & Homcy C. J. (1990) Alternative promoter and 5' exon generate a novel Gs alpha mRNA. *J Biol Chem* **265**, 8458-8462.

- Jang S. K., Pestova T. V., Hellen C. U., Witherell G. W. & Wimmer E. (1990) Cap-independent translation of picornavirus RNAs: structure and function of the internal ribosomal entry site. *Enzyme* **44**, 292-309.
- Jares-Erijman E. A. & Jovin T. M. (2003) FRET imaging. *Nat Biotechnol* **21**, 1387-1395.
- Jasper J. R., Post S. R., Desai K. H., Insel P. A. & Bernstein D. (1995) Colchicine and cytochalasin B enhance cyclic AMP accumulation via postreceptor actions. *J Pharmacol Exp Ther* **274**, 937-942.
- Jones D. T., Masters S. B., Bourne H. R. & Reed R. R. (1990) Biochemical characterization of three stimulatory GTP-binding proteins. *J Biol Chem* **265**, 2671-2676.
- Kalkbrenner F., Wittig B. & Schultz G. (1998) in Antisense research and application (Crooke S. T. & Agrawal S., Eds.), S. 341-369, Springer Verlag, Berlin; Heidelberg; New York.
- Kaupp U. B. & Seifert R. (2002) Cyclic nucleotide-gated ion channels. *Physiol Rev* **82**, 769-824.
- Kawai Y. & Arinze I. J. (1996) Differential localization and development-dependent expression of G-protein subunits, Go alpha and G beta, in rabbit heart. *J Mol Cell Cardiol* **28**, 1555-1564.
- Kehlenbach R. H., Matthey J. & Huttner W. B. (1994) XL alpha s is a new type of G protein. *Nature* **372**, 804-809.
- Khvorova A., Reynolds A. & Jayasena S. D. (2003) Functional siRNAs and miRNAs exhibit strand bias. *Cell* **115**, 209-216.
- Kim G. D., Adie E. J. & Milligan G. (1994) Quantitative stoichiometry of the proteins of the stimulatory arm of the adenylyl cyclase cascade in neuroblastoma x glioma hybrid, NG108-15 cells. *Eur J Biochem* **219**, 135-143.
- Kleineke J., Duls C. & Soling H. D. (1979) Subcellular compartmentation of guanine nucleotides and functional relationships between the adenine and guanine nucleotide systems in isolated hepatocytes. *FEBS Lett* **107**, 198-202.
- Klemke M., Pasolli H. A., Kehlenbach R. H., Offermanns S., Schultz G. & Huttner W. B. (2000) Characterization of the extra-large G protein alpha-subunit XLalphas. II. Signal transduction properties. *J Biol Chem* **275**, 33633-33640.
- Kleuss C. & Gilman A. G. (1997) Galpha contains an unidentified covalent modification that increases its affinity for adenylyl cyclase. *Proc Natl Acad Sci U S A* **94**, 6116-6120.
- Kleuss C. & Krause E. (2003) Galpha(s) is palmitoylated at the N-terminal glycine. *EMBO J* **22**, 826-832.
- Kleuss C., Scherübl H., Hescheler J., Schultz G. & Wittig B. (1992) Different β-subunits determine G-protein interaction with transmembrane receptors. *Nature* **358**, 424-426.
- Kleuss C., Schultz G. & Wittig B. (1994) Microinjection of antisense oligonucleotides to assess G-protein subunit function. *Methods Enzymol* **237**, 345-355.
- Kleymann G., Boege F., Hahn M., Hampe W., Vasudevan S. & Reilander H. (1993) Human beta 2-adrenergic receptor produced in stably transformed insect cells is functionally coupled via endogenous GTP-binding protein to adenylyl cyclase. *Eur J Biochem* **213**, 797-804.
- Kopperud R., Krakstad C., Selheim F. & Doskeland S. O. (2003) cAMP effector mechanisms. Novel twists for an 'old' signaling system. *FEBS Lett* **546**, 121-126.

- Kozak M. An Analysis of 5'-Noncoding Sequences from 699 Vertebrate Messenger RNAs. *Nucleic Acids Res* **15**, 8125-8148. (1987).
- Kozasa T., Itoh H., Tsukamoto T. & Kaziro Y. (1988) Isolation and characterization of the human Gs alpha gene. *Proc Natl Acad Sci U S A* **85**, 2081-2085.
- Krumins A. M. & Gilman A. G. (2006) Targeted knockdown of G protein subunits selectively prevents receptor-mediated modulation of effectors and reveals complex changes in non-targeted signaling proteins. *J Biol Chem* **281**, 10250-10262.
- Krupinski J. & Cali J. J. (1998) Molecular diversity of the adenylyl cyclases. *Adv Second Messenger Phosphoprotein Res* **32**, 53-79.
- Kuhn B. & Gudermann T. (1999) The luteinizing hormone receptor activates phospholipase C via preferential coupling to Gi2. *Biochemistry* **38**, 12490-12498.
- Kurreck J. (2003) Antisense technologies. Improvement through novel chemical modifications. *Eur J Biochem* **270**, 1628-1644.
- Lachance M., Ethier N., Wolbring G., Schnetkamp P. P. & Hebert T. E. (1999) Stable association of G proteins with beta 2AR is independent of the state of receptor activation. *Cell Signal* **11**, 523-533.
- Laemmli U. K. (1970) Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature* **227**, 680-685.
- Lambright D. G., Noel J. P., Hamm H. E. & Sigler P. B. (1994) Structural determinants for activation of the alpha-subunit of a heterotrimeric G protein. *Nature* **369**, 621-628.
- Lander E. S., Linton L. M., Birren B., Nusbaum C., Zody M. C., Baldwin J., Devon K., Dewar K., Doyle M., FitzHugh W. et al. (2001) Initial sequencing and analysis of the human genome. *Nature* **409**, 860-921.
- Lavorgna G., Dahary D., Lehner B., Sorek R., Sanderson C. M. & Casari G. (2004) In search of antisense. *Trends Biochem Sci* **29**, 88-94.
- Lee E., Taussig R. & Gilman A. G. (1992) The G226A mutant of Gs alpha highlights the requirement for dissociation of G protein subunits. *J Biol Chem* **267**, 1212-1218.
- Leiber D., Jasper J. R., Alousi A. A., Martin J., Bernstein D. & Insel P. A. (1993) Alteration in Gs-mediated signal transduction in S49 lymphoma cells treated with inhibitors of microtubules. *J Biol Chem* **268**, 3833-3837.
- Li Y., Mende U., Lewis C. & Neer E. J. (1996) Maintenance of cellular levels of G-proteins: different efficiencies of alpha s and alpha o synthesis in GH3 cells. *Biochem J* **318** (Pt 3), 1071-1077.
- Lindl T. (2002) Zell- und Gewebekultur, Spektrum Akademischer Verlag, Heidelberg.
- Liu Y. F., Jakobs K. H., Rasenick M. M. & Albert P. R. (1994) G protein specificity in receptor-effector coupling. Analysis of the roles of G0 and Gi2 in GH4C1 pituitary cells. *J Biol Chem* **269**, 13880-13886.
- Londos C., Cooper D. M., Schlegel W. & Rodbell M. (1978) Adenosine analogs inhibit adipocyte adenylyl cyclase by a GTP-dependent process: basis for actions of adenosine and methylxanthines on cyclic AMP production and lipolysis. *Proc Natl Acad Sci U S A* **75**, 5362-5366.
- Lowes V. L., Ip N. Y. & Wong Y. H. (2002) Integration of signals from receptor tyrosine kinases and g protein-coupled receptors. *Neurosignals* **11**, 5-19.

- Ma Y. C., Huang J., Ali S., Lowry W. & Huang X. Y. (2000) Src tyrosine kinase is a novel direct effector of G proteins. *Cell* **102**, 635-646.
- Malbon C. C. (2005) G proteins in development. *Nat Rev Mol Cell Biol* **6**, 689-701.
- Mantovani G., Ballare E., Giammona E., Beck-Peccoz P. & Spada A. (2002) The galpha gene: predominant maternal origin of transcription in human thyroid gland and gonads. *J Clin Endocrinol Metab* **87**, 4736-4740.
- Martz E. (2002) Protein Explorer: Easy Yet Powerful Macromolecular Visualization. *Trends Biochem Sci* **27**, 107-109, <http://proteinexplorer.org>.
- Masters S. B., Miller R. T., Chi M. H., Chang F. H., Beiderman B., Lopez N. G. & Bourne H. R. (1989) Mutations in the GTP-binding site of GS alpha alter stimulation of adenylyl cyclase. *J Biol Chem* **264**, 15467-15474.
- Matousek P., Novotny J. & Svoboda P. (2004) Resolution of G(s)alpha and G(q)alpha/G(11)alpha proteins in membrane domains by two-dimensional electrophoresis: the effect of long-term agonist stimulation. *Physiol Res* **53**, 295-303.
- Mattson D. L. & Bellehumeur T. G. (1996) Comparison of three chemiluminescent horseradish peroxidase substrates for immunoblotting. *Anal Biochem* **240**, 306-308.
- Mayr B. & Montminy M. (2001) Transcriptional regulation by the phosphorylation-dependent factor CREB. *Nat Rev Mol Cell Biol* **2**, 599-609.
- McCudden C. R., Hains M. D., Kimple R. J., Siderovski D. P. & Willard F. S. (2005) G-protein signaling: back to the future. *Cell Mol Life Sci* **62**, 551-577.
- Mead D. A., Pey N. K., Herrnstadt C., Marcil R. A. & Smith L. M. (1991) A universal method for the direct cloning of PCR amplified nucleic acid. *Biotechnology (N Y)* **9**, 657-663.
- Michel M. C., Farke W., Erdbrugger W., Philipp T. & Brodde O. E. (1994) Ontogenesis of sympathetic responsiveness in spontaneously hypertensive rats. II. Renal G proteins in male and female rats. *Hypertension* **23**, 653-658.
- Milner H. W., Lawrence N. S. & French C. S. (1950) Colloidal dispersion of chloroplast material. *Science* **111**, 633-634.
- Moxham C. M., Hod Y. & Malbon C. C. (1993) Induction of G alpha i2-specific antisense RNA in vivo inhibits neonatal growth. *Science* **260**, 991-995.
- Mumby S. M., Kahn R. A., Manning D. R. & Gilman A. G. (1986) Antisera of designed specificity for subunits of guanine nucleotide-binding regulatory proteins. *Proc Natl Acad Sci U S A* **83**, 265-269.
- Mumby S. M., Kleuss C. & Gilman A. G. (1994) Receptor regulation of G-protein palmitoylation. *Proc Natl Acad Sci U S A* **91**, 2800-2804.
- Nakamura T. & Gold G. H. (1987) A cyclic nucleotide-gated conductance in olfactory receptor cilia. *Nature* **325**, 442-444.
- Neer E. J. (1994) G proteins: critical control points for transmembrane signals. *Protein Sci* **3**, 3-14.
- Nishigaki N., Chang C., Ichikawa A. & Negishi M. (1998) Cytoskeletal regulation of the signal transduction of prostaglandin EP4 receptor. *Biochim Biophys Acta* **1391**, 110-116.
- Noel J. P., Hamm H. E. & Sigler P. B. (1993) The 2.2 Å crystal structure of transducin-alpha complexed with GTP gamma S. *Nature* **366**, 654-663.

- Northup J. K., Smigel M. D. & Gilman A. G. (1982) The guanine nucleotide activating site of the regulatory component of adenylate cyclase. Identification by ligand binding. *J Biol Chem* **257**, 11416-11423.
- O'Donnell J. K., Sweet R. W. & Stadel J. M. (1991) Expression and characterization of the long and short splice variants of GS alpha in S49 cyc- cells. *Mol Pharmacol* **39**, 702-710.
- O'Hara P. J., Sheppard P. O., Thogersen H., Venezia D., Haldeman B. A., McGrane V., Houamed K. M., Thomsen C., Gilbert T. L. & Mulvihill E. R. (1993) The ligand-binding domain in metabotropic glutamate receptors is related to bacterial periplasmic binding proteins. *Neuron* **11**, 41-52.
- Offermanns S. (2000) Mammalian G-protein function in vivo: new insights through altered gene expression. *Rev Physiol Biochem Pharmacol* **140**, 63-133.
- Palczewski K., Kumashita T., Hori T., Behnke C. A., Motoshima H., Fox B. A., Le T., I, Teller D. C., Okada T., Stenkamp R. E., Yamamoto M. & Miyano M. (2000) Crystal structure of rhodopsin: A G protein-coupled receptor. *Science* **289**, 739-745.
- Pantalon C., Brabet P., Bilanges B., Dumuis A., Houssami S., Spengler D., Bockaert J. & Journot L. (1996) Alternative splicing in the N-terminal extracellular domain of the pituitary adenylate cyclase-activating polypeptide (PACAP) receptor modulates receptor selectivity and relative potencies of PACAP-27 and PACAP-38 in phospholipase C activation. *J Biol Chem* **271**, 22146-22151.
- Pasolli H. A., Klemke M., Kehlenbach R. H., Wang Y. & Huttner W. B. (2000) Characterization of the extra-large G protein alpha-subunit XLalphas. I. Tissue distribution and subcellular localization. *J Biol Chem* **275**, 33622-33632.
- Patel T. B. (2004) Single transmembrane spanning heterotrimeric g protein-coupled receptors and their signaling cascades. *Pharmacol Rev* **56**, 371-385.
- Paterson J. M., Smith S. M., Simpson J., Grace O. C., Sosunov A. A., Bell J. E. & Antoni F. A. (2000) Characterisation of human adenylyl cyclase IX reveals inhibition by Ca(2+)/Calcineurin and differential mRNA polyadenylation. *J Neurochem* **75**, 1358-1367.
- Paulssen R. H., Paulssen E. J., Gautvik K. M. & Gordeladze J. O. (1992) The thyroliberin receptor interacts directly with a stimulatory guanine-nucleotide-binding protein in the activation of adenylyl cyclase in GH3 rat pituitary tumour cells. *Eur J Biochem* **204**, 413-418.
- Perez D. M. (2003) The evolutionarily triumphant G-protein-coupled receptor. *Mol Pharmacol* **63**, 1202-1205.
- Plagge A., Gordon E., Dean W., Boiani R., Cinti S., Peters J. & Kelsey G. (2004) The imprinted signaling protein XL alpha s is required for postnatal adaptation to feeding. *Nat Genet* **36**, 818-826.
- Pollard A. J., Krainer A. R., Robson S. C. & Europe-Finner G. N. (2002) Alternative splicing of the adenylyl cyclase stimulatory G-protein G alpha(s) is regulated by SF2/ASF and heterogeneous nuclear ribonucleoprotein A1 (hnRNPA1) and involves the use of an unusual TG 3'-splice Site. *J Biol Chem* **277**, 15241-15251.
- Post S. R., Hilal-Dandan R., Urasawa K., Brunton L. L. & Insel P. A. (1995) Quantification of signalling components and amplification in the beta-adrenergic-receptor-adenylate cyclase pathway in isolated adult rat ventricular myocytes. *Biochem J* **311** (Pt 1), 75-80.

- Pradelles P., Grassi J., Chabardes D. & Guiso N. (1989) Enzyme immunoassays of adenosine cyclic 3',5'-monophosphate and guanosine cyclic 3',5'-monophosphate using acetylcholinesterase. *Anal Chem* **61**, 447-453.
- Ransnäs L. A. & Insel P. A. (1988) Quantitation of the guanine nucleotide binding regulatory protein Gs in S49 cell membranes using antipeptide antibodies to alpha s. *J Biol Chem* **263**, 9482-9485.
- Ransnäs L. A., Svoboda P., Jasper J. R. & Insel P. A. (1989) Stimulation of beta-adrenergic receptors of S49 lymphoma cells redistributes the alpha subunit of the stimulatory G protein between cytosol and membranes. *Proc Natl Acad Sci U S A* **86**, 7900-7903.
- Rao V. V., Schnittger S. & Hansmann I. (1991) G protein Gs alpha (GNAS 1), the probable candidate gene for Albright hereditary osteodystrophy, is assigned to human chromosome 20q12-q13.2. *Genomics* **10**, 257-261.
- Rius R. A., Streaty R. A., Peng L. Y. & Klee W. A. (1991) Developmental expression of G proteins that differentially modulate adenylyl cyclase activity in mouse brain. *FEBS Lett* **288**, 51-54.
- Rodbell M., Birnbaumer L., Pohl S. L. & Krans H. M. (1971) The glucagon-sensitive adenylyl cyclase system in plasma membranes of rat liver. V. An obligatory role of guanylnucleotides in glucagon action. *J Biol Chem* **246**, 1877-1882.
- Ross E. M. & Gilman A. G. (1977a) Reconstitution of catecholamine-sensitive adenylyl cyclase activity: interactions of solubilized components with receptor-replete membranes. *Proc Natl Acad Sci U S A* **74**, 3715-3719.
- Ross E. M. & Gilman A. G. (1977b) Resolution of some components of adenylyl cyclase necessary for catalytic activity. *J Biol Chem* **252**, 6966-6969.
- Ross E. M., Howlett A. C., Ferguson K. M. & Gilman A. G. (1978) Reconstitution of hormone-sensitive adenylyl cyclase activity with resolved components of the enzyme. *J Biol Chem* **253**, 6401-6412.
- Ryan R. J., Charlesworth M. C., McCormick D. J., Milius R. P. & Keutmann H. T. (1988) The glycoprotein hormones: recent studies of structure-function relationships. *FASEB J* **2**, 2661-2669.
- Salomon Y., Londos C. & Rodbell M. (1974) A highly sensitive adenylyl cyclase assay. *Anal Biochem* **58**, 541-548.
- Sambrook J. & Russell D. W. (2001) Molecular cloning: A laboratory manual., Cold Spring Harbor Laboratory Press, New York.
- Sanger F., Nicklen S. & Coulson A. R. (1977) DNA sequencing with chain-terminating inhibitors. *Proc Natl Acad Sci U S A* **74**, 5463-5467.
- Sangkuhl K., Schulz A., Schultz G. & Schoneberg T. (2002) Structural requirements for mutational lutropin/choriogonadotropin receptor activation. *J Biol Chem* **277**, 47748-47755.
- Santoro S. W. & Joyce G. F. (1997) A general purpose RNA-cleaving DNA enzyme. *Proc Natl Acad Sci U S A* **94**, 4262-4266.
- Scholich K., Mullenix J. B., Wittpoth C., Poppleton H. M., Pierre S. C., Lindorfer M. A., Garrison J. C. & Patel T. B. (1999) Facilitation of signal onset and termination by adenylyl cyclase. *Science* **283**, 1328-1331.

- Schulz A., Schoneberg T., Paschke R., Schultz G. & Gudermann T. (1999) Role of the third intracellular loop for the activation of gonadotropin receptors. *Mol Endocrinol* **13**, 181-190.
- Schwarz D. S., Hutvagner G., Du T., Xu Z., Aronin N. & Zamore P. D. (2003) Asymmetry in the assembly of the RNAi enzyme complex. *Cell* **115**, 199-208.
- Scion Corporation. Scion Image 2.0, im Internet verfügbar unter <http://www.scioncorp.com>. Frederick, MD, USA . (2001).
- Seamon K. B., Padgett W. & Daly J. W. (1981) Forskolin: unique diterpene activator of adenylate cyclase in membranes and in intact cells. *Proc Natl Acad Sci U S A* **78**, 3363-3367.
- Seifert R., Wenzel-Seifert K. & Kobilka B. K. (1999) GPCR-Galpha fusion proteins: molecular analysis of receptor-G-protein coupling. *Trends Pharmacol Sci* **20**, 383-389.
- Seifert R., Wenzel-Seifert K., Lee T. W., Gether U., Sanders-Bush E. & Kobilka B. K. (1998) Different effects of Galpha splice variants on beta2-adrenoreceptor-mediated signaling. *J Biol Chem* **273**, 5109-5116.
- Sierakowska H., Sambade M. J., Agrawal S. & Kole R. (1996) Repair of thalassemic human beta-globin mRNA in mammalian cells by antisense oligonucleotides. *Proc Natl Acad Sci U S A* **93**, 12840-12844.
- Simon M. I., Strathmann M. P. & Gautam N. (1991) Diversity of G proteins in signal transduction. *Science* **252**, 802-808.
- Simonds W. F. (1999) G protein regulation of adenylate cyclase. *Trends Pharmacol Sci* **20**, 66-73.
- Simonds W. F., Goldsmith P. K., Woodard C. J., Unson C. G. & Spiegel A. M. (1989) Receptor and effector interactions of Gs. *FEBS Lett* **249**, 189-194.
- Smith C. W. (2005) Alternative splicing--when two's a crowd. *Cell* **123**, 1-3.
- Smith L., Andersen K. B., Hovgaard L. & Jaroszewski J. W. (2000) Rational selection of antisense oligonucleotide sequences. *Eur J Pharm Sci* **11**, 191-198.
- Sondek J., Lambright D. G., Noel J. P., Hamm H. E. & Sigler P. B. (1994) GTPase mechanism of Gproteins from the 1.7-A crystal structure of transducin alpha-GDP-AlF-4. *Nature* **372**, 276-279.
- Sprang S. R. (1997) G protein mechanisms: insights from structural analysis. *Annu Rev Biochem* **66**, 639-678.
- Stenkamp R. E., Teller D. C. & Palczewski K. (2005) Rhodopsin: a structural primer for G-protein coupled receptors. *Arch Pharm (Weinheim)* **338**, 209-216.
- Sternweis P. C. (1986) The purified alpha subunits of Go and Gi from bovine brain require beta gamma for association with phospholipid vesicles. *J Biol Chem* **261**, 631-637.
- Sternweis P. C. & Gilman A. G. (1979) Reconstitution of catecholamine-sensitive adenylate cyclase. *J Biol Chem* **254**, 3333-3340.
- Sternweis P. C. & Gilman A. G. (1982) Aluminum: a requirement for activation of the regulatory component of adenylate cyclase by fluoride. *Proc Natl Acad Sci U S A* **79**, 4888-4891.
- Sternweis P. C., Northup J. K., Smigel M. D. & Gilman A. G. (1981) The regulatory component of adenylate cyclase. *J Biol Chem* **256**, 11517-11526.

- Stryer L. (1978) Fluorescence energy transfer as a spectroscopic ruler. *Annu Rev Biochem* **47**, 819-846.
- Sunahara R. K. & Taussig R. (2002) Isoforms of mammalian adenylyl cyclase: multiplicities of signaling. *Mol Interv* **2**, 168-184.
- Sunahara R. K., Tesmer J. J., Gilman A. G. & Sprang S. R. (1997) Crystal structure of the adenylyl cyclase activator Gsalpha. *Science* **278**, 1943-1947.
- Svoboda P., Kvapil P., Insel P. A. & Ransnäs L. A. (1992) Plasma-membrane-independent pool of the alpha subunit of the stimulatory guanine-nucleotide-binding regulatory protein in a low-density-membrane fraction of S49 lymphoma cells. *Eur J Biochem* **208**, 693-698.
- Tang W. J., Krupinski J. & Gilman A. G. (1991) Expression and characterization of calmodulin-activated (type I) adenylylcyclase. *J Biol Chem* **266**, 8595-8603.
- Taussig R. & Gilman A. G. (1995) Mammalian membrane-bound adenylyl cyclases. *J Biol Chem* **270**, 1-4.
- Taussig R., Tang W. J., Hepler J. R. & Gilman A. G. (1994) Distinct patterns of bidirectional regulation of mammalian adenylyl cyclases. *J Biol Chem* **269**, 6093-6100.
- Tesmer J. J., Sunahara R. K., Gilman A. G. & Sprang S. R. (1997) Crystal structure of the catalytic domains of adenylyl cyclase in a complex with Gsalpha.GTPgammaS. *Science* **278**, 1907-1916.
- Towbin H., Staehelin T. & Gordon J. (1979) Electrophoretic transfer of proteins from polyacrylamide gels to nitrocellulose sheets: procedure and some applications. *Proc Natl Acad Sci U S A* **76**, 4350-4354.
- U.S.National Institutes of Health. NIH Image Programm, im Internet verfügbar unter <http://rsb.info.nih.gov/nih-image/>. Bethesda, MD, USA . (2004).
- Unson C. G., Wu C. R., Sakmar T. P. & Merrifield R. B. (2000) Selective stabilization of the high affinity binding conformation of glucagon receptor by the long splice variant of Galpha(s). *J Biol Chem* **275**, 21631-21638.
- Vaughn J. L., Goodwin R. H., Tompkins G. J. & McCawley P. (1977) The establishment of two cell lines from the insect Spodoptera frugiperda (Lepidoptera; Noctuidae). *In Vitro* **13**, 213-217.
- Wagner R. W., Matteucci M. D., Lewis J. G., Gutierrez A. J., Moulds C. & Froehler B. C. (1993) Antisense gene inhibition by oligonucleotides containing C-5 propyne pyrimidines. *Science* **260**, 1510-1513.
- Wall M. A., Coleman D. E., Lee E., Iniguez-Lluhi J. A., Posner B. A., Gilman A. G. & Sprang S. R. (1995) The structure of the G protein heterotrimer Gi alpha 1 beta 1 gamma 2. *Cell* **83**, 1047-1058.
- Walseth T. F., Zhang H. J., Olson L. K., Schroeder W. A. & Robertson R. P. (1989) Increase in Gs and cyclic AMP generation in HIT cells. *J Biol Chem* **264**, 21106-21111.
- Wang N., Yan K. & Rasenick M. M. (1990) Tubulin binds specifically to the signal-transducing proteins, Gs alpha and Gi alpha 1. *J Biol Chem* **265**, 1239-1242.
- Watkins D. C., Northup J. K. & Malbon C. C. (1987) Regulation of G-proteins in differentiation. *J Biol Chem* **262**, 10651-10657.
- Weber K. & Osborn M. (1969) The reliability of molecular weight determinations by dodecyl sulfate-polyacrylamide gel electrophoresis. *J Biol Chem* **244**, 4406-4412.

- Wedegaertner P. B. & Bourne H. R. (1994) Activation and depalmitoylation of Gs alpha. *Cell* **77**, 1063-1070.
- Wenzel-Seifert K. & Seifert R. (2000) Molecular analysis of beta(2)-adrenoceptor coupling to G(s)-, G(i)-, and G(q)-proteins. *Mol Pharmacol* **58**, 954-966.
- Wheeler G. L. & Bitensky M. W. (1977) A light-activated GTPase in vertebrate photoreceptors: regulation of light-activated cyclic GMP phosphodiesterase. *Proc Natl Acad Sci U S A* **74**, 4238-4242.
- Wickman K. D. & Clapham D. E. (1995) G-protein regulation of ion channels. *Curr Opin Neurobiol* **5**, 278-285.
- Wieland T. & Jakobs K. H. (1994) Measurement of receptor-stimulated guanosine 5'-O-(gamma-thio)triphosphate binding by G proteins. *Methods Enzymol* **237**, 3-13.
- Yagami T. (1995) Differential coupling of glucagon and beta-adrenergic receptors with the small and large forms of the stimulatory G protein. *Mol Pharmacol* **48**, 849-854.
- Yagami T., Kirita S., Matsushita A., Kawasaki K. & Mizushima Y. (1994) Alterations in the stimulatory G protein of the rat liver after partial hepatectomy. *Biochim Biophys Acta* **1222**, 81-87.
- Yan K., Popova J. S., Moss A., Shah B. & Rasenick M. M. (2001) Tubulin stimulates adenylyl cyclase activity in C6 glioma cells by bypassing the beta-adrenergic receptor: a potential mechanism of G protein activation. *J Neurochem* **76**, 182-190.
- Yatani A., Codina J., Imoto Y., Reeves J. P., Birnbaumer L. & Brown A. M. (1987) A G protein directly regulates mammalian cardiac calcium channels. *Science* **238**, 1288-1292.
- York R. D., Yao H., Dillon T., Ellig C. L., Eckert S. P., McCleskey E. W. & Stork P. J. (1998) Rap1 mediates sustained MAP kinase activation induced by nerve growth factor. *Nature* **392**, 622-626.
- Yu S., Yu D., Lee E., Eckhaus M., Lee R., Corria Z., Accili D., Westphal H. & Weinstein L. S. (1998) Variable and tissue-specific hormone resistance in heterotrimeric Gs protein alpha-subunit (G_salpha) knockout mice is due to tissue-specific imprinting of the g_salpha gene. *Proc Natl Acad Sci U S A* **95**, 8715-8720.
- Zaccolo M., De Giorgi F., Cho C. Y., Feng L., Knapp T., Negulescu P. A., Taylor S. S., Tsien R. Y. & Pozzan T. (2000) A genetically encoded, fluorescent indicator for cyclic AMP in living cells. *Nat Cell Biol* **2**, 25-29.
- Zaccolo M. & Pozzan T. (2002) Discrete microdomains with high concentration of cAMP in stimulated rat neonatal cardiac myocytes. *Science* **295**, 1711-1715.
- Zheng B., Ma Y. C., Ostrom R. S., Lavoie C., Gill G. N., Insel P. A., Huang X. Y. & Farquhar M. G. (2001) RGS-PX1, a GAP for GalphaS and sorting nexin in vesicular trafficking. *Science* **294**, 1939-1942.
- Zimmermann G. & Taussig R. (1996) Protein kinase C alters the responsiveness of adenylyl cyclases to G protein alpha and betagamma subunits. *J Biol Chem* **271**, 27161-27166.
- Zippin J. H., Levin L. R. & Buck J. (2001) CO(2)/HCO(3)(-) -responsive soluble adenylyl cyclase as a putative metabolic sensor. *Trends Endocrinol Metab* **12**, 366-370.