

7 LITERATURVERZEICHNIS

- Abe, T., Kikuchi, T. and Shinohara, T. (1994). "The sequence of the human phosducin gene (PDC) and its 5'-flanking region." *Genomics* **19**(2): 369-72.
- Adler, K., Broadbent, J., Garlick, R., Joseph, R., Khimani, A., Mikulskis, A., et al. (2000). "MICROMAX: A Highly Sensitive System for Differential Gene Expression on Microarrays". *Microarray Biochip Technology. Schena, M. Natick, Eaton, F. W.*: 221-230.
- Adler, K., Erickson, T. and Bobrow, M. (1997). "High sensitivity detection of HPV-16 in SiHa and CaSki cells utilizing FISH enhanced by TSA." *Histochem Cell Biol* **108**(4-5): 321-4.
- Alizadeh, A. A., Eisen, M. B., Davis, R. E., Ma, C., Lossos, I. S., Rosenwald, A., et al. (2000). "Distinct types of diffuse large B-cell lymphoma identified by gene expression profiling." *Nature* **403**(6769): 503-11.
- Apple, D. J., Fishman, G. A. and Goldberg, M. F. (1974). "Ocular histopathology of Norrie's disease." *Am J Ophthalmol* **78**(2): 196-203.
- Ara-Iwata, F., Jacobson, S. G., Gass, J. D., Hotta, Y., Fujiki, K., Hayakawa, M., et al. (1996). "Analysis of phosducin as a candidate gene for retinopathies." *Ophthalmic Genet* **17**(1): 3-14.
- Audic, S. and Claverie, J. M. (1997). "The significance of digital gene expression profiles." *Genome Res* **7**(10): 986-95.
- Axel, R., Feigelson, P. and Schutz, G. (1976). "Analysis of the complexity and diversity of mRNA from chicken liver and oviduct." *Cell* **7**(2): 247-54.
- Barlow, T. W. (1995). "Self-organizing maps and molecular similarity." *J Mol Graph* **13**(1): 24-7.
- Bartosiewicz, M., Trounstine, M., Barker, D., Johnston, R. and Buckpitt, A. (2000). "Development of a toxicological gene array and quantitative assessment of this technology." *Arch Biochem Biophys* **376**(1): 66-73.
- Beier, M. and Hoheisel, J. D. (1999). "Versatile derivatisation of solid support media for covalent bonding on DNA-microchips." *Nucleic Acids Res* **27**(9): 1970-7.
- Beissbarth, T., Fellenberg, K., Brors, B., Arribas-Prat, R., Boer, J., Hauser, N. C., et al. (2000). "Processing and quality control of DNA array hybridization data." *Bioinformatics* **16**(11): 1014-22.
- Ben-Dor, A., Shamir, R. and Yakhini, Z. (1999). "Clustering gene expression patterns." *J Comput Biol* **6**(3-4): 281-97.
- Benson, D. A., Boguski, M. S., Lipman, D. J. and Ostell, J. (1997). "GenBank." *Nucleic Acids Res* **25**(1): 1-6.
- Berger, W., Meindl, A., van de Pol, T. J., Cremers, F. P., Ropers, H. H., Doerner, C., et al. (1992a). "Isolation of a candidate gene for Norrie disease by positional cloning." *Nat Genet* **2**(1): 84.

- Berger, W., van de Pol, D., Bachner, D., Oerlemans, F., Winkens, H., Hameister, H., et al. (1996). "An animal model for Norrie disease (ND): gene targeting of the mouse ND gene." *Hum Mol Genet* **5**(1): 51-9.
- Berger, W., van de Pol, D., Warburg, M., Gal, A., Bleeker-Wagemakers, L., de Silva, H., et al. (1992b). "Mutations in the candidate gene for Norrie disease." *Hum Mol Genet* **1**(7): 461-5.
- Black, G. C., Perveen, R., Bonshek, R., Cahill, M., Clayton-Smith, J., Lloyd, I. C., et al. (1999). "Coats' disease of the retina (unilateral retinal telangiectasis) caused by somatic mutation in the NDP gene: a role for norrin in retinal angiogenesis." *Hum Mol Genet* **8**(11): 2031-5.
- Bobrow, M. N., Harris, T. D., Shaughnessy, K. J. and Litt, G. J. (1989). "Catalyzed reporter deposition, a novel method of signal amplification. Application to immunoassays." *J Immunol Methods* **125**(1-2): 279-85.
- Boguski, M. S., Lowe, T. M. and Tolstoshev, C. M. (1993). "dbEST--database for "expressed sequence tags"." *Nat Genet* **4**(4): 332-3.
- Braun, R. D., Linsenmeier, R. A. and Goldstick, T. K. (1995). "Oxygen consumption in the inner and outer retina of the cat." *Invest Ophthalmol Vis Sci* **36**(3): 542-54.
- Brazma, A., Jonassen, I., Vilo, J. and Ukkonen, E. (1998). "Predicting gene regulatory elements in silico on a genomic scale." *Genome Res* **8**(11): 1202-15.
- Brown, M. P., Grundy, W. N., Lin, D., Cristianini, N., Sugnet, C. W., Furey, T. S., et al. (2000). "Knowledge-based analysis of microarray gene expression data by using support vector machines." *Proc Natl Acad Sci U S A* **97**(1): 262-7.
- Casey, J. and Davidson, N. (1977). "Rates of formation and thermal stabilities of RNA:DNA and DNA:DNA duplexes at high concentrations of formamide." *Nucleic Acids Res* **4**(5): 1539-52.
- Chen, J. J., Wu, R., Yang, P. C., Huang, J. Y., Sher, Y. P., Han, M. H., et al. (1998). "Profiling expression patterns and isolating differentially expressed genes by cDNA microarray system with colorimetry detection." *Genomics* **51**(3): 313-24.
- Chen, Y., Dougherty, E. R. and Bittner, M. L. (1997). "Ratio-Based Decisions and the Quantitative Analysis of cDNA Microarray Images." *Journal of Biomedical Optics* **2**(4): 364-374.
- Chen, Z. Y., Battinelli, E. M., Hendriks, R. W., Powell, J. F., Middleton-Price, H., Sims, K. B., et al. (1993). "Norrie disease gene: characterization of deletions and possible function." *Genomics* **16**(2): 533-5.
- Chen, Z. Y., Hendriks, R. W., Jobling, M. A., Powell, J. F., Breakefield, X. O., Sims, K. B., et al. (1992). "Isolation and characterization of a candidate gene for Norrie disease." *Nat Genet* **1**(3): 204-8.
- Cheung, V. G., Morley, M., Aguilar, F., Massimi, A., Kucherlapati, R. and Childs, G. (1999). "Making and reading microarrays." *Nat Genet* **21**(1 Suppl): 15-9.

- Choi, S., Hao, W., Chen, C. K. and Simon, M. I. (2001). "Gene expression profiles of light-induced apoptosis in arrestin/rhodopsin kinase-deficient mouse retinas." *Proc Natl Acad Sci U S A* **98**(23): 13096-101.
- Chu, S., DeRisi, J., Eisen, M., Mulholland, J., Botstein, D., Brown, P. O., et al. (1998). "The transcriptional program of sporulation in budding yeast." *Science* **282**(5389): 699-705.
- Chynn, E. W., Walton, D. S., Hahn, L. B. and Dryja, T. P. (1996). "Norrie disease. Diagnosis of a simplex case by DNA analysis." *Arch Ophthalmol* **114**(9): 1136-8.
- Claverie, J. M. (1999). "Computational methods for the identification of differential and coordinated gene expression." *Hum Mol Genet* **8**(10): 1821-32.
- Collins, F. S., Patrinos, A., Jordan, E., Chakravarti, A., Gesteland, R. and Walters, L. (1998). "New goals for the U.S. Human Genome Project: 1998-2003." *Science* **282**(5389): 682-9.
- Crawford, M. J., Krishnamoorthy, R. R., Rudick, V. L., Collier, R. J., Kapin, M., Aggarwal, B. B., et al. (2001). "Bcl-2 overexpression protects photooxidative stress-induced apoptosis of photoreceptor cells via NF-kappaB preservation." *Biochem Biophys Res Commun* **281**(5): 1304-12.
- Danner, S. and Lohse, M. J. (1996). "Phosducin is a ubiquitous G-protein regulator." *Proc Natl Acad Sci U S A* **93**(19): 10145-50.
- de la Chapelle, A., Sankila, E. M., Lindlof, M., Aula, P. and Norio, R. (1985). "Norrie disease caused by a gene deletion allowing carrier detection and prenatal diagnosis." *Clin Genet* **28**(4): 317-20.
- DeRisi, J., Penland, L., Brown, P. O., Bittner, M. L., Meltzer, P. S., Ray, M., et al. (1996). "Use of a cDNA microarray to analyse gene expression patterns in human cancer." *Nat Genet* **14**(4): 457-60.
- DeRisi, J. L., Iyer, V. R. and Brown, P. O. (1997). "Exploring the metabolic and genetic control of gene expression on a genomic scale." *Science* **278**(5338): 680-6.
- Devaux, F., Marc, P. and Jacq, C. (2001). "Transcriptomes, transcription activators and microarrays." *FEBS Lett* **498**(2-3): 140-4.
- Diatchenko, L., Lukyanov, S., Lau, Y. F. and Siebert, P. D. (1999). "Suppression subtractive hybridization: a versatile method for identifying differentially expressed genes." *Methods Enzymol* **303**: 349-80.
- Donnai, D., Mountford, R. C. and Read, A. P. (1988). "Norrie disease resulting from a gene deletion: clinical features and DNA studies." *J Med Genet* **25**(2): 73-8.
- Duggan, D. J., Bittner, M., Chen, Y., Meltzer, P. and Trent, J. M. (1999). "Expression profiling using cDNA microarrays." *Nat Genet* **21**(1 Suppl): 10-4.
- Eberwine, J., Yeh, H., Miyashiro, K., Cao, Y., Nair, S., Finnell, R., et al. (1992). "Analysis of gene expression in single live neurons." *Proc Natl Acad Sci U S A* **89**(7): 3010-4.
- Eickhoff, B., Korn, B., Schick, M., Poustka, A. and van der Bosch, J. (1999a). "Normalization of array hybridization experiments in differential gene expression analysis." *Nucleic Acids Res* **27**(22): 33.

- Eickhoff, H., Nietfeld, W., Wolski, E. W., Tandon, N. and Lehrach, H. (1999b). "RNA-Expressionsanalyse auf cDNA-Arrays." *medgen* **11**: 22-28.
- Eickhoff, H., Schuchhardt, J., Ivanov, I., Meier-Ewert, S., O'Brien, J., Malik, A., et al. (2000). "Tissue gene expression analysis using arrayed normalized cDNA libraries." *Genome Res* **10**(8): 1230-40.
- Eisen, M. B. and Brown, P. O. (1999). "DNA arrays for analysis of gene expression." *Methods Enzymol* **303**: 179-205.
- Eisen, M. B., Spellman, P. T., Brown, P. O. and Botstein, D. (1998). "Cluster analysis and display of genome-wide expression patterns." *Proc Natl Acad Sci U S A* **95**(25): 14863-8.
- Endege, W. O., Steinmann, K. E., Boardman, L. A., Thibodeau, S. N. and Schlegel, R. (1999). "Representative cDNA libraries and their utility in gene expression profiling." *Biotechniques* **26**(3): 542-8, 550.
- Eudy, J. D., Yao, S., Weston, M. D., Ma-Edmonds, M., Talmadge, C. B., Cheng, J. J., et al. (1998). "Isolation of a gene encoding a novel member of the nuclear receptor superfamily from the critical region of Usher syndrome type IIa at 1q41." *Genomics* **50**(3): 382-4.
- Farber, D. B. (1995). "From mice to men: the cyclic GMP phosphodiesterase gene in vision and disease. The Proctor Lecture." *Invest Ophthalmol Vis Sci* **36**(2): 263-75.
- Farrar, G. J., Kenna, P., Jordan, S. A., Kumar-Singh, R., Humphries, M. M., Sharp, E. M., et al. (1991). "A three-base-pair deletion in the peripherin-RDS gene in one form of retinitis pigmentosa." *Nature* **354**(6353): 478-80.
- Fuchs, S., Nakazawa, M., Maw, M., Tamai, M., Oguchi, Y. and Gal, A. (1995). "A homozygous 1-base pair deletion in the arrestin gene is a frequent cause of Oguchi disease in Japanese." *Nat Genet* **10**(3): 360-2.
- Gal, A., Orth, U., Baehr, W., Schwinger, E. and Rosenberg, T. (1994). "Heterozygous missense mutation in the rod cGMP phosphodiesterase beta- subunit gene in autosomal dominant stationary night blindness." *Nat Genet* **7**(1): 64-8.
- Gal, A., Stolzenberger, C., Wienker, T., Wieacker, P., Ropers, H. H., Friedrich, U., et al. (1985). "Norrie's disease: close linkage with genetic markers from the proximal short arm of the X chromosome." *Clin Genet* **27**(3): 282-3.
- Gal, A., Wieringa, B., Smeets, D. F., Bleeker-Wagemakers, L. and Ropers, H. H. (1986). "Submicroscopic interstitial deletion of the X chromosome explains a complex genetic syndrome dominated by Norrie disease." *Cytogenet Cell Genet* **42**(4): 219-24.
- Geschwind, D. H. (2000). "Mice, microarrays, and the genetic diversity of the brain." *Proc Natl Acad Sci U S A* **97**(20): 10676-8.
- Getz, G., Levine, E. and Domany, E. (2000). "Coupled two-way clustering analysis of gene microarray data." *Proc Natl Acad Sci U S A* **97**(22): 12079-84.
- Grayson, C., Reid, S. N., Ellis, J. A., Rutherford, A., Sowden, J. C., Yates, J. R., et al. (2000). "Retinoschisin, the X-linked retinoschisis protein, is a secreted photoreceptor protein, and is expressed and released by Weri-Rb1 cells." *Hum Mol Genet* **9**(12): 1873-9.

- Guo, Z., Guilfoyle, R. A., Thiel, A. J., Wang, R. and Smith, L. M. (1994). "Direct fluorescence analysis of genetic polymorphisms by hybridization with oligonucleotide arrays on glass supports." *Nucleic Acids Res* **22**(24): 5456-65.
- Gurskaya, N. G., Diatchenko, L., Chenchik, A., Siebert, P. D., Khaspekov, G. L., Lukyanov, K. A., et al. (1996). "Equalizing cDNA subtraction based on selective suppression of polymerase chain reaction: cloning of Jurkat cell transcripts induced by phytohemagglutinin and phorbol 12-myristate 13-acetate." *Anal Biochem* **240**(1): 90-7.
- Halgren, R. G., Fielden, M. R., Fong, C. J. and Zacharewski, T. R. (2001). "Assessment of clone identity and sequence fidelity for 1189 IMAGE cDNA clones." *Nucleic Acids Res* **29**(2): 582-8.
- Herrler, M. (2000). "Use of SMART-generated cDNA for differential gene expression studies." *J Mol Med* **78**(7).
- Higaki, S., Gebhardt, B. M., Lukiw, W. J., Thompson, H. W. and Hill, J. M. (2002). "Effect of immunosuppression on gene expression in the HSV-1 latently infected mouse trigeminal ganglion." *Invest Ophthalmol Vis Sci* **43**(6): 1862-9.
- Holstege, F. C., Jennings, E. G., Wyrick, J. J., Lee, T. I., Hengartner, C. J., Green, M. R., et al. (1998). "Dissecting the regulatory circuitry of a eukaryotic genome." *Cell* **95**(5): 717-28.
- Hsiao, L. L., Dangond, F., Yoshida, T., Hong, R., Jensen, R. V., Misra, J., et al. (2001). "A compendium of gene expression in normal human tissues." *Physiol Genomics* **7**(2): 97-104.
- Hubank, M. and Schatz, D. G. (1994). "Identifying differences in mRNA expression by representational difference analysis of cDNA." *Nucleic Acids Res* **22**(25): 5640-8.
- Isashiki, Y., Ohba, N., Yanagita, T., Hokita, N., Doi, N., Nakagawa, M., et al. (1995). "Novel mutation at the initiation codon in the Norrie disease gene in two Japanese families." *Hum Genet* **95**(1): 105-8.
- Iyer, V. R., Eisen, M. B., Ross, D. T., Schuler, G., Moore, T., Lee, J. C. F., et al. (1999). "The transcriptional program in the response of human fibroblasts to serum." *Science* **283**(5398): 83-7.
- Jun, A. S., Liu, S. H., Koo, E. H., Do, D. V., Stark, W. J. and Gottsch, J. D. (2001). "Microarray analysis of gene expression in human donor corneas." *Arch Ophthalmol* **119**(11): 1629-34.
- Karsten, S. L., Van Deerlin, V. M., Sabatti, C., Gill, L. H. and Geschwind, D. H. (2002). "An evaluation of tyramide signal amplification and archived fixed and frozen tissue in microarray gene expression analysis." *Nucleic Acids Res* **30**(2): 4.
- Kato, S., Sekine, S., Oh, S. W., Kim, N. S., Umezawa, Y., Abe, N., et al. (1994). "Construction of a human full-length cDNA bank." *Gene* **150**(2): 243-50.
- Kemp, C. M., Jacobson, S. G., Cideciyan, A. V., Kimura, A. E., Sheffield, V. C. and Stone, E. M. (1994). "RDS gene mutations causing retinitis pigmentosa or macular degeneration lead to the same abnormality in photoreceptor function." *Invest Ophthalmol Vis Sci* **35**(8): 3154-62.

- Khan, J., Saal, L. H., Bittner, M. L., Chen, Y., Trent, J. M. and Meltzer, P. S. (1999). "Expression profiling in cancer using cDNA microarrays." *Electrophoresis* **20**(2): 223-9.
- Lander, E. S., Linton, L. M., Birren, B., Nusbaum, C., Zody, M. C., Baldwin, J., et al. (2001). "Initial sequencing and analysis of the human genome." *Nature* **409**(6822): 860-921.
- Lee, J. H., Takahashi, T., Yasuhara, N., Inazawa, J., Kamada, S. and Tsujimoto, Y. (1999). "Bis, a Bcl-2-binding protein that synergizes with Bcl-2 in preventing cell death." *Oncogene* **18**(46): 6183-90.
- Lee, M. L., Kuo, F. C., Whitmore, G. A. and Sklar, J. (2000). "Importance of replication in microarray gene expression studies: statistical methods and evidence from repetitive cDNA hybridizations." *Proc Natl Acad Sci U S A* **97**(18): 9834-9.
- Lee, R. H., Ting, T. D., Lieberman, B. S., Tobias, D. E., Lolley, R. N. and Ho, Y. K. (1992). "Regulation of retinal cGMP cascade by phosducin in bovine rod photoreceptor cells. Interaction of phosducin and transducin." *J Biol Chem* **267**(35): 25104-12.
- Liang, P., Averboukh, L. and Pardee, A. B. (1993). "Distribution and cloning of eukaryotic mRNAs by means of differential display: refinements and optimization." *Nucleic Acids Res* **21**(14): 3269-75.
- Liang, P. and Pardee, A. B. (1992). "Differential display of eukaryotic messenger RNA by means of the polymerase chain reaction." *Science* **257**(5072): 967-71.
- Liew, C. C., Hwang, D. M., Fung, Y. W., Laurensen, C., Cukerman, E., Tsui, S., et al. (1994). "A catalogue of genes in the cardiovascular system as identified by expressed sequence tags." *Proc Natl Acad Sci U S A* **91**(22): 10645-9.
- Lisitsyn, N. and Wigler, M. (1993). "Cloning the differences between two complex genomes." *Science* **259**(5097): 946-51.
- Lockhart, D. J., Dong, H., Byrne, M. C., Follettie, M. T., Gallo, M. V., Chee, M. S., et al. (1996). "Expression monitoring by hybridization to high-density oligonucleotide arrays." *Nat Biotechnol* **14**(13): 1675-80.
- Luo, L., Salunga, R. C., Guo, H., Bittner, A., Joy, K. C., Galindo, J. E., et al. (1999). "Gene expression profiles of laser-captured adjacent neuronal subtypes." *Nat Med* **5**(1): 117-22.
- Mathieu-Daude, F., Welsh, J., Vogt, T. and McClelland, M. (1996). "DNA rehybridization during PCR: the 'Cot effect' and its consequences." *Nucleic Acids Res* **24**(11): 2080-6.
- McDonald, N. Q. and Hendrickson, W. A. (1993). "A structural superfamily of growth factors containing a cystine knot motif." *Cell* **73**(3): 421-4.
- McLaughlin, M. E., Sandberg, M. A., Berson, E. L. and Dryja, T. P. (1993). "Recessive mutations in the gene encoding the beta-subunit of rod phosphodiesterase in patients with retinitis pigmentosa." *Nat Genet* **4**(2): 130-4.
- Meindl, A., Berger, W., Meitinger, T., van de Pol, D., Achatz, H., Dorner, C., et al. (1992). "Norrie disease is caused by mutations in an extracellular protein resembling C-terminal globular domain of mucins." *Nat Genet* **2**(2): 139-43.

- Meitinger, T., Meindl, A., Bork, P., Rost, B., Sander, C., Haasemann, M., et al. (1993). "Molecular modelling of the Norrie disease protein predicts a cystine knot growth factor tertiary structure." *Nat Genet* **5**(4): 376-80.
- Michaels, G. S., Carr, D. B., Askenazi, M., Fuhrman, S., Wen, X. and Somogyi, R. (1998). "Cluster analysis and data visualization of large-scale gene expression data." *Pac Symp Biocomput*: 42-53.
- Molday, L. L., Hicks, D., Sauer, C. G., Weber, B. H. and Molday, R. S. (2001). "Expression of X-linked retinoschisis protein RS1 in photoreceptor and bipolar cells." *Invest Ophthalmol Vis Sci* **42**(3): 816-25.
- Nakano, K., Chen, J., Tarr, G. E., Yoshida, T., Flynn, J. M. and Bitensky, M. W. (2001). "Rethinking the role of phosducin: light-regulated binding of phosducin to 14-3-3 in rod inner segments." *Proc Natl Acad Sci U S A* **98**(8): 4693-8.
- Nelson, S. F. and Denny, C. T. (1999). "Representational differences analysis and microarray hybridization for efficient cloning and screening of differentially expressed genes". DNA microarrays: a practical approach. schema, M. oxford, oxford university press: 43-59.
- Nilsen, T. W., Grayzel, J. and Prensky, W. (1997). "Dendritic nucleic acid structures." *J Theor Biol* **187**(2): 273-84.
- Nimmakayalu, M., Henegariu, O., Ward, D. C. and Bray-Ward, P. (2000). "Simple method for preparation of fluor/hapten-labeled dUTP." *Biotechniques* **28**(3): 518-22.
- Nir, I., Kedzierski, W., Chen, J. and Travis, G. H. (2000). "Expression of Bcl-2 protects against photoreceptor degeneration in retinal degeneration slow (rds) mice." *J Neurosci* **20**(6): 2150-4.
- Okayama, H. and Berg, P. (1982). "High-efficiency cloning of full-length cDNA." *Mol Cell Biol* **2**(2): 161-70.
- Parsons, M. A., Curtis, D., Blank, C. E., Hughes, H. N. and McCartney, A. C. (1992). "The ocular pathology of Norrie disease in a fetus of 11 weeks' gestational age." *Graefes Arch Clin Exp Ophthalmol* **230**(3): 248-51.
- Perez-Vilar, J. and Hill, R. L. (1997). "Norrie disease protein (norrin) forms disulfide-linked oligomers associated with the extracellular matrix." *J Biol Chem* **272**(52): 33410-5.
- Phimister (1999). "going global." *Nat Genet* **21**(1 Suppl): 1.
- Pietu, G., Alibert, O., Guichard, V., Lamy, B., Bois, F., Leroy, E., et al. (1996). "Novel gene transcripts preferentially expressed in human muscles revealed by quantitative hybridization of a high density cDNA array." *Genome Res* **6**(6): 492-503.
- Pritchard, C. C., Hsu, L., Delrow, J. and Nelson, P. S. (2001). "Project normal: defining normal variance in mouse gene expression." *Proc Natl Acad Sci U S A* **98**(23): 13266-71.
- Puig, J., Arendt, A., Tomson, F. L., Abdulaeva, G., Miller, R., Hargrave, P. A., et al. (1995). "Synthetic phosphopeptide from rhodopsin sequence induces retinal arrestin binding to photoactivated unphosphorylated rhodopsin." *FEBS Lett* **362**(2): 185-8.

- Randolph, J. B. and Waggoner, A. S. (1997). "Stability, specificity and fluorescence brightness of multiply-labeled fluorescent DNA probes." *Nucleic Acids Res* **25**(14): 2923-9.
- Raychaudhuri, S., Stuart, J. M. and Altman, R. B. (2000). "Principal components analysis to summarize microarray experiments: application to sporulation time series." *Pac Symp Biocomput*: 455-66.
- Reid, S. N., Akhmedov, N. B., Piriev, N. I., Kozak, C. A., Danciger, M. and Farber, D. B. (1999). "The mouse X-linked juvenile retinoschisis cDNA: expression in photoreceptors." *Gene* **227**(2): 257-66.
- Richmond, C. S., Glasner, J. D., Mau, R., Jin, H. and Blattner, F. R. (1999). "Genome-wide expression profiling in Escherichia coli K-12." *Nucleic Acids Res* **27**(19): 3821-35.
- Richter, M., Gottanka, J., May, C. A., Welge-Lussen, U., Berger, W. and Lutjen-Drecoll, E. (1998). "Retinal vasculature changes in Norrie disease mice." *Invest Ophthalmol Vis Sci* **39**(12): 2450-7.
- Rohen, J. W. (2001). "Funktionelle Neuroanatomie des Auges". *Lehrbuch und Atlas der Neuroanatomie*. Rohen, J. W.: 23-29
- Ruether, K., van de Pol, D., Jaissle, G., Berger, W., Tornow, R. P. and Zrenner, E. (1997). "Retinoschisislike alterations in the mouse eye caused by gene targeting of the Norrie disease gene." *Invest Ophthalmol Vis Sci* **38**(3): 710-8.
- Salunga, R. C., Guo, H., Luo, L., Bittner, A., Joy, K. C., Chambers, J. R., et al. (1999). "Gene expression analysis via cDNA microarrays of laser capture microdissected cells from fixed tissue". *DNA Microarrays: A practical approach*: 121-137.
- Sandberg, R., Yasuda, R., Pankratz, D. G., Carter, T. A., Del Rio, J. A., Wodicka, L., et al. (2000). "From the cover: regional and strain-specific gene expression mapping in the adult mouse brain." *Proc Natl Acad Sci U S A* **97**(20): 11038-43.
- Sauer, C. G., Gehrig, A., Warneke-Wittstock, R., Marquardt, A., Ewing, C. C., Gibson, A., et al. (1997). "Positional cloning of the gene associated with X-linked juvenile retinoschisis." *Nat Genet* **17**(2): 164-70.
- Schena, M. and Davis, R. W. (2000). "Technology Standards for Microarray Research". *Microarray Biochip Technology*: 1-18.
- Schena, M., Shalon, D., Davis, R. W. and Brown, P. O. (1995). "Quantitative monitoring of gene expression patterns with a complementary DNA microarray." *Science* **270**(5235): 467-70.
- Schena, M., Shalon, D., Heller, R., Chai, A., Brown, P. O. and Davis, R. W. (1996). "Parallel human genome analysis: microarray-based expression monitoring of 1000 genes." *Proc Natl Acad Sci U S A* **93**(20): 10614-9.
- Schneider, T. J., Fischer, G. M., Donohoe, T. J., Colarusso, T. P. and Rothstein, T. L. (1999). "A novel gene coding for a Fas apoptosis inhibitory molecule (FAIM) isolated from inducibly Fas-resistant B lymphocytes." *J Exp Med* **189**(6): 949-56.

- Schroeder, B., Hesse, L., Bruck, W. and Gal, A. (1997). "Histopathological and immunohistochemical findings associated with a null mutation in the Norrie disease gene." *Ophthalmic Genet* **18**(2): 71-7.
- Schroeder, B. G., Peterson, L. M. and Fleischmann, R. D. (2002). "Improved quantitation and reproducibility in Mycobacterium tuberculosis DNA microarrays." *J Mol Microbiol Biotechnol* **4**(2): 123-6.
- Schuback, D. E., Chen, Z. Y., Craig, I. W., Breakefield, X. O. and Sims, K. B. (1995). "Mutations in the Norrie disease gene." *Hum Mutat* **5**(4): 285-92.
- Schuchhardt, J., Beule, D., Malik, A., Wolski, E., Eickhoff, H., Lehrach, H., et al. (2000). "Normalization strategies for cDNA microarrays." *Nucleic Acids Res* **28**(10): E47.
- Schuler, G. D. (1997). "Pieces of the puzzle: expressed sequence tags and the catalog of human genes." *J Mol Med* **75**(10): 694-8.
- Schuler, G. D., Altschul, S. F. and Lipman, D. J. (1991). "A workbench for multiple alignment construction and analysis." *Proteins* **9**(3): 180-90.
- Schuler, G. D., Boguski, M. S., Stewart, E. A., Stein, L. D., Gyapay, G., Rice, K., et al. (1996). "A gene map of the human genome." *Science* **274**(5287): 540-6.
- Shalon, D., Smith, S. J. and Brown, P. O. (1996). "A DNA microarray system for analyzing complex DNA samples using two-color fluorescent probe hybridization." *Genome Res* **6**(7): 639-45.
- Shastry, B. S., Liu, X., Hejtmancik, J. F., Plager, D. A. and Trese, M. T. (1997a). "Evidence for genetic heterogeneity in X-linked familial exudative vitreoretinopathy." *Genomics* **44**(2): 247-8.
- Shastry, B. S., Pendergast, S. D., Hartzer, M. K., Liu, X. and Trese, M. T. (1997b). "Identification of missense mutations in the Norrie disease gene associated with advanced retinopathy of prematurity." *Arch Ophthalmol* **115**(5): 651-5.
- Sims, K. B., de la Chapelle, A., Norio, R., Sankila, E. M., Hsu, Y. P., Rinehart, W. B., et al. (1989). "Monoamine oxidase deficiency in males with an X chromosome deletion." *Neuron* **2**(1): 1069-76.
- Soldatov, A. V., Nabirochkina, E. N., Georgieva, S. G. and Eickhoff, H. (2001). "Adjustment of transfer tools for the production of micro- and macroarrays." *Biotechniques* **31**(4): 848, 850, 852, 854.
- Southern, E., Mir, K. and Shchepinov, M. (1999). "Molecular interactions on microarrays." *Nat Genet* **21**(1 Suppl): 5-9.
- Spellman, P. T., Sherlock, G., Zhang, M. Q., Iyer, V. R., Anders, K., Eisen, M. B., et al. (1998). "Comprehensive identification of cell cycle-regulated genes of the yeast *Saccharomyces cerevisiae* by microarray hybridization." *Mol Biol Cell* **9**(12): 3273-97.
- Stears, R. L., Getts, R. C. and Gullans, S. R. (2000). "A novel, sensitive detection system for high-density microarrays using dendrimer technology." *Physiol Genomics* **3**(2): 93-9.

- Stephan, D. A., Chen, Y., Jiang, Y., Malechek, L., Gu, J. Z., Robbins, C. M., et al. (2000). "Positional cloning utilizing genomic DNA microarrays: the Niemann-Pick type C gene as a model system." *Mol Genet Metab* **70**(1): 10-8.
- Stillman, B. A. and Tonkinson, J. L. (2000). "FAST slides: a novel surface for microarrays." *Biotechniques* **29**(3): 630-5.
- Taniguchi, M., Miura, K., Iwao, H. and Yamanaka, S. (2001). "Quantitative assessment of DNA microarrays--comparison with Northern blot analyses." *Genomics* **71**(1): 34-9.
- Tavazoie, S., Hughes, J. D., Campbell, M. J., Cho, R. J. and Church, G. M. (1999). "Systematic determination of genetic network architecture." *Nat Genet* **22**(3): 281-5.
- Tchernitsa, O. I., Zuber, J., Sers, C., Brinckmann, R., Britsch, S. K., Adams, V., et al. (1999). "Gene expression profiling of fibroblasts resistant toward oncogene-mediated transformation reveals preferential transcription of negative growth regulators." *Oncogene* **18**(39): 5448-54.
- Travis, G. H., Sutcliffe, J. G. and Bok, D. (1991). "The retinal degeneration slow (rds) gene product is a photoreceptor disc membrane-associated glycoprotein." *Neuron* **6**(1): 61-70.
- Tseng, G. C., Oh, M. K., Rohlin, L., Liao, J. C. and Wong, W. H. (2001). "Issues in cDNA microarray analysis: quality filtering, channel normalization, models of variations and assessment of gene effects." *Nucleic Acids Res* **29**(12): 2549-57.
- Van Gelder, R. N., von Zastrow, M. E., Yool, A., Dement, W. C., Barchas, J. D. and Eberwine, J. H. (1990). "Amplified RNA synthesized from limited quantities of heterogeneous cDNA." *Proc Natl Acad Sci U S A* **87**(5): 1663-7.
- van Helden, J., Andre, B. and Collado-Vides, J. (1998). "Extracting regulatory sites from the upstream region of yeast genes by computational analysis of oligonucleotide frequencies." *J Mol Biol* **281**(5): 827-42.
- Varela, J. C., Goldstein, M. H., Baker, H. V. and Schultz, G. S. (2002). "Microarray analysis of gene expression patterns during healing of rat corneas after excimer laser photorefractive keratectomy." *Invest Ophthalmol Vis Sci* **43**(6): 1772-82.
- Velculescu, V. E., Madden, S. L., Zhang, L., Lash, A. E., Yu, J., Rago, C., et al. (1999). "Analysis of human transcriptomes." *Nat Genet* **23**(4): 387-8.
- Velculescu, V. E., Zhang, L., Vogelstein, B. and Kinzler, K. W. (1995). "Serial analysis of gene expression." *Science* **270**(5235): 484-7.
- Venter, J. C., Adams, M. D., Myers, E. W., Li, P. W., Mural, R. J., Sutton, G. G., et al. (2001). "The sequence of the human genome." *Science* **291**(5507): 1304-51.
- Vernon, S. D., Unger, E. R., Rajeevan, M., Dimulescu, I. M., Nisenbaum, R. and Campbell, C. E. (2000). "Reproducibility of alternative probe synthesis approaches for gene expression profiling with arrays." *J Mol Diagn* **2**(3): 124-7.
- Waggoner, A., Taylor, L., Seadler, A. and Dunlay, T. (1996). "Multiparameter fluorescence imaging microscopy: reagents and instruments." *Hum Pathol* **27**(5): 494-502.
- Wang, E., Miller, L. D., Ohnmacht, G. A., Liu, E. T. and Marincola, F. M. (2000). "High-fidelity mRNA amplification for gene profiling." *Nat Biotechnol* **18**(4): 457-9.

- Wang, Y., Rea, T., Bian, J., Gray, S. and Sun, Y. (1999). "Identification of the genes responsive to etoposide-induced apoptosis: application of DNA chip technology." *FEBS Lett* **445**(2-3): 269-73.
- Warburg, M. (1961). "Norrie's disease: A new hereditary bilateral pseudotumor of the retina." *Acta Ophthalmol* **39**: 757-772.
- Warburg, M. (1963). "Norrie's disease (atrofia bulborum hereditaria)." *Acta Ophthalmol* **41**: 134-146.
- Warburg, M. (1966). "Norrie's disease. A congenital progressive oculo-acoustico-cerebral degeneration." *Acta Ophthalmol (Copenh)*:Suppl(89): 1-47.
- Warburg, M. (1968). "Norrie's disease." *J Ment Defic Res* **12**(3): 247-51.
- Warrington, J. A., Nair, A., Mahadevappa, M. and Tsyganskaya, M. (2000). "Comparison of human adult and fetal expression and identification of 535 housekeeping/maintenance genes." *Physiol Genomics* **2**(3): 143-7.
- Watson, A., Mazumder, A., Stewart, M. and Balasubramanian, S. (1998). "Technology for microarray analysis of gene expression." *Curr Opin Biotechnol* **9**(6): 609-14.
- Weitz, C. J., Miyake, Y., Shiznato, K., Montag, E., Zrenner, E., Went, L. N., et al. (1992). "Human tritanopia associated with two amino acid substitutions in the blue-sensitive opsin." *Am J Hum Genet* **50**(3): 498-507.
- Welford, S. M., Gregg, J., Chen, E., Garrison, D., Sorensen, P. H., Denny, C. T., et al. (1998). "Detection of differentially expressed genes in primary tumor tissues using representational differences analysis coupled to microarray hybridization." *Nucleic Acids Res* **26**(12): 3059-65.
- Wells, J., Wroblewski, J., Keen, J., Inglehearn, C., Jubb, C., Eckstein, A., et al. (1993). "Mutations in the human retinal degeneration slow (RDS) gene can cause either retinitis pigmentosa or macular dystrophy." *Nat Genet* **3**(3): 213-8.
- Went, L. N. and Pronk, N. (1985). "The genetics of tritan disturbances." *Hum Genet* **69**(3): 255-62.
- Wiegant, J., Verwoerd, N., Mascheretti, S., Bolk, M., Tanke, H. J. and Raap, A. K. (1996). "An evaluation of a new series of fluorescent dUTPs for fluorescence in situ hybridization." *J Histochem Cytochem* **44**(5): 525-9.
- Worley, J., Bechtol, K., Penn, S., Roach, D., Hanzel, D., Trounstine, M., et al. (2000). "A Systems Approach to Fabricating and Analyzing DNA Microarrays". Microarray Biochip Technology. Schena, M. Natick, Eaton, F. W.: 65-85.
- Yamamoto, S., Sippel, K. C., Berson, E. L. and Dryja, T. P. (1997). "Defects in the rhodopsin kinase gene in the Oguchi form of stationary night blindness." *Nat Genet* **15**(2): 175-8.
- Yang, G. P., Ross, D. T., Kuang, W. W., Brown, P. O. and Weigel, R. J. (1999). "Combining SSH and cDNA microarrays for rapid identification of differentially expressed genes." *Nucleic Acids Res* **27**(6): 1517-23.
- Yu, J., Othman, M. I., Farjo, R., Zareparsi, S., MacNee, S. P., Yoshida, S., et al. (2002). "Evaluation and optimization of procedures for target labeling and hybridization of cDNA microarrays." *Mol Vis* **8**: 130-7.

- Zaremba, J., Feil, S., Juszko, J., Myga, W., van Duijnhoven, G. and Berger, W. (1998). "Intrafamilial variability of the ocular phenotype in a Polish family with a missense mutation (A63D) in the Norrie disease gene." *Ophthalmic Genet* **19**(3): 157-64.
- Zarrinkar, P. P., Mainquist, J. K., Zamora, M., Stern, D., Welsh, J. B., Sapinoso, L. M., et al. (2001). "Arrays of arrays for high-throughput gene expression profiling." *Genome Res* **11**(7): 1256-61.
- Zhang, L., Zhou, W., Velculescu, V. E., Kern, S. E., Hruban, R. H., Hamilton, S. R., et al. (1997). "Gene expression profiles in normal and cancer cells." *Science* **276**(5316): 1268-72.
- Zhou, Y.-X., Kalocsai, P., Chen, J.-Y. and Shams, S. (2000). "Information Processing Issues and Solutions Associated with Microarray Technology". *Microarray Biochip Technology*: 175-188.
- Zhu, D. P., Antonarakis, S. E., Schmeckpeper, B. J., Diergaard, P. J., Greb, A. E. and Maumenee, I. H. (1989). "Microdeletion in the X-chromosome and prenatal diagnosis in a family with Norrie disease." *Am J Med Genet* **33**(4): 485-8.
- Zhu, Z., Chao, J., Yu, H. and Waggoner, A. S. (1994). "Directly labeled DNA probes using fluorescent nucleotides with different length linkers." *Nucleic Acids Res* **22**(16): 3418-22.