

H. Referenzen

1. **Blaser, M.J.**: Epidemiologic and clinical features of *Campylobacter jejuni* infections. J. Infect. Dis., 1997. **176** S. 103-105.
2. **Adak, G.K., J.M. Cowden, S. Nicholas und H.S. Evans**: The public health laboratory service national case-control study of primary indigenous sporadic cases of campylobacter infection. Epidemiol. Infect., 1995. **115** S. 15-22.
3. **Allos, B.M. und M.J. Blaser**: *Campylobacter jejuni* and the expanding spectrum of related infections. Clin. Infect. Dis., 1995. **20**(5) S. 1092-1099.
4. **Epidemiologisches Bulletin, Aktuelle Statistik meldepflichtiger Infektionskrankheiten (Darmkrankheiten)**. 2004, Robert-Koch-Institut: Berlin. S. 20.
5. **Owen, R.J., E. Slater, D. Telford, T. Donovan und M. Barnham**: Subtypes of *Campylobacter jejuni* from sporadic cases of diarrhoeal disease at different locations in England are highly diverse. Eur. J. Epidemiol., 1997. **13**(7) S. 837-840.
6. **Hanninen, M.L., S. Pajarre, M.L. Klossner und H. Rautelin**: Typing of human *Campylobacter jejuni* isolates in Finland by pulsed-field gel electrophoresis. J. Clin. Microbiol., 1998. **36**(6) S. 1787-1789.
7. **Dorrell, N., J.A. Mangan, K.G. Laing, J. Hinds, D. Linton, H. Al-Ghusein, B.G. Barrell, J. Parkhill, N.G. Stoker, A.V. Karlyshev, P.D. Butcher und B.W. Wren**: Whole genome comparison of *Campylobacter jejuni* human isolates using a low-cost microarray reveals extensive genetic diversity. Genome. Res., 2001. **11**(10) S. 1706-1715.
8. **On, S.L., E.M. Nielsen, J. Engberg und M. Madsen**: Validity of *SmaI*-defined genotypes of *Campylobacter jejuni* examined by *Sall*, *KpnI*, and *BamHI* polymorphisms: evidence of identical clones infecting humans, poultry, and cattle. Epidemiol. Infect., 1998. **120**(3) S. 231-237.
9. **Wassenaar, T.M., B.N. Fry, A.J. Lastovica, J.A. Wagenaar, P.J. Coloe und B. Duim**: Genetic characterization of *Campylobacter jejuni* O:41 isolates in relation with Guillain-Barre syndrome. J. Clin. Microbiol., 2000. **38**(2) S. 874-876.
10. **Manning, G., B. Duim, T. Wassenaar, J.A. Wagenaar, A. Ridley und D.G. Newell**: Evidence for a genetically stable strain of *Campylobacter jejuni*. Appl. Environ. Microbiol., 2001. **67**(3) S. 1185-1189.
11. **Suerbaum, S., M. Lohrengel, A. Sonnevend, F. Ruberg und M. Kist**: Allelic diversity and recombination in *Campylobacter jejuni*. J. Bacteriol., 2001. **183**(8) S. 2553-2559.
12. **de Boer, P., J.A. Wagenaar, R.P. Achterberg, J.P. Putten, L.M. Schouls und B. Duim**: Generation of *Campylobacter jejuni* genetic diversity in vivo. Mol. Microbiol., 2002b. **44**(2) S. 351-359.
13. **Patton, C.M. und I.K. Wachsmuth**, Typing schemes: are current methods useful? In: *Campylobacter jejuni: current status and future trends*., Ed.: Nachamkin, I., M.J. Blaser und L.S. Tomkins, 1992, Washington: ASM Press.
14. **Petersen, L., E.M. Nielsen, J. Engberg, S.L. On und H.H. Dietz**: Comparison of genotypes and serotypes of *Campylobacter jejuni* isolated from Danish wild mammals and birds and from broiler flocks and humans. Appl. Environ. Microbiol., 2001. **67**(7) S. 3115-3121.
15. **Engberg, J., I. Nachamkin, V. Fussing, G.M. McKhann, J.W. Griffin, J.C. Piffaretti, E.M. Nielsen und P. Gerner-Smidt**: Absence of clonality of *Campylobacter jejuni* in serotypes other than HS:19 associated with Guillain-Barre syndrome and gastroenteritis. J. Infect. Dis., 2001. **184**(2) S. 215-220.

16. **Nielsen, E.M.**: Occurrence and strain diversity of thermophilic campylobacters in cattle of different age groups in dairy herds. Lett. Appl. Microbiol., 2002. **35**(1) S. 85-89.
17. **Jackson, C.J., A.J. Fox, D.M. Jones, D.R. Wareing und D.N. Hutchinson**: Associations between heat-stable (O) and heat-labile (HL) serogroup antigens of *Campylobacter jejuni*: evidence for interstrain relationships within three O/HL serovars. J. Clin. Microbiol., 1998. **36**(8) S. 2223-2228.
18. **Dingle, K.E., F.M. Colles, D.R. Wareing, R. Ure, A.J. Fox, F.E. Bolton, H.J. Bootsma, R.J. Willems, R. Urwin und M.C. Maiden**: Multilocus sequence typing system for *Campylobacter jejuni*. J. Clin. Microbiol., 2001a. **39**(1) S. 14-23.
19. **Dingle, K.E., N. Van Den Braak, F.M. Colles, L.J. Price, D.L. Woodward, F.G. Rodgers, H.P. Endtz, A. Van Belkum und M.C. Maiden**: Sequence typing confirms that *Campylobacter jejuni* strains associated with Guillain-Barre and Miller-Fisher syndromes are of diverse genetic lineage, serotype, and flagella type. J. Clin. Microbiol., 2001b. **39**(9) S. 3346-3349.
20. **Parkhill, J., B.W. Wren, K. Mungall, J.M. Ketley, C. Churcher, D. Basham, T. Chillingworth, R.M. Davies, T. Feltwell, S. Holroyd, K. Jagels, A.V. Karlyshev, S. Moule, M.J. Pallen, C.W. Penn, M.A. Quail, M.A. Rajandream, K.M. Rutherford, A.H. van Vliet, S. Whitehead und B.G. Barrell**: The genome sequence of the food-borne pathogen *Campylobacter jejuni* reveals hypervariable sequences. Nature, 2000. **403**(6770) S. 665-668.
21. **Gibreel, A. und O. Skold**: An integron cassette carrying *dfr1* with 90-bp repeat sequences located on the chromosome of trimethoprim-resistant isolates of *Campylobacter jejuni*. Microb. Drug. Resist., 2000. **6**(2) S. 91-98.
22. **Lucey, B., D. Crowley, P. Moloney, B. Cryan, M. Daly, F. O'Halloran, E.J. Threlfall und S. Fanning**: Integronlike structures in *Campylobacter* spp. of human and animal origin. Emerg. Infect. Dis., 2000. **6**(1) S. 50-55.
23. **van Belkum, A., S. Scherer, L. van Alphen und H. Verbrugh**: Short-sequence DNA repeats in prokaryotic genomes. Microbiol. Mol. Biol. Rev., 1998. **62**(2) S. 275-293.
24. **Linton, D., M. Gilbert, P.G. Hitchen, A. Dell, H.R. Morris, W.W. Wakarchuk, N.A. Gregson und B.W. Wren**: Phase variation of a beta-1,3 galactosyltransferase involved in generation of the ganglioside GM1-like lipo-oligosaccharide of *Campylobacter jejuni*. Mol. Microbiol., 2000a. **37**(3) S. 501-514.
25. **Guerry, P., C.M. Szymanski, M.M. Prendergast, T.E. Hickey, C.P. Ewing, D.L. Pattarini und A.P. Moran**: Phase variation of *Campylobacter jejuni* 81-176 lipooligosaccharide affects ganglioside mimicry and invasiveness in vitro. Infect. Immun., 2002. **70**(2) S. 787-793.
26. **Karlyshev, A.V., D. Linton, N.A. Gregson und B.W. Wren**: A novel paralogous gene family involved in phase-variable flagella-mediated motility in *Campylobacter jejuni*. Microbiology, 2002. **148**(Pt 2) S. 473-480.
27. **Nuijten, P.J., L. Marquez-Magana und B.A. van der Zeijst**: Analysis of flagellin gene expression in flagellar phase variants of *Campylobacter jejuni* 81116. Antonie Van Leeuwenhoek, 1995. **67**(4) S. 377-383.
28. **Tettelin, H., N.J. Saunders, J. Heidelberg, A.C. Jeffries, K.E. Nelson, J.A. Eisen, K.A. Ketchum, D.W. Hood, J.F. Peden, R.J. Dodson, W.C. Nelson, M.L. Gwinn, R. DeBoy, J.D. Peterson, E.K. Hickey, D.H. Haft, S.L. Salzberg, O. White, R.D. Fleischmann, B.A. Dougherty, T. Mason, A. Ciecko, D.S. Parksey, E. Blair, H. Cittone, E.B. Clark, M.D. Cotton, T.R. Utterback, H. Khouri, H. Qin, J. Vamathevan, J. Gill, V. Scarlato, V. Masignani, M. Pizza, G. Grandi, L. Sun, H.O. Smith, C.M. Fraser, E.R. Moxon, R. Rappuoli und J.C. Venter**: Complete

- genome sequence of Neisseria meningitidis serogroup B strain MC58.* Science, 2000. **287**(5459) S. 1809-1815.
29. **van Putten, J.P.:** *Phase variation of lipopolysaccharide directs interconversion of invasive and immuno-resistant phenotypes of Neisseria gonorrhoeae.* EMBO J., 1993. **12**(11) S. 4043-4051.
30. **Weiser, J.N. und N. Pan:** *Adaptation of Haemophilus influenzae to acquired and innate humoral immunity based on phase variation of lipopolysaccharide.* Mol. Microbiol., 1998. **30**(4) S. 767-775.
31. **Vogel, U., H. Claus, G. Heinze und M. Frosch:** *Functional characterization of an isogenic meningococcal alpha-2,3-sialyltransferase mutant: the role of lipooligosaccharide sialylation for serum resistance in serogroup B meningococci.* Med. Microbiol. Immunol. (Berl). 1997. **186**(2-3) S. 159-166.
32. **Penner, J.L. und J.N. Hennessy:** *Passive hemagglutination technique for serotyping Campylobacter fetus subsp. jejuni on the basis of soluble heat-stable antigens.* J. Clin. Microbiol., 1980. **12**(6) S. 732-737.
33. **Aspinall, G.O., A.G. McDonald und H. Pang:** *Structures of the O chains from lipopolysaccharides of Campylobacter jejuni serotypes O:23 and O:36.* Carbohydr. Res., 1992. **231** S. 13-30.
34. **Chart, H., J.A. Frost, A. Oza, R. Thwaites, S. Gillanders und B. Rowe:** *Heat-stable serotyping antigens expressed by strains of Campylobacter jejuni are probably capsular and not long-chain lipopolysaccharide.* J. Appl. Bacteriol., 1996. **81**(6) S. 635-640.
35. **Karlyshev, A.V., D. Linton, N.A. Gregson, A.J. Lastovica und B.W. Wren:** *Genetic and biochemical evidence of a Campylobacter jejuni capsular polysaccharide that accounts for Penner serotype specificity.* Mol. Microbiol., 2000. **35**(3) S. 529-541.
36. **Karlyshev, A.V., O.L. Champion, C. Churcher, J.R. Brisson, H.C. Jarrell, M. Gilbert, D. Brochu, F. St Michael, J. Li, W.W. Wakarchuk, I. Goodhead, M. Sanders, K. Stevens, B. White, J. Parkhill, B.W. Wren und C.M. Szymanski:** *Analysis of Campylobacter jejuni capsular loci reveals multiple mechanisms for the generation of structural diversity and the ability to form complex heptoses.* Mol Microbiol, 2005. **55**(1) S. 90-103.
37. **Roberts, I.S.:** *The biochemistry and genetics of capsular polysaccharide production in bacteria.* Annu. Rev. Microbiol., 1996. **50** S. 285-315.
38. **Wren, B.W., D. Linton, N. Dorrell und A.V. Karlyshev:** *Post genome analysis of Campylobacter jejuni.* Symp. Ser. Soc. Appl. Microbiol., 2001. **30** S. 36S-44S.
39. **Bacon, D.J., C.M. Szymanski, D.H. Burr, R.P. Silver, R.A. Alm und P. Guerry:** *A phase-variable capsule is involved in virulence of Campylobacter jejuni 81-176.* Mol. Microbiol., 2001. **40**(3) S. 769-777.
40. **Moens, S. und J. Vanderleyden:** *Glycoproteins in prokaryotes.* Arch. Microbiol., 1997. **168**(3) S. 169-175.
41. **Benz, I. und M.A. Schmidt:** *Never say never again: protein glycosylation in pathogenic bacteria.* Mol. Microbiol., 2002. **45**(2) S. 267-276.
42. **Messner, P.:** *Bacterial glycoproteins.* Glycoconj. J., 1997. **14**(1) S. 3-11.
43. **Benz, I. und M.A. Schmidt:** *Glycosylation with heptose residues mediated by the aah gene product is essential for adherence of the AIDA-I adhesin.* Mol. Microbiol., 2001. **40**(6) S. 1403-1413.
44. **Kuo, C., N. Takahashi, A.F. Swanson, Y. Ozeki und S. Hakomori:** *An N-linked high-mannose type oligosaccharide, expressed at the major outer membrane protein of Chlamydia trachomatis, mediates attachment and infectivity of the microorganism to HeLa cells.* J. Clin. Invest., 1996. **98**(12) S. 2813-2818.

45. **Miron, J. und C.W. Forsberg:** Characterisation of cellulose-binding proteins that are involved in the adhesion mechanism of *Fibrobacter intestinalis* DR7. *Appl. Microbiol. Biotechnol.*, 1999. **51**(4) S. 491-497.
46. **Marceau, M. und X. Nassif:** Role of glycosylation at Ser63 in production of soluble pilin in pathogenic *Neisseria*. *J. Bacteriol.*, 1999. **181**(2) S. 656-661.
47. **Doig, P., N. Kinsella, P. Guerry und T.J. Trust:** Characterization of a post-translational modification of *Campylobacter* flagellin: identification of a sero-specific glycosyl moiety. *Mol. Microbiol.*, 1996. **19**(379-387)
48. **Guerry, P., C.P. Ewing, T.E. Hickey, M.M. Prendergast und A.P. Moran:** Sialylation of lipooligosaccharide cores affects immunogenicity and serum resistance of *Campylobacter jejuni*. *Infect. Immun.*, 2000b. **68**(12) S. 6656-6662.
49. **Harris, L.A., S.M. Logan, P. Guerry und T.J. Trust:** Antigenic variation of *Campylobacter* flagella. *J. Bacteriol.*, 1987. **169**(11) S. 5066-5071.
50. **Guerry, P., P. Doig, R.A. Alm, D.H. Burr, N. Kinsella und T.J. Trust:** Identification and characterization of genes required for post-translational modification of *Campylobacter coli* VC167 flagellin. *Mol. Microbiol.*, 1996. **19** S. 369-378.
51. **Romain, F., C. Horn, P. Pescher, A. Namane, M. Riviere, G. Puzo, O. Barzu und G. Marchal:** Deglycosylation of the 45/47-kilodalton antigen complex of *Mycobacterium tuberculosis* decreases its capacity to elicit in vivo or in vitro cellular immune responses. *Infect. Immun.*, 1999. **67**(11) S. 5567-5572.
52. **Herrmann, J.L., P. O'Gaora, A. Gallagher, J.E. Thole und D.B. Young:** Bacterial glycoproteins: a link between glycosylation and proteolytic cleavage of a 19 kDa antigen from *Mycobacterium tuberculosis*. *Embo. J.*, 1996. **15**(14) S. 3547-54.
53. **Szymanski, C.M., R. Yao, C.P. Ewing, T.J. Trust und P. Guerry:** Evidence for a system of general protein glycosylation in *Campylobacter jejuni*. *Mol. Microbiol.*, 1999. **32**(5) S. 1022-1030.
54. **Szymanski, C.M., D.H. Burr und P. Guerry:** *Campylobacter* protein glycosylation affects host cell interactions. *Infect. Immun.*, 2002. **70**(4) S. 2242-2244.
55. **Karlyshev, A.V., P. Everest, D. Linton, S. Cawthraw, D.G. Newell und B.W. Wren:** The *Campylobacter jejuni* general glycosylation system is important for attachment to human epithelial cells and in the colonization of chicks. *Microbiology*, 2004. **150**(Pt 6) S. 1957-1964.
56. **Fry, B.N., V. Korolik, J.A. ten Brinke, M.T. Pennings, R. Zalm, B.J. Teunis, P.J. Coloe und B.A. van der Zeijst:** The lipopolysaccharide biosynthesis locus of *Campylobacter jejuni* 81116. *Microbiology*, 1998. **144**(Pt 8) S. 2049-2061.
57. **Wood, A.C., N.J. Oldfield, C.A. O'Dwyer und J.M. Ketley:** Cloning, mutation and distribution of a putative lipopolysaccharide biosynthesis locus in *Campylobacter jejuni*. *Microbiology*, 1999. **145**(Pt 2) S. 379-388.
58. **Reeves, P.R., M. Hobbs, M.A. Valvano, M. Skurnik, C. Whitfield, D. Coplin, N. Kido, J. Klena, D. Maskell, C.R. Raetz und P.D. Rick:** Bacterial polysaccharide synthesis and gene nomenclature. *Trends Microbiol.*, 1996. **4**(12) S. 495-503.
59. **Szymanski, C.M., S.M. Logan, D. Linton und B.W. Wren:** *Campylobacter*--a tale of two protein glycosylation systems. *Trends Microbiol.*, 2003. **11**(5) S. 233-238.
60. **Linton, D., E. Allan, A.V. Karlyshev, A.D. Cronshaw und B.W. Wren:** Identification of N-acetylgalactosamine-containing glycoproteins PEB3 and CgpA in *Campylobacter jejuni*. *Mol. Microbiol.*, 2002. **43**(2) S. 497-508.
61. **Young, N.M., J.R. Brisson, J. Kelly, D.C. Watson, L. Tessier, P.H. Lanthier, H.C. Jarrell, N. Cadotte, F. St Michael, E. Aberg und C.M. Szymanski:** Structure of the N-linked glycan present on multiple glycoproteins in the Gram-negative bacterium, *Campylobacter jejuni*. *J. Biol. Chem.*, 2002. **277**(45) S. 42530-42539.

62. **Moxon, E.R. und J.S. Kroll:** *The role of bacterial polysaccharide capsules as virulence factors.* Curr. Top. Microbiol. Immunol., 1990. **150** S. 65-85.
63. **Hammerschmidt, S., C. Birkholz, U. Zahringer, B.D. Robertson, J. van Putten, O. Ebeling und M. Frosch:** *Contribution of genes from the capsule gene complex (cps) to lipooligosaccharide biosynthesis and serum resistance in Neisseria meningitidis.* Mol. Microbiol., 1994. **11**(5) S. 885-896.
64. **Vimr, E.R., W. Aaronson und R.P. Silver:** *Genetic analysis of chromosomal mutations in the polysialic acid gene cluster of Escherichia coli K1.* J. Bacteriol., 1989. **171**(2) S. 1106-1117.
65. **Penner, J.L. und G.O. Aspinall:** *Diversity of lipopolysaccharide structures in Campylobacter jejuni.* J. Infect. Dis., 1997. **176 Suppl 2** S. S135-138.
66. **Linton, D., A.V. Karlyshev, P.G. Hitchen, H.R. Morris, A. Dell, N.A. Gregson und B.W. Wren:** *Multiple N-acetyl neuraminic acid synthetase (neuB) genes in Campylobacter jejuni: identification and characterization of the gene involved in sialylation of lipo-oligosaccharide.* Mol. Microbiol., 2000b. **35**(5) S. 1120-1134.
67. **Linton, D., A.V. Karlyshev und B.W. Wren:** *Deciphering Campylobacter jejuni cell surface interactions from the genome sequence.* Curr. Opin. Microbiol., 2001. **4**(1) S. 35-40.
68. **Guerry, P., R. Alm, C. Symanski und T.J. Trust:** *Structure, function and antigenicity of Campylobacter flagella.* Campylobacter, 2nd ed., Ed.: Nachamkin, I. und M.J. Blaser, 2000a, Washington, D.C.: American Society for Microbiology.
69. **Oomes, P.G., B.C. JACOBS, M.P. HAZENBERG, J.R. BANFFER und F.G. VAN DER MECHE (1999)::** *Anti-GM1 IgG antibodies and Campylobacter bacteria in Guillain-Barré-Syndrome: evidence of molecular mimicry.* Ann. Neurol., 1999. **38** S. 170-175.
70. **Yuki, N.:** *Molecular mimicry between gangliosides and lipopolysaccharides of Campylobacter jejuni isolated from patients with Guillain-Barre syndrome and Miller Fisher syndrome.* J. Infect. Dis., 1997a. **176 Suppl 2** S. S150-153.
71. **Yuki, N., M. Takahashi, Y. Tagawa, K. Kashiwase, K. Tadokoro und K. Saito:** *Association of Campylobacter jejuni serotype with antiganglioside antibody in Guillain-Barre syndrome and Fisher's syndrome.* Ann. Neurol., 1997b. **42**(1) S. 28-33.
72. **Yuki, N., H. Yoshino, S. Sato und T. Miyatake:** *Acute axonal neuropathy associated with anti-GM1 antibodies following Campylobacter enteritis.* Neurology, 1990. **40** S. 1900-1902.
73. **Walsh, F.S., Cronin, M., Koblar, S., Doherty, P., Winer, J., Leon, A., et al.:** *Association between glycoconjugate antibodies and Campylobacter infection in patients with Guillain-Barré syndrome.* J. Neuroimmunol., 1991. **34** S. 43-51.
74. **Rees, J.H., Gregson, N.A., and Hughes, R.A.C.:** *Antigangliosid antibodies in Guillain Barré syndrome and their relationship to Campylobacter jejuni infection.* Ann. Neurol., 1995. **38** S. 809-816.
75. **Thibault, P., S.M. Logan, J.F. Kelly, J.R. Brisson, C.P. Ewing, T.J. Trust und P. Guerry:** *Identification of the carbohydrate moieties and glycosylation motifs in Campylobacter jejuni flagellin.* J. Biol. Chem., 2001. **276**(37) S. 34862-34870.
76. **Petersen, L., S.L. On und D.W. Ussery:** *Visualization and Significance of DNA Structural Motifs in the Campylobacter jejuni Genome.* Genome Letters, 2002. **1**(1) S. 16-25.
77. **Visnawathan, M.e.a.:** *A novel mutational hotspot in a natural quasi-palindrome in Escherichia coli.* J. Mol. Biol., 2000. **302**(2) S. 503.
78. **Datta, H.J., P.P. Chan, K.M. Vasquez, R.C. Gupta und P.M. Glazer:** *Triplex-induced recombination in human cell-free extracts. Dependence on XPA and HsRad51.* J. Biol. Chem., 2001. **276**(21) S. 18018-18023.

79. **Guerry, P., S.M. Logan, S. Thornton und T.J. Trust:** *Genomic organization and expression of Campylobacter flagellin genes.* J. Bacteriol., 1990. **172**(4) S. 1853-1860.
80. **Nuijten, P.J., F.J. van Asten, W. Gaastra und B.A. van der Zeijst:** *Structural and functional analysis of two Campylobacter jejuni flagellin genes.* J. Biol. Chem., 1990a. **265**(29) S. 17798-17804.
81. **Wassenaar, T.M., B.N. Fry und B.A. van der Zeijst:** *Variation of the flagellin gene locus of Campylobacter jejuni by recombination and horizontal gene transfer.* Microbiology, 1995. **141**(Pt 1) S. 95-101.
82. **Nuijten, P.J., A.J. van den Berg, I. Formentini, B.A. van der Zeijst und A.A. Jacobs:** *DNA rearrangements in the flagellin locus of an flaA mutant of Campylobacter jejuni during colonization of chicken ceca.* Infect. Immun., 2000. **68**(12) S. 7137-7140.
83. **Alm, R.A. und T.J. Trust:** *Analysis of the genetic diversity of Helicobacter pylori: the tale of two genomes.* J. Mol. Med., 1999. **77**(12) S. 834-846.
84. **Tomb, J.F., O. White, A.R. Kerlavage, R.A. Clayton, G.G. Sutton, R.D. Fleischmann, K.A. Ketchum, H.P. Klenk, S. Gill, B.A. Dougherty, K. Nelson, J. Quackenbush, L. Zhou, E.F. Kirkness, S. Peterson, B. Loftus, D. Richardson, R. Dodson, H.G. Khalak, A. Glodek, K. McKenney, L.M. Fitzgerald, N. Lee, M.D. Adams, J.C. Venter und et al.:** *The complete genome sequence of the gastric pathogen Helicobacter pylori.* Nature, 1997. **388**(6642) S. 539-547.
85. **Skirrow, M.B.:** *Campylobacter enteritis: a "new" disease.* Br. Med. J., 1977. **2**(6078) S. 9-11.
86. **Norkrans, G. und A. Svedhem:** *Epidemiological aspects of Campylobacter jejuni enteritis.* J. Hyg. (Lond.), 1982. **89**(1) S. 163-170.
87. **Blaser, M.J., G.P. Perez, P.F. Smith, C. Patton, F.C. Tenover, A.J. Lastovica und W.I. Wang:** *Extraintestinal Campylobacter jejuni and Campylobacter coli infections: host factors and strain characteristics.* J. Infect. Dis., 1986. **153**(3) S. 552-559.
88. **Ebright, J.R. und L.M. Ryan:** *Acute erosive reactive arthritis associated with Campylobacter jejuni-induced colitis.* Am. J. Med., 1984. **76**(2) S. 321-323.
89. **Johnsen, K., M. Ostensen, A.C. Melbye und K. Melby:** *HLA-B27-negative arthritis related to Campylobacter jejuni enteritis in three children and two adults.* Acta Med. Scand., 1983. **214**(2) S. 165-168.
90. **Jacobs, B.C., Rothbarth, P.H., van der Meche, F.G., Herbrink, P., Schmitz, P.I., de Klerk, M.A., van Doorn, P.A.:** *The spectrum of antecedent infections in Guillain-Barre syndrome: a case-control study.* Neurology, 1998. **51**(4) S. 1110-1115.
91. **Nachamkin, I., B.M. Allos und T. Ho:** *Campylobacter species and Guillain-Barre syndrome.* Clin. Microbiol. Rev., 1998. **11**(3) S. 555-567.
92. **Nachamkin, I., J. Engberg, M. Gutacker, R.J. Meinersman, C.Y. Li, P. Arzate, E. Teeple, V. Fussing, T.W. Ho, A.K. Asbury, J.W. Griffin, G.M. McKhann und J.C. Piffaretti:** *Molecular population genetic analysis of Campylobacter jejuni HS:19 associated with Guillain-Barre syndrome and gastroenteritis.* J. Infect. Dis., 2001. **184**(2) S. 221-226.
93. **Nishimura, M., Nukina, M., Kuroki, S., Obayashi, H., Ohta, M., Ma, J.J., Saida, T., Uchiyama, T.:** *Characterization of Campylobacter jejuni isolates from patients with Guillain-Barré syndrome.* J. Neurol. Sci. 153:91-99, 1997. **153** S. 91-99.
94. **Kuroki, S., Saida, T., Nukina, M., Haruta, T., Yoshioka, M., Kobayashi, Y., Nakanishi, H.:** *Campylobacter jejuni strains from patients with Guillain-Barré syndrome belong mostly to Penner serogroup 19 and contain beta-N-acetylglucosamine residues.* Ann. Neurol., 1993. **33**(243-247)
95. **Molnar, G.K., J. Mertsola und M. Erkko:** *Guillain-Barre syndrome associated with campylobacter infection.* Br. Med. J. (Clin. Res. Ed.), 1982. **285**(6342) S. 652.

96. **Morooka, T., A. Umeda und K. Amako:** Motility as an intestinal colonization factor for *Campylobacter jejuni*. J. Gen. Microbiol., 1985. **131**(Pt 8) S. 1973-1980.
97. **Pavlovskis, O.R., D.M. Rollins, R.L. Haberberger, Jr., A.E. Green, L. Habash, S. Strocko und R.I. Walker:** Significance of flagella in colonization resistance of rabbits immunized with *Campylobacter* spp. Infect. Immun., 1991. **59**(7) S. 2259-2264.
98. **Nachamkin, I., X.H. Yang und N.J. Stern:** Role of *Campylobacter jejuni* flagella as colonization factors for three- day-old chicks: analysis with flagellar mutants. Appl. Environ. Microbiol., 1993. **59**(5) S. 1269-1273.
99. **Konkel, M.E., S.G. Garvis, S.L. Tipton, D.E. Anderson, Jr. und W. Cieplak, Jr.:** Identification and molecular cloning of a gene encoding a fibronectin- binding protein (*CadF*) from *Campylobacter jejuni*. Mol. Microbiol., 1997. **24**(5) S. 953-963.
100. **Pei, Z., C. Burucoa, B. Grignon, S. Baqar, X.Z. Huang, D.J. Kopecko, A.L. Bourgeois, J.L. Fauchere und M.J. Blaser:** Mutation in the *peb1A* locus of *Campylobacter jejuni* reduces interactions with epithelial cells and intestinal colonization of mice. Infect. Immun., 1998. **66**(3) S. 938-943.
101. **van Spreeuwel, J.P., G.C. Duursma, C.J. Meijer, R. Bax, P.C. Rosekrans und J. Lindeman:** *Campylobacter colitis*: histological immunohistochemical and ultrastructural findings. Gut, 1985. **26**(9) S. 945-951.
102. **Russell, R.G., M. O'Donnoghue, D.C. Blake, Jr., J. Zulty und L.J. DeTolla:** Early colonic damage and invasion of *Campylobacter jejuni* in experimentally challenged infant *Macaca mulatta*. J. Infect. Dis., 1993. **168**(1) S. 210-215.
103. **Pickett, C.L., E.C. Pesci, D.L. Cottle, G. Russell, A.N. Erdem und H. Zeytin:** Prevalence of cytolethal distending toxin production in *Campylobacter jejuni* and relatedness of *Campylobacter* sp. *cdtB* gene. Infect. Immun., 1996. **64**(6) S. 2070-2078.
104. **Whitehouse, C.A., P.B. Balbo, E.C. Pesci, D.L. Cottle, P.M. Mirabito und C.L. Pickett:** *Campylobacter jejuni* cytolethal distending toxin causes a G2-phase cell cycle block. Infect. Immun., 1998. **66**(5) S. 1934-1940.
105. **Wallis, M.R.:** The pathogenesis of *Campylobacter jejuni*. Br. J. Biomed. Sci., 1994. **51**(1) S. 57-64.
106. **Ketley, J.M.:** Pathogenesis of enteric infection by *Campylobacter*. Microbiology, 1997. **143**(Pt 1) S. 5-21.
107. **Yao, R., D.H. Burr und P. Guerry:** CheY-mediated modulation of *Campylobacter jejuni* virulence. Mol. Microbiol., 1997. **23**(5) S. 1021-1031.
108. **Moser, I., W. Schroeder und J. Salnikow:** *Campylobacter jejuni* major outer membrane protein and a 59-kDa protein are involved in binding to fibronectin and INT 407 cell membranes. FEMS Microbiol. Lett., 1997. **157**(2) S. 233-238.
109. **McSweegan, E. und R.I. Walker:** Identification and characterization of two *Campylobacter jejuni* adhesins for cellular and mucous substrates. Infect. Immun., 1986. **53**(1) S. 141-148.
110. **Jin, S., A. Joe, J. Lynett, E.K. Hani, P. Sherman und V.L. Chan:** *JlpA*, a novel surface-exposed lipoprotein specific to *Campylobacter jejuni*, mediates adherence to host epithelial cells. Mol. Microbiol., 2001. **39**(5) S. 1225-1236.
111. **Doig, P., R. Yao, D.H. Burr, P. Guerry und T.J. Trust:** An environmentally regulated pilus-like appendage involved in *Campylobacter* pathogenesis. Mol. Microbiol., 1996. **20**(4) S. 885-894.
112. **Bacon, D.J., R.A. Alm, L. Hu, T.E. Hickey, C.P. Ewing, R.A. Batchelor, T.J. Trust und P. Guerry:** DNA sequence and mutational analyses of the *pVir* plasmid of *Campylobacter jejuni* 81-176. Infect. Immun., 2002. **70**(11) S. 6242-6250.

113. **Konkel, M.E., B.J. Kim, V. Rivera-Amill und S.G. Garvis:** *Bacterial secreted proteins are required for the internalization of *Campylobacter jejuni* into cultured mammalian cells.* Mol. Microbiol., 1999b. **32**(4) S. 691-701.
114. **Konkel, M.E., B.J. Kim, V. Rivera-Amill und S.G. Garvis:** *Identification of proteins required for the internalization of *Campylobacter jejuni* into cultured mammalian cells.* Adv. Exp. Med. Biol., 1999c. **473** S. 215-224.
115. **Konkel, M.E., J.D. Klena, V. Rivera-Amill, M.R. Monteville, D. Biswas, B. Raphael und J. Mickelson:** *Secretion of virulence proteins from *Campylobacter jejuni* is dependent on a functional flagellar export apparatus.* J. Bacteriol., 2004. **186**(11) S. 3296-3303.
116. **Song, Y.C., S. Jin, H. Louie, D. Ng, R. Lau, Y. Zhang, R. Weerasekera, S. Al Rashid, L.A. Ward, S.D. Der und V.L. Chan:** **FlaC*, a protein of *Campylobacter jejuni* TGH9011 (ATCC43431) secreted through the flagellar apparatus, binds epithelial cells and influences cell invasion.* Mol. Microbiol., 2004. **53**(2) S. 541-553.
117. **Bacon, D.J., W.M. Johnson und F.G. Rodgers:** *Identification and characterisation of a cytotoxic porin-lipopolysaccharide complex from *Campylobacter jejuni*.* J. Med. Microbiol., 1999. **48**(2) S. 139-148.
118. **Hanel, I., F. Schulze, H. Hotzel und E. Schubert:** *Detection and characterization of two cytotoxins produced by *Campylobacter jejuni* strains.* Zentralbl. Bakteriol., 1998. **288**(1) S. 131-143.
119. **Pickett, C.L., T. Auffenberg, E.C. Pesci, V.L. Sheen und S.S. Jusuf:** *Iron acquisition and hemolysin production by *Campylobacter jejuni*.* Infect. Immun., 1992. **60**(9) S. 3872-3877.
120. **Kita, E., D. Oku, A. Hamuro, F. Nishikawa, M. Emoto, Y. Yagyu, N. Katsui und S. Kashiba:** *Hepatotoxic activity of *Campylobacter jejuni*.* J. Med. Microbiol., 1990. **33**(3) S. 171-182.
121. **Moore, M.A., M.J. Blaser, G.I. Perez-Perez und A.D. O'Brien:** *Production of a Shiga-like cytotoxin by *Campylobacter*.* Microb. Pathog., 1988. **4**(6) S. 455-462.
122. **van Vliet, A.H., K.G. Wooldridge und J.M. Ketley:** *Iron-responsive gene regulation in a *Campylobacter jejuni* fur mutant.* J. Bacteriol., 1998. **180**(20) S. 5291-5298.
123. **Park, S.F. und P.T. Richardson:** *Molecular characterization of a *Campylobacter jejuni* lipoprotein with homology to periplasmic siderophore-binding proteins.* J. Bacteriol., 1995. **177**(9) S. 2259-2264.
124. **van Vliet, A.H., J.M. Ketley, S.F. Park und C.W. Penn:** *The role of iron in *Campylobacter* gene regulation, metabolism and oxidative stress defense.* FEMS Microbiol Rev, 2002. **26**(2) S. 173-186.
125. **Guerry, P., J. Perez-Casal, R. Yao, A. McVeigh und T.J. Trust:** *A genetic locus involved in iron utilization unique to some *Campylobacter* strains.* J. Bacteriol., 1997. **179**(12) S. 3997-4002.
126. **Janvier, B., C. Constantinidou, P. Aucher, Z.V. Marshall, C.W. Penn und J.L. Fauchere:** *Characterization and gene sequencing of a 19-kDa periplasmic protein of *Campylobacter jejuni/coli*.* Res. Microbiol., 1998. **149**(2) S. 95-107.
127. **Palyada, K., D. Threadgill und A. Stintzi:** *Iron acquisition and regulation in *Campylobacter jejuni*.* J. Bacteriol., 2004. **186**(14) S. 4714-4729.
128. **Zhang, Q., J.C. Meitzler, S. Huang und T. Morishita:** *Sequence polymorphism, predicted secondary structures, and surface-exposed conformational epitopes of *Campylobacter* major outer membrane protein.* Infect. Immun., 2000. **68**(10) S. 5679-5689.

129. **Lane, E.M., R.A. Batchelor, A.L. Bourgeois, D.H. Burr und J.G. Olson:** Urine and faecal IgA response during naturally acquired infection with *Campylobacter jejuni*. Lancet, 1987. **1**(8542) S. 1141.
130. **Nachamkin, I. und X.H. Yang:** Local immune responses to the *Campylobacter* flagellin in acute *Campylobacter* gastrointestinal infection. J. Clin. Microbiol., 1992. **30**(2) S. 509-511.
131. **Martin, P.M., J. Mathiot, J. Ipero, M. Kirimat, A.J. Georges und M.C. Georges-Courbot:** Immune response to *Campylobacter jejuni* and *Campylobacter coli* in a cohort of children from birth to 2 years of age. Infect. Immun., 1989. **57**(8) S. 2542-2546.
132. **Alm, R.A., P. Guerry und T.J. Trust:** The *Campylobacter* sigma 54 *flaB* flagellin promoter is subject to environmental regulation. J. Bacteriol., 1993b. **175**(14) S. 4448-4455.
133. **Caldwell, M.B., P. Guerry, E.C. Lee, J.P. Burans und R.I. Walker:** Reversible expression of flagella in *Campylobacter jejuni*. Infect. Immun., 1985. **50**(3) S. 941-943.
134. **Nuijten, P.J., N.M. Bleumink-Pluym, W. Gaastra und B.A. van der Zeijst:** Flagellin expression in *Campylobacter jejuni* is regulated at the transcriptional level. Infect. Immun., 1989. **57**(4) S. 1084-1088.
135. **Guerry, P., R.A. Alm, M.E. Power, S.M. Logan und T.J. Trust:** Role of two flagellin genes in *Campylobacter* motility. J. Bacteriol., 1991. **173**(15) S. 4757-4764.
136. **Wassenaar, T.M., N.M. Bleumink-Pluym und B.A. van der Zeijst:** Inactivation of *Campylobacter jejuni* flagellin genes by homologous recombination demonstrates that *flaA* but not *flaB* is required for invasion. Embo. J., 1991. **10**(8) S. 2055-2061.
137. **Guerry, P., R.A. Alm, M.E. Power und T.J. Trust:** Molecular and structural analysis of *Campylobacter* flagellin. *Campylobacter jejuni*: Current status and Future Trends, ed.: Blaser, M. J., I. Nachamkin und L. S. Tompkins, 1992, Washington D.C.: American Society for Microbiology. 267-281.
138. **Tompkins, L.S.:** Genetic and molecular approach to *Campylobacter* pathogenesis. *Campylobacter jejuni*: Current Status and Future Trends, ed.: Blaser, M. J., I. Nachamkin und L. S. Tompkins., 1992, Washington D.C.: American Society for Microbiology. 241-254.
139. **Alm, R.A., P. Guerry und T.J. Trust:** Significance of duplicated flagellin genes in *Campylobacter*. J. Mol. Biol., 1993a. **230**(2) S. 359-363.
140. **Adler, J.:** Chemotaxis in bacteria. J. Supramol. Struct., 1976. **4**(3) S. 305-317.
141. **Hazelbauer, G.L. und S. Harayama:** Sensory transduction in bacterial chemotaxis. Int. Rev. Cytol., 1983. **81** S. 33-70.
142. **Hess, J.F., K. Oosawa, N. Kaplan und M.I. Simon:** Phosphorylation of three proteins in the signaling pathway of bacterial chemotaxis. Cell, 1988. **53**(1) S. 79-87.
143. **Marchant, J., B. Wren und J. Ketley:** Exploiting genome sequence: predictions for mechanisms of *Campylobacter* chemotaxis. Trends Microbiol., 2002. **10**(4) S. 155-9.
144. **Armitage, J.P.:** Bacterial tactic responses. Adv. Microb. Physiol., 1999. **41** S. 229-289.
145. **Shah, D.S., S.L. Porter, D.C. Harris, G.H. Wadham, P.A. Hamblin und J.P. Armitage:** Identification of a fourth *cheY* gene in *Rhodobacter sphaeroides* and interspecies interaction within the bacterial chemotaxis signal transduction pathway. Mol. Microbiol., 2000. **35**(1) S. 101-112.
146. **Ames, P. und J.S. Parkinson:** Constitutively signaling fragments of *Tsr*, the *Escherichia coli* serine chemoreceptor. J. Bacteriol., 1994. **176**(20) S. 6340-6348.

147. **Levit, M.N., Y. Liu und J.B. Stock:** *Stimulus response coupling in bacterial chemotaxis: receptor dimers in signalling arrays.* Mol. Microbiol., 1998. **30**(3) S. 459-466.
148. **Takata, T., S. Fujimoto und K. Amako:** *Isolation of nonchemotactic mutants of *Campylobacter jejuni* and their colonization of the mouse intestinal tract.* Infect. Immun., 1992. **60**(9) S. 3596-3600.
149. **Hickey, T.E., S. Baqar, A.L. Bourgeois, C.P. Ewing und P. Guerry:** *Campylobacter jejuni-stimulated secretion of interleukin-8 by INT407 cells.* Infect. Immun., 1999. **67**(1) S. 88-93.
150. **Ratledge, C. und L.G. Dover:** *Iron metabolism in pathogenic bacteria.* Annu. Rev. Microbiol., 2000. **54** S. 881-941.
151. **Hanson, M.S., C. Slaughter und E.J. Hansen:** *The hbpA gene of *Haemophilus influenzae* type b encodes a heme-binding lipoprotein conserved among heme-dependent *Haemophilus* species.* Infect. Immun., 1992. **60**(6) S. 2257-2266.
152. **Field, L.H., V.L. Headley, S.M. Payne und L.J. Berry:** *Influence of iron on growth, morphology, outer membrane protein composition, and synthesis of siderophores in *Campylobacter jejuni*.* Infect. Immun., 1986. **54**(1) S. 126-132.
153. **Park, S.F., Environmental regulatory genes,** in *Campylobacter*, Nachamkin, I. und M.J. Blaser (Ed.), 2000: Washington DC.
154. **Litwin, C.M. und S.B. Calderwood:** *Role of iron in regulation of virulence genes.* Clin. Microbiol. Rev., 1993. **6**(2) S. 137-149.
155. **Horsburgh, M.J., E. Ingham und S.J. Foster:** *In *Staphylococcus aureus*, fur is an interactive regulator with PerR, contributes to virulence, and Is necessary for oxidative stress resistance through positive regulation of catalase and iron homeostasis.* J. Bacteriol., 2001. **183**(2) S. 468-475.
156. **Delany, I., R. Rappuoli und V. Scarlato:** *Fur functions as an activator and as a repressor of putative virulence genes in *Neisseria meningitidis*.* Mol. Microbiol., 2004. **52**(4) S. 1081-1090.
157. **Isberg, R.R. und G. Tran Van Nhieu:** *Binding and internalization of microorganisms by integrin receptors.* Trends Microbiol., 1994. **2**(1) S. 10-14.
158. **Szymanski, C.M. und G.D. Armstrong:** *Interactions between *Campylobacter jejuni* and lipids.* Infect. Immun., 1996. **64**(9) S. 3467-3474.
159. **Fauchere, J.L., M. Kervella, A. Rosenau, K. Mohanna und M. Veron:** *Adhesion to HeLa cells of *Campylobacter jejuni* and *C. coli* outer membrane components.* Res. Microbiol., 1989. **140**(6) S. 379-392.
160. **Pei, Z. und M.J. Blaser:** *PEB1, the major cell-binding factor of *Campylobacter jejuni*, is a homolog of the binding component in gram-negative nutrient transport systems.* J. Biol. Chem., 1993. **268**(25) S. 18717-18725.
161. **Ziprin, R.L., C.R. Young, L.H. Stanker, M.E. Hume und M.E. Konkel:** *The absence of cecal colonization of chicks by a mutant of *Campylobacter jejuni* not expressing bacterial fibronectin-binding protein.* Avian Dis., 1999. **43**(3) S. 586-589.
162. **Konkel, M.E., S.A. Gray, B.J. Kim, S.G. Garvis und J. Yoon:** *Identification of the enteropathogens *Campylobacter jejuni* and *Campylobacter coli* based on the cadF virulence gene and its product.* J. Clin. Microbiol., 1999a. **37**(3) S. 510-517.
163. **Moser, I., W.F. Schroder und E. Hellmann:** *In vitro binding of *Campylobacter jejuni/coli* outer membrane preparations to INT 407 cell membranes.* Med. Microbiol. Immunol. (Berl.), 1992. **180**(6) S. 289-303.
164. **Yao, R., D.H. Burr, P. Doig, T.J. Trust, H. Niu und P. Guerry:** *Isolation of motile and non-motile insertional mutants of *Campylobacter jejuni*: the role of motility in adherence and invasion of eukaryotic cells.* Mol. Microbiol., 1994. **14**(5) S. 883-893.

165. **Falkow, S., R.R. Isberg und D.A. Portnoy:** *The interaction of bacteria with mammalian cells.* Annu. Rev. Cell Biol., 1992. **8** S. 333-363.
166. **Tanenbaum, S.W., Cytochalasins: Biochemical and Cell Biological Aspects.** 1978: North-Holland, New York.
167. **DuPont, H.L. und L.K. Pickering, Infections of the Gastrointestinal tract: Microbiology, Pathophysiology, and Clinical features.** 1980, Plenum, New York. S. 203.
168. **Everest, P.H., H. Goossens, J.P. Butzler, D. Lloyd, S. Knutton, J.M. Ketley und P.H. Williams:** *Differentiated Caco-2 cells as a model for enteric invasion by Campylobacter jejuni and C. coli.* J Med Microbiol, 1992. **37**(5) S. 319-325.
169. **Hu, L. und D.J. Kopecko:** *Campylobacter jejuni 81-176 associates with microtubules and dynein during invasion of human intestinal cells.* Infect. Immun., 1999. **67**(8) S. 4171-4182.
170. **Konkel, M.E., M.D. Corwin, L.A. Joens und W. Cieplak:** *Factors that influence the interaction of Campylobacter jejuni with cultured mammalian cells.* J. Med. Microbiol., 1992a. **37**(1) S. 30-37.
171. **Konkel, M.E., D.J. Mead und W. Cieplak, Jr.:** *Kinetic and antigenic characterization of altered protein synthesis by Campylobacter jejuni during cultivation with human epithelial cells.* J. Infect. Dis., 1993. **168**(4) S. 948-954.
172. **Oelschlaeger, T.A., P. Guerry und D.J. Kopecko:** *Unusual microtubule-dependent endocytosis mechanisms triggered by Campylobacter jejuni and Citrobacter freundii.* Proc. Natl. Acad. Sci. USA, 1993. **90**(14) S. 6884-6888.
173. **Russell, R.G. und D.C. Blake, Jr.:** *Cell association and invasion of Caco-2 cells by Campylobacter jejuni.* Infect. Immun., 1994. **62**(9) S. 3773-3779.
174. **Konkel, M.E. und W. Cieplak, Jr.:** *Altered synthetic response of Campylobacter jejuni to cocultivation with human epithelial cells is associated with enhanced internalization.* Infect. Immun., 1992c. **60**(11) S. 4945-4949.
175. **Walker, R.I., M.B. Caldwell, E.C. Lee, P. Guerry, T.J. Trust und G.M. Ruiz-Palacios:** *Pathophysiology of Campylobacter enteritis.* Microbiol. Rev., 1986. **50**(1) S. 81-94.
176. **Newell, D.G. und A. Pearson:** *The invasion of epithelial cell lines and the intestinal epithelium of infant mice by Campylobacter jejuni/coli.* J. Diarrhoeal. Dis. Res., 1984. **2**(1) S. 19-26.
177. **Humphrey, C.D., D.M. Montag und F.E. Pittman:** *Experimental infection of hamsters with Campylobacter jejuni.* J. Infect. Dis., 1985. **151**(3) S. 485-493.
178. **de Melo, M.A. und J.C. Pechere:** *Identification of Campylobacter jejuni surface proteins that bind to Eucaryotic cells in vitro.* Infect. Immun., 1990. **58**(6) S. 1749-1756.
179. **Galan, J.E. und R. Curtiss, 3rd:** *Cloning and molecular characterization of genes whose products allow Salmonella typhimurium to penetrate tissue culture cells.* Proc Natl Acad Sci USA, 1989. **86**(16) S. 6383-6387.
180. **Isberg, R.R., D.L. Voorhis und S. Falkow:** *Identification of invasin: a protein that allows enteric bacteria to penetrate cultured mammalian cells.* Cell, 1987. **50**(5) S. 769-778.
181. **Bacon, D.J., R.A. Alm, D.H. Burr, L. Hu, D.J. Kopecko, C.P. Ewing, T.J. Trust und P. Guerry:** *Involvement of a plasmid in virulence of Campylobacter jejuni 81-176.* Infect. Immun., 2000. **68**(8) S. 4384-4390.
182. **Rivera-Amill, V. und M.E. Konkel:** *Secretion of Campylobacter jejuni Cia proteins is contact dependent.* Adv. Exp. Med. Biol., 1999. **473** S. 225-229.

183. **Young, G.M., D.H. Schmiel und V.L. Miller:** *A new pathway for the secretion of virulence factors by bacteria: the flagellar export apparatus functions as a protein-secretion system.* Proc. Natl. Acad. Sci. USA, 1999. **96**(11) S. 6456-64561.
184. **Fauchere, J.L., A. Rosenau, M. Veron, E.N. Moyen, S. Richard und A. Pfister:** *Association with HeLa cells of *Campylobacter jejuni* and *Campylobacter coli* isolated from human feces.* Infect. Immun., 1986. **54**(2) S. 283-287.
185. **Konkel, M.E. und L.A. Joens:** *Adhesion to and invasion of HEp-2 cells by *Campylobacter* spp.* Infect. Immun., 1989. **57**(10) S. 2984-2990.
186. **Biswas, D., K. Itoh und C. Sasakawa:** *Role of microfilaments and microtubules in the invasion of INT-407 cells by *Campylobacter jejuni*.* Microbiol. Immunol., 2003. **47**(6) S. 469-473.
187. **Bang, D.D., B. Borck, E.M. Nielsen, F. Scheutz, K. Pedersen und M. Madsen:** *Detection of seven virulence and toxin genes of *Campylobacter jejuni* isolates from Danish turkeys by PCR and cytolethal distending toxin production of the isolates.* J. Food Prot., 2004. **67**(10) S. 2171-2177.
188. **Ruiz-Palacios, G.M., J. Torres, N.I. Torres, E. Escamilla, B.R. Ruiz-Palacios und J. Tamayo:** *Cholera-like enterotoxin produced by *Campylobacter jejuni*. Characterisation and clinical significance.* Lancet, 1983. **2**(8344) S. 250-253.
189. **Johnson, W.M. und H. Lior:** *A new heat-labile cytolethal distending toxin (CLDT) produced by *Campylobacter* spp.* Microb. Pathog., 1988. **4**(2) S. 115-126.
190. **Mathan, V.I., D.P. Rajan, F.A. Klipstein und R.F. Engert:** *Enterotoxigenic *Campylobacter jejuni* among children in South India.* Lancet, 1984. **2**(8409) S. 981.
191. **McCardell, B.A., J.M. Madden und E.C. Lee:** *Production of cholera-like toxin by *Campylobacter jejuni/coli*.* Lancet, 1984b. **1**(8374) S. 448-449.
192. **Goossens, H., J.P. Butzler und Y. Takada:** *Demonstration of cholera-like enterotoxin production by *C. jejuni*.* FEMS Microbiol. Lett., 1985. **29** S. 73-76.
193. **Klipstein, F.A. und R.F. Engert:** *Properties of crude *Campylobacter jejuni* heat-labile enterotoxin.* Infect. Immun., 1984. **45**(2) S. 314-319.
194. **Wadstroem, T., S.B. Baloda, K. Krovacek, A. Faris, S. Bengtson und M. Walder:** *Swedish isolates of *Campylobacter jejuni/coli* do not produce cytotoxic or cytotoxic enterotoxins.* Lancet, 1983. **ii** S. 911.
195. **Konkel, M.E., Y. Lobet und W. Cieplak,** *Examination of multiple isolates of *Campylobacter jejuni* for evidence of cholera toxin-like activity.* *Campylobacter jejuni: current status and future trends*, ed. M.J.B. I. Nachamkin, and L. S. Tompkins. 1992, Washington D.C.: American Society for Microbiology. 193-198.
196. **McFarland, B.A. und S.D. Neill:** *Profiles of toxin production by thermophilic *Campylobacter* of animal origin.* Vet. Microbiol., 1992. **30**(2-3) S. 257-266.
197. **Perez-Perez, G.I., D.L. Cohn, R.L. Guerrant, C.M. Patton, L.B. Reller und M.J. Blaser:** *Clinical and immunologic significance of cholera-like toxin and cytotoxin production by *Campylobacter* species in patients with acute inflammatory diarrhea in the USA.* J. Infect. Dis., 1989. **160**(3) S. 460-468.
198. **Olsvik, O., K. Wachsmuth, G. Morris und J.C. Feeley:** *Genetic probing of *Campylobacter jejuni* for cholera toxin and *Escherichia coli* heat-labile enterotoxin.* Lancet, 1984. **1**(8374) S. 449.
199. **Olsnes, S., R. Reisbig und K. Eiklid:** *Subunit structure of *Shigella* cytotoxin.* J. Biol. Chem., 1981. **256**(16) S. 8732-8738.
200. **Obrig, T.G.:** *Toxins that inhibit host protein synthesis.* Methods Enzymol., 1994. **235** S. 647-656.
201. **Schmitt, C.K., K.C. Meysick und A.D. O'Brien:** *Bacterial toxins: friends or foes?* Emerg. Infect. Dis., 1999. **Mar-Apr;5**(2) S. 224-234.

202. **Proft, T. und J.D. Fraser:** *Bacterial superantigens*. Clin. Exp. Immunol., 2003. **133**(3) S. 299-306.
203. **Eyigor, A., K.A. Dawson, B.E. Langlois und C.L. Pickett:** *Cytotoxic distending toxin genes in Campylobacter jejuni and Campylobacter coli isolates: detection and analysis by PCR*. J. Clin. Microbiol., 1999a. **37**(5) S. 1646-1650.
204. **Eyigor, A., K.A. Dawson, B.E. Langlois und C.L. Pickett:** *Detection of cytotoxic distending toxin activity and cdt genes in Campylobacter spp. isolated from chicken carcasses*. Appl. Environ. Microbiol., 1999b. **65**(4) S. 1501-1505.
205. **Purdy, D., C.M. Buswell, A.E. Hodgson, K. McAlpine, I. Henderson und S.A. Leach:** *Characterisation of cytotoxic distending toxin (CDT) mutants of Campylobacter jejuni*. J. Med. Microbiol., 2000. **49**(5) S. 473-479.
206. **Hickey, T.E., A.L. McVeigh, D.A. Scott, R.E. Michielutti, A. Bixby, S.A. Carroll, A.L. Bourgeois und P. Guerry:** *Campylobacter jejuni cytotoxic distending toxin mediates release of interleukin-8 from intestinal epithelial cells*. Infect. Immun., 2000. **68**(12) S. 6535-6541.
207. **Datta, S., H. Niwa und K. Itoh:** *Prevalence of 11 pathogenic genes of Campylobacter jejuni by PCR in strains isolated from humans, poultry meat and broiler and bovine faeces*. J. Med. Microbiol., 2003. **52**(Pt 4) S. 345-348.
208. **Arimi, S.M., R.W. Park und C.R. Fricker:** *Study of haemolytic activity of some Campylobacter spp. on blood agar plates*. J. Appl. Bacteriol., 1990. **69**(3) S. 384-389.
209. **Hossain, A., D.E. Stewart-Tull und J.H. Freer:** *Heat-labile and heat-stable haemolysins of Campylobacter jejuni*. FEMS Immunol. Med. Microbiol., 1993. **6**(4) S. 331-339.
210. **Tay, S.T., S. Devi, S.D. Puthucheary und I.M. Kautner:** *Detection of haemolytic activity of campylobacters by agarose haemolysis and microplate assay*. J. Med. Microbiol., 1995. **42**(3) S. 175-180.
211. **McCardell, B.A., J.M. Madden und E.C. Lee:** *Campylobacter jejuni and Campylobacter coli production of a cytotoxic toxin immunologically similar to cholera toxin*. J. Food Prot., 1984a. **47** S. 943-949.
212. **Florin, I. und F. Antillon:** *Production of enterotoxin and cytotoxin in Campylobacter jejuni strains isolated in Costa Rica*. J. Med. Microbiol., 1992. **37**(1) S. 22-29.
213. **Johnson, W.M. und H. Lior:** *Cytotoxic and cytotoxic factors produced by Campylobacter jejuni, Campylobacter coli, and Campylobacter laridis*. J. Clin. Microbiol., 1986. **24**(2) S. 275-281.
214. **Klipstein, F.A., R.F. Engert, H. Short und E.A. Schenk:** *Pathogenic properties of Campylobacter jejuni: assay and correlation with clinical manifestations*. Infect. Immun., 1985. **50**(1) S. 43-49.
215. **Yeen, W.P., S.D. Puthucheary und T. Pang:** *Demonstration of a cytotoxin from Campylobacter jejuni*. J. Clin. Pathol., 1983. **36**(11) S. 1237-1240.
216. **Goossens, H., E. Rummens, S. Cadrel, J.P. Butzler und Y. Takeda:** *Cytotoxic activity on Chinese hamster ovary cells in culture filtrates of Campylobacter jejuni/coli*. Lancet, 1985. **2**(8453) S. 511.
217. **McCardell, B.A., J.M. Madden und J.T. Stanfield:** *Production of cytotoxins by Campylobacter*. Lancet, 1986. **1**(8488) S. 1031.
218. **Guerrant, R.L., C.A. Wanke, R.A. Pennie, L.J. Barrett, A.A. Lima und A.D. O'Brien:** *Production of a unique cytotoxin by Campylobacter jejuni*. Infect. Immun., 1987. **55**(10) S. 2526-2530.
219. **Mahajan, S. und F.G. Rodgers:** *Isolation, characterization, and host-cell-binding properties of a cytotoxin from Campylobacter jejuni*. J. Clin. Microbiol., 1990. **28**(6) S. 1314-1320.

220. **Wieler, L.H. und C. Laturnus:** Classification and typing of *Campylobacter*: application of genotypical methods in veterinary medicine. *Genome lett.*, 2003. **2**(1/2) S. 53-61.
221. **Wassenaar, T.M. und D.G. Newell:** Genotyping of *Campylobacter* spp. *Appl. Environ. Microbiol.*, 2000. **66**(1) S. 1-9.
222. **Meinersmann, R.J., C.M. Patton, G.M. Evans, I.K. Wachsmuth und P.I. Fields:** Genetic diversity and relationships of *Campylobacter* species and subspecies. *Int. J. Syst. Evol. Microbiol.*, 2002. **52**(Pt 5) S. 1789-1797.
223. **Davison, J.:** Genetic exchange between bacteria in the environment. *Plasmid*, 1999. **42**(2) S. 73-91.
224. **Feil, E.J. und B.G. Spratt:** Recombination and the population structures of bacterial pathogens. *Annu. Rev. Microbiol.*, 2001. **55** S. 561-590.
225. **Gibson, J., E. Lorenz und R.J. Owen:** Lineages within *Campylobacter jejuni* defined by numerical analysis of pulsed-field gel electrophoretic DNA profiles. *J. Med. Microbiol.*, 1997. **46**(2) S. 157-163.
226. **Harrington, C.S., F.M. Thomson-Carter und P.E. Carter:** Molecular epidemiological investigation of an outbreak of *Campylobacter jejuni* identifies a dominant clonal line within Scottish serotype HS55 populations. *Epidemiol. Infect.*, 1999. **122**(3) S. 367-375.
227. **Dingle, K.E., F.M. Colles, R. Ure, J.A. Wagenaar, B. Duim, F.J. Bolton, A.J. Fox, D.R. Wareing und M.C. Maiden:** Molecular characterization of *Campylobacter jejuni* clones: a basis for epidemiologic investigation. *Emerg. Infect. Dis.*, 2002. **8**(9) S. 949-955.
228. **Moser, I., P. Lentzsch, B. Rieksneuwoehner, P. Schwerk und L.H. Wieler:** High resolution genotyping of *Campylobacter jejuni* strains by macrorestriction analysis with *Xba*I and polymerase chain reaction targeting enterobacterial repetitive intergenic consensus sequences: can we predict the zoonotic potential of strains? *Epidemiol. Infect.*, 2002. **129**(3) S. 435-443.
229. **de Boer, P.:** Genome plasticity of *Campylobacter*. Promotionsschrift (2002), Universität zu Utrecht, Niederlande.
230. **Lan, R. und P.R. Reeves:** Intraspecies variation in bacterial genomes: the need for a species genome concept. *Trends. Microbiol.*, 2000. **8**(9) S. 396-401.
231. **Schena, M., D. Shalon, R.W. Davis und P.O. Brown:** Quantitative monitoring of gene expression patterns with a complementary DNA microarray. *Science*, 1995. **270**(5235) S. 467-470.
232. **Schwartz, D.C. und C.R. Cantor:** Separation of yeast chromosome-sized DNAs by pulsed field gradient gel electrophoresis. *Cell*, 1984. **37**(1) S. 67-75.
233. **Owen, R.J., K. Sutherland, C. Fitzgerald, J. Gibson, P. Borman und J. Stanley:** Molecular subtyping scheme for serotypes HS1 and HS4 of *Campylobacter jejuni*. *J. Clin. Microbiol.*, 1995. **33**(4) S. 872-877.
234. **Janssen, P., R. Coopman, G. Huys, J. Swings, M. Bleeker, P. Vos, M. Zabeau und K. Kersters:** Evaluation of the DNA fingerprinting method AFLP as a new tool in bacterial taxonomy. *Microbiology*, 1996. **142** (Pt 7) S. 1881-1893.
235. **Fujimoto, S., B.M. Allos, N. Misawa, C.M. Patton und M.J. Blaser:** Restriction fragment length polymorphism analysis and random amplified polymorphic DNA analysis of *Campylobacter jejuni* strains isolated from patients with Guillain-Barre syndrome. *J. Infect. Dis.*, 1997. **176**(4) S. 1105-1108.
236. **Duim, B., C.W. Ang, A. van Belkum, A. Rigter, N.W. van Leeuwen, H.P. Endtz und J.A. Wagenaar:** Amplified fragment length polymorphism analysis of *Campylobacter jejuni* strains isolated from chickens and from patients with

- gastroenteritis or Guillain-Barre or Miller Fisher syndrome.* Appl. Environ. Microbiol., 2000. **66**(9) S. 3917-3923.
237. **Alter, T. und K. Fehlhaber:** *Use of AFLP analysis for the molecular biological fine typing of *Campylobacter jejuni* strains from turkey flocks.* Berl. Munch. Tierarztl. Wochenschr., 2003. **116**(11-12) S. 454-459.
238. **Maiden, M.C., J.A. Bygraves, E. Feil, G. Morelli, J.E. Russell, R. Urwin, Q. Zhang, J. Zhou, K. Zurth, D.A. Caugant, I.M. Feavers, M. Achtman und B.G. Spratt:** *Multilocus sequence typing: a portable approach to the identification of clones within populations of pathogenic microorganisms.* Proc. Natl. Acad. Sci. USA, 1998. **95**(6) S. 3140-3145.
239. **Schouls, L.M., S. Reulen, B. Duim, J.A. Wagenaar, R.J. Willems, K.E. Dingle, F.M. Colles und J.D. Van Embden:** *Comparative genotyping of *Campylobacter jejuni* by amplified fragment length polymorphism, multilocus sequence typing, and short repeat sequencing: strain diversity, host range, and recombination.* J. Clin. Microbiol., 2003. **41**(1) S. 15-26.
240. **Achtmann, M., T. Azuma, D.E. Berg, Y. Ito, G. Morelli, Z.J. Pan, S. Suerbaum, S.A. Thompson und A. van der Ende, and van Doorn, L. J.:** *Recombination and clonal groupings within *Helicobcter pylori* from different geographic regions.* Mol. Microbiol., 1999. **32** S. 459-470.
241. **Robertson, G.A., V. Thiruvenkataswamy, H. Shilling, E.P. Price, F. Huygens, F.A. Henskens und P.M. Giffard:** *Identification and interrogation of highly informative single nucleotide polymorphism sets defined by bacterial multilocus sequence typing databases.* J Med Microbiol, 2004. **53**(Pt 1) S. 35-45.
242. **Best, E.L., A.J. Fox, J.A. Frost und F.J. Bolton:** *Identification of *Campylobacter jejuni* multilocus sequence type ST-21 clonal complex by single-nucleotide polymorphism analysis.* J Clin Microbiol, 2004. **42**(6) S. 2836-2839.
243. **Lisitsyn, N.A., M.V. Rosenberg, G.A. Launer, L.L. Wagner, V.K. Potapov, T.B. Kolesnik und E.D. Sverdlov:** *A method for isolation of sequences missing in one of two related genomes.* Mol. Gen. Mikrobiol. Virusol., 1993(3) S. 26-29.
244. **Ahmed, I.H., G. Manning, T.M. Wassenaar, S. Cawthraw und D.G. Newell:** *Identification of genetic differences between two *Campylobacter jejuni* strains with different colonization potentials.* Microbiology, 2002. **148**(Pt 4) S. 1203-1212.
245. **Moser, I., B. Rieksneuwohner, P. Lentzsch, P. Schwerk und L.H. Wieler:** *Genomic heterogeneity and O-antigenic diversity of *Campylobacter upsaliensis* and *Campylobacter helveticus* strains isolated from dogs and cats in Germany.* J. Clin. Microbiol., 2001. **39**(7) S. 2548-2557.
246. **Birnboim, H.C. und J. Doly:** *A rapid alkaline lysis procedure for screening recombinant plasmid DNA.* Nucl. Acids. Res., 1979. **7** S. 1513-1523.
247. **Kirby, K.S.:** *Isolation and characterization of ribosomal ribonucleic acid.* Biochem. J., 1965. **96** S. 266-269.
248. **Ausubel, F.M.:** *Short protocols in molecular biology.* 4th ed, ed. F.M. Ausubel, R. Brent, and D.D. Moore. 1999, New York: John Wiley & Sons.
249. **Ochmann, H., A.S. Gerber, and D.L. Hartl:** *Genetic applications of an inverse polymerase chain reaction.* Genetics, 1988. **120** S. 411-414.
250. **Triglia, T., M.G. Peterson und D.J. Kemp:** *A procedure for in vitro amplification of DNA segments that lie outside the boundaries of known sequences.* Nucleic Acids Res., 1988. **16**(16) S. 8186.
251. **Silver, J. und V. Keerikatte:** *Novel use of polymerase chain reaction to amplify cellular DNA adjacent to an integrated provirus.* J. Virol., 1989. **63**(5) S. 1924-1928.
252. **Sambrook, J., D.W. Russel und J. Sambrook,** *Molecular cloning: a laboratory manual.* 2001.

253. **Ayling, R.D., M.J. Woodward, S. Evans und D.G. Newell:** *Restriction fragment length polymorphism of polymerase chain reaction products applied to the differentiation of poultry campylobacters for epidemiological investigations.* Res. Vet. Sci., 1996. **60**(2) S. 168-172.
254. **Ward, J.L.:** *Hierarchic grouping to optimize an objective function.* J. Am. Statist. Assoc., 1963. **58** S. 236-244.
255. **Dice, L.R.:** *Measure of the amount of ecological association between species.* Ecology, 1945. **26** S. 297-302.
256. **Lisitsyn, N. und M. Wigler:** *Cloning the differences between two complex genomes.* Science, 1993. **259**(5097) S. 946-951.
257. **Cawthraw, S.A., T.M. Wassenaar, R. Ayling und D.G. Newell:** *Increased colonization potential of *Campylobacter jejuni* strain 81116 after passage through chickens and its implication on the rate of transmission within flocks.* Epidemiol. Infect., 1996. **117**(1) S. 213-215.
258. **Fouts, D.E., E.F. Mongodin, R.E. Mandrell, W.G. Miller, D.A. Rasko, J. Ravel, L.M. Brinkac, R.T. DeBoy, C.T. Parker, S.C. Daugherty, R.J. Dodson, A.S. Durkin, R. Madupu, S.A. Sullivan, J.U. Shetty, M.A. Ayodeji, A. Shvartsbeyn, M.C. Schatz, J.H. Badger, C.M. Fraser und K.E. Nelson:** *Major structural differences and novel potential virulence mechanisms from the genomes of multiple campylobacter species.* PLoS Biol, 2005. **3**(1) S. e15.
259. **Buzby, J.C., T. Roberts und B.M. Allos,** *Estimated Annual Costs of Campylobacter-Associated Guillain-Barré Syndrome.* 1997.
260. **Harrington, C.S., F.M. Thomson-Carter und P.E. Carter:** *Evidence for recombination in the flagellin locus of *Campylobacter jejuni*: implications for the flagellin gene typing scheme.* J. Clin. Microbiol., 1997. **35**(9) S. 2386-2392.
261. **Gibson, J.R., C. Fitzgerald und R.J. Owen:** *Comparison of PFGE, ribotyping and phage-typing in the epidemiological analysis of *Campylobacter jejuni* serotype HS2 infections.* Epidemiol. Infect., 1995. **115**(2) S. 215-225.
262. **Fayos, A., R.J. Owen, J. Hernandez, C. Jones und A. Lastovica:** *Molecular subtyping by genome and plasmid analysis of *Campylobacter jejuni* serogroups O1 and O2 (Penner) from sporadic and outbreak cases of human diarrhoea.* Epidemiol. Infect., 1993. **111**(3) S. 415-427.
263. **Tenover, F.C., R.D. Arbeit, R.V. Goering, P.A. Mickelsen, B.E. Murray, D.H. Persing und B. Swaminathan:** *Interpreting chromosomal DNA restriction patterns produced by pulsed-field gel electrophoresis: criteria for bacterial strain typing.* J. Clin. Microbiol., 1995. **33**(9) S. 2233-2239.
264. **Chang, N. und D.E. Taylor:** *Use of pulsed-field agarose gel electrophoresis to size genomes of *Campylobacter* species and to construct a SalI map of *Campylobacter jejuni* UA580.* J. Bacteriol., 1990. **172**(9) S. 5211-5217.
265. **Nuijten, P.J., C. Bartels, N.M. Bleumink-Pluym, W. Gaastra und B.A. van der Zeijst:** *Size and physical map of the *Campylobacter jejuni* chromosome.* Nucleic. Acids. Res., 1990. **18**(21) S. 6211-6214.
266. **Taylor, D.E., M. Eaton, W. Yan und N. Chang:** *Genome maps of *Campylobacter jejuni* and *Campylobacter coli*.* J. Bacteriol., 1992. **174**(7) S. 2332-2337.
267. **Harrington, C.S., L. Moran, A.M. Ridley, D.G. Newell und R.H. Madden:** *Inter-laboratory evaluation of three flagellin PCR/RFLP methods for typing *Campylobacter jejuni* and *C. coli*: the CAMPYNET experience.* J. Appl. Microbiol., 2003. **95**(6) S. 1321-1333.
268. **Milkman, R.:** *Recombination and population structure in *Escherichia coli*.* Genetics, 1997. **146**(3) S. 745-750.

269. **Dykhuizen, D.E. und L. Green:** Recombination in *Escherichia coli* and the definition of biological species. J. Bacteriol., 1991. **173**(22) S. 7257-7268.
270. **Iwobi, A., J. Heesemann, E. Garcia, E. Igwe, C. Noelting und A. Rakin:** Novel virulence-associated type II secretion system unique to high-pathogenicity *Yersinia enterocolitica*. Infect. Immun., 2003. **71**(4) S. 1872-1879.
271. **Choi, J.Y., C.D. Sifri, B.C. Goumnerov, L.G. Rahme, F.M. Ausubel und S.B. Calderwood:** Identification of virulence genes in a pathogenic strain of *Pseudomonas aeruginosa* by representational difference analysis. J. Bacteriol., 2002. **184**(4) S. 952-961.
272. **Bart, A., J. Dankert und A. van der Ende:** Representational difference analysis of *Neisseria meningitidis* identifies sequences that are specific for the hyper-virulent lineage III clone. FEMS Microbiol. Lett., 2000. **188**(2) S. 111-114.
273. **Gaynor, E.C., S. Cawthraw, G. Manning, J.K. MacKichan, S. Falkow und D.G. Newell:** The genome-sequenced variant of *Campylobacter jejuni* NCTC 11168 and the original clonal clinical isolate differ markedly in colonization, gene expression, and virulence-associated phenotypes. J. Bacteriol., 2004. **186**(2) S. 503-517.
274. **Allen, J.W., E.J. Tomlinson, L. Hong und S.J. Ferguson:** The *Escherichia coli* cytochrome c maturation (Ccm) system does not detectably attach heme to single cysteine variants of an apocytochrome c. J. Biol. Chem., 2002. **277**(37) S. 33559-33563.
275. **Poly, F., D. Threadgill und A. Stintzi:** Identification of *Campylobacter jejuni* ATCC 43431-specific genes by whole microbial genome comparisons. J. Bacteriol., 2004. **186**(14) S. 4781-4795.
276. **Jitrapakdee, S. und J.C. Wallace:** The biotin enzyme family: conserved structural motifs and domain rearrangements. Curr Protein Pept Sci, 2003. **4**(3) S. 217-29.
277. **Boos, W.:** Binding protein-dependent ABC transport system for glycerol 3-phosphate of *Escherichia coli*. Methods Enzymol., 1998. **292** S. 40-51.
278. **Hendrix, R.W., J.G. Lawrence, G.F. Hatfull und S. Casjens:** The origins and ongoing evolution of viruses. Trends Microbiol., 2000. **8**(11) S. 504-8.
279. **Wagner, P.L. und M.K. Waldor:** Bacteriophage control of bacterial virulence. Infect. Immun., 2002. **70**(8) S. 3985-3993.
280. **Caturegli, P., K.M. Asanovich, J.J. Walls, J.S. Bakken, J.E. Madigan, V.L. Popov und J.S. Dumler:** AnkA: an *Ehrlichia phagocytophila* group gene encoding a cytoplasmic protein antigen with ankyrin repeats. Infect. Immun., 2000. **68**(9) S. 5277-5283.
281. **Seshadri, R., I.T. Paulsen, J.A. Eisen, T.D. Read, K.E. Nelson, W.C. Nelson, N.L. Ward, H. Tettelin, T.M. Davidsen, M.J. Beanan, R.T. Deboy, S.C. Daugherty, L.M. Brinkac, R. Madupu, R.J. Dodson, H.M. Khouri, K.H. Lee, H.A. Carty, D. Scanlan, R.A. Heinzen, H.A. Thompson, J.E. Samuel, C.M. Fraser und J.F. Heidelberg:** Complete genome sequence of the Q-fever pathogen *Coxiella burnetii*. Proc. Natl. Acad. Sci. U S A., 2003. **100**(9) S. 5455-5460.
282. **Howell, M.L., E. Alsabbagh, J.F. Ma, U.A. Ochsner, M.G. Klotz, T.J. Beveridge, K.M. Blumenthal, E.C. Niederhoffer, R.E. Morris, D. Needham, G.E. Dean, M.A. Wani und D.J. Hassett:** AnkB, a periplasmic ankyrin-like protein in *Pseudomonas aeruginosa*, is required for optimal catalase B (KatB) activity and resistance to hydrogen peroxide. J. Bacteriol., 2000. **182**(16) S. 4545-4556.