

- Abdalla**, O.M., Wasfi, I.A., and Giddier, F.A. (1988).
The Arabian race camel normal parameters- Haemogram, enzymes and minerals.
Comp. Biochem. Physiol A., 90 (2): 237-239.
- Amlal**, H., Sheriff, S., and Soleimani, M. (2004).
Upregulation of collecting duct aquaporin-2 by metabolic acidosis: role of vasopressin.
Am. J. Physiol., Cell Physiol. 286: C1019-C1030.
- Ayers**, M.W., and Besser, T. (1992).
Evaluation of colostral IgG1 absorption in newborn calves after treatment with alkalinizing agents.
Am. J. Vet. Res., 53(1): 83-86.
- Balasubramanyan**, N., Havens, P.L., and Hoffman, G.M. (1999).
Unmeasured anions identified by the Fencl-Stewart method predict mortality better than base excess, anion gap and lactate in patients in the paediatric intensive care unit
Crit. Care Med., 27: 1577-81.
- Barakat**, M.Z., and Abdel-Fattah, M. (1970).
Biochemical analysis of normal camel blood.
Zentralbl. Veterinarmed A., 17(6): 550-557.
- Bardos**, L., Szenci, O., Oppel, K., Gerszi, K., and Varga, T. (1991).
Blood pH, plasma carotene, vitamin A, albumin and globulin concentrations in newborn calves and in dams during the first three days of the postnatal period.
Acta Vet. Hung., 39(1-2): 59-66.
- Berchtold**, J.F. (1998).
Investigation on the diagnosis and treatment of systemic acidosis in calves.
Diss. Med. Vet., Free University of Berlin.
- Berchtold**, J.F., Hartmann, H., and Hofmann, W. (2000).
Pathophysiology of the respiratory compensation of acidic disorders in the calf.
Dtsch. Tierärztl. Wochenschr., 107: 10-16.
- Berchtold**, J.F., Constable, P.D., Smith, G.W., Mathur, S.M., Morin D.E., and Tranquilli. W.J. (2005).
Effects of intravenous hyperosmotic sodium bicarbonate on arterial and cerebrospinal fluid acid-base status and cardiovascular function in calves with experimentally induced respiratory and strong ion acidosis.
J. Vet. Intern. Med., 19(2): 240-51.
- Besser**, T.E., Szeni, O., and Gay, C.C. (1990).
Decreased colostral immunoglobulin absorption in calves with postnatal respiratory acidosis.
J. Am. Vet. Med. Assoc., 196: 1239-1243.

- Bianca**, W., Findlay, J.D., and Mabon, R.M. (1962).
Respiratory and acid-base status in calves- normal values.
Res. Vet. Sci., 3: 34-37.
- Bianca**, W., and Findlay, J.D. (1962).
The effect of thermally- induced hyperpnoea on acid-base status of the blood in calves.
Res. Vet. Sci., 3: 38-49.
- Bigner**, D.R., Goff, J.D., Faust, M.A., Tyler, H.D., and Horst, R.L. (1997).
Comparison of oral sodium compounds for the correction of acidosis.
J.Dairy.Sci., 80: 2162-2166.
- Block**, E. (1994).
Manipulation of dietary cation-anion difference on nutritionally related production diseases, productivity and metabolic responses of dairy cattle.
J. Dairy. Sci., 77: 1437-1450.
- Bogin**, E. (2000).
Clinical pathology of camelides: present and future.
Revue. Méd. Vét., 151(7): 563-568.
- Bonnici**, B., and Wagner, C.A. (2004).
Postnatal expression of transport proteins involved in acid-base transport in mouse kidney.
Pflugers Arch. Eur. J. Physiol., 448: 16-28.
- Burri**, P.H. (2006).
Structural aspects of postnatal lung development – Alveolar formation and growth.
Biol. Neonate, 89: 313-322.
- Bushinsky**, D.A., Chabala, J.M., Gavrilov, K.L., and Levi-Settee, R. (1999).
Effects of in vivo metabolic acidosis on midcortical bone ion composition.
Am. J. Physiol. Renal Physiol., 285: F813-F819.
- Bushinsky**, D.A., Smith, S.B., Gavrilov, K.L. Gavrilov, L.F., Li, J., and Levi-Setti, R. (2003).
Chronic acidosis-induced alterations in bone bicarbonate and phosphate.
Am. J. Physiol. Renal Physiol., 285: F532-F539.
- Butler**, D.G., Willoughby, R.A., and McScherry, B.J. (1971).
Studies on diarrhoea in neonatal calves III. Acid-base and serum electrolytes values in normal calves from birth to ten days of age.
Can. J. Comp. Med., 35: 36-39.
- Cambier**, C., Clerbaux, T., Amory, H., Bruno, D., Florquin, S., Marville, V., Frans, A., and Gutsin, P. (2002).
Mechanisms controlling the oxygen consumption in experimentally induced hyperchloraemic alkalosis in calves.
Vet. Res., 33: 697-708.

- Cambier**, C., Clerbaux, T., Detry, B., Marville, V., Frans, A., and Gustin, P. (2005). Effects of intravenous infusions of sodium bicarbonate on blood oxygen binding in calves with diarrhoea. *Vet. Rec.*, 156(22): 706-710.
- Capasso**, G., Unwin, R., Cian, F., De Santo, N.G., and De Tommaso, G. (1994). Bicarbonate transport along the loop of Henle. II Effects of acid-base, dietary and neurohumoral determinants. *J. Clin. Invest.*, 94: 830-838.
- Carlson**, G.P. (1997). Fluid, electrolytes and acid-base balance. In: Clinical biochemistry of domestic animals, 5th Edition, edited by J.K. Kaneko, J.W. Harvey and M.L. Bruss. Academic Press, pp: 485-509.
- Caso**, G., Garlick, B.A., Casella, G.A., Sasvary, D., and Garlick, P.J. (2004). Acute metabolic acidosis inhibits muscle protein synthesis in rats. *Am. J. Physiol. Endocrinol. Metab.*, 287 (1): E 90-E 96.
- Chaudhary**, Z.I., Iqbal, J., and Rashid, J. (2003). Serum protein electrophoretic pattern in young and adults camels *Aust. Vet. J.*, 81(10): 625-626.
- Constable**, P.D., St Jean, G., and Hull, B.L. (1991). Preoperative prognostic indicators in cattle with abomasal volvulus. *J. Am. Vet. Med. Assoc.*, 198: 2099-2085.
- Constable**, P.D., Streeter, R.N., Koenig, G.J., Perkins, N.R., Gohar, H.M., and Morin, D.E. (1997). Determinants and utility of the anion gap in predicting hyperlactaemia in cattle. *J. Intern. Med.*, 11(2): 71-79.
- Constable**, P.D., Hinchclif, K.W., and Muir, W.W. (1998). Comparison of anion gap and strong ion gap as predictors of unmeasured strong ion concentration in plasma and serum from horses. *Am. J. Vet. Res.*, 59(7): 881-887.
- Constable**, P.D. (1999). Clinical assessment of acid-base status: Strong ion difference theory. *Vet. Clin. North Am.*, 15(3): 447-471.
- Constable**, P.D. (2000). Clinical assessment of acid-base status: Comparison of the Henderson-Hasselbalch and strong ion approaches. *Vet. Clin. Pathol.*, 29: 115-128.
- Constable**, P.D. (2001). Total weak acids concentration and effective dissociation constant of non-volatile buffers in human plasma. *J. Appl. Physiol.*, 91: 1364-1371.

Constable, P.D. (2002).

Calculation of the total plasma concentration of non-volatile weak acids for use in the strong ion approach to acid-base balance in cattle.
Am. J. Vet. Res., 63: 482-490.

Constable, P.D. (2003).

Fluids and electrolytes.
Vet. Clin. North Am. Food Anim. Pract., 9: 1-40.

Constable, PD., Stämpfli, H.R., Herve, N., Berchtold J.F., and Fracnois, S. (2005).

Use of quantitative strong ion approach to determine the mechanism for acid-base abnormalities in sick calves with or without diarrhoea.
J. Vet. Intern. Med., 19(4): 581-589.

Custer, R., Kramer, L., Kennedy, S., and Bush, M. (1977).

Haematologic effects of Xylazine when used for restraint Bactrian camels.
J. Am. Vet. Med. Assoc., 171(9): 899-901.

DiBartola, P.S. (1992).

Fluid therapy in small animal practice.1st Edition, Edited by S.P.DiBartola.
Philadelphia, W.S.Saunders Company.

DiBartola, P.S. (1998).

Hyponatraemia.
Vet. Clin. North Am. Food Anim. Pract., 28: 515-532.

Ewaschuk, J.B., Naylor, J.M., and Zello, A.G. (2003).

Anion gap correlation with serum D-and DL lactate concentration in diarrhoeic neonatal calves.
J. Intern. Med., 17: 940-942.

Ewaschuk, J.B., Naylor, J.M., Palmer, R., Whiting, S., and Zello, A.G. (2004).

D- Lactate production and excretion in diarrhoeic calves.
J. Intern. Med., 18: 744-747.

Fencl, V., and Leith, D.E. (1993).

Stewart's quantitative acid-base chemistry: application in biology and medicine.
Respir. Physiol., 91: 1-16.

Fencl, V., Jabor, A., Kazda, A., and Figge, J. (2000).

Diagnosis of metabolic acid-base disturbance in critically ill patients.
Am. J. Respir. Crit. Med., 162: 2246-2251.

Fernandez, J.M., Croom, W.J., Tate, L.P., and Johnson, A.D. (1990).

Subclinical ammonia toxicity in steers: effect on hepatic and portal-drained and regulatory hormones.
J. Anim. Sci., 68: 1726-1742.

Figge, J., Mydosh, T., and Fencl, V. (1992).

Serum proteins and acid-base equilibria: a follow-up.
J. Lab. Clin. Med., 120: 713-719.

- Fisher**, E.W., and De La Fuente. A. (1972).
Water and electrolytes studies in newborn calves with particular reference to effects of diarrhoea.
Res. Vet. Sci., 13: 315-322.
- Fleming**, S.A., Hunt, E.L., Brownie, Raches, A., and Mc Daniel, B. (1992).
Fractional excretion of electrolytes in lactating dairy cows.
Am. J. Vet. Res., 53(2): 22-224.
- Freestone**, J.F., Carlson, G.P., Harrold, D.R., and Church, G. (1989).
Furosemide and sodium bicarbonate-induced alkalosis in the horse and response to oral KCl or NaCl therapy.
Am. J. Vet. Res., 50(8): 1334-1339.
- Funaba**, M., Yamate, T., Narukawa, Y., Gotoh, K., Iriki, T., Hatano, Y., and Abe, M. (2001).
Effect of supplementation of dry cat food with D, L-methionine and ammonium chloride on struvite activity product and sediment in urine.
J. Vet. Med. Sci., 63(3): 337-339.
- Gabow**, P.A. (1985).
Disorders associated with an altered anion gap.
Kidney Int., 27: 472-483.
- Gamble**, J.L. (1996).
Moving more closely to acid-base relationship in the body as a whole.
Perspect. Biol. Med., 39: 539-600.
- Garry**, F.B., Hull, B.L., and Rings, D.M. (1988).
Prognostic value of anion gap calculation in cattle with abomasal volvulus: 58 cases (1980-1985).
J. Am. Vet. Med. Assoc., 192: 1107-1112.
- Garry**, F.B., Hull, B.L., and Rings, D.M. (1989).
Comparison of naturally occurring proximal duodenal obstruction and abomasal volvulus in dairy cattle.
Vet. Surg., 17: 226-233.
- Gentile**, A., Sconza, S., Lorenz, I., Otranto, G., Rademacher, G., Famigli-Bergamini, P., and Klee, W. (2004).
D-Lactate acidosis in calves as a consequence of experimentally induced ruminal acidosis.
J. Vet. Med A., 51: 64-70.
- Goff**, J.P., and Horst, R.L. (1997).
Role of acid-base physiology on the pathogenesis of parturient hypocalcaemia (milk fever)-the DCAD theory in principle and practice.
Acta Vet. Scand., 97: 51-56.
- Golchini**, K., Norman, J., Bohman, R., and Kurtz, I. (1989).
Induction of hypertrophy in cultured proximal tubule cells by extracellular NH₄Cl.
J. Clin. Invest., 84(6): 1767-1779.

- Gossett**, K.A., Cleghorn, B., and Martin, G.S. (1987).
Correlation between anion gap, blood L-lactate concentration and survival in horses.
Equine Vet., 19: 29-30.
- Graber**, M.L. Bengele, H.H. Mroz, E., Lechene, C., and Alexander, E.A. (1981).
Acute metabolic acidosis augment collecting duct acidification rate in the rat.
Am. J. Physiol. 241. Renal Physiol., 110: F669-F676.
- Groutides**, C., and Michell, A.R. (1990).
Evaluation of acid-base disturbance in calf diarrhoea.
Vet. Rec., 126: 29-31.
- Grove-White**, D.H., and White, D.G. (1993).
Diagnosis and treatment of metabolic acidosis in calves: a field study.
Vet. Rec., 133: 499-501.
- Grove-White**, D.H. (1998).
Monitoring and management of acidosis in calf diarrhoea.
J. R. Soc. Med., 91:195-198.
- Grove-White**, D.H., and White, D.G. (1999).
Abdominal distension in collapsed diarrhoeic calves: biochemical findings and treatment.
Vet. Rec., 144: 639-642.
- Grove-White**, D.H., and Michell, A.R. (2001).
Comparison of the measurement of total carbon dioxide and strong ion difference for the evaluation of metabolic acidosis in diarrhoeic calves.
Vet. Rec., 148: 365-370.
- Guron**, G., Marcussen, N., and Friberg, P. (1998).
Urinary acidification and net excretion in adult rats treated neonatally with enalapril.
Am. J. Physiol., 43: R 1718- R 1724.
- Halperin**, M.L., and Bun-Chen, C. (1990).
Influence of acute hyponatraemia on renal ammoniogenesis in dogs with metabolic acidosis.
Am. J. Physiol., 258: F328-F332.
- Haroun**, E.M. (1994).
Normal concentrations of some blood constituents in young Najdi camels (*Camelus dromedarius*).
Comp. Biochem. Physiol. Comp. Physiol., 108(4): 619-22.

Hartmann, H., Bergmann, V., Grünther, H., Rudolph, CH., Meyer, H., and Finslerbusch, L. (1988).

Ultrastructural kidney changes during diarrhoea and renal function following infusion treatment of calves with diarrhoea.

Arch. Exp. Veterinarmed., 42: 693-701.

Hartmann, H., Berchtold, J., and Hofmann, W. (1997).

Pathophysiological aspects of acidosis in diarrhoeic calves.

Tierärztl. Umsch., 52: 568-574.

Hartsfield, S.M., Thurmon, J.C., and Corbin, J.C., (1981).

Effects of sodium acetate, bicarbonate and lactate on acid-base status in anaesthetized dogs.

J. Vet. Pharmacol. Ther., 4: 51-61.

Houpt, T.R. (1993).

Acid-base balance. In: Duke's Physiology of domestic animals, 11th Edition, Edited by Swenson, M. J. and Williams, O. R, Cornell University Press, Ithaca and London, pp: 604-615.

Herdt, T. (1997).

Secretion of the digestive tract. In: Textbook of veterinary Physiology, 2nd Edition, Edited by J.G.Cunningham, W.B. Saunders Company, pp: 290-299.

Herdt, T. (1997).

Secretion of the digestive tract and Digestion and absorption: The non-fermentative processes. In: Textbook of veterinary Physiology, 2nd Edition, Edited by J.G.Cunningham, W.B. Saunders Company, pp: 301-320.

Herfen, K., and Bostedt, H. (1999).

The acid-base status in bovine neonates during the first days of life considering different states of vitality.

Berl. Münch. Tierärztl. Wochenschr., 112: 166-171.

Himpe, D., Neels, H., De Hert, S., and Van Cauwelaert, P. (2003).

Adding lactate to the prime solution during hypothermic cardiopulmonary bypass: A quantitative acid-base analysis.

Br. J. Anaesth., 90(4): 440-445.

Hosch, M., Muser, J., Hulter, H.N., and Kraph, R. (2004).

Ureagensis: evidence for a lack of hepatic regulation of acid-base equilibrium in humans.

Am. J. Physiol. Renal Physiol., 286: F94-F99.

Hu, W., and Murphy, M.R. (2004).

Dietary cation-anion difference effects on performance and acid-base status of lactating dairy cows: A meta-analysis.

J. Dairy. Sci., 87: 2222-2229.

- Iwabuchi**, S., Suzuki, K., Izumi, A.B., and Asano, R. (2003).
Comparison of the effects of isotonic and hypertonic sodium bicarbonate solutions on acidaemic calves experimentally induced by ammonium chloride administration.
J. Vet. Med. Sci., 65(12): 1369-1371.
- Jara**, A., Chacon, C., Ibaceta, M., Valdivieso, A., and Fesenfeld, A.J. (2004).
Effect of ammonium chloride and dietary phosphorus in the azotaemic rat. Part I-
Renal function and biochemical changes.
Nephrol. Dial. Transplant, 19: 1986-1992.
- Jara**, A., Chacon, C., Ibaceta, M., Valdivieso, A., and Fesenfeld, A.J. (2004).
Effect of ammonium chloride and dietary phosphorus in the azotaemic rat. Part II-
Kidney hypertrophy and calcium deposition.
Nephrol. Dial. Transplant, 19: 1993-1998.
- Juncos**, L.I., Huino, J.C., Garcia, N.H., Ferrer, C.I., Romero, H.S., Sambudli, R.H., and Beltrama, D. (2000).
Renal tubular acidosis and vasculitis associated with IgE deposits in the kidney and small vessels.
Am. J. Kidney Dis., 35: 941-49.
- Kasari**, T.R., and Naylor, J. (1986).
Further studies on the clinical features and clinicopathological findings of a syndrome of metabolic acidosis with minimal dehydration in neonatal calves.
Can. J. Vet. Res., 50: 502-508.
- Kasari**, T.R. (1990).
Metabolic acidosis in diarrhoeic calves: The importance of alkalinizing agents in therapy.
Vet. Clin. North Am. Food Anim. Pract., 6(1): 29-43.
- Kasari**, T.R. (1999).
Metabolic acidosis in calves.
Vet. Clin. North Am. Food Anim. Pract., 15(3): 473-485.
- Kellum**, J. A., Kramer, D. J., and Pinsky, M.R. (1995).
Strong ion gap: a methodology for exploring unexplained anions.
J. Crit. Care, 10: 51-55.
- Knight**, P.K., Rose, R.J., Evans, D.L., Cluer, D., Henckel, P., and Saltin, B. (1994).
Metabolic responses to maximal intensity exercise in the racing camel.
Acta Physiol. Scand. Suppl., 617: 61-77.
- Knowles**, T.G., Edwards, J.E., Bazeley, K.J., Brown, S.N., and Butterworth, A. (2000).
Changes in the blood biochemical and haematological profile of neonatal calves with age.
Vet. Rec., 18: 593-598.

- Koeppen**, B.M., Giebisch, G. and Malnic, G. (1985).
Mechanisms and regulation of renal tubular acidification .In: The kidney: Physiology and pathophysiology, 2nd Edition, Edited by D.W. Seldin and G. Giebisch, Raven Press, New York, USA, pp: 1491-1525.
- Koeppen**, B.M. (1998).
Role of the kidney in the regulation of acid-base balance .In: Physiology, 4th Edition, Edited by Robert, M. Berne, Mathow, N. Levey, Bruce, M. Koeppen. and Bruce, A. Stanton, Mosby. A time Mirror Company, USA. pp: 763-776.
- Kowalchuk**, J.M. and Scheuermann, B.W. (1995).
Acid-base balance: origin of plasma $[H^+]$ during exercise.
Can. J. Appl. Physiol., 20(2): 341-56.
- Lang**, W. and Zander, R. (2005).
Prediction of dilutional acidosis based on the revised classical concept for bicarbonate.
J. Appl. Physiol., 98: 62-71.
- Lechowski**, R. (1996).
Changes in the profile of liver enzymes in newborn calves induced by experimental subclinical acidosis in pregnant cows and osmotic diarrhoea.
Vet. Res. Commun., 20: 351-365.
- Lewis**, J.H. (1976).
Comparative haematology- studies on Camelidae.
Comp. Biochem. Physiol A., 55(4A): 367-371
- Löffler**, L. M. (2004).
Influence of intraruminal administration of anionic salts on systemic acid-base balance (Henderson-Hasselbalch equation, Stewart's strong ion model) in cattle.
Diss. Med. Vet., Free University of Berlin.
- Lorenz**, I., Rademacher, G., and Klee, W. (1998).
Electrolyte levels in faeces and urine of healthy calves at the age of 5 days to 6 months.
Berl. Münch. Tierärztl. Wochenschr., 114: 88-91.
- Lorenz**, I., Hermann, O., and Klee, W. (2001).
Investigations on the development of hyponatraemia in older calves with diarrhoea.
Tierärztl. Prax., 26(G): 133-140.
- Lorenz**, I. (2004).
Investigations on the influence of serum D-lactate levels on clinical signs in calves with metabolic acidosis.
Vet. J., 168: 323-327.
- Lorenz**, I. (2006).
Diarrhoea in the young calf: An update
24th World Buiatrics Congress-Nice, France, 130-138.

- McCullough**, S.M., and Constable, P.D. (2003).
Calculation of the total plasma concentration of non-volatile weak acids and the effective dissociation of constant of non-volatile buffers in plasma for use in the strong ion approach to acid-base balance in cats.
Am. J. Vet. Res., 64(8): 1047-1051.
- Mellau**, L.S.B., Jorgensen, R.T., and Kambarage, D.M. (2002).
The influence of short-term anion salt exposure on urine pH and on resistance to experimentally induced hypocalcaemia in cows.
J. Vet. Med., A 49: 225-229.
- Mercier**, O., Prigent, A., Bichara, M., Paillard, M., and Leviel, F. (1986).
Effect of increase in plasma calcium concentration on renal handling of NaCl and NaHCO₃.
Am. J. Physiol., 250: F 221-F450.
- Mohamed**, H.A., and Hussein, N.A. (1999).
Studies on normal haematological and serum biochemical values for the Hijin racing camels (*Camelus dromedarius*) in Kuwait.
Vet. Res. Commun., 23: 241-248.
- Morimatsu**, H., Rocktäsel, J., Bellomo, R., Uchino, S., Goldsmith, D. (2003).
Comparison of point-of-care versus laboratory measurement of electrolyte concentrations on calculation of the anion gap and the strong ion difference.
Anaesthesiology, 98: 1077-1184.
- Naylor**, J.M., and Forsyth, G.W. (1986).
The alkalinizing effect of metabolizable bases in the healthy calf.
Can. J. Vet. Res., 50: 509-516.
- Naylor**, J.M. (1987).
Severity and nature of acidosis in diarrhoeic calves over and under one week of age.
Can. Vet. J., 28(4): 168-173.
- Nazifi**, S., and Maleki, K. (1998).
Biochemical analysis of serum and cerebrospinal fluid in clinically normal adult camels (*Camelus dromedarius*).
Res. Vet. Sci., 65(1): 83-84.
- Omole**, O.O., Nappert, G. Naylor, J.M., and Zello, G.A. (2001).
Both L- and D- lactate contribute to metabolic acidosis in diarrhoeic calves.
J. Nutr., 131: 2128-2131.
- Osther**, P.J., Engel, K., and Kildeberg, P. (2004).
Renal response to acute acid loading.
Scand. J. Urol. Nephrol., 38: 62-68.
- Paulson**, W.D. (1996).
Effect of acute pH change on serum anion gap.
J. Am. Soc. Nephrol., 7: 357-363.

- Peshin**, P.K., Sharifi, D., Patil, D.B., Singh, S., Singh, H., Singh, J., Singh, A.P., and Murthy, D.K. (1991).
 Evaluation of triflupromazine as a sedative in camels (*Camelus dromedarius*).
Zentralbl. Veterinarmed A., 38(8): 580-584.
- Polzin**, D.J., Osborne, C.A., and Ford, W.B. (1986).
 Canine renal distal tubular acidosis and urolithiasis.
Vet. Clin. North Am. Small Anim. Pract., 16: 241-250.
- Prasad**, R., Kinsella, J.L., and Sacktor, B. (1988).
 Renal adaptation to metabolic acidosis in senescent rats.
Am. J. Physiol., 255(Renal Fluid Electrolyte Physiol., 24): F1183- F1190.
- Quentin**, F., Eladari, D., Frische, S., Cambillau, M., Nielsen, S., Alper, SL., Paillard, M., and Chambrey, R. (2004).
 Regulation of the $\text{Cl}^-/\text{HCO}_3^-$ exchanger AE₂ in rat thick ascending limb of Henle's loop in response to changes in acid-base and sodium balance.
J. Am. Soc. Nephrol., 15(12): 2988-2997.
- Reece**, W.O., and Wahlstrom, J.D. (1972).
 Variations in plasma composition of calves: relationship of acid-base status to calf age, ration and feeding time.
Am. J. Vet. Res., 33(11): 2169-2174.
- Reece**, W.O. (1984).
 Acid-base balance and selected haematological, electrolytic and blood chemical variable in calves nursing cows: One week through fifteen weeks.
Am. J. Vet. Res., 45(4): 666-669.
- Rehm**, M., Conzen, P.F., Peter, K., and Finsterer. U. (2004).
 The Stewart model. "Modern" approach to the interpretation of the acid-base metabolism.
Anaesthesia, 53: 347-357.
- Robinson**, N.E. (2002).
 Acid-base homeostasis. In: *Textbook of veterinary physiology*, 3rd Edition. Edited by Cunningham, J.G, W.B.S.Saunders Company, pp: 501-507.
- Robinson**, N.E. (2002).
 Control of ventilation. In: *Textbook of veterinary physiology*, 3rd Edition. Edited by Cunningham, J.G, W.B.S.Saunders Company, pp: 622-632.
- Robertson**, S.A. (1989).
 Simple acid-base disorders.
Vet. Clin. North Am. Small Anim. Pract., 19(2): 289-306.
- Roussel**, A.J., Cohen, N.D., Holland, P. S., Taliaoferro, L., Green, R., Benson, P., Navarre, C.B., and Hooper, N. R. (1998).
 Alterations in acid-base balance and serum electrolytes concentrations in cattle: 632 cases (1984-1994).
J. Am. Vet. Med. Assoc., 212(1): 1769-1775.

- Rossing**, T.H., Maffeo, N., and Fencl, V. (1986).
Acid-base effects of altering plasma concentration in human blood in vitro.
J. Appl. Physiol., 61(6): 2260-2265.
- Stallman**, R., and Afzal, M. (2004).
Seasonal variations in haematological and serum biochemical parameters in racing camels.
J. Camel Sci., 1: 63-65.
- Schober**, K.E. (1996).
Investigation into intraerythrocytic and extraerythrocytic acid-base and electrolyte changes after long term ammonium chloride administration in dogs.
Am. J. Vet. Res., 57(5): 743-749.
- Schwartz**, H.J. (1992).
The camel (*C.dromedarius*) in eastern Africa. In: The one-humped camel (*Camelus dromedarius*) in eastern Africa. A pictorial guide to diseases, healthy care and management. Editors, H.J. Schwartz and M. Dioli. Verlag Josef Margrave Scientific Books, Germany, pp: 1-9.
- Schwartz**, H.J. (1992).
The biology of the camel. In: The one-humped camel in eastern Africa. A pictorial guide to diseases, health care and management. H.J. Schwartz. and M. Dioli. Verlag Josef Margrave Scientific Books, Germany, pp: 10-22.
- Sentürk**, S. (2003).
Effects of a hypertonic saline solution and dextran 70 combination in the treatment of diarrhoeic hydrated calves.
J. Vet. Med., A50: 57-61.
- Setia**, M.S., Singh, A. and Randhawa, S.S. (1990).
Alterations in the systemic acid-base status and blood gas dynamic during progressive hypercalcaemia in calves.
Vet. Res. Commun., 14: 347-352.
- Sharma**, S.K., Singh, J., Singh, A.P., and Peshin, P.K. (1984).
Haemodynamics, blood gas and metabolic changes after anaesthesia with choral hydrate and magnesium sulphate in camels (*Camelus dromedaries*).
Res. Vet. Sci., 36: 12-15.
- Shull**, R.M. (1978).
The value of anion gap and osmolal gap determination in veterinary medicine.
Vet. Clin. Pathol., 7: 12-14.
- Siggaard-Andersen**, O., Astrup, P., and Campbell, E.J. (1966).
Report of ad hoc committee on acid-base terminology.
Ann. NY. Acad. Sci., 133: 251-258 (Abst).

- Singh**, A., Randhawa, S.S., and Setia, M.S. (1989). Alterations in acid-base status and blood gas dynamic during progressive hyperkalaemia in neonatal calves. Res. Vet. Sci., 46: 277-279.
- Singh**, R., Peshin, P.K., Patil, D.B., Sharda, R., Singh, J., Singh, A.P., and Sharifi, D. (1994). Evaluation of halothane as an anaesthetic in camels (*Camelus dromedarius*). Zentralbl. Veterinarmed A., 41(5): 359-368.
- Snow**, D.H., Billah, A., and Ridha, A. (1988). Effects of maximal exercise on the blood composition of the racing camel. Vet. Rec., 123: 311-312.
- Sommardahl**, C., Olchowy, T., Provenza, M. and Saxton, A.M. (1997). Urinary diagnostic induces in calves. Am. J. Vet. Med. Assoc., 112(2): 212-214.
- Stämpfli**, H.R., Misiasek, J.H., Lumsden, J.H., Carlson, G.P., and Heigenhauser, G.J.F. (1999). Weak acid concentration [A_{tot}] and dissociation constant K_a of plasma in racehorses. Equine Vet. J. Suppl., 30: 438-442.
- Stämpfli**, H.R., and Constable, P.D. (2003). Experimental determination of net protein charge and A_{tot} and K_a of non-volatile buffers in human plasma. J. Appl. Physiol., 95(2): 620-630.
- Stanton**, B., and Koeppen, B. (1990). Control of body fluid volume and osmolality. In: Principles of Physiology, Edited by Berne, R. and Levy, M, St.Lovis, CV.Mosby, pp: 434-454.
- Steinhardt**, M., Thielscher, H.H., Lehr, A., Ihnen, B., Szalony, S., Ladewig, J., and Smidt, D. (1995). Clinical-chemical and haematological blood values and adaptation during postnatal life in suckler calves. Dtsch. Tierärztl. Wochenschr., 102: 399-405.
- Stewart**, P.A. (1978). Independent and dependent variables of acid-base control. Respir. Physiol., 33: 9-26.
- Stewart**, P.A. (1983). Modern quantitative acid-base chemistry. Can. J. Physiol. Pharmacol., 61(9): 1444-1461.
- Stocker**, H., Lutz, H., Kaufmann, C., and Püsche, P. (1999). Acid-base disorders in milk-fed calves with chronic indigestion. Vet. Rec., 18: 340-346.

- Stöber**, M., and Gründer, H.D. (1990).
Circulation. In: Die Klinische Untersuchungen des Rindes. 3rd Edition, Edited by G. Dirksen, H.D, Gründer, M. Stöber. Berlin and Hamburg. Verlag Paul Parly., pp: 171-241.
- Story**, D.A., Morimatsu, H. and Bellomo. (2004).
Strong ion, weak acid and base excess: A simplified Fencl-Stewart approach to clinical acid-base disorders.
Br. J. Anaesth., 92(1): 54-60.
- Suzuki**, K., Kato, T., Tsunoda, G., Iwasbuchi, S., Asano, K., and Asano, R. (2002).
Effect of intravenous infusion of isotonic sodium bicarbonate solution on acidic calves with diarrhoea.
J. Vet. Med. Sci., 64(12): 1173-1175.
- Szenci**, O. (1985).
Role of acid-base disturbances in perinatal mortality of calves: A summary of thesis.
Acta Vet. Hung., 33(3-4): 205-220.
- Szenci**, O. (1988).
Comparison between pre- and postnatal acid-base status of calves and their perinatal mortality.
Vet. Quar., 10: 140-144.
- Ulutas**, B., Ozlem, M.B., Ulutas, P.A., Even, V. and Pasa, S. (2003)
Fractional excretion of electrolytes during pre- and postpartum periods in cows.
Acta Vet. Hung., 51(4): 521-8.
- Ulutas**, B., and Sahal, M. (2005).
Urinary GGT/Creatinine ratio and fractional excretion of electrolytes in diarrhoeic calves.
Acta Vet. Hung., 53(3):351-359.
- Uystepruyst**, CH., Reinhold, P., Coghe, J., Bureau, F., and Lekeux, P. (2000).
Mechanics of the respiratory system in healthy newborn calves using impulse oscillometry.
Res. Vet. Sci., 68: 47-55.
- Uystepruyst**, CH., Coghe, J., Dorts, TH., Harmegnies, N., Delsemme, M., Art, T. and Lekeux, P. (2002).
Effect of three resuscitation procedures on respiratory and metabolic adaptation to extra uterine life in newborn calves.
Vet. J., 163: 30-44.
- Vagnoni**, D.B., and Oetzel, G.R. (1998).
Effects of dietary cation-anion difference on the acid-base status of dry cows.
J. Dairy. Sci., 81: 1643-1652.
- Varga**, J., Mester, L., Börzsönyi, L., Lekeux, P., and Szenci, O. (2001).
Improved pulmonary adaptation in newborn calves with postnatal acidosis.
Vet. J., 162: 226-232.

Verlander, J.W. (2002).

Acid-base balance. In: Textbook of veterinary physiology, 3rd Edition, Edited by Cunningham, J.G, W.B.S.Saunders Company, pp: 459-506.

Walker, P.G., Constable, P.D., Morin, D.E., Drackley, J.K., Foreman, J.H., and Thurmon, J.C. (1998).

A reliable, practical and economical protocol for inducing diarrhoea and severe dehydration in the neonatal calf.
Can. J. Vet. Res., 62: 205-213.

Wallace, M.L., Vogt, D.W., Lipsey, R.J., Garner, G.B., and Cornell, C.N. (1996).

Effects of environmental heat and intake of tall fescue seed infested with *Acremonium coenophialum* on the acid-base status of young bulls.
J. Vet. Diagn. Invest., 8: 233-237.

Wang, C., and Beede, D.K. (1990).

Effects of supplemental protein on acid-base status and calcium metabolism of nonlactating Jersey cows.
J. Dairy. Sci., 73: 3178-3186.

Wang, C., and Beede, D.K. (1992).

Effects of ammonium chloride and sulphate on acid-base status of dry Jersey cows.
J. Dairy. Sci., 75: 820-828.

Wang, T., Egbert, A.L., Aronson, P.S., and Giebisch, G. (1998).

Effect of metabolic acidosis on NaCl transport in the proximal tubule.
Am. J. Physiol. Renal Physiol., 274: F1015-F1019.

Wanner, M., Ziv, G, Nicolet, J., Noelpp, U.P., and Roesler, H. (1981).

Experiments with the double isotope single-injection method for determining glomerular filtration rate and effective renal plasma flow in veal calves.
Res. Vet. Sci., 30(2): 239-240.

Watson, P.D. (1999).

Modelling the effects of protein on pH in plasma.
J. Appl. Physiol., 86(4): 1421-1427.

Weldon, A.D., Moise, N.S., and Rebhun, W.C. (1992).

Hyperkalaemic atrial standstill in neonatal calf diarrhoea.
J. Vet. Intern. Med., 6: 294-297.

Wernery, U., and Wensvoort, J. (1992).

Experimentally induced rumen acidosis in a 1-year-old camel bull (*Camelus dromedarius*)-a preliminary report.
Br. Vet. J., 148(2): 167-170.

Whitehair, K.J., Hakins, S.C., Whitehair, J.G., and Pascoe, P.J. (1995).

Clinical applications of quantitative acid-base chemistry.
J. Vet. Intern. Med., 9(1): 1-11.

- Wiederseiner**, J., Muser, J., Lutz, T., Hulter, H.N., and Krapf, R. (2004).
Acute metabolic acidosis: Characterisation and diagnosis of the disorder and the plasma potassium response.
J. Am. Soc. Nephrol., 15: 1589-1596.
- Wilkes**, W. (1998).
Hypoproteinaemia, strong ion difference and acid-base status in critically ill patients.
J. Appl. Physiol., 84(5): 1740-1748.
- Wolfe**, L.A., Kemp, J.G., Heenan, A.P., Preston, R.J., and Ohtake, P.J. (1998).
Acid-base regulation and control of ventilation in human pregnancy.
Can. J. Physiol. Pharmacol., 76(9): 81-97.
- Wooten**, W.E. (1999).
Analytic calculation of physiological acid-base parameters in plasma.
J. Appl. Physiol., 86(1): 326-334.
- Wooten**, W.E. (2003).
Calculation of physiological acid-base parameters in multicompartment systems with application to human blood.
J. Appl. Physiol., 95: 2333-2344.
- Yagil**, R., Sod-Moriah, U.A. and Miyerstein, N. (1974).
Dehydration and camel blood. III. Osmotic fragility, specific gravity and osmolality.
Am. J. Physiol., 226(2): 305-308.
- Yagil**, R. (1975).
Acid-base parameters in the dehydrated camel.
Tijdschr Diergeneeskde., 100(20): 1105-1108.
- Zeltner**, T.B., Caduff, J.H., Gehr, P. 1, Pfenninger, J., and Burd, P. H. (1987).
The postnatal development and growth of the human lung. I. Morphometry.
Respir. Physiol., 67: 247-267.
- Zust**, J., Pestevsek, U., and Vengust, A. (2000).
Impact of lactic acid fermentation of carbohydrate in the large intestine on the pathogenesis of acute lactic acidosis in cattle.
Dtsch. Tierärztl. Wochenschr., 107: 359-363.