

5 Literaturverzeichnis

- Alberts, B. *et al.*: Molecular biology of the cell <dt.> Molekularbiologie der Zelle. 4. Aufl. WeinheimWiley-VCH, 2004.
- Acetis, M. de *et al.*: Cardiac overexpression of Melusin protecs from dilated cardiomyopathy due to long-standing pressure overload. Circ Res. 2005, 96(10), S.1087-1094.
- Antos, C. *et al.*: Activated glycogen synthase-3 β suppresses cardiac hypertrophy in vivo. PNAS. 2002, 99 (2), S.907-912.
- Aquila, L. *et al.*: Cytoskeletal structure and recovery in single human cardiac myocytes. J Heart Lung Transplant. 2004, 239, S.954-963.
- Ardjah, H. *et al.*: Kardiologie in Theorie und Praxis. Band II, Birenbach USA Verlagsgesellschaft. 2003.
- Arimura, T. *et al.*: A Cypher/Zasp mutation associated with dilated cardiomyopathy alters in the binding affinity to protein kinase C. The Journal of Biological Chemistry. 2004, 279 (8), S.6746-6752.
- Atance, J. *et al.*: Influence of the extracellular matrix on the regulation of cardiac fibroblast behavior by mechanical stretch. J. Cell. Physiol. 2004, 200, S.377-386.
- Attwell, S. *et al.*: Integration of cell attachment, cytoskeletal localization, and signaling by integrin-linked Kinase (ILK), CH-ILKB, and the tumor suppressor PTEN. Molecular Biology of the Cell. 2003, 14, S.4813-4825.
- Baba, H. *et al.*: Dynamic regulation of MEK/Erks and Akt/GSK-3 β in human end-stage heart failure after left ventricular mechanical support: myocardial mechanotransduction-sensitivity as a possible molecular mechanism. Cardiovascular Research. 2003, 59, S.390-399.
- Babitt, C. *et al.*: Modulation of integrins and integrin signaling molecules in the pressure-loaded murine ventricle. Histochem Cell Biol. 2002, 118, S.431-439.
- Badorff, C. *et al.*: Fas receptor signaling inhibits glycogen synthase kinase 3 β and induces cardiac hypertrophy following pressure overload. J. Clin. Invest. 2002, 109, S.373-381.
- Baines, C. *et al.* Molkentin, J.: STRESS signaling pathways that modulate cardiac myocyte apoptosis. Journal of Molecular and Cellular Cardiology. 2005, 38, S.47-62.
- Barki-Harrington, L. *et al.* Rockman, H.: Sensing heart stress. Nature Medicine. 2003, 1, S.19-20.
- Bione, S. *et al.*: A novel X-linked gene, G4.5 is responsible for barth syndrome. Nat Genet. 1996, 12 (4), S.385-389.
- Bohdjalian, H. *et al.*: Herztransplantationsprogramm der Universität Wien: Erfahrungen über 20 Jahre. Journal für Kardiologie. 2004, 11, S.3-8.
- Bonne, G. *et al.*: Cardiac myosin binding protein-C gene splice acceptor site mutation is associated with familial hypertrophic cardiomyopathy. Nat Genet. 1995, 11 (4), S.438-440.

- Bonne, G. *et al.*: Familial hypertrophic cardiomyopathy: from mutations to functional defects. *Circ Res.* 1998, 83 (6), S.580-593.
- Bowles, K. R. *et al.*: Gene mapping of familial autosomal dominant dilated cardiomyopathy to chromosome 10q21-23. *J Clin Invest.* 1996, 98 (6), S.1355-1360.
- Brancaccio, M. *et al.*: Melusin is a new muscle-specific interactor for β 1 integrin cytoplasmic domain. *J Biol Chem.* 1999, 41, S.29282-29288.
- Brancaccio, M. *et al.*: Chp-1 and melusin, two CHORD containing proteins in vertebrates. *FEBS Letters.* 2003, 551, S.47-52.
- Brancaccio, M. *et al.*: Melusin, a muscle-specific integrin β 1-interacting protein, is required to prevent cardiac failure in response to chronic pressure overload. *Nature Medicine.* 2003, 1, S.68-75.
- Braunwald, E. *et al.*: Congestive heart failure: fifty years of progress. *Circulation.* 2000, 102 (20), S.414-423.
- Browe, D. *et al.* Baumgarten, C.: Stretch of β 1 integrin activates an outwardly rectifying chloride current via FAK and Src in rabbit ventricular myocytes. *J. Gen. Physiol.* 2003, 122, S.689-702.
- Bukach, O. *et al.*: Some properties of human small heat shock protein Hsp20 (HspB6). *Eur. J. Biochem.* 2004, 271, S.291-302.
- Bullard, B. *et al.*: Association of the chaperone α B-crystallin with titin in heart muscle. *The Journal of Biological Chemistry.* 2004, 279 (9), S.7917-7924.
- Calaghan, S. C. *et al.*: Cytoskeletal modulation of electrical and mechanical activity in cardiac myocytes. *Progress in Biophysics and Molecular Biologie.* 2004, 84, S.29-59.
- Carabello, B. A.: Ten frequently asked questions about cardiac hypertrophy. *Cardiology in Review.* 2003, 11, S.249-251.
- Carrier, L. *et al.*: Mapping of a novel gene for familial hypertrophic cardiomyopathy to chromosome 11. *Nat Genet.* 1993, 4 (3), S.311-313.
- Cheng, Q. *et al.*: Overexpression of the integrin β 1A subunit and the β 1A cytoplasmic domain modifies the β -adrenergic regulation of the cardiac L-type Ca^{2+} current. *Journal of Molecular and Cellular Cardiology.* 2004, 36, S.809-819.
- Davis, J. S. *et al.*: The overall pattern of cardiac contraction depends on a spatial gradient of myosin regulatory light chain phosphorylation. *Cell.* 2001, 107 (5), S.631-641.
- Deetjen, P. *et al.*: *Physiologie.* 3. Aufl. München, Jena, Stuttgart, Lübeck, Urban und Schwarzenberg, 1999.
- Diedrichs, H. *et al.*: Increased regulatory activity of the calcineurin /NFAT pathway in human heart failure. *Eur J Heart Fail.* 2004, 6 (1), S.3-9.
- Duan, J. *et al.*: Synonymous mutations in the human dopamine receptor D2 (DRD2) affect mRNA stability and synthesis of the receptor. *Human Molecular Genetics.* 2003, 12 (3), S.205-216.

- Durand, J. B. *et al.*: Localization of a gene responsible for familial dilated cardiomyopathy to chromosome 1q32. *Circulation*. 1995, *92* (12), S.3387-3389.
- Eaton, P. *et al.*: α B-crystallin translocation and phosphorylation: signaling transduction pathways and preconditioning in the isolated rat heart. *J Mol Cell Cardiol*. 2001, *33*, S.1659-1671.
- Elo, M. *et al.*: Specific induction of heat shock protein 90 β by high hydrostatic pressure. *Biorheology*. 2003, *40* (1-3), S.141-146.
- Esposito, G. *et al.*: Genetic alterations that inhibit in vivo pressure-overload hypertrophy prevent cardiac dysfunction despite increased wall stress. *Circulation*. 2002, *105* (1), S.85-92.
- Fatkin, D. *et al.*: Missense mutation in the rod domain of the laminin A/C gene as causes of dilated cardiomyopathy and conduction-system disease. *N Engl J Med*. 1999, *341* (23), S.1715-1724.
- Francová, H. *et al.*: New promoter mutations in the low-density lipoprotein receptor gene which induce familial hypercholesterolaemia phenotype: molecular and functional analysis. *J Inherit Metab Dis*. 2004, *27*, S.523-528.
- Ganten, D. *et al.*: Herz-Kreislauf-Erkrankungen. Handbuch der Molekularen Medizin. Band 3. Berlin Heidelberg New York, Springer, 1998.
- Garcia-Ranea, J. A. *et al.*: p23 and HSP20/ α -crystallin proteins define a conserved sequence domain present in other eukaryotic protein families. *FEBS Letters*. 2002, *529*, S.162-167.
- Geisterfer-Lowrance, A. A. *et al.*: A molecular basis for familial hypertrophic cardiomyopathy: a β cardiac myosin heavy chain gene missense mutation. *Cell*. 1990, *62* (5), S.999-1006.
- Gerull, B. *et al.*: Mutations of *TTN*, encoding the giant muscle filament titin, cause familial dilated cardiomyopathy. *Nature genetics*. 2002, *30*, S.201-204.
- Gomes, A. *et al.*: Role of Troponin T in disease. *Mol Cell Biochem* 2004, *263*, S.115-129.
- Gray, C. *et al.*: Heat stress proteins and myocardial protection: experimental model or potential clinical tool?. *The International Journal of Biochemistry and Cell Biology*. 1999, *31*, S.559-573.
- Grompe, M.: The rapid detection of unknown mutations in nucleic acids. *Nature Genetics*. 1993, *5*, S.111-116.
- Grünig, E. *et al.*: Frequency and phenotype of familial dilated cardiomyopathy. *J Am Coll Cardiol*. 1998, *31*, S.186-194.
- Harada, K. *et al.*: Familial hypertrophic cardiomyopathy mutations from different functional regions of Troponin T result in different effects on the pH and Ca²⁺ sensitivity of cardiac muscle contraction. *The Journal of Biological Chemistry*. 2004, *279* (15), S.14488-14495.
- Hardt, S. *et al.*: Negative regulators of cardiac hypertrophy. *Cardiovascular Research*. 2004, *63*, S.500-509.
- Harland, M. *et al.*: Intronic sequence variants of the CDKN2A gene in melanoma pedigrees. *Genes, Chromosomes and Cancer*. 2005, *43*, S.128-136.

- Haslbeck, M.: sHsps and their role in the chaperone network. *Cell Mol Life Sci.* 2002, *59*, S.1649-1657.
- Hayashi, K. *et al.*: How sensitive ist SSCP?. *Hum. Mutat.* 1993, *2* (5), S.338-346.
- Hayashi, T. *et al.*: Tcap gene mutations in hypertrophic cardiomyopathy and dilated cardiomyopathy. *J Am Coll Cardiol.* 2004, *44*, S.2192-2201.
- Heidkamp, M. *et al.* : GFP-FRNK disrupts focal adhesions and induces anoikis in neonatal rat ventricular myocytes. *Circ Res.* 2002, *90*, S.1282-1289.
- Heineke, J. *et al.*: Attenuation of cardiac remodeling after myocardial infarction by muscle LIM protein-calcineurin signaling at the sarcomeric Z-disc. *PNAS.* 2005, *102* (5), S.1655-1660.
- Heling, A. *et al.*: Increased expression of cytoskeletal, linkage, and extracellular proteins in failing human myocardium. *Circulation Research.* 2000, *86* (8), S.846-853.
- Hengstenberg, C.: Die dilative und die hypertrophische Kardiomyopathie - Molekulargenetische Fortschritte und klinische Perspektiven. *Cardio Vasc.* 2003, *2*, S.28-32.
- Highsmith, W. E. *et al.*: Use of DNA toolbox for the characterization of mutation scanning methods. II: Evaluation of single-strand conformation polymorphism analysis. *Electrophoresis.* 1999, *20*, S.1195-1203.
- Huang, H. *et al.*: Cell mechanics and mechanotransduction: pathways, probes, and physiology. *Am J Physiol Cell Physiol.* 2004, *287*, S.C1-C11.
- Hughes, S. *et al.*: New insights into the pathology of inherited cardiomyopathy. *Heart.* 2005, *91*, S.257-264.
- Hunter, J. *et al.*: Signaling pathways for cardiac hypertrophy and failure. *N Engl J Med.* 1999, *341* (17), S.1276-1283.
- Ingber, D.: Mechanical signaling and the cellular response to extracellular matrix in angiogenesis and cardiovascular physiology. *Circ Res.* 2002, *91*, S.877-887.
- Iqbal, J. *et al.*: Molecular regulation of mechanotransduction. *Biochem Biophys Res Commun.* 2005, *328*, S.751-755.
- Jung, M. *et al.*: Investigations of a family with autosomal dominant dilated cardiomyopathy defines a novel locus on chromosome 2q14-q22. *Am Hum Genet.* 1999, *65* (4), S.1068-1077.
- Kahan, T. *et al.*: Left ventricular hypertrophy in hypertension: its arrhythmogenic potential. *Heart.* 2005, *91*, S.250-256.
- Kamisago, M. *et al.*: Mutations in sarcomere protein genes as a cause of dilated cardiomyopathy. *N Engl J Med.* 2000, *343* (23), S.1688-1696.
- Kass, S. *et al.*: A gene defect that causes conduction system disease and dilated cardiomyopathy maps to chromosome 1p1-1q1. *Nat Genet.* 1994, *7* (4), S.546-551.
- Kimura, A. *et al.*: Mutations in the cardiac troponin I gene associated with hypertrophic cardiomyopathy. *Nat Genet.* 1997, *16* (4), S.379-382.

- Kiriazis, H. *et Kranias, E.*: Genetically engineered models with alterations in cardiac membrane calcium-handling proteins. *Annu. Rev. Physiol.* 2000, *62*, S.321-351.
- Knöll, R. *et al.*: The cardiac mechanical stretch sensor machinery involves a Z disc complex that is defective in a subset of human dilated cardiomyopathy. *Cell.* 2002, *111* (7), S.943-955.
- Knöll, R. *et al.*: Cardiac mechanotransduction and implications for heart disease. *J Mol.Med .* 2003, *81*(12), S.750-756.
- Koh, T. *et Escobedo, J.*: Cytoskeletal disruption and small heat shock protein translocation immediately after lengthening contractions. *Am J Physiol Cell Physiol.* 2004, *286*, S.C713-C722.
- Krajinovic, M. *et al.*: Linkage of familial dilated cardiomyopathy to chromosome 9. heart muscle study group. *Am J Hum Genet.* 1995, *57* (4), S.846-852.
- Krawczak, M. *et al.*: The mutational spectrum of single base-pair substitutions in mRNA splice junctions of human genes: causes and consequences. *Hum Genet.* 1992, *90* (1-2), S.41-54.
- Kuncewicz, T. *et al.*: Proteomic analysis of S-nitrosylated proteins in mesangial cells. *Molecular and Cellular Proteomics.* 2003, *2*, S.156-163.
- Kuppuswamy, D.: Importance of integrin signaling in myocyte growth and survival. *Circ Res.* 2002, *90*, S.1240-1242.
- Lammerding, J. *et al.*: Mechanotransduction in cardiac myocytes. *Ann. N.Y. Acad. Sci.* 2004, *1051*, S.53-70.
- Lankford, E. *et al.*: Abnormal properties of muscle fibers expressing β-myosin heavy chain gene mutations in patients with hypertrophic cardiomyopathy. *The Journal of Clinical Investigation.* 1995, *95*, S.1409-1414.
- Le Courvoisier, P. *et al.*: Multiple quantitative trait loci modify the heart failure phenotype in murine cardiomyopathy. *Human Molecular Genetics.* 2003, *12* (23), S.3097-3107.
- Lee, Y.-T. *et al.*: Human Sgt-1 binds Hsp90 through the CHORD-Sgt1 Domain and not the tetratricopeptide repeat domain. *The Journal of Biological Chemistry.* 2004, *279* (16), S.16511-16517.
- Li, D. *et al.*: Desmin mutation responsible for idiopathic dilated cardiomyopathy. *Circulation.* 1999, *100* (5), S.461-464.
- Liao, X. D. *et al.*: Role of Ca^{2+} signaling in initiation of stretch-induced apoptosis in neonatal heart cells. *Biochem Biophys Res Commun..* 2003, *310*, S.405-411.
- Lim, D.-S. *et al.*: Expression profiling of cardiac genes in human hypertrophic cardiomyopathy: insight into the pathogenesis of phenotypes. *J Am Coll Cardiol.* 2001, *38*, S.1175-1180.
- Lips, D. *et al.*: Molecular determinants of myocardial hypertrophy and failure: alternative pathways for beneficial and maladaptive hypertrophy. *European Heart Journal.* 2003, *24*, S.883-896.
- Löffler, G. *et Petrides, P.*: Biochemie und Pathobiochemie. 5. Aufl. Berlin Heidelberg New York, Springer, 1997.

- Lu, Q.W. *et al.*: Cardiac troponin T mutations R141W found in dilated cardiomyopathy stabilizes the troponin T-tropomyosin interaction and causes a Ca^{2+} desensitization. *J Mol Cell Cardiol.* 2003, *35* (12), S.1421-1427.
- Lugovtsev, V. *et al.*: Simple and rapid strategy for genetic characterization of influenza B virus reassortants. *Journal of Virological Methods.* 2004, *124*, S.203-210.
- MacRae, C. A. *et al.*: Familial hypertrophic cardiomyopathy with wolff-parkinson-white syndrome maps to a locus on chromosome 7q3. *J Clin Invest.* 1995, *96* (3), S.1216-1220.
- Marian, A.: Modifier genes for hypertrophic cardiomyopathy. *Current Opinion in Cardiology.* 2002, *17*, S.242-252.
- Maron, B. *et al.*: Proposal for contemporary screening strategies in families with hypertrophic cardiomyopathy. *Journal of American College of Cardiology.* 2004, *44* (11), S.2125-2132.
- Marx, J.: How to subdue a swelling heart. *Science.* 2003, *300*, S.1492-1496.
- Masuelli, M. *et al.*: β -Catenin accumulates in intercalated disks of hypertrophic cardiomyopathic hearts. *Cardiovascular Research.* 2003, *60*, S.376-387.
- Matsuda, T. *et al.*: N-cadherin-mediated cell adhesion determines the plasticity for cell alignment in response to mechanical stretch in cultured cardiomyocytes. *Biochem Biophys Res Commun.* 2005, *326*, S.228-232.
- Matsui, T. *et al.* Rosenzweig, A.: Convergent signal transduction pathways controlling cardiomyocyte survival and function: the role of PI 3-kinase and Akt. *Journal of Molecular and Cellular Cardiology.* 2005, *38*, S.63-71.
- McGrath, M. *et al.*: Skeletal muscle LIM protein 1 (SLIM1/FHL1) induces $\alpha 5\beta 1$ integrin-dependent myocyte elongation. *Am J Physiol Cell Physiol.* 2003, S.C1513-1526.
- Messina, D. N. *et al.*: Linkage of familial dilated cardiomyopathy with conduction defect and muscular dystrophy to chromosome 6q23. *Am J Hum Genet.* 1997, *61* (4), S.909-917.
- Michael, A. *et al.*: Glycogen synthase kinase-3 β regulates growth, calcium homeostasis, and diastolic function in the heart. *The Journal of Biological Chemistry.* 2004, *279* (20), S.21383-21393.
- Michalak, M. *et al.*: Calreticulin in cardiac development and pathology. *Biochimica et Biophysica Acta.* 2002, *1600*, S.32-37.
- Minamisawa, S. *et al.*: Chronic phospholamban-sarcoplasmic reticulum calcium ATPase interaction is the critical calcium cycling defect in dilated cardiomyopathy. *Cell.* 1999, *99*, S.313-322.
- Mogensen, J. *et al.*: Alpha-cardiac actin is a novel disease gene in familial hypertrophic cardiomyopathy. *J Clin Invest.* 1999, *103* (10), S.R39-43.
- Muntoni, F. *et al.*: Brief report: deletion of the dystrophin muscle-promotor region associated with X-linked dilated cardiomyopathy. *N Engl J Med.* 1993, *329* (13), S.921-925.

- Nanni, L. *et al.*: Hypertrophic cardiomyopathy: two homozygous cases with "typical" hypertrophic cardiomyopathy and three new mutations in cases with progression to dilated cardiomyopathy. *Biochem Biophys Res Commun.* 2003, *309* (2), S.391-398.
- Norton, G. *et al.*: Heart failure in pressure overload hypertrophy. *J Am Coll Cardiol.* 2002, *39*, S.664-671.
- Olson, T. M. *et al.*: Actin mutations in dilated cardiomyopathy, a heritable form of heart failure. *Science.* 1998, *280* (5364), S.750-752.
- Olson, T. M. *et Keating, M. T.*: Mapping a cardiomyopathy locus to chromosome 3p22-p25. *J Clin Invest.* 1996, *97* (2), S.528-532.
- Orita, M. *et al.*: Detections of polymorphisms of human DNA by gel electrophoresis as single-strand conformation polymorphisms. *Proc Natl Acad Sci U S A.* 1989, *86* (8), S.2766-2770.
- Patel, R. *et al.*: Variants of trophic factors and expression of cardiac hypertrophy in patients with hypertrophic cardiomyopathy. *J Mol Cell Cardiol.* 2000, *32*, S.2369-2377.
- Peng, X. *et al.*: Heat shock protein 90 stabilization of erbB2 expression is disrupted by ATP depletion in myocytes. *J Biol Chem.* 2005, *280*(13), S.13148-13152.
- Pham, C. *et al.*: Striated muscle-specific β 1D-integrin and FAK are involved in cardiac myocyte hypertrophic response pathway. *Am J Physiol Heart Circ Physiol.* 2000, *279*, S.H2916-2926.
- Picard, D.: Hsp90 invades the outside. *Nature Cell Biology.* 2004, *6*, S.479-480.
- Picard, D.: Heat-shock protein 90, a chaperone for folding and regulation. *Cell. Mol. Life Sci.* 2002, *59*, S.1640-1648.
- Pipkin, W. *et al.*: Localization, macromolecular associations, and function of the small heat shock-related protein Hsp20 in rat heart. *Circulation.* 2003, *107*, S.469-476.
- Poetter, K. *et al.*: Mutations in either the essential or regulatory light chains of myosin are associated with a rare myopathy in human heart and skeletal muscle. *Nat Genet.* 1996, *13* (1), S.63-69.
- Pyle, W. G. *et Solaro, R. J.*: At the crossroad of myocardial signaling - the role of Z-discs in intracellular signaling and cardiac function. *Circ. Res.* 2004, *94*, S.296-305.
- Renz-Polster, H. *et al.* Braun, J.: Basislehrbuch Innere Medizin. 2.Auflage München Jena, Urban Fischer, 2001.
- Richardson, P. *et al.*: Report of the 1995 World Health Organization/International Society and Federation of Cardiology Task Force on the Definition and Classification of Cardiomyopathies. *Circulation.* 1996, *93*(5), S.841-842.
- Rochat, A. *et al.*: Insulin and Wnt1 pathways cooperate to induce reserve cell activation in differentiation and myotube hypertrophy. *Molecular Biology of the Cell.* 2004, *15*, S.4544-4555.
- Ross, R.: Molecular and mechanical synergy: cross-talk between integrins and growth factor receptors. *Cardiovascular Research.* 2004, *63*, S.381-390.

- Ross, R. *et al.*: β 1 integrins participate in the hypertrophic response of rat ventricular myocytes. *Circulation Research*. 1998, 82, S.1160-1172.
- Ruwhof, C. *et van der Laarse*, A.: Mechanical stress-induced cardiac hypertrophy: mechanisms and signal transduction pathways. *Cardiovascular Research*. 2000, 47, S.23-37.
- Sætersdal, T. *et al.*: The β 1 integrin subunits is not a specific component of the costamere domain in human myocardial cells. *The Histochemical Journal*. 2002, 34, S.323-329.
- Sanbe, A. *et al.*: Desmin-related cardiomyopathy in transgenic mice: a cardiac amyloidosis. *PNAS*. 2004, 101 (27), S.10132-10136.
- Sato, S. *et al.*: Modulation of Akt kinase activity by binding to Hsp90. *PNAS*. 2000, 97 (20), S.10832-10837.
- Satoh, M. *et al.*: Structural analysis of the titin gene in hypertrophic cardiomyopathy: identification of a novel disease gene. *Biochem Biophys Res Commun*. 1999, 262, S.411-417.
- Schlüter, K.-D. *et Wollert*, K. C.: Synchronization and integration of multiple hypertrophic pathways in the heart. *Cardiovascular Research*. 2004, 63, S.367-372.
- Schonberger, J. *et al.*: Dilated cardiomyopathy and sensorineural hearing loss: a heritable syndrome that maps to 6q23-24. *Circulation*. 2000, 101 (15), S.1812-1818.
- Schwartz, M. *et Ginsberg*, M.: Networks and crosstalk: integrin signalling spreads. *Nature Cell Biology*. 2002, 4, S.E65-E68.
- See, F. *et al.*: p38 mitogen-activated protein kinase inhibition improves cardiac function and attenuates left ventricular remodeling following myocardial infarction in the rat. *J Am Coll Cardiol*. 2004, 44, S.1679-1689.
- Shai, S.-Y. *et al.*: Cardiac myocyte-specific excision of the β integrin gene results in myocardial fibrosis and cardiac failure. *Circulation Research*. 2002, 90 (4), S.458-464.
- Shioi, T. *et al.*: Rapamycin attenuates load-induced cardiac hypertrophy in mice. *Circulation*. 2003, 107 (12), S.1664-1670.
- Shirasu, K. *et al.*: A novel class of eukaryotic zinc-binding proteins is required for disease resistance-signaling in barley and development in *C.elegans*. *Cell*. 1999, 99, S.355-366.
- Siu, B. L. *et al.*: Familial dilated cardiomyopathy locus maps to chromosome 2q31. *Circulation*. 1999, 99 (8), S.1022-1026.
- Stefan, S.: Der Tod im Sport - ein internistisches Problem?. *Herz*. 2004, 29 , S.414-419.
- Sussmann, M. A. *et al.*: Dance band on the titanic. *Circ Res*. . 2002, 91, S.888-898.
- Sylvius, N. *et al.*: A new locus for autosomal dominant dilated cardiomyopathy identified on chromosome 6q12-q16. *Am J Hum Genet*. 2001, 68 (1), S.241-246.
- Takahashi, A. *et al.* : Hsp90 interacts with RAR1 and Sgt1 and is essential for RPS2-mediated disease resistance in *Arabidopsis*. *PNAS*. 2003, 100 (20), S.11777-11782.
- Takimoto, E. *et al.*: Chronic inhibition of cyclic GMP phosphodiesterase 5A prevents and reverses cardiac hypertrophy. *Nature Medicine*. 2005, 11 (2), S.214-222.

- Tanigawa, G. *et al.*: A molecular basis for familial hypertrophic cardiomyopathy: an α/β cardiac myosin heavy chain hybrid gene. *Cell*. 1990, *62* (5), S.991-998.
- Tarone, G. *et al.* Lembo, G.: Molecular interplay between mechanical and humoral signalling in cardiac hypertrophy. *Trends in Molecular Medicine*. 2003, *9* (9), S.376-382.
- Tessier, D. *et al.*: The small heat shock protein (Hsp) 20 is dynamically associates with the actin cross-linking protein actinin. *Journal of Surgical Research*. 2003, *111*, S.152-157.
- Thierfelder, L. *et al.*: Alpha-tropomyosin and cardiac troponin T mutations cause familial hypertrophic cardiomyopathy: a disease of the sarcomere. *Cell*. 1994, *77* (5), S.701-712.
- Towbin, J. *et al.* Bowles, N.: The failing heart. *Nature*. 2002, *415*, S.227-233.
- Tsubata, S. *et al.*: Mutations in the human delta-sarcoglycan gene in familial and sporadic dilated cardiomyopathy. *J Clin Invest*. 2000, *106* (5), S.655-662.
- Tsuji, T.: Physiological and pathological roles of $\alpha 3\beta 1$ integrin. *J. Membrane Biol*. 2004, *200*, S.115-132.
- Verschueren, P. *et al.*: Translocation of small heat shock proteins to the actin cytoskeleton upon proteosomal inhibition. *J Mol Cell Cardiol*. 2002, *34*, S.117-128.
- Voelker, W.: Strukturierter Datensatz zur Befunddokumentation in der Echokardiographie - Version 2004. *Z Kardiologie*. 2004, *93* (12), S.987-1004.
- Wakatsuki, T. *et al.*: The biochemical response of the heart to hypertension and exercise. *TRENDS in Biochemical Sciences*. 2004, *29* (11), S.609-617.
- Walker, J. *et al.* de Tombe, P.: Titin and the developing heart. *Circ Res*. 2004, *94*, S.860-862.
- Wu, J. *et al.*: Mammalian CHORD-containing protein1 is a novel heat shock protein 90-interacting protein. *FEBS Letters*. 2005, *579*, S.421-426.
- Yamanoshita, O. *et al.*: DHPLC is superior to SSCP in screening p53 mutations in esophageal cancer tissues. *International journal of cancer. Journal international du cancer*. 2005, *114* (1), S.74-79.
- Zhang, H. *et al.* Burrows, F.: Targeting multiple signal transduction pathways through inhibition of Hsp 90. *J Mol Med*. 2004, *82*, S.488-499.
- Zheng, B. *et al.*: hhLIM protein is involved in cardiac hypertrophy. *Biochimica et Biophysica Acta*. 2004, *1690* (1), S.1-10.
- Zipes, D. *et al.*: Braunwald's Heart Disease: a Textbook of Cardiovascular Medicine. 7. Aufl. Philadelphia, Pennsylvania, Elsevier Saunders, 2005.
- Zou, Y. *et al.*: Heat shock transcription factor 1 protects cardiomyocytes from ischemia/reperfusion injury. *Circulation*. 2003, *108*, S.3024-3030.