

## **Abkürzungsverzeichnis**

AJ	Adherens Junctions
Ao	Aorta
Ao R-R	zeitlicher Abstand zweier Aortenausschläge im Doppler
AoV	Aortenwurzeldurchmesser
AoVmax	maximale Geschwindigkeit des Aortendopplers
Arm	Armadillo (von <i>Drosophila armadillo</i> )
ARVC	Arrhythmogene rechtsventrikuläre Kardiomyopathie
ASE	American Society of Echocardiography
Bpm	Herzschläge pro Minute (beats per minute)
CW-Doppler	Doppler im „continuous wave“ modus
D	Desmosom
DNA	Desoxyribonukleinsäure
EDV	Enddiastolisches Volumen
EF	Ejektionsfraktion
EKG	Elektrokardiogramm
ES	Embryonale Stammzellen
ESV	endsystolisches Volumen
FS	Ventrikelverkürzungsfaktor; „fractional shortening“
HCM	Hypertrophische Kardiomyopathie
HNCM	hypertrophische nichtobstruktive Kardiomyopathie
HOCM	hypertrophische obstruktive Kardiomyopathie
HF	Herzfrequenz
HZV	Herzzeitvolumen
IF	Intermediäre Filamente
IVS	Interventrikuläres Septum
Kg	Kilogramm
KG	Körpergewicht
LA	Linkes Atrium
LV	Linker Ventrikel
LVET	Linksventrikuläre Ejektionszeit
LVOT	Linksventrikulärer Ausflusstrakt
LVPW	posteriore freie Wand des linken Ventrikels
MAP	Monophasisches Aktionspotential
M-Mode	Time Motion Mode
MV A-Pkt	Höchster Punkt der A-Welle im Mitraldoppler

MV E-Pkt	Höchster Punkt der E-Welle im Mitraldoppler
MV-Decelzeit	Dezelerationszeit der Mitralwelle in ms
MV Vmax	Maximale Geschwindigkeit des Mitraldopplers
ND	noch nicht ermittelt (not determined)
Neo	Neomycin Genkassette
PCR	Polymerasekettenreaktion
PG	Plakoglobin
PKP	Plakophilin
p0071	Plakophilin 4
RACE-PCR	rapid amplification of cDNA ends Polymerase Kettenreaktion
RMV	real-time microvisualisation
RA	Rechtes Atrium
RT-PCR	Reverse Transkriptase Polymerase Kettenreaktion
RV	Rechter Ventrikel
RVD	rechtsventrikulärer Diameter
RVDV	rechtventrikuläres diastolisches Volumen
RVIT	rechtsventrikulärer Einflusstrakt
RVLAX	Länge des rechten Ventrikel
RVOT	rechtsventrikulärer Ausflusstrakt
RVSAX	Breite des rechten Ventrikel
SD	plötzlicher Herztod (sudden death)
SV	Schlagvolumen
TG	Transgenes Tier
TV	Trikuspidalklappe
Vcf	zirkuläre Faserverkürzung
VTI	Geschwindigkeits-Zeit-Integral
WT	Wildtyp

# Anhang

## Geräte

### PCR

Multicycler PTC-200 (Peltier Thermal Cycler); (MJ Research, Waltham, USA)

### Paraffinschnitte

Einbettautomat Citadel 1000 (Thermo Shandon Electron Corporation®; Waltham)

Rotationsmikrotom Type HM 325 mit Kühlseinrichtung „cool-cut“ (Microm GmbH; Walldorf)

Paraffin AusgießstationType EC 350-2 und Kühlplatte (Microm GmbH; Walldorf)

Kühlstation EG 1130 (Leica Microsystems GmbH; Wetzlar)

### Kryoschnitte

Kryotom „Leica CM 1900“ (Leica Microsystems GmbH; Wetzlar)

### Elektronenmikroskopie

Ultramikrotom Leica Ultracut III (Leica Microsystems GmbH; Wetzlar)

Elektronenmikroskop Philips CM100 (Philips Medizin Systeme GmbH; Hamburg)

TVIPS Fastscan 1K CCD-Kamera (Tietz Video and Image Processing Systems GmbH; Gauting)

### EKG-Gerät

Megacart (1993, Siemens, Erlangen)

AC 264 EKG Verstärker (EMKA Technologies, Paris)

ITF 16 EKG Verstärker (EMKA Technologies, Paris)

Selbstangefertigte Schlaufenelektroden aus dünnem Stahldraht

### Ultraschallgerät

Sonos 5500 (Philips Medical Systems)

12 MHz Sektorschallkopf

15 MHz Linearschallkopf

Vevo 770 (VisualSonics Inc., Toronto)

30 MHz RMV Schallkopf

### Narkosegerät

RUS-13-GA Inhalationsnarkose System (FMI Föhr Medical Instruments, Seeheim-Ober Beerbach)

Vevo Compact Anesthesia System (VisualSonics Inc., Torronto)

### Zentrifuge

### Wärmeplatten

TKM-0902 Temperatur-Kontrollmodul (FMI Föhr Medical Instruments, Seeheim-Ober Beerbach)

Vevo Mouse Handling Table (VisualSonics Inc., Torronto)

### Elektrischer Rasierer

Golden A4, Model 5-55E (Oster, USA)

### Software

iox 1.6.7 Cardiology Research Software (EMKA Technologies, Paris)

ecg Auto 1.5.7.36 Multi-species Multi-leads Analysis Software (EMKA Technologies, Paris)

Datenaquisitions-Software, basierend auf der LabVIEW Programmiersprache

Semi-automatische EKG-Analyseprogramm, basierend auf der LabVIEW

Programmiersprache

EKG-Analyseprogramm, visual basic basiert (signetix, Bielefeld)

### **Verbrauchsmaterialien**

#### Desinfektion

Neo-Kodan, farblos (Schülke&Mayr, Norderstedt)

#### Handschuhe

Safeskin\*Satin Plus\*, Größe S (Kimberly-Clark, Koblenz-Rheinhafen)

#### Klebeband

Leukoplast® (BSN Medical GmbH&CoKG., Hamburg)

#### Narkotika

Isofluran Curamed (250ml, CuraMED Pharma GmbH, Karlsruhe)

Speichermedien

Platinum® CD-R 80min/700 MB

Magneto optical Disk, Fujifilm 1,3GB MO rewritable

Ultraschallgel

Aquasonic® 100 (Parker Laboratories, INC, Fairfield)

Sonstiges

Enthaarungscreme Plica® med (ASID BONZ GmbH, Böblingen)

Elektrodencreme (Marquette Hellige GmbH, Freibung)

## Literaturverzeichnis

- Alcalai, R., Metzger, S., Rosenheck, S., Meiner, V., Chajek-Shaul, T., 2003, A recessive mutation in desmoplakin causes arrhythmogenic right ventricular dysplasia, skin disorder, and woolly hair. *J Am Coll Cardiol* 42, 319-327.
- Bierkamp, C., McLaughlin, K.J., Schwarz, H., Huber, O., Kemler, R., 1996, Embryonic heart and skin defects in mice lacking plakoglobin. *Dev Biol* 180, 780-785.
- Braunwald, E., Aygen, M.M., 1963, Idiopathic Myocardial Hypertrophy without Congestive Heart Failure or Obstruction to Blood Flow. Clinical, Hemodynamic and Angiocardiographic Studies in Fourteen Patients. *Am J Med* 35, 7-19.
- Braunwald, E., Lambrew, C.T., Rockoff, S.D., Ross, J., Jr., Morrow, A.G., 1964, Idiopathic Hypertrophic Subaortic Stenosis. I. a Description of the Disease Based Upon an Analysis of 64 Patients. *Circulation* 30, SUPPL 4:3-119.
- Calkins, C.C., Hoepner, B.L., Law, C.M., Novak, M.R., Setzer, S.V., Hatzfeld, M., Kowalczyk, A.P., 2003, The Armadillo family protein p0071 is a VE-cadherin- and desmoplakin-binding protein. *J Biol Chem* 278, 1774-1783.
- Charpentier, E., Lavker, R.M., Acquista, E., Cowin, P., 2000, Plakoglobin suppresses epithelial proliferation and hair growth in vivo. *J Cell Biol* 149, 503-520.
- Communal, C., Singh, K., Pimentel, D.R., Colucci, W.S., 1998, Norepinephrine stimulates apoptosis in adult rat ventricular myocytes by activation of the beta-adrenergic pathway. *Circulation* 98, 1329-1334.
- Dahab, G.M., Kheriza, M.M., El-Beltagi, H.M., Fouada, A.M., El-Din, O.A., 2004, Digital quantification of fibrosis in liver biopsy sections: description of a new method by Photoshop software. *J Gastroenterol Hepatol* 19, 78-85.
- de Simone, G., Daniels, S.R., Devereux, R.B., Meyer, R.A., Roman, M.J., de Divitiis, O., Alderman, M.H., 1992, Left ventricular mass and body size in normotensive children and adults: assessment of allometric relations and impact of overweight. *J Am Coll Cardiol* 20, 1251-1260.
- Dickhuth, H.H., Rocker, K., Hipp, A., Heitkamp, H.C., Keul, J., 1994, Echocardiographic findings in endurance athletes with hypertrophic non-obstructive cardiomyopathy (HNCM) compared to non-athletes with HNCM and to physiological hypertrophy (athlete's heart). *Int J Sports Med* 15, 273-277.
- Erdmann, J., Raible, J., Maki-Abadi, J., Hummel, M., Hammann, J., Wollnik, B., Frantz, E., Fleck, E., Hetzer, R., Regitz-Zagrosek, V., 2001, Spectrum of clinical phenotypes and gene variants in cardiac myosin-binding protein C mutation carriers with hypertrophic cardiomyopathy. *J Am Coll Cardiol* 38, 322-330.

Evangelista, F.S., Brum, P.C., Krieger, J.E., 2003, Duration-controlled swimming exercise training induces cardiac hypertrophy in mice. *Braz J Med Biol Res* 36, 1751-1759.

Fabritz, L., Kirchhof, P., Fortmuller, L., Auchampach, J.A., Baba, H.A., Breithardt, G., Neumann, J., Boknik, P., Schmitz, W., 2004, Gene dose-dependent atrial arrhythmias, heart block, and brady-cardiomyopathy in mice overexpressing A(3) adenosine receptors. *Cardiovasc Res* 62, 500-508.

Fabritz, L., Kirchhof, P., Franz, M.R., Eckardt, L., Monnig, G., Milberg, P., Breithardt, G., Haverkamp, W., 2003, Prolonged action potential durations, increased dispersion of repolarization, and polymorphic ventricular tachycardia in a mouse model of proarrhythmia. *Basic Res Cardiol* 98, 25-32.

Foale, R., Nihoyannopoulos, P., McKenna, W., Kleinebenne, A., Nadazdin, A., Rowland, E., Smith, G., 1986, Echocardiographic measurement of the normal adult right ventricle. *Br Heart J* 56, 33-44.

Franke, W.W., Borrmann, C.M., Grund, C., Pieperhoff, S., 2006, The area composita of adhering junctions connecting heart muscle cells of vertebrates. I. Molecular definition in intercalated disks of cardiomyocytes by immunoelectron microscopy of desmosomal proteins. *Eur J Cell Biol* 85, 69-82.

Gallicano, G.I., Kouklis, P., Bauer, C., Yin, M., Vasioukhin, V., Degenstein, L., Fuchs, E., 1998, Desmoplakin is required early in development for assembly of desmosomes and cytoskeletal linkage. *J Cell Biol* 143, 2009-2022.

Geenen, D., Buttrick, P., Scheuer, J., 1988, Cardiovascular and hormonal responses to swimming and running in the rat. *J Appl Physiol* 65, 116-123.

Geisterfer-Lowrance, A.A., Christe, M., Conner, D.A., Ingwall, J.S., Schoen, F.J., Seidman, C.E., Seidman, J.G., 1996, A mouse model of familial hypertrophic cardiomyopathy. *Science* 272, 731-734.

Gerull, B., Heuser, A., Wichter, T., Paul, M., Basson, C.T., McDermott, D.A., Lerman, B.B., Markowitz, S.M., Ellinor, P.T., MacRae, C.A., Peters, S., Grossmann, K.S., Drenckhahn, J., Michely, B., Sasse-Klaassen, S., Birchmeier, W., Dietz, R., Breithardt, G., Schulze-Bahr, E., Thierfelder, L., 2004, Mutations in the desmosomal protein plakophilin-2 are common in arrhythmogenic right ventricular cardiomyopathy. *Nat Genet* 36, 1162-1164.

Goodwin, J.F., 1970, Congestive and hypertrophic cardiomyopathies. A decade of study. *Lancet* 1, 732-739.

Gottlieb, R.A., Burleson, K.O., Kloner, R.A., Babior, B.M., Engler, R.L., 1994, Reperfusion injury induces apoptosis in rabbit cardiomyocytes. *J Clin Invest* 94, 1621-1628.

Goussev, A., Sharov, V.G., Shimoyama, H., Tanimura, M., Lesch, M., Goldstein, S., Sabbah, H.N., 1998, Effects of ACE inhibition on cardiomyocyte apoptosis in dogs with heart failure. Am J Physiol 275, H626-631.

Graham, B.H., Waymire, K.G., Cottrell, B., Trounce, I.A., MacGregor, G.R., Wallace, D.C., 1997, A mouse model for mitochondrial myopathy and cardiomyopathy resulting from a deficiency in the heart/muscle isoform of the adenine nucleotide translocator. Nat Genet 16, 226-234.

Grossmann, K.S., Grund, C., Huelsken, J., Behrend, M., Erdmann, B., Franke, W.W., Birchmeier, W., 2004, Requirement of plakophilin 2 for heart morphogenesis and cardiac junction formation. J Cell Biol 167, 149-160.

Gruver, E.J., Fatkin, D., Dodds, G.A., Kisslo, J., Maron, B.J., Seidman, J.G., Seidman, C.E., 1999, Familial hypertrophic cardiomyopathy and atrial fibrillation caused by Arg663His beta-cardiac myosin heavy chain mutation. Am J Cardiol 83, 13H-18H.

Gussak, I., Chaitman, B.R., Kopecky, S.L., Nerbonne, J.M., 2000, Rapid ventricular repolarization in rodents: electrocardiographic manifestations, molecular mechanisms, and clinical insights. J Electrocardiol 33, 159-170.

Haegel, H., Larue, L., Ohsugi, M., Fedorov, L., Herrenknecht, K., Kemler, R., 1995, Lack of beta-catenin affects mouse development at gastrulation. Development 121, 3529-3537.

Hagendorff, A., Schumacher, B., Kirchhoff, S., Luderitz, B., Willecke, K., 1999, Conduction disturbances and increased atrial vulnerability in Connexin40-deficient mice analyzed by transesophageal stimulation. Circulation 99, 1508-1515.

Hasenfuss, G., 1998, Animal models of human cardiovascular disease, heart failure and hypertrophy. Cardiovasc Res 39, 60-76.

Hatzfeld, M., Green, K.J., Sauter, H., 2003, Targeting of p0071 to desmosomes and adherens junctions is mediated by different protein domains. J Cell Sci 116, 1219-1233.

Hatzfeld, M., Nachtsheim, C., 1996, Cloning and characterization of a new armadillo family member, p0071, associated with the junctional plaque: evidence for a subfamily of closely related proteins. J Cell Sci 109 ( Pt 11), 2767-2778.

Hirota, H., Yoshida, K., Kishimoto, T., Taga, T., 1995, Continuous activation of gp130, a signal-transducing receptor component for interleukin 6-related cytokines, causes myocardial hypertrophy in mice. Proc Natl Acad Sci U S A 92, 4862-4866.

Hoit, B.D., Khoury, S.F., Kranias, E.G., Ball, N., Walsh, R.A., 1995, In vivo echocardiographic detection of enhanced left ventricular function in gene-targeted mice with phospholamban deficiency. *Circ Res* 77, 632-637.

Hulskens, J., Behrens, J., Birchmeier, W., 1994, Tumor-suppressor gene products in cell contacts: the cadherin-APC-armadillo connection. *Curr Opin Cell Biol* 6, 711-716.

Hutchins, G.M., Bulkley, B.H., 1978, Catenoid shape of the interventricular septum: possible cause of idiopathic hypertrophic subaortic stenosis. *Circulation* 58, 392-397.

Jaulin-Bastard, F., Arsanto, J.P., Le Bivic, A., Navarro, C., Vely, F., Saito, H., Marchetto, S., Hatzfeld, M., Santoni, M.J., Birnbaum, D., Borg, J.P., 2002, Interaction between Erbin and a Catenin-related protein in epithelial cells. *J Biol Chem* 277, 2869-2875.

Kajstura, J., Cigola, E., Malhotra, A., Li, P., Cheng, W., Meggs, L.G., Anversa, P., 1997, Angiotensin II induces apoptosis of adult ventricular myocytes in vitro. *J Mol Cell Cardiol* 29, 859-870.

Kaplan, M.L., Cheslow, Y., Vikstrom, K., Malhotra, A., Geenen, D.L., Nakouzi, A., Leinwand, L.A., Buttrick, P.M., 1994, Cardiac adaptations to chronic exercise in mice. *Am J Physiol* 267, H1167-1173.

Kaufmann, U., Zuppinger, C., Waibler, Z., Rudiger, M., Urbich, C., Martin, B., Jockusch, B.M., Eppenberger, H., Starzinski-Powitz, A., 2000, The armadillo repeat region targets ARVCF to cadherin-based cellular junctions. *J Cell Sci* 113 ( Pt 22), 4121-4135.

Kelly, D.E., 1966, Fine structure of desmosomes. , hemidesmosomes, and an adepidermal globular layer in developing newt epidermis. *J Cell Biol* 28, 51-72.

Kimura, A., Harada, H., Park, J.E., Nishi, H., Satoh, M., Takahashi, M., Hiroi, S., Sasaoka, T., Ohbuchi, N., Nakamura, T., Koyanagi, T., Hwang, T.H., Choo, J.A., Chung, K.S., Hasegawa, A., Nagai, R., Okazaki, O., Nakamura, H., Matsuzaki, M., Sakamoto, T., Toshima, H., Koga, Y., Imaizumi, T., Sasazuki, T., 1997, Mutations in the cardiac troponin I gene associated with hypertrophic cardiomyopathy. *Nat Genet* 16, 379-382.

Kirchhof, P.F., Fabritz, C.L., Zabel, M., Franz, M.R., 1996, The vulnerable period for low and high energy T-wave shocks: role of dispersion of repolarisation and effect of d-sotalol. *Cardiovasc Res* 31, 953-962.

Kirchhoff, S., Nelles, E., Hagendorff, A., Kruger, O., Traub, O., Willecke, K., 1998, Reduced cardiac conduction velocity and predisposition to arrhythmias in connexin40-deficient mice. *Curr Biol* 8, 299-302.

Knollmann, B.C., Katchman, A.N., Franz, M.R., 2001, Monophasic action potential recordings from intact mouse heart: validation, regional heterogeneity, and relation to refractoriness. *J Cardiovasc Electrophysiol* 12, 1286-1294.

Knollmann, F.D., Helmig, K., Kapell, S., Hummel, M., Bocksch, W., Hetzer, R., Felix, R., 2003, Coronary artery calcium scoring: diagnostic accuracy of different software implementations. *Invest Radiol* 38, 761-768.

Kowalczyk, A.P., Borgwardt, J.E., Green, K.J., 1996, Analysis of desmosomal cadherin-adhesive function and stoichiometry of desmosomal cadherin-plakoglobin complexes. *J Invest Dermatol* 107, 293-300.

Kowalczyk, A.P., Bornslaeger, E.A., Borgwardt, J.E., Palka, H.L., Dhaliwal, A.S., Corcoran, C.M., Denning, M.F., Green, K.J., 1997, The amino-terminal domain of desmoplakin binds to plakoglobin and clusters desmosomal cadherin-plakoglobin complexes. *J Cell Biol* 139, 773-784.

Kruger, O., Plum, A., Kim, J.S., Winterhager, E., Maxeiner, S., Hallas, G., Kirchhoff, S., Traub, O., Lamers, W.H., Willecke, K., 2000, Defective vascular development in connexin 45-deficient mice. *Development* 127, 4179-4193.

Kuhlmann, M.T., Kirchhof, P., Klocke, R., Hasib, L., Stypmann, J., Fabritz, L., Stelljes, M., Tian, W., Zwiener, M., Mueller, M., Kienast, J., Breithardt, G., Nikol, S., 2006, G-CSF/SCF reduces inducible arrhythmias in the infarcted heart potentially via increased connexin43 expression and arteriogenesis. *J Exp Med* 203, 87-97.

Kuhn, H., Gietzen, F., Mercier, J., Losse, B., Kohler, E., Schulte, H.D., Bircks, W., Loogen, F., 1983, [Clinical aspects, course and prognosis of various forms of hypertrophic cardiomyopathy]. *Z Kardiol* 72, 83-98.

Kumai, M., Nishii, K., Nakamura, K., Takeda, N., Suzuki, M., Shibata, Y., 2000, Loss of connexin45 causes a cushion defect in early cardiogenesis. *Development* 127, 3501-3512.

Kussel, P., Frasch, M., 1995, Pendulin, a Drosophila protein with cell cycle-dependent nuclear localization, is required for normal cell proliferation. *J Cell Biol* 129, 1491-1507.

Lu, Q., Paredes, M., Medina, M., Zhou, J., Cavallo, R., Peifer, M., Orecchio, L., Kosik, K.S., 1999, delta-catenin, an adhesive junction-associated protein which promotes cell scattering. *J Cell Biol* 144, 519-532.

Manning, W.J., Wei, J.Y., Katz, S.E., Litwin, S.E., Douglas, P.S., 1994, In vivo assessment of LV mass in mice using high-frequency cardiac ultrasound: necropsy validation. *Am J Physiol* 266, H1672-1675.

Mariner, D.J., Wang, J., Reynolds, A.B., 2000, ARVCF localizes to the nucleus and adherens junction and is mutually exclusive with p120(ctn) in E-cadherin complexes. *J Cell Sci* 113 ( Pt 8), 1481-1490.

Maron, B.J., 1997, Hypertrophic cardiomyopathy. *Lancet* 350, 127-133.

Maron, B.J., Roberts, W.C., Epstein, S.E., 1982, Sudden death in hypertrophic cardiomyopathy: a profile of 78 patients. *Circulation* 65, 1388-1394.

Maron, B.J., Sato, N., Roberts, W.C., Edwards, J.E., Chandra, R.S., 1979, Quantitative analysis of cardiac muscle cell disorganization in the ventricular septum. Comparison of fetuses and infants with and without congenital heart disease and patients with hypertrophic cardiomyopathy. *Circulation* 60, 685-696.

Maron, B.J., Shirani, J., Poliac, L.C., Mathenge, R., Roberts, W.C., Mueller, F.O., 1996, Sudden death in young competitive athletes. Clinical, demographic, and pathological profiles. *Jama* 276, 199-204.

Milano, C.A., Dolber, P.C., Rockman, H.A., Bond, R.A., Venable, M.E., Allen, L.F., Lefkowitz, R.J., 1994, Myocardial expression of a constitutively active alpha 1B-adrenergic receptor in transgenic mice induces cardiac hypertrophy. *Proc Natl Acad Sci U S A* 91, 10109-10113.

Mockel, M., Stork, T., 1996, Diastolic function in various forms of left ventricular hypertrophy: contribution of active Doppler stress echo. *Int J Sports Med* 17 Suppl 3, S184-190.

Murgo, J.P., Alter, B.R., Dorothy, J.F., Altobelli, S.A., McGranahan, G.M., Jr., 1980, Dynamics of left ventricular ejection in obstructive and nonobstructive hypertrophic cardiomyopathy. *J Clin Invest* 66, 1369-1382.

Nihoyannopoulos, P., Karatasakis, G., Frenneaux, M., McKenna, W.J., Oakley, C.M., 1992, Diastolic function in hypertrophic cardiomyopathy: relation to exercise capacity. *J Am Coll Cardiol* 19, 536-540.

Norgett, E.E., Hatsell, S.J., Carvajal-Huerta, L., Cabezas, J.C., Common, J., Purkis, P.E., Whittock, N., Leigh, I.M., Stevens, H.P., Kelsell, D.P., 2000, Recessive mutation in desmoplakin disrupts desmoplakin-intermediate filament interactions and causes dilated cardiomyopathy, woolly hair and keratoderma. *Hum Mol Genet* 9, 2761-2766.

Norman, M., Simpson, M., Mogensen, J., Shaw, A., Hughes, S., Syrris, P., Sen-Chowdhry, S., Rowland, E., Crosby, A., McKenna, W.J., 2005, Novel mutation in desmoplakin causes arrhythmogenic left ventricular cardiomyopathy. *Circulation* 112, 636-642.

Ohno, H., Hirabayashi, S., Iizuka, T., Ohnishi, H., Fujita, T., Hata, Y., 2002, Localization of p0071-interacting proteins, plakophilin-related armadillo-repeat protein-interacting protein (PAPIN) and ERBIN, in epithelial cells. *Oncogene* 21, 7042-7049.

- Paczek, A., Gardin, J.M., Hardin, J.M., Anton-Culver, H., Kurosaki, T., Hsu, C., Bild, D.E., 1995, Comparison of M-mode and two-dimensional echocardiographic algorithms used to estimate left ventricular mass: the Coronary Artery Risk Development in Young Adults Study. *J Am Soc Echocardiogr* 8, 780-792.
- Paffenholz, R., Franke, W.W., 1997, Identification and localization of a neurally expressed member of the plakoglobin/armadillo multigene family. *Differentiation* 61, 293-304.
- Park, S.H., Shub, C., Nobrega, T.P., Bailey, K.R., Seward, J.B., 1996, Two-dimensional echocardiographic calculation of left ventricular mass as recommended by the American Society of Echocardiography: correlation with autopsy and M-mode echocardiography. *J Am Soc Echocardiogr* 9, 119-128.
- Paulson, A.F., Mooney, E., Fang, X., Ji, H., McCrea, P.D., 2000, Xarvcf, Xenopus member of the p120 catenin subfamily associating with cadherin juxtamembrane region. *J Biol Chem* 275, 30124-30131.
- Peifer, M., 1995, Cell adhesion and signal transduction: the Armadillo connection. *Trends Cell Biol* 5, 224-229.
- Peifer, M., Berg, S., Reynolds, A.B., 1994a, A repeating amino acid motif shared by proteins with diverse cellular roles. *Cell* 76, 789-791.
- Peifer, M., Pai, L.M., Casey, M., 1994b, Phosphorylation of the Drosophila adherens junction protein Armadillo: roles for wingless signal and zeste-white 3 kinase. *Dev Biol* 166, 543-556.
- Peifer, M., Wieschaus, E., 1990, The segment polarity gene armadillo encodes a functionally modular protein that is the Drosophila homolog of human plakoglobin. *Cell* 63, 1167-1176.
- Protonotarios, N.I., Tsatsopoulou, A.A., Gatzoulis, K.A., 2002, Arrhythmogenic right ventricular cardiomyopathy caused by a deletion in plakoglobin (Naxos disease). *Card Electrophysiol Rev* 6, 72-80.
- Radice, G.L., Rayburn, H., Matsunami, H., Knudsen, K.A., Takeichi, M., Hynes, R.O., 1997, Developmental defects in mouse embryos lacking N-cadherin. *Dev Biol* 181, 64-78.
- Reaume, A.G., de Sousa, P.A., Kulkarni, S., Langille, B.L., Zhu, D., Davies, T.C., Juneja, S.C., Kidder, G.M., Rossant, J., 1995, Cardiac malformation in neonatal mice lacking connexin43. *Science* 267, 1831-1834.
- Reynolds, A.B., Daniel, J., McCrea, P.D., Wheelock, M.J., Wu, J., Zhang, Z., 1994, Identification of a new catenin: the tyrosine kinase substrate p120cas associates with E-cadherin complexes. *Mol Cell Biol* 14, 8333-8342.

Richardson, P., McKenna, W., Bristow, M., Maisch, B., Mautner, B., O'Connell, J., Olsen, E., Thiene, G., Goodwin, J., Gyarus, I., Martin, I., Nordet, P., 1996, Report of the 1995 World Health Organization/International Society and Federation of Cardiology Task Force on the Definition and Classification of cardiomyopathies. *Circulation* 93, 841-842.

Roth, D.M., Swaney, J.S., Dalton, N.D., Gilpin, E.A., Ross, J., Jr., 2002, Impact of anesthesia on cardiac function during echocardiography in mice. *Am J Physiol Heart Circ Physiol* 282, H2134-2140.

Rubinfeld, B., Souza, B., Albert, I., Muller, O., Chamberlain, S.H., Masiarz, F.R., Munemitsu, S., Polakis, P., 1993, Association of the APC gene product with beta-catenin. *Science* 262, 1731-1734.

Ruiz, P., Brinkmann, V., Ledermann, B., Behrend, M., Grund, C., Thalhammer, C., Vogel, F., Birchmeier, C., Gunthert, U., Franke, W.W., Birchmeier, W., 1996, Targeted mutation of plakoglobin in mice reveals essential functions of desmosomes in the embryonic heart. *J Cell Biol* 135, 215-225.

Sabbah, H.N., Sharov, V.G., Goldstein, S., 2000, Cell death, tissue hypoxia and the progression of heart failure. *Heart Fail Rev* 5, 131-138.

Sadot, E., Simcha, I., Iwai, K., Ciechanover, A., Geiger, B., Ben-Ze'ev, A., 2000, Differential interaction of plakoglobin and beta-catenin with the ubiquitin-proteasome system. *Oncogene* 19, 1992-2001.

Sahn, D.J., DeMaria, A., Kisslo, J., Weyman, A., 1978, Recommendations regarding quantitation in M-mode echocardiography: results of a survey of echocardiographic measurements. *Circulation* 58, 1072-1083.

Salomon, D., Sacco, P.A., Roy, S.G., Simcha, I., Johnson, K.R., Wheelock, M.J., Ben-Ze'ev, A., 1997, Regulation of beta-catenin levels and localization by overexpression of plakoglobin and inhibition of the ubiquitin-proteasome system. *J Cell Biol* 139, 1325-1335.

Scheffold, T., Binner, P., Erdmann, J., Schunkert, H., 2005, [Hypertrophic cardiomyopathy]. *Herz* 30, 550-557.

Schowengerdt, K.O., Jr., Towbin, J.A., 1995, Genetic basis of inherited cardiomyopathies. *Curr Opin Cardiol* 10, 312-321.

Setzer, S.V., Calkins, C.C., Garner, J., Summers, S., Green, K.J., Kowalczyk, A.P., 2004, Comparative analysis of armadillo family proteins in the regulation of a431 epithelial cell junction assembly, adhesion and migration. *J Invest Dermatol* 123, 426-433.

- Sharov, V.G., Goussev, A., Lesch, M., Goldstein, S., Sabbah, H.N., 1998, Abnormal mitochondrial function in myocardium of dogs with chronic heart failure. *J Mol Cell Cardiol* 30, 1757-1762.
- Simcha, I., Geiger, B., Yehuda-Levenberg, S., Salomon, D., Ben-Ze'ev, A., 1996, Suppression of tumorigenicity by plakoglobin: an augmenting effect of N-cadherin. *J Cell Biol* 133, 199-209.
- Simon, A.M., Goodenough, D.A., Paul, D.L., 1998, Mice lacking connexin40 have cardiac conduction abnormalities characteristic of atrioventricular block and bundle branch block. *Curr Biol* 8, 295-298.
- Smith, E.A., Fuchs, E., 1998, Defining the interactions between intermediate filaments and desmosomes. *J Cell Biol* 141, 1229-1241.
- Stanford, W.L., Cohn, J.B., Cordes, S.P., 2001, Gene-trap mutagenesis: past, present and beyond. *Nat Rev Genet* 2, 756-768.
- Stappenbeck, T.S., Bornslaeger, E.A., Corcoran, C.M., Luu, H.H., Virata, M.L., Green, K.J., 1993, Functional analysis of desmoplakin domains: specification of the interaction with keratin versus vimentin intermediate filament networks. *J Cell Biol* 123, 691-705.
- Stappenbeck, T.S., Lamb, J.A., Corcoran, C.M., Green, K.J., 1994, Phosphorylation of the desmoplakin COOH terminus negatively regulates its interaction with keratin intermediate filament networks. *J Biol Chem* 269, 29351-29354.
- Tanaka, M., Ito, H., Adachi, S., Akimoto, H., Nishikawa, T., Kasajima, T., Marumo, F., Hiroe, M., 1994, Hypoxia induces apoptosis with enhanced expression of Fas antigen messenger RNA in cultured neonatal rat cardiomyocytes. *Circ Res* 75, 426-433.
- Tanaka, N., Dalton, N., Mao, L., Rockman, H.A., Peterson, K.L., Gottshall, K.R., Hunter, J.J., Chien, K.R., Ross, J., Jr., 1996, Transthoracic echocardiography in models of cardiac disease in the mouse. *Circulation* 94, 1109-1117.
- Torok, I., Strand, D., Schmitt, R., Tick, G., Torok, T., Kiss, I., Mechler, B.M., 1995, The overgrown hematopoietic organs-31 tumor suppressor gene of *Drosophila* encodes an Importin-like protein accumulating in the nucleus at the onset of mitosis. *J Cell Biol* 129, 1473-1489.
- Torres, M., Stoykova, A., Huber, O., Chowdhury, K., Bonaldo, P., Mansouri, A., Butz, S., Kemler, R., Gruss, P., 1997, An alpha-E-catenin gene trap mutation defines its function in preimplantation development. *Proc Natl Acad Sci U S A* 94, 901-906.
- Waibler, Z., Schafer, A., Starzinski-Powitz, A., 2001, mARVCF cellular localisation and binding to cadherins is influenced by the cellular context but not by alternative splicing. *J Cell Sci* 114, 3873-3884.

Weis, W.I., 1995, Cadherin structure: a revealing zipper. *Structure* 3, 425-427.

Welikson, R.E., Buck, S.H., Patel, J.R., Moss, R.L., Vikstrom, K.L., Factor, S.M., Miyata, S., Weinberger, H.D., Leinwand, L.A., 1999, Cardiac myosin heavy chains lacking the light chain binding domain cause hypertrophic cardiomyopathy in mice. *Am J Physiol* 276, H2148-2158.

Whittington, R.J., Cook, R.W., 1988, Cardiomyopathy and woolly haircoat syndrome of Poll Hereford cattle: electrocardiographic findings in affected and unaffected calves. *Aust Vet J* 65, 341-344.

Wigle, E.D., Silver, M.D., 1978, Myocardial fiber disarray and ventricular septal hypertrophy in asymmetrical hypertrophy of the heart. *Circulation* 58, 398-402.

Wilber, C.G., 1959, Some factors which are correlated with swimming capacity in guinea pigs. *J Appl Physiol* 14, 199-203.

Xu, W., Baribault, H., Adamson, E.D., 1998, Vinculin knockout results in heart and brain defects during embryonic development. *Development* 125, 327-337.

Yamaguchi, O., Tsuchida, S., 1976, Application of ultrasonic shift Doppler technique to record velocity changes of intrauretral urine flow. *Tohoku J Exp Med* 118, 53-57.

## Danksagung

Ich möchte mich an dieser Stelle bei allen, die mich in irgendeiner Form unterstützt und damit zum Gelingen dieser Arbeit beigetragen haben, ganz herzlich bedanken.

Mein Dank gilt besonders:

**Frau Prof. Patricia Ruiz** (Center for Cardiovascular Research; Charité Universitätsmedizin Berlin) danke ich ganz besonders für die hervorragende Betreuung und die herzliche Unterstützung beim Durchführen der Experimente und Verfassen der Arbeit.

**Herrn Prof. Dr. Martens** (Physiologisches Institut der freien Universität Berlin) danke ich für das Interesse und seine Bereitschaft, das Gutachten zu erstellen.

Ein besonderes Dankeschön gilt auch **Frau Dr. Christa Thöne-Reinicke** für die unermüdliche persönliche und fachliche Unterstützung und die kompetente und herzliche Einarbeitung in die tierexperimentellen Aufgaben.

Für die fachliche Unterstützung bei der echokardiographischen Untersuchung und der kompetenten Einarbeitung in diese Untersuchungstechnik danke ich **Herrn PD Dr. Paulus Kirchoff, Frau Dr. Larissa Fabritz** und dem Team in Münster für die freundliche Aufnahme und die freundschaftliche Zusammenarbeit während der vier Wochen.

**Herrn Rudi Lurz** und **Frau Gerhild Lüders** danke ich für die Durchführung der Elektronenmikroskopie und die netten Stunden am Mikroskop bei der Auswertung der Bilder.

Der AG Ruiz und insbesondere meinen „Leidensgenossen“ **Henning Witt, Jörg Isensee** und **Amaya Vaz** danke ich für die unermüdlichen Aufmunterungen, unzählige fröhliche Kaffeepausen, die einfachsten Computertricks und die lustigen Abende in Berlin.

**Aydha Sabah** danke ich für die Hilfestellung bei der hundertsten PCR.

Ein ganz besonderer Dank gilt meinen Eltern **Horst und Annette Manefeld** für die immer selbstverständliche Unterstützung und Aufmunterung während des Studiums und der Promotion.

## **Selbständigkeitserklärung**

Hiermit bestätige ich, dass ich die vorliegende Arbeit selbständig angefertigt habe. Ich versichere, dass ich ausschließlich die angegebenen Quellen und Hilfen in Anspruch genommen habe.

Berlin, den 08.05.2006