

## 9 Literaturverzeichnis

- [1] M.J. Cline, H. Stang, K. Mercola, L. Morse, R. Ruprecht, J. Brown , W. Salser, Gene transfer in intact animals, *Nature* 284(5755) (1980) 422-425.
- [2] K. Mercola, H. Stang, J. Browne, W. Salser , M.J. Cline, Insertion of a new gene of viral origin into bone marrow cells of mice., *Science* 30(208(4447)) (1980) 1033-1035.
- [3] J.A. Wolff, R.W. Malone, P. Williams, W. Chong, G. Acsadi, A. Jani , P.L. Felgner, Direct gene transfer into mouse muscle in vivo, *Science* 247(4949 Pt 1) (1990) 1465-1468.
- [4] S. Jiao, P. Williams, R.K. Berg, B.A. Hodgeman, L. Liu, G. Repetto , J.A. Wolff, Direct gene transfer into nonhuman primate myofibers in vivo, *Hum Gene Ther* 3(1) (1992) 21-33.
- [5] L. Raptis , K.L. Firth, Electroporation of adherent cells in situ, *DNA Cell Biol* 9(8) (1990) 615-621.
- [6] T.D. Xie , T.Y. Tsong, Study of mechanisms of electric field-induced DNA transfection. II. Transfection by low-amplitude, low-frequency alternating electric fields, *Biophys J* 58(4) (1990) 897-903.
- [7] T.D. Xie, L. Sun , T.Y. Tsong, Study of mechanisms of electric field-induced DNA transfection. I. DNA entry by surface binding and diffusion through membrane pores, *Biophys J* 58(1) (1990) 13-19.
- [8] C.M. Wei, M. Gibson, P.G. Spear , E.M. Scolnick, Construction and isolation of a transmissible retrovirus containing the src gene of Harvey murine sarcoma virus and the thymidine kinase gene of herpes simplex virus type 1, *J Virol* 39(3) (1981) 935-944.
- [9] C.J. Tabin, J.W. Hoffmann, S.P. Goff , R.A. Weinberg, Adaptation of a retrovirus as a eucaryotic vector transmitting the herpes simplex virus thymidine kinase gene, *Mol Cell Biol* 2(4) (1982) 426-436.
- [10] A. Fischer, S. Hacein-Bey, F. Le Deist, G. de Saint Basile , M. Cavazzana-Calvo, Gene therapy for human severe combined immunodeficiencies, *Isr Med Assoc J* 4(1) (2002) 51-54.
- [11] A. Fischer, S. Hacein-Bey , M. Cavazzana-Calvo, Gene therapy of severe combined immunodeficiencies, *Nat Rev Immunol* 2(8) (2002) 615-621.
- [12] B.D. Brown , D. Lillicrap, Dangerous liaisons: the role of "danger" signals in the immune response to gene therapy, *Blood* 100(4) (2002) 1133-1140.
- [13] S. Worgall, G. Wolff, E. Falck-Pedersen , R.G. Crystal, Innate immune mechanisms dominate elimination of adenoviral vectors following in vivo administration, *Hum Gene Ther* 8(1) (1997) 37-44.

- [14] B.G. Harvey, S. Worgall, S. Ely, P.L. Leopold , R.G. Crystal, Cellular immune responses of healthy individuals to intradermal administration of an E1-E3-adenovirus gene transfer vector, *Hum Gene Ther* 10(17) (1999) 2823-2837.
- [15] B.G. Harvey, P.L. Leopold, N.R. Hackett, T.M. Grasso, P.M. Williams, A.L. Tucker, R.J. Kaner, B. Ferris, I. Gonda, T.D. Sweeney, R. Ramalingam, I. Kovesdi, S. Shak , R.G. Crystal, Airway epithelial CFTR mRNA expression in cystic fibrosis patients after repetitive administration of a recombinant adenovirus, *J Clin Invest* 104(9) (1999) 1245-1255.
- [16] K. Mitani , S. Kubo, Adenovirus as an integrating vector, *Curr Gene Ther* 2(2) (2002) 135-144.
- [17] F. Liu, L.M. Shollenberger , L. Huang, Non-immunostimulatory nonviral vectors, *Faseb J* 18(14) (2004) 1779-1781.
- [18] R. Gardlik, R. Palffy, J. Hodosy, J. Lukacs, J. Turna , P. Celec, Vectors and delivery systems in gene therapy, *Med Sci Monit* 11(4) (2005) RA110-121.
- [19] J. Stephenson, Studies Illuminate Cause of Fatal Reaction in Gene-Therapy Trial, *JAMA* 285((2001) 2570.
- [20] S.A. Vorburger , K.K. Hunt, Adenoviral Gene Therapy *The Oncologist* 7((2002) 46-59.
- [21] E. Marshall, Clinical research. Gene therapy a suspect in leukemia-like disease, *Science* 298(5591) (2002) 34-35.
- [22] E. Marshall, Gene therapy. Second child in French trial is found to have leukemia, *Science* 299(5605) (2003) 320.
- [23] G. de Jong, A. Telenius, S. Vanderbyl, A. Meitz , J. Drayer, Efficient in-vitro transfer of a 60-Mb mammalian artificial chromosome into murine and hamster cells using cationic lipids and dendrimers, *Chromosome Res* 9(6) (2001) 475-485.
- [24] A. Honigman, E. Zeira, P. Ohana, R. Abramovitz, E. Tavor, I. Bar, Y. Zilberman, R. Rabinovsky, D. Gazit, A. Joseph, A. Panet, E. Shai, A. Palmon, M. Laster , E. Galun, Imaging transgene expression in live animals, *Mol Ther* 4(3) (2001) 239-249.
- [25] C. Plank, B. Oberhauser, K. Mechtler, C. Koch , E. Wagner, The influence of endosome-disruptive peptides on gene transfer using synthetic virus-like gene transfer systems, *J Biol Chem* 269(17) (1994) 12918-12924.
- [26] M.R. Capecchi, High efficiency transformation by direct microinjection of DNA into cultured mammalian cells, *Cell* 22(2 Pt 2) (1980) 479-488.
- [27] S. Brunner, T. Sauer, S. Carotta, M. Cotten, M. Saltik , E. Wagner, Cell cycle dependence of gene transfer by lipoplex, polyplex and recombinant adenovirus, *Gene Ther* 7(5) (2000) 401-407.
- [28] H. Pollard, J.S. Remy, G. Loussouarn, S. Demolombe, J.P. Behr , D. Escande, Polyethylenimine but not cationic lipids promotes transgene delivery to the nucleus in mammalian cells, *J Biol Chem* 273(13) (1998) 7507-7511.

- [29] M. Wilke, E. Fortunati, M. van den Broek, A.T. Hoogeveen , B.J. Scholte, Efficacy of a peptide-based gene delivery system depends on mitotic activity, Gene Ther 3(12) (1996) 1133-1142.
- [30] M.A. Zanta, P. Belguise-Valladier , J.P. Behr, Gene delivery: a single nuclear localization signal peptide is sufficient to carry DNA to the cell nucleus, Proc Natl Acad Sci U S A 96(1) (1999) 91-96.
- [31] L. Qin, Y. Ding, D.R. Pahud, E. Chang, M.J. Imperiale , J.S. Bromberg, Promoter attenuation in gene therapy: interferon-gamma and tumor necrosis factor-alpha inhibit transgene expression, Hum Gene Ther 8(17) (1997) 2019-2029.
- [32] M. Kozak, Structural features in eukaryotic mRNAs that modulate the initiation of translation, J Biol Chem 266(30) (1991) 19867-19870.
- [33] M. Kozak, Regulation of translation in eukaryotic systems, Annu Rev Cell Biol 8((1992) 197-225.
- [34] M. Kozak, A consideration of alternative models for the initiation of translation in eukaryotes, Crit Rev Biochem Mol Biol 27(4-5) (1992) 385-402.
- [35] M.T. Huang , C.M. Gorman, Intervening sequences increase efficiency of RNA 3' processing and accumulation of cytoplasmic RNA, Nucleic Acids Res 18(4) (1990) 937-947.
- [36] N.S. Yew, D.M. Wysokenski, K.X. Wang, R.J. Ziegler, J. Marshall, D. McNeilly, M. Cherry, W. Osburn , S.H. Cheng, Optimization of plasmid vectors for high-level expression in lung epithelial cells, Hum Gene Ther 8(5) (1997) 575-584.
- [37] F.M. Orson, B.M. Kinsey, C.L. Densmore, T. Nguyen, Y. Wu, I.N. Mbawuike , P.R. Wyde, Protection against influenza infection by cytokine-enhanced aerosol genetic immunization, J Gene Med 8(4) (2006) 488-497.
- [38] S.M. Zou, P. Erbacher, J.S. Remy , J.P. Behr, Systemic linear polyethylenimine (L-PEI)-mediated gene delivery in the mouse, J Gene Med 2(2) (2000) 128-134.
- [39] N.V. Koshkina, I.Y. Agoulnik, S.L. Melton, C.L. Densmore , V. Knight, Biodistribution and pharmacokinetics of aerosol and intravenously administered DNA-polyethyleneimine complexes: optimization of pulmonary delivery and retention, Mol Ther 8(2) (2003) 249-254.
- [40] R. Stribling, E. Brunette, D. Liggitt, K. Gaensler , R. Debs, Aerosol gene delivery in vivo, Proc Natl Acad Sci U S A 89(23) (1992) 11277-11281.
- [41] A. Gautam, C.J. Waldrep , C.L. Densmore, Delivery systems for pulmonary gene therapy, Am J Respir Med 1(1) (2002) 35-46.
- [42] E.W. Alton, P.G. Middleton, N.J. Caplen, S.N. Smith, D.M. Steel, F.M. Munkonge, P.K. Jeffery, D.M. Geddes, S.L. Hart, R. Williamson , et al., Non-invasive liposome-mediated gene delivery can correct the ion transport defect in cystic fibrosis mutant mice, Nat Genet 5(2) (1993) 135-142.
- [43] E.R. Lee, J. Marshall, C.S. Siegel, C. Jiang, N.S. Yew, M.R. Nichols, J.B. Nietupski, R.J. Ziegler, M.B. Lane, K.X. Wang, N.C. Wan, R.K. Scheule, D.J. Harris, A.E. Smith , S.H. Cheng, Detailed analysis of structures and formulations of cationic

- lipids for efficient gene transfer to the lung, *Hum Gene Ther* 7(14) (1996) 1701-1717.
- [44] C.J. Wheeler, P.L. Felgner, Y.J. Tsai, J. Marshall, L. Sukhu, S.G. Doh, J. Hartikka, J. Nietupski, M. Manthorpe, M. Nichols, M. Plewe, X. Liang, J. Norman, A. Smith, S.H. Cheng, A novel cationic lipid greatly enhances plasmid DNA delivery and expression in mouse lung, *Proc Natl Acad Sci U S A* 93(21) (1996) 11454-11459.
- [45] N.J. Caplen, E.W. Alton, P.G. Middleton, J.R. Dorin, B.J. Stevenson, X. Gao, S.R. Durham, P.K. Jeffery, M.E. Hodson, C. Coutelle, et al., Liposome-mediated CFTR gene transfer to the nasal epithelium of patients with cystic fibrosis, *Nat Med* 1(1) (1995) 39-46.
- [46] E.W. Alton, M. Stern, R. Farley, A. Jaffe, S.L. Chadwick, J. Phillips, J. Davies, S.N. Smith, J. Browning, M.G. Davies, M.E. Hodson, S.R. Durham, D. Li, P.K. Jeffery, M. Scallan, R. Balfour, S.J. Eastman, S.H. Cheng, A.E. Smith, D. Meeker, D.M. Geddes, Cationic lipid-mediated CFTR gene transfer to the lungs and nose of patients with cystic fibrosis: a double-blind placebo-controlled trial, *Lancet* 353(9157) (1999) 947-954.
- [47] D.J. Porteous, J.R. Dorin, G. McLachlan, H. Davidson-Smith, H. Davidson, B.J. Stevenson, A.D. Carothers, W.A. Wallace, S. Moralee, C. Hoenes, G. Kallmeyer, U. Michaelis, K. Naujoks, L.P. Ho, J.M. Samways, M. Imrie, A.P. Greening, J.A. Innes, Evidence for safety and efficacy of DOTAP cationic liposome mediated CFTR gene transfer to the nasal epithelium of patients with cystic fibrosis, *Gene Ther* 4(3) (1997) 210-218.
- [48] E.W. Alton, Use of nonviral vectors for cystic fibrosis gene therapy, *Proc Am Thorac Soc* 1(4) (2004) 296-301.
- [49] R.J. Pickles, D. McCarty, H. Matsui, P.J. Hart, S.H. Randell, R.C. Boucher, Limited entry of adenovirus vectors into well-differentiated airway epithelium is responsible for inefficient gene transfer, *J Virol* 72(7) (1998) 6014-6023.
- [50] D.F. Rogers, In vivo preclinical test models for studying airway mucus secretion, *Pulm Pharmacol Ther* 10(3) (1997) 121-128.
- [51] R. Breeze, M. Turk, Cellular structure, function and organization in the lower respiratory tract, *Environ Health Perspect* 55((1984) 3-24.
- [52] J. Rosenecker, S. Naundorf, S.W. Gersting, R.W. Hauck, A. Gessner, P. Nicklaus, R.H. Muller, C. Rudolph, Interaction of bronchoalveolar lavage fluid with polyplexes and lipoplexes: analysing the role of proteins and glycoproteins, *J Gene Med* 5(1) (2003) 49-60.
- [53] K.A. Mislick, J.D. Baldeschwieler, Evidence for the role of proteoglycans in cation-mediated gene transfer, *Proc Natl Acad Sci U S A* 93(22) (1996) 12349-12354.
- [54] L.C. Mounkes, W. Zhong, G. Cipres-Palacin, T.D. Heath, R.J. Debs, Proteoglycans mediate cationic liposome-DNA complex-based gene delivery in vitro and in vivo, *J Biol Chem* 273(40) (1998) 26164-26170.

- [55] I.S. Zuhorn, D. Kalicharan, G.T. Robillard , D. Hoekstra, Adhesion receptors mediate efficient non-viral gene delivery., Mol Ther 15(5) (2007) 946-953.
- [56] M.B. James , T.D. Giorgio, Nuclear-associated plasmid, but not cell-associated plasmid, is correlated with transgene expression in cultured mammalian cells, Mol Ther 1(4) (2000) 339-346.
- [57] J. Zabner, A.J. Fasbender, T. Moninger, K.A. Poellinger , M.J. Welsh, Cellular and molecular barriers to gene transfer by a cationic lipid, J Biol Chem 270(32) (1995) 18997-19007.
- [58] W.C. Tseng, F.R. Haselton , T.D. Giorgio, Transfection by cationic liposomes using simultaneous single cell measurements of plasmid delivery and transgene expression, J Biol Chem 272(41) (1997) 25641-25647.
- [59] W.T. Godbey, K.K. Wu , A.G. Mikos, Tracking the intracellular path of poly(ethylenimine)/DNA complexes for gene delivery, Proc Natl Acad Sci U S A 96(9) (1999) 5177-5181.
- [60] J. Suh, D. Wirtz , J. Hanes, Efficient active transport of gene nanocarriers to the cell nucleus, Proc Natl Acad Sci 100((2003) 3878-3882.
- [61] E. Wagner, M. Ogris , W. Zauner, Polylysine-based transfection systems utilizing receptor-mediated delivery, Adv Drug Deliv Rev 30(1-3) (1998) 97-113.
- [62] O. Boussif, M.A. Zanta , J.P. Behr, Optimized galenics improve in vitro gene transfer with cationic molecules up to 1000-fold, Gene Ther 3(12) (1996) 1074-1080.
- [63] C. Plank, M.X. Tang, A.R. Wolfe , F.C. Szoka, Jr., Branched cationic peptides for gene delivery: role of type and number of cationic residues in formation and in vitro activity of DNA polyplexes, Hum Gene Ther 10(2) (1999) 319-332.
- [64] C.W. Pouton, P. Lucas, B.J. Thomas, A.N. Uduehi, D.A. Milroy , S.H. Moss, Polycation-DNA complexes for gene delivery: a comparison of the biopharmaceutical properties of cationic polypeptides and cationic lipids, J Control Release 53(1-3) (1998) 289-299.
- [65] O. Boussif, F. Lezoualc'h, M.A. Zanta, M.D. Mergny, D. Scherman, B. Demeneix , J.P. Behr, A versatile vector for gene and oligonucleotide transfer into cells in culture and in vivo: polyethylenimine, Proc Natl Acad Sci U S A 92(16) (1995) 7297-7301.
- [66] A. Bragonzi, A. Boletta, A. Biffi, A. Muggia, G. Sersale, S.H. Cheng, C. Bordignon, B.M. Assael , M. Conese, Comparison between cationic polymers and lipids in mediating systemic gene delivery to the lungs, Gene Ther 6(12) (1999) 1995-2004.
- [67] R. Kircheis, S. Schuller, S. Brunner, M. Ogris, K.H. Heider, W. Zauner , E. Wagner, Polycation-based DNA complexes for tumor-targeted gene delivery in vivo, J Gene Med 1(2) (1999) 111-120.
- [68] L. Wightman, R. Kircheis, V. Rossler, S. Carotta, R. Ruzicka, M. Kursa , E. Wagner, Different behavior of branched and linear polyethylenimine for gene delivery in vitro and in vivo, J Gene Med 3(4) (2001) 362-372.

- [69] D. Goula, C. Benoist, S. Mantero, G. Merlo, G. Levi , B.A. Demeneix, Polyethylenimine-based intravenous delivery of transgenes to mouse lung, *Gene Ther* 5(9) (1998) 1291-1295.
- [70] C. Rudolph, J. Lausier, S. Naundorf, R.H. Muller , J. Rosenecker, In vivo gene delivery to the lung using polyethylenimine and fractured polyamidoamine dendrimers, *J Gene Med* 2(4) (2000) 269-278.
- [71] C.L. Densmore, F.M. Orson, B. Xu, B.M. Kinsey, J.C. Waldrep, P. Hua, B. Bhogal , V. Knight, Aerosol delivery of robust polyethyleneimine-DNA complexes for gene therapy and genetic immunization, *Mol Ther* 1(2) (2000) 180-188.
- [72] S. Ferrari, E. Moro, A. Pettenazzo, J.P. Behr, F. Zacchello , M. Scarpa, ExGen 500 is an efficient vector for gene delivery to lung epithelial cells in vitro and in vivo, *Gene Ther* 4(10) (1997) 1100-1106.
- [73] P. Ohana, O. Gofrit, S. Ayesh, W. Al-Sharef, A. Mizrahi, T. Birman, T. Schneider, I. Matouk, N. de Groot, E. Tavdy, A.A. Sidi , A. Hochberg, Regulatory sequences of the H19 gene in DNA based therapy of bladder cancer, *Gene Ther Mol Biol* 8(8) (2004) 181-192.
- [74] S. Huth, F. Hoffmann, K. von Gersdorff, A. Laner, D. Reinhardt, J. Rosenecker , C. Rudolph, Interaction of polyamine gene vectors with RNA leads to the dissociation of plasmid DNA-carrier complexes, *J Gene Med* 8(12) (2006) 1416-1424.
- [75] A. Gautam, C.L. Densmore, B. Xu , J.C. Waldrep, Enhanced gene expression in mouse lung after PEI-DNA aerosol delivery, *Mol Ther* 2(1) (2000) 63-70.
- [76] C. Rudolph, U. Schillinger, A. Ortiz, C. Plank, M.M. Golas, B. Sander, H. Stark , J. Rosenecker, Aerosolized nanogram quantities of plasmid DNA mediate highly efficient gene delivery to mouse airway epithelium, *Mol Ther* 12(3) (2005) 493-501.
- [77] J.H. Widdicombe, F. Azizi, T. Kang , J.F. Pittet, Transient permeabilization of airway epithelium by mucosal water, *J Appl Physiol* 81(1) (1996) 491-499.
- [78] D. Castello, G. De Candussio, F. Bertocchi , L. Sacchetti, A specifically induced bronchoconstriction by distilled water in children and adults, *Bronchopneumologie* 30(5) (1980) 424-431.
- [79] C. Rudolph, U. Schillinger, C. Plank, A. Gessner, P. Nicklaus, R. Muller , J. Rosenecker, Nonviral gene delivery to the lung with copolymer-protected and transferrin-modified polyethylenimine, *Biochim Biophys Acta* 1573(1) (2002) 75-83.
- [80] M. Ruponen, S. Yla-Herttuala , A. Urtti, Interactions of polymeric and liposomal gene delivery systems with extracellular glycosaminoglycans: physicochemical and transfection studies, *Biochim Biophys Acta* 1415(2) (1999) 331-341.
- [81] N. Ernst, S. Ulrichskotter, W.A. Schmalix, J. Radler, R. Galneder, E. Mayer, S. Gersting, C. Plank, D. Reinhardt , J. Rosenecker, Interaction of liposomal and

- polycationic transfection complexes with pulmonary surfactant, *J Gene Med* 1(5) (1999) 331-340.
- [82] A. Gessner, C. Olbrich, W. Schroder, O. Kayser , R.H. Muller, The role of plasma proteins in brain targeting: species dependent protein adsorption patterns on brain-specific lipid drug conjugate (LDC) nanoparticles, *Int J Pharm* 214(1-2) (2001) 87-91.
- [83] S.M. Moghimi, A.C. Hunter , J.C. Murray, Long-circulating and target-specific nanoparticles: theory to practice, *Pharmacol Rev* 53(2) (2001) 283-318.
- [84] A. Gautam, C.L. Densmore , J.C. Waldrep, Pulmonary cytokine responses associated with PEI-DNA aerosol gene therapy, *Gene Ther* 8(3) (2001) 254-257.
- [85] C. Kitson, B. Angel, D. Judd, S. Rothery, N.J. Severs, A. Dewar, L. Huang, S.C. Wadsworth, S.H. Cheng, D.M. Geddes , E.W. Alton, The extra- and intracellular barriers to lipid and adenovirus-mediated pulmonary gene transfer in native sheep airway epithelium, *Gene Ther* 6(4) (1999) 534-546.
- [86] M. Ogris, P. Steinlein, S. Carotta, S. Brunner , E. Wagner, DNA/polyethylenimine transfection particles: influence of ligands, polymer size, and PEGylation on internalization and gene expression, *AAPS PharmSci* 3(3) (2001) E21.
- [87] T.G. O`Riordan, Aerosol Delivery Devices and Obstructive Airway Diseases, *Expert Review of Medical Devices* 2((2005) 197-203.
- [88] R. Dinwiddie, Anti-inflammatory therapy in cystic fibrosis, *J Cyst Fibros* 4 Suppl 2((2005) 45-48.
- [89] J.K. Hagermann, Aerosolised antibiotics: a critical appraisal of their use, *Expert Opinion on Drug Delivery* 3((2006) 71-86.
- [90] R.D. Rao, S.N. Markovic , P.M. Anderson, Aerosol therapy for malignancy involving the lungs, *Curr Cancer Drug Targets* 3(4) (2003) 239-250.
- [91] F. Scherer, M. Anton, U. Schillinger, J. Henke, C. Bergemann, A. Kruger, B. Gansbacher , C. Plank, Magnetofection: enhancing and targeting gene delivery by magnetic force in vitro and in vivo, *Gene Ther* 9(2) (2002) 102-109.
- [92] S. Huth, J. Lausier, S.W. Gersting, C. Rudolph, C. Plank, U. Welsch , J. Rosenecker, Insights into the mechanism of magnetofection using PEI-based magnetofectins for gene transfer, *J Gene Med* 6(8) (2004) 923-936.
- [93] S.W. Gersting, U. Schillinger, J. Lausier, P. Nicklaus, C. Rudolph, C. Plank, D. Reinhardt , J. Rosenecker, Gene delivery to respiratory epithelial cells by magnetofection, *J Gene Med* 6(8) (2004) 913-922.
- [94] W.D. Bennett, Controlled inhalation of aerosolised therapeutics, *Expert Opin Drug Deliv* 2(4) (2005) 763-767.
- [95] W.D. Bennett, J.S. Brown, K.L. Zeman, S.C. Hu, G. Scheuch , K. Sommerer, Targeting delivery of aerosols to different lung regions, *J Aerosol Med* 15(2) (2002) 179-188.

- [96] J. Heyder, Deposition of Inhaled Particles in the Human Respiratory Tract and Consequences for Regional Targeting in Respiratory Drug Delivery Proceedings of the American Thoracic Society 1((2004) 315-320.
- [97] R. Cartier , R. Reszka, Utilization of synthetic peptides containing nuclear localization signals for nonviral gene transfer systems, Gene Ther 9(3) (2002) 157-167.
- [98] F.M. Munkonge, D.A. Dean, E. Hillery, U. Griesenbach , E.W. Alton, Emerging significance of plasmid DNA nuclear import in gene therapy, Adv Drug Deliv Rev 55(6) (2003) 749-760.
- [99] D.A. Dean, Sequence requirements for plasmid nuclear import, Exp Cell Res 230(2) (1997) 293-302.
- [100] D.A. Dean, B.S. Dean, S. Muller , L.C. Smith, Sequence requirements for plasmid nuclear import, Exp Cell Res 253(2) (1999) 713-722.
- [101] G.L. Wilson, B.S. Dean, G. Wang , D.A. Dean, Nuclear import of plasmid DNA in digitonin-permeabilized cells requires both cytoplasmic factors and specific DNA sequences, J Biol Chem 274(31) (1999) 22025-22032.
- [102] S. Li, F.C. MacLaughlin, J.G. Fewell, M. Gondo, J. Wang, F. Nicol, D.A. Dean , L.C. Smith, Muscle-specific enhancement of gene expression by incorporation of SV40 enhancer in the expression plasmid, Gene Ther 8(6) (2001) 494-497.
- [103] A. Mesika, I. Grigoreva, M. Zohar , Z. Reich, A regulated, NFkappaB-assisted import of plasmid DNA into mammalian cell nuclei, Mol Ther 3(5 Pt 1) (2001) 653-657.
- [104] T. Kuramoto, M. Nishikawa, O. Thanaketpaisarn, T. Okabe, F. Yamashita , M. Hashida, Use of lipoplex-induced nuclear factor-kappaB activation to enhance transgene expression by lipoplex in mouse lung, J Gene Med 8(1) (2006) 53-62.
- [105] K.T. Nishikawa M, Okabe T, Takakura Y, Hashida M. 7(5): 167, Abstract #423., Utilization of Biological Response Against Nonviral Vectors for Enhancing Transgene Expression., Molecular Therapy 7(5)((2003) 167.
- [106] T. Merdan, K. Kunath, D. Fischer, J. Kopecek , T. Kissel, Intracellular processing of poly(ethylene imine)/ribozyme complexes can be observed in living cells by using confocal laser scanning microscopy and inhibitor experiments, Pharm Res 19(2) (2002) 140-146.
- [107] A.J. Lin, N.L. Slack, A. Ahmad, C.X. George, C.E. Samuel , C.R. Safinya, Three-dimensional imaging of lipid gene-carriers: membrane charge density controls universal transfection behavior in lamellar cationic liposome-DNA complexes, Biophys J 84(5) (2003) 3307-3316.
- [108] D.V. Schaffer, N.A. Fidelman, N. Dan , D.A. Lauffenburger, Vector unpacking as a potential barrier for receptor-mediated polyplex gene delivery, Biotechnol Bioeng 67(5) (2000) 598-606.
- [109] T.K. Prasad, V. Gopal , N. Madhusudhana Rao, Structural changes in DNA mediated by cationic lipids alter in vitro transcriptional activity at low charge ratios, Biochim Biophys Acta 1619(1) (2003) 59-69.

- [110] A. Gautam, C.L. Densmore , J.C. Waldrep, Inhibition of experimental lung metastasis by aerosol delivery of PEI-p53 complexes, Mol Ther 2(4) (2000) 318-323.
- [111] C.L. Densmore, E.S. Kleinerman, A. Gautam, S.F. Jia, B. Xu, L.L. Worth, J.C. Waldrep, Y.K. Fung, A. T'Ang , V. Knight, Growth suppression of established human osteosarcoma lung metastases in mice by aerosol gene therapy with PEI-p53 complexes, Cancer Gene Ther 8(9) (2001) 619-627.
- [112] C.C. Nelson, S.C. Hendy, R.J. Shukin, H. Cheng, N. Bruchovsky, B.F. Koop , P.S. Rennie, Determinants of DNA sequence specificity of the androgen, progesterone, and glucocorticoid receptors: evidence for differential steroid receptor response elements, Mol Endocrinol 13(12) (1999) 2090-2107.
- [113] M. Nishi, H. Ogawa, T. Ito, K.I. Matsuda , M. Kawata, Dynamic changes in subcellular localization of mineralocorticoid receptor in living cells: in comparison with glucocorticoid receptor using dual-color labeling with green fluorescent protein spectral variants, Mol Endocrinol 15(7) (2001) 1077-1092.
- [114] S. Pandit, W. Geissler, G. Harris , A. Sitlani, Allosteric effects of dexamethasone and RU486 on glucocorticoid receptor-DNA interactions, J Biol Chem 277(2) (2002) 1538-1543.
- [115] L. Stamatatos, R. Leventis, M.J. Zuckermann , J.R. Silvius, Interactions of cationic lipid vesicles with negatively charged phospholipid vesicles and biological membranes., Biochemistry 27(11) (1988) 3917-3925.
- [116] A. Surovoy, I. Flechsler, F. Gaunitz, M. Papke , G. Jung, Simple and fast microscale procedure for transfection and quantification of reporter gene expression in eukaryotic cells., Adv Exp Med Biol. 451((1998) 457-460.
- [117] C. Rudolph, A. Ortiz, U. Schillinger, J. Jauernig, C. Plank , J. Rosenecker, Methodological optimization of polyethylenimine (PEI)-based gene delivery to the lungs of mice via aerosol application, J Gene Med 7(1) (2005) 59-66.
- [118] O.A. Rudolph C, Schillinger U, Jauernig J, Plank C, Rosenecker, Methodological optimization of polyethylenimine (PEI)-based gene delivery to the lungs of mice via aerosol application., J Gene Med 7(1):59-66((2005).
- [119] R.T. Sadikot , T.S. Blackwell, Bioluminescence Imaging, Proc Am Thorac Soc 2((2005) 537-540.
- [120] E. Oostveen, D. MacLeod, H. Lorino, R. Farre, Z. Hantos, K. Desager , F. Marchal, The forced oscillation technique in clinical practice: methodology, recommendations and future developments, Eur Respir J 22(6) (2003) 1026-1041.
- [121] L.S. Kaplow, Simplified Myeloperoxidase Stain Using Benzidine Dihydrochloride, Blood 26((1965) 215-219.
- [122] B. Gleich, Aktiver Wirkstofftransport mit magnetischen Feldern [Elektronische Ressource] = Magnetic drug targeting, München, Techn. Univ., Diss., 2007 (2007).

- [123] A. Haller, IEEE Transactions on Applied Superconductivity 11((2001) 1371-1374.
- [124] H. Mochizuki, Y. Ohki, H. Arakawa, M. Kato, K. Tokuyama , A. Morikawa, Effect of inhaled indomethacin on distilled water-induced airway epithelial cell swelling, J Appl Physiol 92(1) (2002) 155-161.
- [125] J.L. Lemoine, R. Farley , L. Huang, Mechanism of efficient transfection of the nasal airway epithelium by hypotonic shock, Gene Ther 12(16) (2005) 1275-1282.
- [126] V. Miliukiene, G. Biziuleviciene , A. Pilinkiene, Quantitative evaluation of macrophage phagocytosing capacity by a fluorometric assay, Acta Biol Hung 54(3-4) (2003) 347-355.
- [127] J.M. Volle, H. Tolleshaug , T. Berg, Phagocytosis and chemiluminescence response of granulocytes to monodisperse latex particles of varying sizes and surface coats, Inflammation 24(6) (2000) 571-582.
- [128] J.P. Clamme, J. Azoulay , Y. Mely, Monitoring of the formation and dissociation of polyethylenimine/DNA complexes by two photon fluorescence correlation spectroscopy, Biophys J 84(3) (2003) 1960-1968.
- [129] D.G. Perry , W.J. Martin, 2nd, Fluorescent liposomes as quantitative markers of phagocytosis by alveolar macrophages, J Immunol Methods 181(2) (1995) 269-285.
- [130] G.J. Cannon , J.A. Swanson, The macrophage capacity for phagocytosis, J Cell Sci 101 ( Pt 4)((1992) 907-913.
- [131] E. Bermudez, J.B. Mangum, B.A. Wong, B. Asgharian, P.M. Hext, D.B. Warheit , J.I. Everitt, Pulmonary responses of mice, rats, and hamsters to subchronic inhalation of ultrafine titanium dioxide particles, Toxicol Sci 77(2) (2004) 347-357.
- [132] A. Gautam, C.L. Densmore, E. Golunski, B. Xu , J.C. Waldrep, Transgene expression in mouse airway epithelium by aerosol gene therapy with PEI-DNA complexes, Mol Ther 3(4) (2001) 551-556.
- [133] M. Osier , G. Oberdorster, Intratracheal inhalation vs intratracheal instillation: differences in particle effects, Fundam Appl Toxicol 40(2) (1997) 220-227.
- [134] A.P. Bird, CpG islands as gene markers in the vertebrate nucleus Trends in Genetics 3((1987) 342-347.
- [135] H. Hemmi, O. Takeuchi, T. Kawai, T. Kaisho, S. Sato, H. Sanjo, M. Matsumoto, K. Hoshino, H. Wagner, K. Takeda , S. Akira, A Toll-like receptor recognizes bacterial DNA Nature 408(6813) (2000) 740-745.
- [136] R. Medzhitov, P. Preston-Hurlburt , C.A. Janeway, Jr, A human homologue of the Drosophila Toll protein signals activation of adaptive immunity Nature 388(6640 ) (1997) 394-397.
- [137] S. Li, S.P. Wu, M. Whitmore, E.J. Loeffert, L. Wang, S.C. Watkins, B.R. Pitt , L. Huang, Effect of immune response on gene transfer to the lung via systemic

- administration of cationic lipidic vectors, Am J Physiol 276(5 Pt 1) (1999) L796-804.
- [138] B.D. Freimark, H.P. Blezinger, V.J. Florack, J.L. Nordstrom, S.D. Long, D.S. Deshpande, S. Nochumson , K.L. Petrak, Cationic lipids enhance cytokine and cell influx levels in the lung following administration of plasmid: cationic lipid complexes, J Immunol 160(9) (1998) 4580-4586.
- [139] N.S. Yew, H. Zhao, I.H. Wu, A. Song, J.D. Tousignant, M. Przybylska , S.H. Cheng, Reduced inflammatory response to plasmid DNA vectors by elimination and inhibition of immunostimulatory CpG motifs, Mol Ther 1(3) (2000) 255-262.
- [140] G. McLachlan, B.J. Stevenson, D.J. Davidson , D.J. Porteous, Bacterial DNA is implicated in the inflammatory response to delivery of DNA/DOTAP to mouse lungs, Gene Ther 7(5) (2000) 384-392.
- [141] A.M. Krieg, A.-K. Yi, S. Matson, T.J. Waldschmidt, G.A. Bishop, R. Teasdale, G.A. Koretzky , D.M. Klinman, CpG motifs in bacterial DNA trigger direct B-cell activation Nature 374(6522 ) (1995) 546-549.
- [142] M.D. Halpern, R.J. Kurlander , D.S. Pisetsky, Bacterial DNA induces murine interferon-gamma production by stimulation of interleukin-12 and tumor necrosis factor-alpha, Cell Immunol 167(1) (1996) 72-78.
- [143] Y. Tan, S. Li, B.R. Pitt , L. Huang, The inhibitory role of CpG immunostimulatory motifs in cationic lipid vector-mediated transgene expression in vivo, Hum Gene Ther 10(13) (1999) 2153-2161.
- [144] Z.K. Ballas, W.L. Rasmussen , A.M. Krieg, Induction of NK activity in murine and human cells by CpG motifs in oligodeoxynucleotides and bacterial DNA, J Immunol 157(5) (1996) 1840-1845.
- [145] S. Ferrari, A. Pettenazzo, N. Garbati, F. Zacchello, J.P. Behr , M. Scarpa, Polyethylenimine shows properties of interest for cystic fibrosis gene therapy, Biochim Biophys Acta 1447(2-3) (1999) 219-225.
- [146] K. Regnstrom, E.G. Ragnarsson, M. Koping-Hoggard, E. Torstensson, H. Nyblom , P. Artursson, PEI - a potent, but not harmless, mucosal immuno-stimulator of mixed T-helper cell response and FasL-mediated cell death in mice, Gene Ther 10(18) (2003) 1575-1583.
- [147] K. Regnstrom, E.G. Ragnarsson, M. Fryknas, M. Koping-Hoggard , P. Artursson, Gene expression profiles in mouse lung tissue after administration of two cationic polymers used for nonviral gene delivery, Pharm Res 23(3) (2006) 475-482.
- [148] A.N. Uduehi, U. Stammberger, B. Kubisa, M. Gugger, T.A. Buehler , R.A. Schmid, Effects of linear polyethylenimine and polyethylenimine/DNA on lung function after airway instillation to rat lungs, Mol Ther 4(1) (2001) 52-57.
- [149] H.Y. Li, P.C. Seville, I.J. Williamson , J.C. Birchall, The use of amino acids to enhance the aerosolisation of spray-dried powders for pulmonary gene therapy., J Gene Med 7(3) (2005) 343-353.

- [150] M.J. Oldham , R.F. Phalen, Dosimetry implications of upper tracheobronchial airway anatomy in two mouse varieties, *Anat Rec* 268(1) (2002) 59-65.
- [151] F. Scherer, Magnetofection: enhancing and targeting gene delivery by magnetic force in vitro and in vivo, *Gene Therapy* 9((2002) 102-109.
- [152] E.R. Weibel, *The Lung*, (1991) 711-720.
- [153] T.B. Martonen, Effects of Tumors on Inhaled Pharmacologic Drugs: II. Particle Motion Cell Biochemistry and Biophysics 35((2001) 245-253.
- [154] W. Moller, Experimantal Lung Research 27((2001) 547-568.
- [155] W. Moller, Mucociliary and long-term particle clearance in the airways of healthy nonsmoker subjects, *Journal of Applied Physiology* 97((2004) 2200-2206.
- [156] W. Moller, Mucociliary and long-term particle clearance in airways of patients with immotile cilia, *Respiratory Research* 19((2006) 7-10.
- [157] H.L. Nishikawa M, Nonviral vectors in the new millennium: delivery barriers in gene transfer., *Hum Gene Ther.* 12(8) (2001) 861-870.
- [158] O. Eickelberg, M. Roth, R. Lorx, V. Bruce, J. Rudiger, M. Johnson , L.H. Block, Ligand-independent activation of the glucocorticoid receptor by beta2-adrenergic receptor agonists in primary human lung fibroblasts and vascular smooth muscle cells, *J Biol Chem* 274(2) (1999) 1005-1010.
- [159] Y. Wan, K.K. Coxe, V.G. Thackray, P.R. Housley , S.K. Nordeen, Separable features of the ligand-binding domain determine the differential subcellular localization and ligand-binding specificity of glucocorticoid receptor and progesterone receptor, *Mol Endocrinol* 15(1) (2001) 17-31.
- [160] V. Prima, C. Depoix, B. Masselot, P. Formstecher , P. Lefebvre, Alteration of the glucocorticoid receptor subcellular localization by non steroid compounds, *J Steroid Biochem Mol Biol* 72(1-2) (2000) 1-12.
- [161] H. Htun, J. Barsony, I. Renyi, D.L. Gould , G.L. Hager, Visualization of glucocorticoid receptor translocation and intranuclear organization in living cells with a green fluorescent protein chimera, *Proc Natl Acad Sci U S A* 93(10) (1996) 4845-4850.
- [162] L.R. McKenna NJ, O'Malley BW Nuclear receptor coregulators: cellular and molecular biology, *Endocr Rev* 20(3)((1999) 321-344.
- [163] S.K. Nordeen, B.J. Suh, B. Kuhnel , C.D. Hutchison, Structural determinants of a glucocorticoid receptor recognition element, *Mol Endocrinol* 4(12) (1990) 1866-1873.
- [164] F. Claessens, G. Verrijdt, E. Schoenmakers, A. Haelens, B. Peeters, G. Verhoeven , W. Rombauts, Selective DNA binding by the androgen receptor as a mechanism for hormone-specific gene regulation, *J Steroid Biochem Mol Biol* 76(1-5) (2001) 23-30.
- [165] E. Schoenmakers, G. Verrijdt, B. Peeters, G. Verhoeven, W. Rombauts , F. Claessens, Differences in DNA binding characteristics of the androgen and glucocorticoid receptors can determine hormone-specific responses, *J Biol Chem* 275(16) (2000) 12290-12297.

- [166] C.M. Klinge, Estrogen receptor interaction with estrogen response elements, *Nucleic Acids Res* 29(14) (2001) 2905-2919.
- [167] C.K. Glass, Differential recognition of target genes by nuclear receptor monomers, dimers, and heterodimers, *Endocr Rev* 15(3) (1994) 391-407.
- [168] K.I. Kang, X. Meng, J. Devin-Leclerc, I. Bouhouche, A. Chadli, F. Cadepond, E.E. Baulieu , M.G. Catelli, The molecular chaperone Hsp90 can negatively regulate the activity of a glucocorticosteroid-dependent promoter, *Proc Natl Acad Sci U S A* 96(4) (1999) 1439-1444.
- [169] W.B. Pratt, The role of heat shock proteins in regulating the function, folding, and trafficking of the glucocorticoid receptor, *J Biol Chem* 268(29) (1993) 21455-21458.
- [170] W.B. Pratt , D.O. Toft, Steroid receptor interactions with heat shock protein and immunophilin chaperones, *Endocr Rev* 18(3) (1997) 306-360.
- [171] W.B. Pratt , D.O. Toft, Regulation of signaling protein function and trafficking by the hsp90/hsp70-based chaperone machinery, *Exp Biol Med (Maywood)* 228(2) (2003) 111-133.
- [172] D.B. Mendel, J.E. Bodwell, B. Gametchu, R.W. Harrison , A. Munck, Molybdate-stabilized nonactivated glucocorticoid-receptor complexes contain a 90-kDa non-steroid-binding phosphoprotein that is lost on activation, *J Biol Chem* 261(8) (1986) 3758-3763.
- [173] R.H. Oakley, C.M. Jewell, M.R. Yudt, D.M. Bofetiado , J.A. Cidlowski, The dominant negative activity of the human glucocorticoid receptor beta isoform. Specificity and mechanisms of action, *J Biol Chem* 274(39) (1999) 27857-27866.
- [174] L.C. Scherrer, F.C. Dalman, E. Massa, S. Meshinchi , W.B. Pratt, Structural and functional reconstitution of the glucocorticoid receptor-hsp90 complex, *J Biol Chem* 265(35) (1990) 21397-21400.
- [175] S.A. Wadekar, D. Li, S. Periyasamy , E.R. Sanchez, Inhibition of heat shock transcription factor by GR, *Mol Endocrinol* 15(8) (2001) 1396-1410.
- [176] L. Pujols, J. Mullol, J. Roca-Ferrer, A. Torrego, A. Xaubet, J.A. Cidlowski , C. Picado, Expression of glucocorticoid receptor alpha- and beta-isoforms in human cells and tissues, *Am J Physiol Cell Physiol* 283(4) (2002) C1324-1331.
- [177] A.P. Madan , D.B. DeFranco, Bidirectional transport of glucocorticoid receptors across the nuclear envelope, *Proc Natl Acad Sci U S A* 90(8) (1993) 3588-3592.
- [178] R.J. Hache, R. Tse, T. Reich, J.G. Savory , Y.A. Lefebvre, Nucleocytoplasmic trafficking of steroid-free glucocorticoid receptor, *J Biol Chem* 274(3) (1999) 1432-1439.
- [179] A. Fasbender, J. Zabner, B.G. Zeiher , M.J. Welsh, A low rate of cell proliferation and reduced DNA uptake limit cationic lipid-mediated gene transfer to primary cultures of ciliated human airway epithelia, *Gene Ther* 4(11) (1997) 1173-1180.
- [180] K.S.K. Joon Sig Choi, Jong Sang Park, Yong-Hee Kim, Sung Wan Kim and Minhyung Lee, Dexamethasone conjugated poly(amidoamine)dendrimer as a

- carrier for efficient nuclear translocation, Int J Pharm. 31(320(1-2)) (2006) 171-178.
- [181] A. Rebiffat, A. Bernasconi, M. Ceppi, H. Wehrli, S.B. Verca, M. Ibrahim, B.M. Frey, F.J. Frey , S. Rusconi, Selective enhancement of gene transfer by steroid-mediated gene delivery, Nat Biotechnol 19(12) (2001) 1155-1161.