

8 Literaturverzeichnis

Adams DJ, Barakeh J, Laskey R, Van Breemen C:

Ion channels and regulation of intracellular calcium in vascular endothelial cells.

FASEB J.3 (12), 2389-400, 1989

Ankarcrona M, Dypbukt JM, Brune B:

Interleukin-I beta- induced nitric oxide production activates apoptosis in pancreatic RINm5F cells.

Exp. Cell Res. 213, 172-177, 1994

Amezcua JL, Dusting GJ, Palmer RMJ, Moncada S:

Acetylcholine induces vasodilation in the rabbit isolated heart through the release of nitric oxide, the endogenous nitrovasodilator.

Br. J. Pharmacol. 95, 830-834, 1988

Archer S:

Measurement of nitric oxide in biological models.

FASEB J. 7, 349-360, 1993

Arnal JF, Dinh-Xuan AT, Puueyo M, Darblade B, Rami J:

Endothelium-derived nitric oxide and vascular physiology and pathology

Cell. Mol. Life Sci. 55 (8-9), 1078-1087, 1999

Atlas D, Adler M:

Alpha-adrenergic antagonists as possible calcium channel inhibitors.

Proc. Natl. Acad. Sci. USA 79, 1237-1241, 1981

Ayajiki K, Kindermann M, Hecker M, Fleming I, Busse R:

Intracellular pH and tyrosine phosphorylation but not calcium determine shear stress-induced nitric oxide production in native endothelial cells.

Circ. Res. 78 (5), 745-6, 1996

Bartels H, Kirmizigül I, Mayer M, Purol-Schnabel S, Rösen R.:
The antioxidative effect of the dihydropyridine- Ca²⁺- antagonists may be enhanced in the presence of a multilammellar membrane preparation.
Naunyn-Schmiedeberg's Arch. Pharmacol. 359 (Suppl.3): R 71, 1999

Berkels R, Klaus W, Boller M, Rösen R:
The calcium modulator nifedipine exerts its antiaggregatory property via a nitric oxide mediated process.
Thromb. Haem. 72, 309-312, 1994

Berkels R, Bertsch A, Breitenbach T, Klaus W, Rösen R:
The calcium antagonist nifedipine stimulates endothelial NO release in therapeutical concentrations.
Pharm. Pharmacol. Lett. 6: 75-78, 1996

Berkels R, Bertsch A, Zuther T, Dhein S, Stockklauser K, Rösen P, Rösen R:
Evidence for a NO Synthase in porcine platelets which is stimulated during activatio/aggregation.
Eur. J. Haematol. 58, 307-313, 1997

Berkels R, Hass U, Dachs C, Klaus W:
The calciummodulator nifedipine inhibits the endothelial uptake of modified LDL fundamental.
Clin. Pharmacol. 13, 121, 1999

Berkels R, Rösen R, Dhein S, Fricke U, Klaus W:
Dihydropyridine calcium antagonist-induced modulation of endothelial function: a Review.
Cardiovasc. Drug Rev. 17 (2), 179-186, 1999

Berkels R, Müller A, Rösen R, Klaus W:
Nifedipine and Bay K 8644 induce an increase of [Ca²⁺]_i and NO in endothelial cells.
J. Cardiovasc. Pharmacol. Therapeut. 4 (3), 175-181, 1999

Berkels R, Hass U, Klaus W:
The calcium antagonist nifedipine inhibits the uptake of acetylated LDL into endothelial cells.
Naunyn-Schmiedeberg's Arch. Pharmacol. 362, 91-95, 2000

Berkels R, Klaus W:
Kalziumantagonisten näher betrachtet
Dtsch. Med. Wschr. 125, 531-533, 2000

Berkels R, Egink G, Marsen TA, Bartels H, Rösen R, Klaus W:
Nifedipine increases endothelial nitric oxide bioavailability by antioxidative mechanisms.
Hypertension 37, 240-245, 2001

Bertsch A:
Stimulation endothelialer Stickstoffmonoxid (NO)- Bildung durch Calciumantagonisten im Vergleich zu Bradykinin.
Dissertation, Universität zu Köln, 1996

Bredt DS, Snyder SH:
Isolation of nitric oxide synthase, a calmodulin-requiring enzyme.
Proc. Natl. Acad. Sci. USA 87, 682-685, 1990

Bredt DS:
Endogenous nitric oxide synthesis: biological functions and pathophysiology.
Free Radic. Res. 31 (6), 577-596, 1999

Brien JF, McLaughlin BE, Nakatsu K, Marks GS:
Quantitation of nitric oxide formation from nitrovasodilator drugs by chemiluminescence analysis of headspace gas.
J. Pharmacol. Meth. 25, 19-27, 1991

Brovkovich V, Stolarczyk E, Oman J, Tomboulian P, Malinski T:
Direct electrochemical measurement of nitric oxide in vascular endothelium.
J. Pharm. Biomed. Anal. 19, 135-143, 1999

Brovkovich V, Kalinowski L, Müller-Peddinghaus R, Malinski T:
Synergistic antihypertensive effects of nifedipine on endothelium.
Hypertension 37, 34-39, 2001

Brown AS, Martin JF:
The megakaryocyte platelet system and vascular disease.
Eur. J. Clin. Invest. 24 (Suppl.1), 9-15, 1994

Buga GM, Gold ME, Fukuto JM, Ignarro LJ:
Shear stress-induced release of nitric oxide from endothelial cells grown on beads.
Hypertension 17 (2), 187-193, 1991

Buga GM, Griscavage JM, Rogers NE, Ignarro LJ:
Negative feedback regulation of endothelial cell function by nitric oxide.
Circ. Res. 73, 808-812, 1993

Carr A, Frei B:
The role of natural antioxidants in preserving the biological activity of endothelium-derived nitric oxide.
Free Rad. Biol. Med. 28, 1806-1814, 2000

Chakravarthy U, Hayes RG, Stitt AW, McAuley E, Archer DB:
Constitutive nitric oxide synthase expression in retinal vascular endothelial cells is suppressed by high glucose and advanced glycation end products.
Diabetes 47, 945-952, 1998

Cocks TM, Angus JA, Campell JH, Campell GR:
Release and properties of endothelium-derived relaxing factor (EDRF) from endothelial cells in culture.
J. Cell. Physiol. 123, 310-320, 1985

Colden-Stanfield M, Schilling WP, Ritchie AK, Eskin SG, Navarro LT, Kunze DL:
Bradykinin-induced increases in cytosolic calcium and ionic currents in cultured bovine aortic endothelial cells.
Circ. Res. 61 (5), 632-640, 1987

Corson MA, James NL, Latta SE, Nerem RM, Berk BC, Harrison DG:
Phosphorylation of endothelial nitric oxide synthase in response to fluid shear stress.
Circ. Res. 79 (5), 984-991, 1996

Crow JP, Beckmann JS:
Reactions between nitric oxide, superoxide, and peroxynitrite: footprints of peroxynitrite in vivo.
Adv. Pharmacol. 14, 17-43, 1995

Dhein S, Salameh A, Berkels R, Klaus W:
Dual mode of action of dihydropyridine calcium antagonists.
Drugs 58 (3), 397-404, 1999

Ding Y, Vaziri ND:
Nifedipine and diltiazem but not verapamil up-regulate endothelial nitric-oxide synthase expression.
J. Pharmacol. Exp. Ther. 292 (2), 606-609, 2000

Doyle VM, Ruegg UT:
Lack of evidence for voltage dependent calcium channels on platelets.
Biochem. Biophys. Res. Commun. 127, 161-167, 1985

Fehsel K, Kroncke KD, Meyer KL et al.:
Nitric oxide induces apoptosis in mouse thymocytes.
J. Immunol. 155, 2858-2865, 1995

Figueroa XF, Martinez AD, Gonzalez DR, Jara PI, Ayala S, Boric MP:
In vivo assessment of microvascular nitric oxide production and its relation with blood flow.
Am. J. Physiol. Heart Circ. Physiol 2.80, H1222-H1231, 2001

Fleckenstein-Grun G, Thimm F, Czirfuzs A, Matyas S, Frey M:
Experimental vasoprotection by calcium antagonists against calcium-mediated arteriosclerotic alterations.
J. Cardiovasc. Pharmacol. 24 (Suppl. 2), S75-84, 1994

Förstermann U, Pollock JS, Schmidt HH, Heller M, Murad F:
Calmodulin-dependent endothelium-derived relaxing factor/nitric oxide synthase activity is present in the particulate and cytosolic fractions of bovine aortic endothelial cells.
Proc. Nat. Acad. Sci. USA 88, 1788-1792, 1991

Furchtgott RF:
Role of endothelium in responses of vascular smooth muscle.
Circ. Res. 53(5), 557-573, 1983

Garvey EP, Oplinger JA et al.:

1400 W is a slow, tight binding, and highly selective inhibitor of inducible nitric-oxide synthase in vitro and in vivo.

J. Biol. Chem. 272 (8), 4959-4963, 1997

Gaul JP, Heinecke JW:

Mechanisms for oxidizing low-density lipoprotein. Insights from patterns of oxidation products in the artery wall and from mouse models of atherosclerosis.

Trends Cardiovasc. Med. 11 (3-4), 103-112, 2001

Gilliam MB, Sherman MP, Griscavage JM, Ignarro LJ:

A spectrophotometric assay for nitrate using NADPH oxidation by Aspergillus nitrate reductase.

Anal. Biochem. 212 (2), 359-365, 1993

Graier WF, Schmidt K, Kukovetz WK:

Effect of sodium fluoride on cytosolic free Ca^{2+} -concentrations and cGMP-levels in endothelial cells.

Cell Signal. 2 (4), 369-375, 1990

Griffith TM, Edwards DH, Lewis MJ, Newby AC, Henderson AH:

The nature of endothelium-derived vascular relaxant factor.

Nature 308, 645-647, 1984

Gryglewski RJ, Moncada S, Palmer RM:

Bioassay of prostacyclin and endothelium-derived relaxing factor (EDRF) from porcine aortic endothelial cells.

Br. J. Pharmacol. 87, 685-694, 1986

Günther J, Dhein S, Klaus W, Rösen R, Fricke U:

Influence of endothelium on the vascular activity of 1,4-dihydropyridines.

Naunyn Schmiedeberg's Arch. Pharmacol. 344, R77, 1991

Günther J, Dhein S, Rösen R, Klaus W, Fricke U:

Nitric oxide (EDRF) enhances the vasorelaxing effect of nitrendipine in various isolated arteries.

Basic Res. Cardiol. 87, 452-460, 1992

Guo JP, Murohara T, Buerke M, Scalia R, Lefer AM:
Direct measurement of nitric oxide release from vascular endothelial cells.
J. Appl. Physiol. 81, 774-779, 1996

Gustafsson LE, Leone AM, Persson MG, Wiklund NP, Moncada S:
Endogenous nitric oxide is present in the exhaled air of rabbits, guinea pigs and humans.
Biochem. Biophys. Res. Commun. 181, 852-857, 1991

Henry Y, Ducrocq C, Drapier JC, Servent D, Pellat C, Guissani A:
Nitric oxide, a biological effector. Electron paramagnetic resonance detection of nitrosyl-iron-protein complexes in whole cells.
Eur. Biophys. J. 20, 1-15, 1991

Hishikawa K, Nakaki T, Suzuki H, Saruta T, Kato R:
L-arginine induced hypotension.
Lancet 337, 683-684, 1991

Hogg N:
Free radicals in disease.
Semin. Reprod. Endocrinol. 16 (4), 241-248, 1998

Ignarro LJ:
Biological actions and properties of endothelium-derived nitric oxide formed and released from artery and vein.
Circ. Res. 65 (1), 1-21, 1989

Ignarro LJ:
Biosynthesis and metabolism of endothelium-derived nitric oxide.
Annu. Rev. Pharmacol. Toxicol. 30, 535-560, 1990

Inoue S, Kawanish S:
Oxidative DNA damage induced by simultaneous generation of nitric oxide and superoxide.
FEBS Lett. 371, 86-88, 1995

Iwashina M, Shikiri M, Marumo F et al.:

Transfection of the inducible nitric oxide synthase gene causes apoptosis in vascular smooth muscle cells.

Circ. Res. 98, 1212-1218, 1998

Johnson GJ, Leis A, Francis GS:

Adenosine potentiates the inhibitory effects of calcium channel antagonists on human platelet aggregation induced by thromboxan A2 or U 46619.

Thromb. Res. 59, 139-148, 1990

Kanai AJ, Strauss HC et al.:

Shear stress induces ATP-independent transient nitric oxide release from vascular endothelial cells, measured directly with a porphyrinic microsensor.

Circ. Res. 77, 284-293, 1995

Kanai AJ, Pearce LL, Clemens PR, Birder LA, VanBibber MM, Choi SY, de Groat WC, Peterson J:

Identification of a neuronal nitric oxide synthase in isolated cardiac mitochondria using electrochemical detection.

Proc. Natl. Acad. Sci. USA 98 (24), 14126-14131, 2001

Kaneto H, Fujii J, Seo HG et al.:

Apoptotic cell death triggered by nitric oxide in pancreatic beta-cells.

Diabetes 44, 733-738, 1995

Kataoka S, Dash PK, Yatsu FM:

Inhibition of PDGF-mediated proliferation of vascular smooth muscle cells by calcium antagonists.

Stroke 28, 364-369, 1997

Kelm M, Feelisch M, Spahr R, Piper H-M, Noack E, Schrader J:

Quantitative and kinetic characterization of nitric oxide and EDRF released from cultured endothelial cells.

Biochem. Biophys. Res. Comm. 154 (1), 236-244, 1988

Kelm M, Schrader J:
Control of coronary vascular tone by nitric oxide.
Circ. Res. 66, 1561-1575, 1990

Kelm M, Feelisch M, Deussen A, Strauer BE, Schrader J:
Release of endothelium derived nitric oxide in relation to pressure and flow.
Cardiovasc. Res. 25, 831-836, 1991

Kelm M, Feelisch M, Grube R., Motz W., Strauer BE:
Metabolism of endothelium-derived nitric oxide in human blood.
In: Moncada S, Ed. Biology of nitric oxide. Colchester: Portland Press, 319-322, 1994

Kelm M:
Kardiovaskuläre Wirkungen von Stickstoffmonoxid und ihre Bedeutung für die arterielle Hypertonie.
Habilitationsschrift, 1996

Kelm M, Preik-Steinhoff H, Preik M, Strauer BE:
Serum nitrite sensitively reflects endothelial NO formation in human forearm vasculature:
evidence for biochemical assement of the endothelial L- arginine- NO pathway.
Cardiovasc. Res. 41, 765-772, 1999

Kerwin JF, Heller M:
The arginin-nitric oxide pathway: A target for new drugs.
Med. Res. Rev. 14 (1), 23-74, 1993

Kiechle FL, Malinski T:
Nitric oxide. Biochemistry, Pathophysiology and Detection.
Am. J. Clin. Pathol. 100, 567-575, 1993

Kitakaze M, Asanuma H, Takashima S, Minamino T, Ueda Y, Sakata Y, Asakura M, Sanada S, Kuzuya T, Hori M:
Nifedipine-induced coronary vasodilation in ischemic hearts is attributable to bradykinin and NO-dependent mechanisms in dogs.
Circulation 101, 311, 2000

Klaus W, Latta G, Schrör K:

The influence of nifedipine on platelet function.

In: Recent Aspects in Calcium Antagonism. Lichtlen PR; Schattauer, Stuttgart, 139-145, 1985

Klaus W, Berkels R:

Kaziumkanal-unabhängige Wirkungen von Kalziumkanalblockern

In: Kalziumantagonisten-Handbuch. Bönner G, Domniak P; Schattauer, Stuttgart, 2002

Kojda G, Klaus W, Werner G, Fricke U:

The influence of endothelium on the action of RGF2 alpha and some dihydropyridine-type calcium antagonists in porcine basilar arteries.

Basic Res. Cardiol. 86, 254-265, 1991

Kuchan MJ, Frangos A:

Role of calcium and calmodulin in flow-induced nitric oxide production in endothelial cells.

Am. J. Physiol. 266, C628-636, 1994

Kukovetz WR, Holzmann S:

Mechanism of nitrate-induced vasodilatation and tolerance on a biochemical base.

Z. Kardiol. 74 (Suppl. 1), 39-44, 1985

Lacza Z, Puskar M, Figueroa JP, Zhang J, Rajapakse N, Busija DW:

Mitochondrial nitric oxide synthase is constitutively active and is functionally upregulated in hypoxia.

Free Radic. Biol. Med. 31 (12), 1609-1615, 2001

Lane P, Gross SS:

Cell signaling by nitric oxide.

Seminars in Nephrology 19(3), 215-229, 1999

Lichtlen PR, Hugenholtz PG, Rafflenbeul W, Hecker H, Jost S, Deckers JW:

Retardation of angiographic progression of coronary artery disease by nifedipine.

Results of the International Nifedipine Trial on Antiatherosclerotic Therapy (INTACT). Lancet 335, 1109-1113, 1990

Loscalzo J:

Nitric oxide insufficiency, platelet activation and arterial thrombosis.

Circ. Res. 88, 756-762, 2001

Long CJ, Stone TW:

The release of endothelium-derived relaxant factor is calcium dependent.

Blood Vessels 22, 205-208, 1985

Mak IT, Weglicki WB:

Antioxidant activity of calcium channel blocking drugs.

Methods Enzymol. 234, 620-630, 1994

Malinski T, Radomski MW, Taha Z, Moncada S:

Direct electrochemical measurement of nitric oxide released from human platelets.

Biochem. Biophys. Res. Commun. 194 (2), 960-965, 1993

Malinski T, Bailey F, Zhang ZG, Chopp M:

Nitric oxide measured by a porphyrinic microsensor in rat brain after transient middle cerebral artery occlusion.

J. Cereb. Blood Flow Metab. 13 (3), 355-358, 1993

Manninen A:

Nifedipine reduces thromboxane A₂ production by platelets without changing aggregation in hypertensive pregnancy.

Pharmacol. Toxicol. 78, 387-391, 1996

Menon NK, Pataricza J, Binder T, Bing RJ:

Reduction of biological effluents in purge and trap micro reaction vessels and detection of endothelium- derived nitric oxide by chemiluminescence.

J. Mol. Cell. Cardiol. 23, 389-393, 1991

Misko TP, Schilling RJ, Salvemini D, Moore WM, Curry MG:

A fluorometric assay for the measurement of nitrite in biological samples.

Anal. Biochem. 214, 11-16, 1993

Mitchell HH, Shonle HA, Grindley HS:
The origin of nitrates in urine.
J. Biol. Chem. 24, 461-490, 1916

Mochizuki S, Goto M, Chiba Y, Ogasawara Y, Kajiya F:
Flow dependence and time constant of the change in nitric oxide concentration measured in
the vascular media.
Med. Biol. Eng. Comput. 37, 497-503, 1999

Moncada S, Palmer RMJ, Higgs EA:
Nitric oxide: Physiology, Pathophysiology, and pharmacology.
Pharmacol. Rev. 43 (2), 109-142, 1991

Mügge A, Peterson T, Harrison DG:
Release of nitrogen oxides from cultured bovine aortic cells is not impaired by calcium
channel antagonists.
Circulation 83 (4), 1404-1409, 1991

Murad F:
The nitric oxide-cyclic GMP signal transduction system for intracellular and intercellular
communication.
Recent Prog. Horm. Res. 49, 239-248, 1994

Naruse K, Sokabe M:
Involvement of stretch-activated ion channels in Ca^{2+} mobilization to mechanical stretch in
endothelial cells.
Am. J. Physiol. 264, C1037-1044, 1993

Nithipatikom K, Pratt PF, Campell WB:
Nitro-L-arginine interferes with the cadmium reduction of nitrate/ griess reaction method of
measuring nitric oxide production.
Eur. J. Clin. Chem. Clin. Biochem. 34, 133-137, 1996

Norman JA, Ansell J, Phillips MA:
Dihydropyridine Ca^{2+} entry blockers selectively inhibit peak I cAMP phosphodiesterase.
Eur. J. Pharmacol. 83, 107-112, 1983

Noris M, Morigi M, Donadelli R et al.:

Nitric oxide synthesis by cultured endothelial cells is modulated by flow conditions.

Circ. Res. 76, 536-543, 1995

Palmer RMJ, Ferrige AG, Moncada S:

Nitric oxide release accounts for the biological activity of endothelium- derived relaxing factor.

Nature 327, 524-526, 1987

Panaro NJ, McIntire LV:

Vascular endothelial cells synthesize nitric oxide from L-arginine.

Nature 333, 664-666, 1988b

Papadaki M, Tilton RG, Eskin SG, McIntire LV:

Nitric oxide production by cultured human aortic smooth muscle cells: stimulation of flow.

Heart Circ. Physiol. 43, H616-H626, 1998

Pawloski JR, Hess DT, Stamler JS:

Export by red blood cells of nitric oxide bioactivity.

Nature, 409 (6820), 577-578, 2001

Preik-Steinhoff H, Kelm M:

Determination of nitric in human blood by combination of a specific sample preparation with high performance anion-exchange chromatography and electrochemical determination.

J. Chromatogr. B. 685, 348-352, 1996

Radomski MW, Palmer RMJ, Moncada S:

The anti-aggregating properties of vascular endothelium: interactions between prostacyclin and nitric oxide.

Br. J. Pharmacol. 92, 639-646, 1987

Reber Kristina M, Mager Gennifer M, Miller CE, Nowicki PT:

Relationship between flow rate and NO production in postnatal mesenteric arteries.

Am. J. Physiol. Gastrointest. Liver Physiol. 280, G43-G50, 2001

Robbins RA, Hamel FG, Floreani AA:

Bovine bronchial epithelial cells metabolize L-arginine to L-citrulline: possible role of nitric oxide synthase.

Life Sci. 52, 709-716, 1993

Sakoda T, Hirata K, Kuroda R, Miki N, Suematsu M, Kawashima S, Yokoyama M:

Myristoylation of endothelial cell nitric oxide synthase is important for extracellular release of nitric oxide.

Mol. Cell. Biochem. 152 (2), 143-148, 1995

Salameh A, Schomecker G, Breikopf K, Dhein S, Klaus W:

The effect of the calciumantagonist nitrendipine on intracellular calcium concentration in endothelial cells.

Br. J. Pharmacol. 118 (8), 1899-1904, 1996

Sarih M, Souvannavong V, Adam A:

Nitric oxide synthase induces macrophage death by apoptosis.

Biochem. Biophys. Res. Commun. 191, 503-508, 1993

Schmidt HHHW:

NO, endogener Botenstoff und Zellgift.

Med. Mo. Pharm. 6, 168-184, 1994

Schmidt J:

Bedeutung und Differenzierung der Kalziumkanäle im kardiovaskulären System.

Herz + Gefäße 3, 37-41, 1997

Schmidt K, Klatt P, Mayer B:

Reaction of peroxynitrite with oxyhaemoglobin: interference with photometrical determination of nitric oxide.

Biochem. J. 301, 645-647, 1994

Schmidt HH, Nau H, Wittfoht W, Gerlach J, Prescher KE, Klein MM, Niroomand F, Bohme E:

Arginine is a physiological precursor of endothelium-derived nitric oxide.

Eur. J. Pharmacol. 154(2), 213-216, 1988

Schwabe U, Paffrath D:
Arzneimittelverordnungs-Report 1998
Springer-Verlag, 1998

Scott-Burdon T, Bühler FR:
Regulation of smooth muscle proliferative phenotype by heparinoid-matrix interactions.
TIPS 9, 94-98, 1988

Scott-Burden T, Schini VB, Elizondo E, Junquero DC, Vanhoutte PM:
Platelet-derived growth factor suppresses and fibroblast growth factor enhances cytokine-induced production of nitric oxide by cultured smooth muscle cells; effects on cell proliferation.
Circ. Res. 71, 1088-1100, 1992

Stamler J S, Singel DJ, Loscalzo J:
Biochemistry of nitric oxide and its redox-activated forms.
Science 258, 1898-1902, 1992

Sweetman S:
Martindale: The Complete Drug Reference.
Deutscher Apotheker Verlag, 2002

Takahara K, Kuroiwa A, Mattushima T, Nakashima Y, Takasugi M:
Effects of nifedipine on platelet function.
Am. Heart J. 109(1), 4-8, 1985

Thiemermann C:
Nitric oxide and septic shock.
Gen. Pharmacol. 29(2), 159-166, 1997

Thomson LL, Scott JMJ et al:
Selective inhibition of inducible nitric oxide synthase inhibits tumor growth in vivo: study with 1400 W, a novel inhibitor.
Cancer Res. 57, 3300-3304, 1997

Tsukahara H, Gordienko DV, Goligorsky MS:
Continuous monitoring of nitric oxide release from human umbilical vein endothelial cells.
Biochem. Biophys. Res. Commun. 193, 722-729, 1993

Tsikas D, Gutzki FM, Rossa S, Bauer H, Neumann C, Dockenhoff K, Sandermann J, Frölich JC;

Measurement of nitrite and nitrate in biological fluids by gas chromatography-mass spectrometry and by the griess assay: problems with the griess assay-solutions by gas chromatography-mass spectrometry.

Anal. Biochem. 244, 208-220, 1997

Vallance P, Collier J, Moncada S:

Effects of endothelium-derived nitric oxide on peripheral arteriolar tone in man.
Lancet 2, 997-1000, 1989

Vilaine JP, Biondi ML, Villeneuve N, Feletou M, Peglion JL, Vanhoutte PM:

The calcium channel antagonist S 11568 causes endothelium-dependent relaxation in canine arteries.

Eur. J. Pharmacol. 197, 41-48, 1991

Yui Y, Hattori R, Kosuga K, Eizawa H, Hiki K, Kawai C:

Purification of nitric oxide synthase from rat macrophages.

J. Biol. Chem. 266, 12544-12547, 1991

Zeballos GA, Bernstein RD, Thompson CI et al.:

Pharmacodynamics of plasma nitrate/nitrite as an indication of nitric oxide formation in conscious dogs.

Circulation 91, 2982-2988, 1995

Zhang X, Hintze TH:

Amlodipine releases nitric oxide from canine coronary microvessels.

Circulation 97, 576-580, 1998

Zhang X, Xu X, Nasjletti A, Hintze TH:

Amlodipine enhances NO production induced by an ACE inhibitor through a kinin-mediated mechanism in canine coronary microvessels.

J. Cardiovasc. Pharmacol. 35 (2), 195-202, 2000

Zhang X, Loke KE, Mital S, Chahwala S, Hintze TH:
Paradoxical release of nitric oxide by an L-type calcium channel antagonist, the R+ enantiomer of amlodipine.
J. Cardiovasc. Pharmacol. 39 (2), 208-214, 2002