

8. LITERATURVERZEICHNIS

Adili F., Statius van Eps R.G., Karp S.J., Watkins M.T., La Muraglia G.M. (1996):
Different modulation of vascular endothelial and smooth muscle cell function by photodynamic therapy of extracellular matrix: novel insights into radical-mediated prevention of intimal hyperplasia.
Journal of Vascular Surgery 23(4): 698-705

Alian W., Andersson-Engels S., Svanberg K., Svanberg S. (1994):
Laser-induces fluorescence studies of meso-tetra(hydroxyphenyl)chlorin in malignant and normal tissues in rats.
British Journal of Cancer, 70, 880-885

Andrejevic S., Savary J.F., Monnier P., Fontolliet C., Braichotte D., Wagnieres G., van den Bergh H. (1996) :
Measurements by fluorescence microscopy of the time-dependent distribution of meso-tetra-hydroxyphenylchlorin in healthy tissues and chemically induced « early » squamous cell carcinoma of the Syrian hamster cheek pouch.
Journal of Photochemistry and Photobiology B : Biology 36 : 143-151

Andrejevic-Blant S., Ballini J. P., van den Bergh H., Fontolliet C., Wagnieres C., Monnier P. (2000): Time-dependent Biodistribution of Tetra(m-hydroxyphenyl)chlorin and Benzoporphyrin Derivate Monoacid Ring A in the Hamster Model: Comparative Fluorescence Microscopy Study.
Photochemistry and Photobiology, 2000, 71 (3): 333-340

Andrejevic-Blant S., Grosjean P., Ballini J. P., Wagnieres C., an den Bergh H., Fontolliet C., Monnier P. (2000) :
Localisation of tetra (m-hydroxyphenyl)chlorin (Foscan) in human healthy tissues and squamous cell carcinomas of the upper aero-digestive tract, the esophagus and the bronchi: a fluorescence microscopy study.
Journal of Photochemistry and Photobiology B: Biology 61 (2001) 1-9

Andrejevic-Blant S., Hagjur Ch., Ballini J. P., Wagnieres C., Fontolliet C., van den Bergh H., Monnier P. (1997):
Photodynamic Therapy of early Squamous Cell Carcinoma with tetra(m-hydroxyphenyl)chlorin: optimal Drug - Light Intervall.
British Journal of Cancer 76(8), 1021-1028

Auler H., Banzer G. (1942):
Investigations on the role of porphyrins in tumour-bearing humans and animals.
Zentrum für Krebsforschung 53: 65-68

Berenbaum M.C., Akande S.L., Bonnet R., Kaur H., Ioannou S., White R.D., Winfield U.-J. (1986):
Meso-Tetra(hydroxyphenyl)porphyrins, a new class of potent tumour photosensitizers with favourable selectivity.
British Journal of Cancer 54, 717-725

Berenbaum M.C., Bonnett R., Chevretton E.B., Akande-Adebakin S.L., Ruston M. (1993):
Selectivity of meso-Tetra(hydroxyphenyl)porphyrins and Chlorins and of Photofrin II in Causing Photodamage in Tumour, Skin, Muscle and Bladder. The Concept of Cost-benefit in Analysing the Results.
Lasers in Medical Science 8:235-243

Biel M.A. (1995):
Photodynamic therapy of head and neck cancers.
Seminars in Surgery and Oncology 11: 355-359

Blom D.-J., Schuitmaker H.J., de Waard-Siebinga I., Dubbelmann T.M.A.R., Jager M.J. (1997):
Decreased expression of HLA class I on ocular melanoma cells following in vitro photodynamic therapy.
Cancer Letters 112: 239-243

Bonnet R. and Martinez G. (2001):
Photobleaching of sensitizers used in photodynamic therapy.
Tetrahedron Report Nr. 591 ; Tetrahedron 57 (2001) 9513-9547

Bonnett R., White R. D. Winfield U.-J., Berenbaum M. (1989):
Hydroporphyrins of the *meso*-tetra(hydroxyphenyl)porphyrin series as tumor photosensitizers.
The Biochemical Journal 261, 277-280

Braichotte D., Savary J.-F., Glanzmann T., Westermann P., Folli S., Wagnieres G., Monnier P., van den Bergh H. (1995):
Clinical Pharmacokinetic Studies of Tetra(meta-hydroxyphenyl)chlorin in Squamous Cell Carcinoma by Fluorescence Spectroscopy at 2 Wavelengths.
Int. Journal of Cancer 63, 198-204

Cai H., Wang Q., Luo J., Lim C.K. (1999):
Study of Temoporfin Metabolism by HPLC and Electrospray Mass Spectrometry.
Biomedical Chromatography 13 (5) 354-359

Coutier S., Bezdetnaya L.N., Foster T.H., Parache R.M., Guillemin F. (2002):
Effect of Irradiation Fluence Rate of the Efficiency of Photodynamic Therapy and Tumor Oxygenation in Meta-Tetra(Hydroxyphenyl)Chlorin (mTHPC)-Sensitized HT29 Xenografts in Nude Mice.
Radiation Research 158 (3):339-345

Čunderliková B., Bjørklund E.G., Pettersen E.O., Maon J. (2001):
pH-Dependent Spectral Properties of HpIX, TPPS_{2a}, mTHPP and mTHPC.
Photochemistry and Photobiology 74(2): 246-252

Davis R.K., Smith L.F., Thurgood R.F., Kereszti Z., Straight R.C. (1990):
Intraoperative Phototherapy (PDT) and Surgical Resection in a Mouse Neuroblastoma Model.
Lasers in Surgery and Medicine 10: 275-279

Detty M. R. (2001):
Photosensitisers for the photodynamic therapy of cancer and other diseases.
Expert Opinion of Therapy Patents 11 (12): 1849-1860

Diamond I., Granelli S.G., McDonagh A.F., Nielsen S., Wilson C.B., Jaenicke R. (1972):
Photodynamic therapy of malignant tumors.
Lancet 1175-1177

Dilkes M.G., DeJode M.L., Gardiner Q., Kenyon G.S., McKelvie P. (1995):
Treatment of head and neck cancer with photodynamic therapy: results after one year.
The Journal of Laryngology and Otology 109: 1072-1076

Dilkes M.G., DeJode M.L., Rowntree-Taylor A., McGilligan J.A., Kenyon G.S., McKelvie P. (1996):
m-THPC Photodynamic Therapy for Head and Neck Cancer.
Lasers in Medical Science 11: 23-29

Dobler-Girdziunaite D., Burkard W., Haller U., Larsson B., Walt H. (1995):
Kombinierte Anwendung der photodynamischen Therapie mit ionisierenden Strahlen bei
Mammakarzinomzellen in vitro.
Strahlentherapie und Onkologie 171: 622-629

Dobler-Girdziunaite D., Major A., Haller U., Walt H. (1995):
Untersuchung zur Korrelation zwischen der Fluoreszenzintensität und der Wirkung der
photodynamischen Therapie (PDT) bei gynäkologischen Tumorzellen in vitro nach Gabe von
zwei verwandten Photosensibilisatoren aus der Chloringruppe.
Achiv Gynecologie Obstet 1995 ; 256 (Suppl.) S. 229

Dougherty T.J. (1987) a :
Yearly Review: Photosensitizers: Therapy and Detection of malignant Tumors.
Photochemistry and Photobiology 45, 879-889

Dougherty T.J. (1987) b:
Studies an the Structure of Porphyrins contained in Photofrin II.
Photochemistry and Photobiology 46, 569-573

Dougherty T.J., Grindey G.B., Fiel R., Weishaupt K.R., Boyle D.G. (1975):
Photoradiation Therapy. II. Cure of Animal Tumors With Haematoporphyrin and Light.
Journal of the National Cancer Institute, Vol. 55 (1); 115-121

Dougherty T. J. and Marcus S. L. (1992):
Photodynamic Therapy.
European Journal of Cancer 1992 28A (10): 1734 – 1742

Dougherty T.J., Kaufman J.E., Goldfarb A., Weishaupt K.R., Boyle D., Mittleman A. (1978):
Photoradiation Therapy for the Treatment of Malignant Tumors.
Cancer Research 38, 2628-2635

Dubbelmann T. M. A. R. and Van Steveninck J. (1990):
Photodynamically induced damage to cellular functions and its relation to cell death.
Journal of Photochemistry and Photobiology, B: Biology 6 : 345-347

Fan K.F.M., Hopper C., Speight P.M., Buonaccorsi G.A., Brown S.G. (1997):
Photodynamic Therapy Using mTHPC for Malignant Disease in the Oral Cavity.
International Journal of Cancer 73: 25-32

Fiedler D.M., Wierrani F., Schnitzhofer G., Stewart J.M., Gharehbaghi K., Grünberger W., Krammer B. (1997):
Does the in vitro efficiency of *meso*-tetrahydroxy-phenyl-chlorin depend on pre-treatment of sensitizer?
Journal of Photochemistry and Photobiology B: Biology 38: 241-244

Figge F.H.J., Weiland G.S., Manganiello L.O.J. (1948):
Cancer Detection and Therapy. Affinity of Neoplastic, Embryonic and Traumatized Tissues for Porphyrins and Metalloporphyrins.
Proceedings of the Society for Experimental Biology and Medicine 68: 640-641

Fingar V.H. (1996):
Vascular Effects of Photodynamic Therapy.
Journal of Clinical Laser Medicine & Surgery 14 (5): 3323-328

Fingar V. H., Taber S.W., Haydon P. S., Harrison L. T., Kempf S. J., Wieman T. J. (2000):
Vascular damage After Photodynamic Therapy of Solid Tumors: A View and Comparison of Effect in Pre-clinical and Clinical Models at the University of Louisville:
In vivo 14: 93-100

Fingar V.H., Wiemann T.J., Weber-Doak K. (1990):
Role of Thromboxane and Prostacycline Release on Photodynamic Therapy-induced Tumor Destruction.
Cancer Research 50: 2599-2603

Foote C.S. (1991):
Definition of Type I and Type II Photosensitized Oxidation.
Photochemistry and Photobiology 54/5: 659

Gibson S.L., Hilf R. (1983):
Photosensitization of Mitochondrial Cytochrome c Oxidase by Haematoporphyrin Derivate and Related Porphyrins *in Vitro* and *in Vivo*.
Cancer Research 43: 4191-4197

Gibson S.L., Murant R.S., Hilf R. (1988):
Photosensitizing Effect of Haematoporphyrin Derivate and Photofrin II on the Plasma Membrane Enzymes 5'- Nucleotidase, Na⁺K⁺-ATPase, and mg²⁺-ATPase in R3230AC Mammary Adenocarcinomas.
Cancer Research 48: 3360-3366

Glanzmann T., Forrer M., Blant S.A., Woodtli A., Grosjean P., Braichotte D., van den Bergh H., Monnier P., Wagnieres G. (2000):
Pharmacokinetics and pharmacodynamics of tetra(m-hydroxyphenyl)chlorin in the hamster cheek pouch tumor model: comparison with clinical measurements.
Journal of Photochemistry and Photobiology B: Biology 57 : 22-32

Glanzmann T., Hadjur Ch., Zellweger M., Grosjean P., Forrer M., Ballini J.-P., Monnier Ph., van den Bergh H., Lim C.K., Wagnieres G. (1998):

Pharmacokinetics of Tetra(m-hydroxyphenyl)chlorin in Human Plasma and Individualized Light Dosimetry in Photodynamic Therapy.

Photochemistry and Photobiology 67 (5): 596-602

Grant W.E., Speight P.M., MacRobert A.J., Hopper C., Brown S.G. (1994):

Photodynamic therapy of normal rat arteries after photosensitisation using disulfonated aluminium phthalocyanine and 5-aminolaevulinic acid.

British Journal of Cancer 70 (1): 72-8

Grant, W.E., Buonaccorsi G., Speight P.M., MacRobert A.J., Hopper C., Brown S.G.

(1995):

The Effect of Photodynamic Therapy on the Mechanical Integrity of Normal Rabbit Carotid Arteries.

Laryngoscope 105: 867-871

Henderson B.W., Donovan J.M. (1989):

Release of Prostaglandin E from Cells by Photodynamic Treatment in Vitro.

Cancer Research 49: 6896-6900

Hornung R., Jentsch B., Crompton N. E. A., Haller U., Walt H. (1997):

In Vitro Effects and Lokalisation of the Photosensitizers m-THPC and m-THPC MD on Carcinoma Cells of the Human Breast (MCF-7) and Chinese Hamster Fibroblasts (V-79).

Lasers in Surgery and Medicine 20: 443-450

Johnson S. & Johnson F.N. (1999):

Photodynamic Therapy.

Rewies in Contemporary Pharmacotherapy 10 (1)

Jones R.M., Wang Q., Lamb J. H., Djelal B. D., Bonnett R., Lim C. K. (1996):

Identification of photochemical oxidation products of 5,10,12,20-tetra(*m*-hydroxyphenyl)chlorin by on-line high-performance liquid chromatography – electrospray ionization tandem mass spectrometry.

Journal of Chromatography A 722 : 257 – 265

Jori G. (1989):

In vivo transport and pharmacokinetic behavior of tumor photosensitizers. (Abstract)

Ciba Foundation Symposium 146; 78-94

Kelly J.F., Snell M.E., Berenbaum M.C. (1975):

Photodynamic Destruction of Human Bladder Carcinoma.

British Journal of Cancer 31: 237-244

Kessel D. (1999):

Transport and Lokalisation of m-THPC in vitro.

International Journal of Clinical Practice 53 (4): 263-267

Kick G., Messer G., Plewig G. (1996):

Historische Entwicklung der Photodynamischen Therapie.

Hautarzt 47: 644-649

Krammer B. (2001):

Vascular effects of photodynamic therapy.
Anticancer Research 21 : 4271-4277

Kübler A.C. (1999 a):

Die photodynamische Therapie in der Mund-, Kiefer-, Gesichtschirurgie. Untersuchungen zur klinischen Einführung eines neuen, organerhaltenden Tumortherapieverfahrens.
Med. Habilitationsschrift, Universität Heidelberg

Kübler A.C., Haase T., Staff C., Kahle B., Rheinwald M., Muhling J. (1999 b):

Photodynamic therapy of primary nonmelanomatous skin tumors of the head and neck.
Lasers in Surgery and Medicine 25 (1): 60-8

Kübler A.C., Reuther T., Staff C., Haase T., Flechtenmacher C., Benner A., Scheer M., Zillmann U. (2001):

Klinische Wirksamkeit von m-THPC-PEG in einem neuen xenogenen Tumortiermodell für humane Plattenepithelkarzinome.

Mund- Kiefer- Gesichtschirurgie 5: 105-113

Lipson R.L., Baldes E.J., Olsen A.M. (1961):

The Use of a Derivate of Hematoporphyrin in Tumor Detection.
Journal of the National Cancer Institute 26 (1) : 1-11

Lofgren L.A., Ronn A.M., Abramson A.L., Shikowitz M.J., Lee C.J., Batti J., Steinberg B.M. (1994):

Photodynamic Therapy Using *m*-Tetra(Hydroxyphenyl) Chlorin.
Archives of Otolaryngology ; Head and Neck Surgery 120: 1355-1362

Ma L., Moan J., Berg K. (1994):

Evaluation of a new Photosensitizer, *meso-tetra-hydroxyphenyl-chlorin*, for use in Photodynamic Therapy: A Comparison of its Photobiological Properties with those of two other Photosensitizers.

Int. Journal of Cancer 57: 883-888

McMahon K. S., Wieman J. T., Moore P. H., Fingar V. H. (1994):

Effects of Photodynamic Therapy Using Mono-L-aspartyl chlorin *e*₆ on Vessel Construction, Vessel Leakage, and Tumor Response.
Cancer Research 54, 53474-5379

Merrill A., Biel M.D. (1996):

Photodynamic Therapy as an Adjuvant Intraoperative Treatment of Recurrent Head and Neck Carcinomas.
Archives of Otolaryngology ; Head and Neck Surgery 122: 1261-1265

Menezes da Silva F. A., Newman E. L. (1995):

Time-dependent Photodynamic Damage to Blood Vessels: Correlation with Serum Photosensitizer Levels.
Photochemistry and Photobiology 61 (4) : 414-416

Meyer-Betz F. (1913):

Investigations on the biological (photodynamic) action of haematoporphyrin and other derivates of the blood and bile pigments.

Deutsches Archiv für Klinische Medizin 112: 476-503

Milanesi C., Zhou C., Biolo R., Jori G.(1990):

Zn(II)-phthalocyanine as a photodynamic agent for tumours. II. Studies on the mechanism of photosensitized tumour necrosis.

British Journal of Cancer 61: 846-850

Moan J. (1990):

On the diffusion length of singlet oxygen in cells and tissues.

Journal of Photochemistry and Photobiology B: Biology; 6 : 343-347

Moan J., Pettersen E.O., Christensen T. (1979):

The Mechanism of Photodynamic Inactivation of Human Cells in vitro in the Presence of Haematoporphyrin.

British Journal of Cancer 39: 398-407

Morlet L., Vonarx-Coinssmann V., Lenz P., Foulquier M.-T., de Brito L.X., Stewart C., Patrice T. (1995):

Correlation between *meta*(tetrahydroxyphenyl)chlorin (*m*-THPC) biodistribution and photodynamic effects in mice.

Journal of Photochemistry and Photobiology B : Biology 28: 25-32

Mornet, P., Préface

Atlas d` Anatomie Du Lapin (1973)

Masson & Cie, Paris, France

Nelson J.S., Liaw L.H., Orenstein A., Roberts W.G., Berns M.W. (1988):

Mechanisms of Tumour Destruction Following Photodynamic Therapy With Hematoporphyrin Derivate, Chlorin and Phthalocyanine.

Journal of the National Cancer Institute; Vol. 80(20): 1599-1605

Peng Q., Moan J., Ma L.W., Nesland J.M. (1995):

Uptake, lokalisation, and photodynamic effect of meso-tetra(hydroxyphenyl)porphine and its corresponding chlorin in normal and tumor tissues of mice bearing mammary carcinoma.

Cancer Research 55: 2620-2626

Policard A. (1924):

Studies of experimental tumours under Wood´s light.

Comp Rend Soc Biology 91: 1423-1428

Post J. G., te Poele J. A. M., Schuitmaker J. J., Stewart F. A. (1996):

A Comparison of Functional Bladder Damage after intravesical Photodynamic Therapie with three different Photosensitizers.

Photochemistry and Photobiology 63(3): 314-321

Rezzoug H., A' Amar O., Bezdetnaya L., Guillemin F.(1999):

In vivo Pharmacokinetics an Photodynamic Effect of Foscan® (mTHPC) in Tumor Tissue of Mice bearing human colon Adenocarcinoma.

aus: Internet <http://www.photobiology.com/v1/rezzoug/pub.htm>

Rezzoug H., Bezdetnaya L., A' amar O., Merlin J.L., Guillemin F. (1998):

Parameters affecting photodynamic activity of Foscan® or Meta-tetra(hydroxyphenyl)chlorin (mTHPC in vitro and in vivo.

Lasers in Medical Science 13: 119-125

Ris H.-B., Altermatt H.J., Inderbitzi R., Hess R., Nachbur B., Stewart C.M., Wang Q., Lim C.K., Bonnett R., Berenbaum M.C., Althaus U. (1991):

Photodynamic therapy with chlorins for diffuse malignant mesothelioma: initial clinical results.
British Journal of Cancer 64, 1116-1120

Ris H.-B., Altermatt H.J., Nachbur B., Stewart C.M., Wang Q., Lim C.K., Bonnet R., Althaus U. (1993 a):

Effect of Drug-Light Interval on Photodynamic Therapy with meta-Tetrahydroxyphenylchlorin in malignant Mesothelioma.

International Journal of Cancer 53, 141 – 146 (1993)

Ris H.-B., Altermatt H.J., Nachbur B., Stewart C.M., Wang Q., Lim C.K., Bonnett R., Althaus U. (1996):

Intraoperative Photodynamic Therapy With m-Tetrahydroxyphenylchlorin for Chest Malignancies.

Lasers in Surgery and Medicine 18: 39-45

Ris H.-B., Altermatt H.J., Stewart C.M., Schaffner T., Wang Q., Lim C.K., Bonnett R., Althaus U. (1993 b):

Photodynamic Therapy with m-Tetrahydroxyphenylchlorin in vivo: Optimization of the Therapeutic Index.

Int. Journal of Cancer 55, 245-249

Ris H.-B., Giger A., Im Hof V., Mettler D., Stewart C.M., Althaus U., Altermatt H.J. (1997):

Experimental assessment of photodynamic therapy with chlorins for malignant mesothelioma.

European Journal of Cardio-Thoracic Surgery 12; 542-548

Ris H.-B., Li Q., Krüger T., Lim C.K., Reynolds B., Althaus U., Altermatt H.J. (1998):

Photosensitizing Effects of m-Tetrahydroxyphenylchlorin on human tumor xenografts:

Correlation with sensitizer uptake, tumor doubling time and tumor histolgy.

Int. Journal of Cancer 76, 872-874

Romeis

Mikroskopische Technik;

17., neubearbeitete Auflage; (1989)

Herausgeber P. Böck;

Verlag Urban&Schwarzenberg, München-Wien-Baltimore

Ronn A.M., Batti J., Lee C.J., Yoo D., Siegel M.E., Nouri M., Lofgren L.A., Steinberg B.M. (1997):

Comparative Biodistribution of meta-Tetra(hydroxyphenyl)chlorin in multiple Species: Clinical Implications for Photodynamic Therapy.

Lasers in Surgery and Medicine 20: 437-442

Selman S.H., Kreimer-Birnbaum M., Klaung J.E., Goldblatt P.J., Weck R.W., Britton S.L. (1984):

Blood Flow in Transplantable Bladder Tumors Treated with Haematoporphyrin Derivate and Light.

Cancer Research 44, 1924-1927

Schall H.

Krankheiten der Heimtiere: Kaninchen

3., völlig neu bearbeitete und stark erweiterte Auflage (1995)

Herausgeber: K. Gabrisch und P. Zwart

Verlag: Schlütersche, Hannover

Schuller D.E., McCaughan J.S., Roch R.P. (1985):

Photodynamic Therapy in Head and Neck Cancer.

Archives of Otolaryngology 111: 351-355

Specht K.G., Rodgers M.A.J. (1991):

Plasma membrane depolarization and calcium influx during cell injury by photodynamic action.

Biochimica et Biophysica Acta 1070: 60-68

Spikes D.J. (1985) :

The historical development of ideas in application of photosensitized reactions on the health sciences. In Primary photo-processes in biology and medicine.

Hrsg. : Bensasson R.V., Jöri G., Land E.J., Truscott T.G.

Plenum Press New York, London : 209-212

Spikes D.J. (1988):

Photochemotherapy: molecular and cellular processes involved.

Advances in Photochemotherapy, Proc. SPIE Vol. 997: 92-100

Sporn L.A. und Foster T.H. (1992):

Photofrin and light induces microtubule depolymerization in cultured human endothelial cells.

Cancer Research ; 52(12): 3443-3448

Statius van Eps R.G., Adili F., Watkins M.T., Anderson R.R., La Muraglia G.M. (1997):

Photodynamic therapy of extracellular matrix stimulates endothelial cell growth by inactivation of matrix-associated transforming growth factor-beta.

Laboratory Investigation 76 : 257-266

Veenhuizen R.B., Oppelaar H., Ruevekamp M., Schellens J., Dalesio O., Stewart F.A. (1997 a):

Does Tumor Uptake of Foscan determine PDT Efficacy?

Int. Journal of Cancer 73: 236-239

Veenhuizen R.B., Ruevekamp-Helmers M.C., Helmerhorst T.J.K., Kenemans P., Moc?

W.J., Marijnissen J.P.A., Stewart F.A. (1994):

Intraperitoneal photodynamic therapy in the rat: Comparison of toxicity profiles for photofrin and mTHPC.

Int. Journal of Cancer 59: 830-836

Veenhuizen R.B., Ruevekamp M.C., Oppelaar H., Helmerhorst T.J.K., Kenemans P.,

Stewart F.A. (1997 b):

Foscan-mediated Photodynamic Therapy for a peritoneal-cancer Model: Drug distribution and efficacy studies.

Int. Journal of Cancer 73: 230-235

von Tappheimer H., Jesionek A. (1903):

Therapeutic experiments with fluorescent substances.

Münchener Medizinische Wochenschrift 47: 2042-2044

Wagnieres G., Hadjur C., Grosjean P., Braichotte D., Savary J.F., Monnier P., van den

Bergh H. (1998):

Clinical Evaluation of the Cutaneous Phototoxicity of 5,10,15,20-Tetra(m-hydroxyphenyl)chlorin.

Photochemistry and Photobiology 68(3): 382-387

Wan S., Parrish J.A., Anderson R.R., Madden M. (1981):

Transmittance of Nonionizing Radiation in Human Tissues.

Photochemistry and Photobiology 34 : 679-681

Weishaupt K.R., Gomer C.J., Doughtery T.J. (1976):

Identification of Singlet Oxygen as the Cytotoxic Agent in Photo-inactivation of a Murine Tumor.

Cancer Research 36, 2326-2329

West C.M.L., Moore J.V. (1992):

Mechanisms behind the Resistance of Spheroids to Photodynamic Treatment: A Flow Cytometry Study.

Photochemistry and Photobiology 55/3: 425-430

Westerman P., Glanzmann Th., Andrejevic S., Braichotte D. R., Forrer M., Wagnieres G.

A., Monnier Ph., van den Bergh H., Mach J.P., Folli S. (1998):

Long circulating Half-time and high Tumor Selectivity of the Photosensitizer meta-Tetrahydroxyphenylchlorin conjugated to the Polyethylene Glycol in nude Mice grafted with a human colon Carcinoma.

Int. Journal of Cancer 76: 842-850

Whelpton R., Michael-Titus A.T., Jamdar R.P., Abdillahi K., Grahn M.F. (1996):

Distribution and excretion of radiolabelled temoporfin in a murine tumor modell.

Photochemistry and Photobiology 63 : 885-891

Wieman T.J., Doak K.D., Fingar V.H. (1991):

Effects of PDT on cytoskeletal F-actin structures.

Photochemistry and Photobiology 53(s): 96 (S)-97(S)

Yamamoto N., Hoober J.K., Yamamoto N., Yamamoto S. (1992):

Tumoricidal Capacities of Macrophages Photodynamically Activated with Hematoporphyrin Derivate.

Photochemistry and Photobiology 56/2: 245-250