

6. Literaturverzeichnis :

Agüero-Torres H, Fratiglioni L, Guo Z, Viitanen M, von Strauss E, Winblad B.

Dementia is the major cause of functional dependence in the elderly: 3-year follow-up data from a population-based study.

Am J Public Health. 1998 Oct;88(10):1452-6.

Bach M, Hoffmann W, Nikolaus T.

Geriatrisches Basisassembent: Handlungsanleitungen.

MMV Medizin Verlag GmbH München 1997, S. 41 – 46.

Becker G, Kruse A, Tronnier J et al.

Rehabilitation processes and sustainability: first results of a rehabilitation study of geriatric stroke patients.

Z Gerontol Geriatr. 2006 Oct;39(5):365-70.

Bergdahl E, Gustavsson JM, Kallin K et al.

Depression among the oldest old: the Umeå 85+ study.

Int Psychogeriatr. 2005 Dec;17(4):557-75. Epub 2005 Sep 27.

Bleumink GS, Knetsch AM, Sturkenboom MC et al.

Quantifying the heart failure epidemic: prevalence, incidence rate, lifetime risk and prognosis of heart failure The Rotterdam Study.

Eur Heart J. 2004 Sep;25(18):1614-9.

Borchelt M, Kolb G, Lübke N et al.

Abgrenzungskriterien der Geriatrie V1.3. Stand 2004.

Gemeinsame Arbeitsgruppe der Bundesarbeitsgemeinschaft der Klinisch-Geriatriischen Einrichtungen e.V., der Deutschen Gesellschaft für Geriatrie e.V. und der Deutschen Gesellschaft für Gerontologie und Geriatrie e.V.

[Online]. Verfügbar unter: http://www.geriatriedrg.de/Public/Docs/Abgrenzungskriterien_Geriatrie_V13_16-03-04.pdf [13.9.2008].

Borchelt M, Vogel W, Steinhagen-Thiessen E.

The Geriatric Minimum Data Set (Gemidas) of the Federal Association of

Clinical Geriatric Facilities e. V. as an instrument for quality assurance in inpatient geriatrics.

Z Gerontol Geriatr. 1999; 32:11-23.

Boyd CM, Darer J, Boult C, Fried LP, Boult L, Wu AW.

Clinical practice guidelines and quality of care for older patients with multiple comorbid diseases: implications for pay for performance.

JAMA. 2005 Aug 10;294(6):716-24.

Bramlage P, Siepmann M, Kirch W.

Drug interactions in the elderly.

Dtsch Med Wochenschr. 2004 Apr 16;129(16):895-900.

Brown CJ, Friedkin RJ, Inouye SK.

Prevalence and outcomes of low mobility in hospitalized older patients.

J Am Geriatr Soc. 2004 Aug;52(8):1263-70.

Bruder J, Lucke C, Schramm A, Tews HP, Werner H.

Was ist Geriatrie?

Expertenkommission der Dt. Gesell. F. Geriatrie und der Dt. Gesell. F.

Gerontologie und Geriatrie zur Definition des Faches Geriatrie

Rüggheim, 3.überarbeitete Nachdruck, 1994

Campion EW.

The oldest old.

N Engl J Med. 1994; 330:1819-20.

Chassagne P, Landrin I, Neveu C et al.

Fecal incontinence in the institutionalized elderly: incidence, risk factors, and prognosis.

Am J Med. 1999 Feb;106(2):185-90.

Clausen G, Lucke C.

Effectiveness and efficiency of stationary geriatric treatment of old and very old patients.

Z Gerontol Geriatr. 2004; 37:37-42 .

Cohen HJ, Feussner JR, Weinberger M et al.

A controlled trial of inpatient and outpatient geriatric evaluation and management.

N Engl J Med. 2002; 346:905-12.

Crum RM, Anthony JC, Bassett SS, Folstein MF.

Population-based norms for the Mini-Mental State Examination by age and educational level.

JAMA. 1993 May 12;269(18):2386-91.

Cummings JL.

Alzheimer's disease.

N Engl J Med. 2004 Jul 1;351(1):56-67.

Dargent-Molina P, Favier F, Grandjean H et al.

Fall-related factors and risk of hip fracture: the EPIDOS prospective study.

Lancet. 1996 Jul 20;348(9021):145-9.

Engel GL.

The need for a new medical model: A challenge for biomedicine.
Science 1977, 196:129-136.

Field TS, Gurwitz JH, Harrold LR et al.

Risk factors for adverse drug events among older adults in the ambulatory setting.
J Am Geriatric Society 2004 52:1349 – 1354.

Fine MJ, Auble TE, Yealy DM et al.

A prediction rule to identify low-risk patients with community-acquired pneumonia.
N Engl J Med. 1997 Jan 23;336(4):243-50.

Folstein MF, Folstein SE, Mc Hugh PR.

„Mini Mental State“: a practical method for grading the cognitive status of patients for the clinician.

J Psychiatr Res 1975; 12: 189-198.

Fried LP, Tangen CM, Walston J et al.

Frailty in older adults: evidence for a phenotype.
J Gerontol A Biol Sci Med Sci. 2001 Mar;56(3):M146-56.

Fries JF.

Ageing, natural death, and the compression of morbidity.
N Engl J Med. 1980 Jul 17;303(3):130-5.

Garms-Homolová

Prävention bei Hochbetagten.

In Kuhlmeier und Schaeffer (Hrsg.), Alter, Gesundheit und Krankheit.

1. Auflage 2008, Bern. Verlag: Hans Huber, S.263 – 275

Goepel M, Schwenger T, May P, Sökeland J, Michel MC.

Harninkontinenz im Alter.

Dt Ärzteblatt 2002; 40: 2230-2236.

Harlacher R, Pientka L, Füsgen I.

Geriatric assessment-description of functional deficits and follow-up assessment of elderly stroke patients.

Z Gerontol Geriatr. 1999; 32:200-6.

Hofmann W, Nikolaus T, Pientka L, Stuck AE.

The "Geriatric Assessment" Study Group (AGAST): recommendations for the use of assessment procedures.

Z Gerontol Geriatr. 1995 Jan-Feb;28(1):29-34.

Howieson DB, Camicioli R, Quinn J et al.

Natural history of cognitive decline in the old old.
Neurology. 2003 May 13;60(9):1489-94.

Hutchinson SG, Tarrant J, Severs MR.

An inpatient bed for acute nursing home admissions.
Age Ageing. 1998 Mar;27(2):95-8.

Igl G.

Legal aspects of quality assurance in medicine according to SGB V.
Z Gerontol Geriatr. 1999; 32:3-10.

Inouye SK, Peduzzi PN, Robison JT, Hughes JS, Horwitz RI, Concato J

Importance of functional measures in predicting mortality among older hospitalised patients.
JAMA. 1998 Apr 15;279(15):1187-93.

Kannus P, Niemi S, Parkkari J, Palvanen M, Vuori I, Järvinen M.

Hip fractures in Finland between 1970 and 1997 and predictions for the future.
Lancet. 1999 Mar 6;353(9155):802-5.

Kannus P, Palvanen M, Niemi S.

Time trends in severe head injuries among elderly Finns.
JAMA. 2001 Aug 8;286(6):673-4.

Katz S.

Assessing self-maintenance: activities of daily living, mobility, and instrumental activities of daily living.
J Am Geriatr Soc. 1983 Dec;31(12):721-7.

KCG - Kompetenz-Centrum Geriatrie

Assessmentinstrumente in der Geriatrie
[Online]. Verfügbar unter: http://www.kcgeriatrie.de/assessment_3.htm [15.8.2008]

Knecht S.

Neurologie-Demenzen –Überblick.
In Raem AM, Fenger H, Kolb GF, Nikolaus TH, Pientla L, Rychlik R, Vömel Th. (Hrsg.), *Handbuch Geriatrie-Lehrbuch für Praxis und Klinik*
1. Auflage 2005. Deutsche Krankenhaus Verlagsgesellschaft mbH, S.701 – 711

Kolip P.

Geschlechtsspezifische Befunde zur Morbidität und Mortalität.
In: F.W. Schwartz, B.Badura, R.Leidl & J.Siegrist (Hrsg.),
Das Public Health Buch. Gesundheit und Gesundheitswesen
1. Auflage 1998, München/Wien/Baltimore: Urban&Schwarzenberger, S.506 – 516

Lachs MS, Feinstein AR, Cooney LM Jr et al.

A simple procedure for general screening for functional disability in elderly patients.
Ann Intern Med. 1990 May 1;112(9):699-706.

LAGHT- Länderarbeitsgemeinschaft Hessen-Thüringen

Qualitätssicherung in der Geriatrie.

Bundesarbeitsgemeinschaft der Klinisch-Geriatriischen Einrichtungen e.V.

Broschierte 3.Auflage, 2005

Landefeld CS, Palmer RM, Kresevic DM, Fortinsky RH, Kowal J.

A randomized trial of care in a hospital medical unit especially designed to improve the functional outcomes of acutely ill older patients.

N Engl J Med. 1995; 332:1338-44.

Lawton MP, Brody EM.

Assessment of older people: self-maintaining and instrumental activities of daily living.

Gerontologist. 1969 Autumn;9(3):179-86.

Leischker A.H., Kolb G.F.

Diagnostic and treatment goals in elderly patients.

Internist 2007; 48:1195-1205.

Leistner K, Meier-Baumgartner HP, Pientka L.

Hamburg Declaration.

Z Gerontol Geriatr. 2002; 35:50-3.

Linden T, Blomstrand C, Skoog I.

Depressive disorders after 20 months in elderly stroke patients: a case-control study.

Stroke. 2007 Jun;38(6):1860-3.

Little R, Rubin D

Statistical Analysis with Missing Data

2. Ausgabe 2002; Wiley-Interscience

Loos S, Borchelt M, Steinhagen-Thiessen E.

Struktur-, Prozess- und Ergebnisqualität in der stationären Geriatrie. Gemeinsames Projekt von BAG und DFG-Graduiertenkolleg.

Z Gerontol Geriatr. 2000 33(4):334-337.

Loos S, Plate A, Dapp U et al.

Geriatric care in Germany-results of an empirical study.

Z Gerontol Geriatr. 2001; 34:61-73.

Lübke N.

Documentation and quality assurance in clinical routine.
Z Arztl Fortbild Qualitatssich. 2000 Mar;94(2):101-6.

Lübke N.

Referral and management in geriatrics and geriatric rehabilitation with special reference to medical case fee schedules and diagnosis related groups (DRGs).
Z Gerontol Geriatr. 2001 May;34 Suppl 1:63-9.

Lübke N.

Required competence in geriatrics in the view of the Competence Center for Geriatrics.
Z Gerontol Geriatr. 2005 Sep;38 Suppl 1:134-9.

Lübke N, Meinck M, Renteln-Kruse W von.

The Barthel Index in geriatrics. A context analysis for the Hamburg Classification Manual.
Z Gerontol Geriatr. 2004 Aug;37(4):316-26.

Lyness JM, Cox C, Curry J, Conwell Y, King DA, Caine ED.

Older age and the underreporting of depressive symptoms..
J Am Geriatr Soc. 1995 Mar;43(3):216-21.

Magaziner J, Fredman L, Hawkes W et al.

Changes in functional status attributable to hip fracture: a comparison of hip fracture patients to community-dwelling aged.
Am J Epidemiol. 2003 Jun 1;157(11):1023-31.

Mahoney FI, Barthel DW

Functional evaluation: The Barthel Index.
Md. Med J. 1965; 14:61-65.

Maslow K.

Dementia and serious coexisting medical conditions: a double whammy.
Nurs Clin North Am. 2004 Sep;39(3):561-79.

Mc Gee A, Johnson AL, Kay DWK.

MRC CFAS Analysis subcommittee
The description of activities of daily living in five centres in England and Wales.
Age Ageing 1998; 27:605-613.

MDS - Medizinischer Dienst der Spitzenverbände der Krankenkassen e.V.

Richtlinien der Spitzenverbände der Pflegekassen zur Begutachtung von Pflegebedürftigkeit nach dem XI. Buch des Sozialgesetzbuches 2006
veröffentlicht vom MDS, Essen. August 2006, S. 131.

Mehta KM, Yaffe K, Covinsky KE.

Cognitive impairment, depressive symptoms, and functional decline in older people.
J Am Geriatr Soc. 2002 Jun;50(6):1045-50.

Meier –Baumgartner HP.

Geriatrische Rehabilitation im Krankenhaus.
Quelle & Meyer Verlag, Heidelberg Wiesbaden 1991

Nikolaus T.

Klinische Geriatrie
1.Auflage 2000, Berlin Springer Verlag, S.106

Nikolaus T.

Geriatric assessment. The status of current knowledge with reference to suitability criteria (discrimination, prediction, evaluation, practical aspects).
Z Gerontol Geriatr. 2001; 34 Suppl.1:36-42.

Nikolaus T.

Scientific evidence in geriatrics and gerontology.
Z Gerontol Geriatr. 2004 Dec;37(6):425-6.

Pick P, Brügemann J, Grote D, Grünhagen E, Lampert T.

Pflege. Schwerpunktbericht der Gesundheitsberichterstattung des Bundes.
Robert-Koch-Institut (RKI) (Hrsg.), Berlin 2004.

Plate A, Loos S, Schölkopf M.

Der Stellenwert der klinischen Geriatrie in der stationären Versorgung.
Eine quantitative Bewertung der Kapazitäten in Krankenhäusern und
Rehabilitationseinrichtungen.
Sozialer Fortschritt 2002; 9:223-227.

Podsiadlo D, Richardson S.

The timed "up&go": a test of basic functional mobility for frail elderly persons.
J Am Geriatr Soc 1991; 39: 142-148.

Renteln-Kruse W. von

Letter to the editor on the article "The Minimal Geriatric Data Set of BAG of the Clinical-Geriatric Establishment as instrument of Stationary Geriatrics" by M. Bochert et al.
Gerontologie Geriatrie 32;11-23]
Z Gerontol Geriatr. 1999 Dec;32(6):475-8.

Renteln-Kruse W. von

Epidemiological aspects of morbidity in the elderly.
Z Gerontol Geriatr. 2001; 34 Suppl 1.

Renteln-Kruse W von, Ebert D.

Characteristics of hospitalized geriatric patients--a comparison of two cohorts using the screening of the Arbeitsgemeinschaft Geriatrisches Basisassessment (AGAST).
Z Gerontol Geriatr. 2003 Jun;36(3):223-32.

Rockwood K, Stadnyk K, MacKnight C, McDowell I, Hébert R, Hogan DB.

A brief clinical instrument to classify frailty in elderly people.
Lancet. 1999 Jan 16;353(9148):205-6.

Rozzini R, Frisoni GB, Franzoni S, Trabucchi M.

Change in functional status during hospitalization in older adults: a geriatric concept of frailty.
J Am Geriatr Soc. 2000 Aug;48(8):1024-5.

Rubenstein LZ, Campbell LJ, Kane RL

Geriatric assessment.
Clin. Geriatric Medicine 1987; 3: 131 – 1.

Rubenstein LZ, Josephson KR, Wieland GD, English PA, Sayre JA, Kane RL.

Effectiveness of a geriatric evaluation unit. A randomized clinical trial.
N Engl J Med. 1984; 27:1664-70.

Saltvedt I, Mo ES, Fayers P, Kaasa S, Sletvold O.

Reduced mortality in treating acutely sick, frail older patients in a geriatric evaluation and management unit. A prospective randomized trial.
J Am Geriatr Soc. 2002 May;50(5):792-8.

Sauvaget C, Yamada M, Fujiwara S, Sasaki H, Mimori Y.

Dementia as a predictor of functional disability: a four-year follow-up study.
Gerontology. 2002 Jul-Aug;48(4):226-33.

Schick J, Kalvari H-P, Roeder N.

Strategische Auswirkungen der DRGs auf die Akutgeriatrie.
In Raem AM, Fenger H, Kolb GF, Nikolaus TH, Pientla L, Rychlik R, Vömel Th. (Hrsg.), Handbuch Geriatrie-Lehrbuch für Praxis und Klinik
1. Auflage 2005, Deutsche Krankenhaus Verlagsgesellschaft mbH, S.1493 – 1499

Schneekloth U.

Hilfe- und Pflegebedürftige in Alteneinrichtungen 2005.
Schnellbericht zur Repräsentativerhebung im Forschungsprojekt „Möglichkeiten und Grenzen selbstständiger Lebensführung in Einrichtungen“
Im Auftrag des Bundesministeriums für Familie, Senioren Frauen und Jugend München 2006

Schulz RJ, Kurtal H, Steinhagen-Thiessen E.

Rehabilitative Versorgung alter Menschen
In Kuhlmei und Schaeffer (Hrsg.), Alter, Gesundheit und Krankheit
1. Auflage 2008, Bern. Verlag: Hans Huber, S.334 – 352.

Schulte S.

Statistische Krankenhausdaten: Diagnosedaten der Krankenhauspatienten 2003.
In: Klauber J, Robra BP, Schellschmidt H (Hrsg.)
Krankenhaus-Report 2005. Schwerpunkt: Wege zur Integration
1. Auflage 2006, Stuttgart New York. Verlag: Schattauer, S.265 – 295.

Sheikh JI, Yesavage JA.

Geriatric Depression Scale (GDS):
Recent evidence and development of a shorter version.
In: Brink TL. (ed.):ClinicalGerontology: A guide to assessment and interventions.
New York: Haworth Press 1986

Shumway-Cook A, Brauer S, Woollacott M.

Predicting the probability for falls in community-dwelling older adults using the Timed Up & Go Test.
Phys Ther. 2000 Sep;80(9):896-903.

Sieber CC.

The elderly patient-who is that?
Internist 2007; 48:1192-4.

Specht-Leible N, Bender M, Oster P.

Causes for in-hospital treatment of nursing home residents.
Z Gerontol Geriatr. 2003 Aug;36(4):274-9.

Spinewine A, Schmader KE, Barber N et al.

Appropriate prescribing in elderly people: how well can it be measured and optimised?,
Lancet. 2007 Jul 14;370(9582):173-84.

Stähelin HB.

The research course in geriatrics at the Robert Bosch Foundation--new scientific geriatric academicians from a German vie.
Z Gerontol Geriatr. 2005; 38 Suppl 1:140-4.

Statistisches Bundesamt

Bevölkerung Deutschlands bis 2050
Statistisches Bundesamt Wiesbaden, Presseexemplar, November 2006

Statistisches Bundesamt a

Bevölkerung.

[Online] verfügbar unter http://www.destatis.de/themen/d/thm_bevoelk.php
[21.12.2007]

Statistisches Bundesamt b

*Pflegestatistik 2005. Pflege im Rahmen der Pflegeversicherung.
Deutschlandergebnisse.
Statistisches Bundesamt Wiesbaden, Ausgabe 2007*

Statistisches Bundesamt c

*Gesundheitswesen. Fallpauschalenbezogene Krankenhausstatistik (DRG-Statistik). Diagnosen
und Prozeduren der vollstationären Patienten und Patientinnen in Krankenhäusern
(Fachserie 12, Reihe 6.4.) Ausgabe 2007*
[Online] verfügbar unter <http://www.destatis.de/jetspeed/portal/search/results.psml>
[27.11.2008]

Statistisches Bundesamt d

*Ergebnisse der Todesursachenstatistik für Deutschland –
Ausführliche vierstellige ICD 10-Klassifikation 2007*
[Online] verfügbar unter <http://www.destatis.de/jetspeed/portal/search/results.psml>
[27.11.2008]

Statistisches Bundesamt

*Demografischer Wandel in Deutschland. Heft 2.
Auswirkungen auf Krankenhausbehandlungen und Pflegebedürftige
Statistisches Bundesamt, Wiesbaden 2008*

Steel K.

*Iatrogenic disease on a medical service.
J Am Geriatr Soc. 1984 Jun;32(6):445-9.*

Steinhagen-Thiessen E, Hamel G, Lüttje D, Oster P, Plate A, Vogel W.

*Geriatrics-quo vadis? The system of geriatric care.
Z Gerontol Geriatr. 2003 Oct;36(5):366-77.*

Steinhagen-Thiessen E, Borchelt M.

*Morbidität, Medikation und Funktionalität im Alter
In: Mayer, U.K., Baltes, P.B. (Hrsg.)
Die Berliner Altersstudie: das höhere Alter in interdisziplinärer Perspektive
1. Auflage 1996, Berlin, Akademie Verlag, S.151-184.*

Stuck AE, Siu AL, Wieland GD, Adams J, Rubenstein LZ.

*Comprehensive geriatric assessment: a meta-analysis of controlled trials.
Lancet 1993; 342:1032-6.*

Thiesemann R.

Documentation procedures in geriatrics--on unreliability of routinely gathered clinic data.
Z Gerontol Geriatr. 1999 Feb;32(1):29-32.

Tilling K, Sterne JA, Rudd AG, Glass TA, Wityk RJ, Wolfe CD.

A new method for predicting recovery after stroke.
Stroke. 2001 Dec 1;32(12):2867-73.

Tinetti ME.

Performance-oriented assessment of mobility problems in elderly patients.
J Am Geriatr Soc. 1986 Feb;34(2):119-26.

Trilling JS, Tanvir N.

Selections from current literature: falls in the elderly.
Fam Pract. 1995 Dec;12(4):482-5.

Trögner J, Tümena T, Schramm A, Heinrich R, Sieber C; GiB-DAT-Gruppe.

Geriatrics in Bavaria-Database (GiB-DAT): Conception, structure and results of implementation (part I).
Z Gerontol Geriatr. 2006; 39:126-33.

Trögner J, Tümena T, Schramm A, Heinrich R, Sieber C; GiB-DAT-Gruppe.

Geriatrics in Bavaria-Database (GiB-DAT): Basic data analysis of geriatric rehabilitation in Bavaria and analysis of inter-clinic variability (part II).
Z Gerontol Geriatr. 2006; 39:134-42.

Trögner J, Siegel NR.

Comment on the article: "Geriatric treatment in the hospital? Medical, legal and economic aspects" by G. Plute and W. Vogel.
Z Gerontol Geriatr. 2008 Apr;41(2):146-7.

Vestergaard P, Rejnmark L, Mosekilde L.

Has mortality after a hip fracture increased?
J Am Geriatr Soc. 2007 Nov;55(11):1720-6.

Vilches A, Suman A.

Awareness of over-the-counter drug use by elderly patients. A hospital-based questionnaire survey.
Age Ageing. 2004 Mar;33(2):205-6.

Warshaw GA, Bragg EJ, Fried LP, Hall WJ.

Which patients benefit the most from a geriatrician's care? Consensus among directors of geriatrics academic programs.
J Am Geriatr Soc. 2008 Oct;56(10):1796-801.

Wehling M.

Drug therapy in the elderly: too much or too little, what to do? A new assessment system: fit for the aged (FORTA.)

Dtsch Med Wochenschr. 2008 Oct;133(44):2289-91. Epub 2008 Oct 22.

Weingärtner S, Misselwitz B, Münglich G, Stillger R, Ullrich A.

Qualitätssicherung – Schlaganfall Geriatrie, Diabetologie, Hessen 2001 – 2002

1. Auflage 2002, Frankfurt Bockenheim, VAS Verlag für Akademische Schriften

Wettstein A, Conzelmann M, Heiß HW.

Kognitives Assessment.

in Wettstein A, Conzelmann M, Heiß HW (Hrsg.) Checkliste Geriatrie

2.Auflage 2001 Stuttgart New York, Georg Thieme Verlag, S. 86.

Weyerer S.

Altersdemenz. Gesundheitsberichterstattung des Bundes. Heft 28.

Robert-Koch-Institut (RKI) (Hrsg.), Berlin 2005

Winter MH, Maaz A, Kuhlmeier A.

Outpatient and inpatient medical care of the elderly

Bundesgesundheitsblatt Gesundheitsforschung 2006 Jun;49(6):575-82.

Wiesemann A, Engeser P, Reichert K, Molien P, Schach S, Scheidt R.

Versorgungsqualität von Patienten nach Schlaganfallrehabilitation:

Hausärztliche Schlaganfallnachsorgestudie Nordbaden (HANS)

Gesundheitswesen 2004; 66: 29- 36.

Wurm S, Tesch-Römer C, Clemens G.

Gesundheit, Hilfsbedarf und Versorgung

In C.Tesch-Römer, H. Engstler und S. Wurm (Hrsg.)

Altwerden in Deutschland. Sozialer Wandel und individuelle Entwicklung in der zweiten Lebenshälfte.

1. Auflage 2006, Wiesbaden, VS-Verlag