

VI LITERATURVERZEICHNIS

ABRAMS-OGG, A.C.G., KRUTH, S.A., CARTER, R.F., VALLI, V.E., KAMEL-REID, S. und DUBÉ, I.D. (1993)

Preparation and transfusion of canine platelet concentrates.

Am. J. Vet. Res. 54, 635-642

ÅKERBLOM, O. und KREUGER, A. (1975)

Studies on Citrate-Phosphate-Dextrose (CPD) blood supplemented with adenine.

Vox Sang. 29, 90-100

ANDREWS, G.A., CHAVEY, P.S. und SMITH, J.E. (1992)

Production, characterization and application of a murine monoclonal antibody to dog erythrocyte antigen 1.1.

J. Am. Vet. Med. Assoc. 201, 1549-1552

ANSTALL, H.R., GROVE-RASMUSSEN, M. und SHAW, R.S. (1961)

Optimal conditions for storage of fresh frozen plasma.

Transfusion 1, 87-93

AOKI, S.K. und HOLLAND, P.V. (1989)

Lyme-disease-another transfusion risk?

Transfusion 29, 646-649

ARNOW, P.M., WEISS, L.M., WEIL, D. und ROSEN, N.R. (1986)

Escherichia coli sepsis from contaminated platelet transfusion.

Arch. Intern. Med. 146, 321-324

AUTHEMENT, J.M. (1991)

Preparation of components.

In: Advances in Veterinary Science and Comparative Medicine, 36, 171-185

AUTHEMENT, J.M. (1992)

Blood transfusion therapy.

In: DI BARTOLA (Hrgb.): Fluid therapy in Small Animal Practice, 371-383

AUTHEMENT, J.M., WOLFSHEIMER, K.J. und CATCHINGS, S. (1987)

Canine blood component therapy: Product preparation, storage, and administration.

J. Am. Anim. Hosp. Assoc. 23, 483-493

BADON, S.J., FISTER, R.D. und CABLE, R.G. (1989)

Survival of Borrelia burgdorferi in blood products.

Transfusion 29, 581-583

- BARNETTE, R.E., FISH, D.J. und EISENSTAEDT, R.S. (1990)
Modification of fresh-frozen plasma transfusion practices through educational intervention.
Transfusion 30, 253-257
- BARRETT, B.B., ANDERSEN, J.W. und ANDERSON, K.C. (1993)
Strategies for the avoidance of bacterial contamination of blood products.
Transfusion 33, 228-233
- BELL, K. (1983)
The blood groups of domestic animals.
In: AGAR, A.S. und BOARD, P.G. (Hrsg.): Red blood cells of domestic mammals.
Amsterdam, Elsevier Science Publishers, 133-164
- BEUTLER, E. und WEST, C. (1979)
The storage of hard-packed red blood cells in Citrate-Phosphate-Dextrose (CPD) and
CPD-Adenine (CPDA-1).
Blood 54, 280-284
- BEUTLER, E. und WOOD, L. (1969)
The in vivo regeneration of red cell 2,3 diphosphoglyceric acid (DPG) after transfusion of stored blood.
J. Lab. Clin. Med. 74, 300-304
- BEUTLER, E., MEUL, A. und WOOD, L. A. (1969)
Depletion and regeneration of 2,3-diphosphoglyceric acid in stored red blood cells.
Transfusion 9, 109-114
- BICK, R.L. (1995)
Disseminated intravascular coagulation: objective criteria for clinical and laboratory diagnosis and assessment of therapeutic response.
Clin. Appl. Thrombosis/Hemostasis 1, 3-23
- BLAJCHMAN, M.A., THORNLEY, J.H., RICHARDSON, H., ELDER, D., SPIAK, C. und
RACHER, J. (1979)
Platelet transfusion-induced *Serratia marcescens* sepsis due to vacuum tube contamination.
Transfusion 19, 39-44
- BLISS, J.Q., JOHNS, D.G. und BURGEN, A.S.V. (1959)
Transfusion reactions due to plasma incompatibility in dogs.
Circ. Res. 7, 79-85

BLUMBERG, N. und HEAL, J.M. (1989)

Transfusion and recipient immune function.

Arch. Pathol. Lab. Med. 113, 246-253

BLUMBERG, N., LACZIN, J., MC MICAN, A., HEAL, J. und ARVAN, D. (1986)

A critical survey of fresh-frozen plasma use.

Transfusion 26, 511-513

BRAINE, H.G., KICKLER, T.S., CHARACHE, P., NESS, P.M., DAVIS, J., REICHART, C. und FULLER, A.K. (1986)

Bacterial sepsis secondary to platelet transfusion: an adverse effect of extended storage.

Transfusion 26, 391-393

BOWDLER, A.J., BULL, R.W., SLATING, R. und SWISHER, S.N. (1971)

„Tr“ a canine red cell antigen related to the „A“ Antigen on human red cells.

Vox Sang. 20, 542-554

BRECHER, M.E. und TASWELL, H.F. (1991)

Hemolytic transfusion reactions.

In: ROSSI, C.E.; SIMON, T.L. u. MOSS, G.S. (Hrgb.): Principles of Transfusion Medicine. Baltimore, Williams & Wilkins, 619-622

BROOKS, M. (1990a)

Transfusion Medicine, Part I

Proc. 8th ACVIM Forum, Washington, 77-80

BROOKS, M. (1990b)

Transfusion Medicine, Part II

Proc. 8th ACVIM Forum, Washington, 81-84

BROOKS, M. (1992)

Management of canine von Willebrand´s disease.

Problems in Veterinary Medicine. Transfusion Medicine 4, 636-646

BROOKS, M. (1996)

Emergency management of canine von Willebrand´s disease.

Proc. 14th ACVIM Forum, San Antonio, TX, 1996

BRUBAKER, D.B. (1990)

Clinical significance of white cell antibodies in febrile nonhemolytic transfusion reactions.

Transfusion 30, 733-737

BRUNSON, M.E. und ALEXANDER, J.W. (1990)

Mechanisms of transfusion-induced immunosuppression.

Transfusion 30, 651-658

BUCHHOLZ, D.H., YOUNG, V.M., FRIEDMAN, N.R., REILLY, J.A. und MARDINEY, M.R. (1971)

Bacterial proliferation in platelet products stored at room temperature.

New Engl. J. Med. 285, 429-433

BUCHHOLZ, D.H., YOUNG, V.M., FRIEDMAN, N.R., REILLY, J.A. und MARDINEY, M.R. (1973)

Detection and quantitation of bacteria in platelet products stored at ambient temperature.

Transfusion 13, 268-275

BÜCHELER, J. und COTTER, S.M. (1992)

Outpatient blood donor program.

In: HOHENHAUS, A. (Hrgb.): Problems in Veterinary Medicine, Transfusion Medicine, 4, 572-581

BÜCHELER, J. und COTTER, S.M. (1994)

Storage of feline and canine whole blood in CPDA-1 and determination of the post-transfusion viability.

J. Vet. Intern. Med. 8, 172

BUENING, G.M. (1981)

Transfusions.

In: BOJRAB, M.J. (Hrgb.): Pathophysiology in small animal surgery, Lea & Febiger, Philadelphia, 478-482

BÜNTE, S. und LUDWIG, W.D. (1994)

Rationale Substitution mit Blut- und Blutbestandteilkonserven.

Dtsch. Med. Wschr. 119, 1555-1561

BULL, R.W. (1982)

Antigens, graft rejections, and transfusions.

J. Am. Vet. Med. Assoc. 181, 1115-1119

BULL, R.W. (1989)

Animal blood groups; and you thought people were complex or Dr. Doolittle's friends may not be your type.

In: WESTPHAL, R.G. und SMITH, J.E. (Hrgb.): AABB – Technical workshop on veterinary transfusion medicine

BUNDESÄRZTEKAMMER (1995)

Leitlinien zur Therapie mit Blutkomponenten und Plasmaderivaten.
Vorstand und Wissenschaftlicher Beirat der Bundesärztekammer (Hrsg.), Deutscher
Ärzte-Verlag

BUNN, H.F. und BRIEHL, R.W. (1970)

The interaction of 2,3-diphosphoglycerate with various human hemoglobins.
J. Clin. Invest. 49, 1088-1092

BYARS, T.D. und DIVERS, T.J. (1981)

Clinical use of blood transfusions.
Calif. Vet. 1, 14-16

CALHOUN, L. (1986)

The infusion of blood and blood components, Practical aspects of blood administration.
In: REYNOLDS, A.W. und STECKLER, D. (Hrgb.): American Association of Blood Banks, Arlington, VA, 44

CALLAN, M.B. und GIGER, U. (1996)

Bleeding caused by platelet dysfunction in dogs.
Proc. 14th ACVIM Forum, San Antonio, TX, 37-39

CALLAN, M.B., JONES, L.T. und GIGER, U. (1995)

Hemolytic transfusion reactions in a dog with an alloantibody to a common antigen.
J. Vet. Intern. Med. 9, 277-279

CALLAN, M.B., OAKLEY, D.A., SHOFER, F.S. und GIGER, U. (1996)

Canine red blood cell transfusion practice.
J. Am. Anim. Hosp. Assoc. 32, 303-311

CAPON, S.M. und GOLDFINGER, D. (1995)

Acute hemolytic transfusion reaction, a paradigm of the systemic inflammatory response: new insights into pathophysiology and treatment.
Transfusion 35, 513-520

CAPON, S.M. und SACHER, R.A. (1989)

Hemolytic transfusion reactions: A review of mechanisms, sequelae, and management.
J. Intensive Care Med. 4, 100-110

CHANUTIN, A. und CURNISH, R.R. (1967)

Effect of organic and inorganic phosphates on the oxygen equilibrium of human erythrocytes.
Arch. Biochem. Biophys. 121, 96-102

- CHING, Y.N.L.H., MEYERS, K.M., BRASSARD, J.A. und WARDROP, K.J. (1994)
Effect of cryoprecipitate and plasma von Willebrand factor multimers and
bleeding time in doberman pinschers with type-I von Willebrand's disease.
Am. J. Vet. Res. 55, 102-110
- CHRISTIAN, R.M., ERVIN, D.M., SWISHER, S.N., O'BRIEN, W.A. und YOUNG, L.E.
(1949)
Hemolytic anemia in newborn dogs due to absorption of isoantibody from breast milk
during the first day of life.
Science, 110, 443-447
- CHRISTIAN, R.M., ERVIN, D.M. und YOUNG, L.E. (1951a)
Observations on the in vitro behaviour of dogs isoantibodies.
J. Immunol. 66, 37-49
- CHRISTIAN, R.M., STEWART, W.B., YUILE, C.L., ERVIN, D.M. und YOUNG, L.E.
(1951b)
Limitation of hemolysis in experimental transfusion reactions related to depletion of
complement and isoantibody in the recipient.
Blood 6, 142-145
- CIAVARELLA, D. und SNYDER, E. (1988)
Clinical use of blood transfusion devices.
Transfusion Medicine Reviews 2, 95-97
- CLARK, C.H. und WOODLEY, C.H. (1959a)
The absorption of red blood cells after parenteral injection at various sites.
Am. J. Vet. Res. 20, 1062-1066
- CLARK, C.H. und WOODLEY, C.H. (1959b)
The effects of certain diseases and transfusion methods on the life span of red blood
cells.
Am. J. Vet. Res. 20, 1069-1071
- CLEMMONS, R.M., BLISS, E.L. und BORSEY-LEE, M.R. (1983)
Platelet function, size and yield in whole blood and in platelet rich plasma prepared
using different centrifugation force and time in domestic and food producing animals.
Thromb. Haemost. 50, 838-843
- COHN, E.J. (1947)
The separation of blood into fractions of therapeutic value.
Ann. Intern. Med. 26, 341-352

- COLLING, D. T. und SAISON, R. (1980a)
Canine blood groups. 1. Description of new erythrocyte specificities.
Anim. Blood Groups Biochem. Genet. 11, 1-12
- COLLING, D. T. und SAISON, R. (1980b)
Canine blood groups. 2. Description of new allele in the Tr blood group system.
Anim. Blood Groups Biochem. Genet. 11, 13-20
- COLLINS, J.A. (1980)
Abnormal hemoglobin-oxygen affinity and surgical hemotherapy.
Bibl. Haematol. 46, 59-69
- COOPER, N., BRAZIER, J.R., HOTTENROTT, C., MULDER, D.G., MALONEY, J.V. und BUCKBERG, G.D. (1973)
Myocardial depression following citrated blood transfusion. – An avoidable complication.
Arch. Surg. 107, 756-763
- CORLEY, E.A. (1963)
Intramedullary transfusion in small animals.
J. Am. Vet. Med. Assoc. 142, 1005-1006
- COTTER, S.M. (1988a)
Blood banking I – Collection and storage
Proc. 6th ACVIM Forum, 45-47
- COTTER, S.M. (1988b)
Blood banking II – Indications and side effects.
Proc. 6th ACVIM Forum, 48-50
- COTTER, S.M. (1991a)
History of transfusion medicine.
In: COTTER, S.M. (Hrgb.): Comparative Transfusion Medicine. Advances in Veterinary Science and Comparative Medicine. 36, San Diego, CA, Academic Press, 1-8
- COTTER, S.M. (1991b)
Clinical transfusion medicine.
In: COTTER, S.M. (Hrgb.): Comparative Transfusion Medicine. Advances in Veterinary Science and Comparative Medicine. 36, San Diego, CA, Academic Press, 188-195
- COTTER, S.M. (1996)
Emergency management of autoimmune hemolytic anemia.
Proc. 14th ACVIM Forum, San Antonio, TX, 40-41

COUNCIL OF EUROPE (1995)

Empfehlungen des Europarates und der Weltgesundheitsorganisationen zu Blut und Blutzubereitungen.
Bundesanzeiger Verlag, Köln

CROWELL, W.A., FINCO, D.R., RAWLINGS, C.A. (1987)

Lesions in dogs following renal transplantation and immunosuppression
Vet. Pathol. 24, 124-128

CROWLEY, J.P., METZGER, J., PIVACEK, L. (1988)

Effects of plasma administration on gram negative shock in granulocytopenic dogs.
Circ. Shock 26, 287-295

CRYSTAL, M.A. und COTTER, S.M. (1992)

Acute hemorrhage: A hematologic emergency in dogs.
Cont. Educ. Pract. Vet. 14, 60-67

CUSCHIERI, A., CUMMING, J.R.G. und MEEHAN, S.E. (1983)

Treatment of acute pancreatitis with fresh frozen plasma.
Br. J. Surg. 70, 710-712

DAVENPORT, D.J. (1990)

Canine von Willebrand's disease: A review and update.
Proceedings of the 8th American College of Vet. Int. Med. Forum, 133-136

DERN, R.J., WIORKOWSKI, J.J. und MATSUDA, T. (1970)

Studies on the preservation of human blood. V. The effect of mixing anticoagulated blood during storage on the poststorage erythrocyte survival.
J. Lab. Clin. Med. 75, 37-42

DE VERDIER, C.H., GARBY, L., HJELM, M. und HÖGMAN, C., (1964)

Adenine in blood preservation: posttransfusion viability and biochemical changes.
Transfusion 4, 331-338

DE YOUNG, D.J. und KILLINGSWORTH, C.R. (1986)

Blood and blood component therapy in the cat and dog.
In: BETTS, C.W. und CRANE, S.W. (Hrgb.): Manual of Small Animal Surgical Therapeutics, Churchill Livingstone, New York, Edinburgh, London, Melbourne, 71-89

DIAMOND, L.K. (1980)

History of blood transfusion.
In: WINTROPE, M.M. (Hrgb.): Blood pure and eloquent. New York, McGraw-Hill, 659-688

- DODDS, W.J. (1978)
Management and therapy of bleeding disorders.
Biweekly Small Anim. Med. Update Ser. 20, 1-7
- DODDS, W.J. (1984)
Von Willebrand's disease in dogs.
Modern Vet. Pract. 9, 681-686
- DODDS, W.J. (1985)
Blood dyscrasias affecting the surgical patient-hemostatic and thrombotic disorders.
In: SLATTER (Hrgb.): Textbook of small animal surgery, 1184-1194
- DODDS, W.J. (1992)
Hemopet: A national non-profit animal blood bank program.
Canine Practice 17, 12-16
- DODDS, W.J. (1999)
Commercial animal blood banks and their impact.
Newsletter, Association of Veterinary Hematology and Transfusion Medicine, 1-4
- DRAGON, L.A. (1993)
Transfusion therapy in small animal medicine.
Cont. Educ. Vet. Techn. 14, 364-370
- DUDOK DE WIT, C., COENEGRACHT, N.A.C.J., POLL, P.H.A. und VON DER LINDE, J.D. (1967)
The practical importance of blood groups in dogs.
J. Small Anim. Pract. 8, 285-289
- EISENBRANDT, D.L. und SMITH, J.E. (1973a)
Evaluation of preservatives and containers for storage of canine blood.
J. Am. Vet. Med. Assoc. 163, 988-990
- EISENBRANDT, D.L. und SMITH, J.E. (1973b)
Use of biochemical measures to estimate viability of red blood cells in canine blood stored in Acid Citrate Dextrose solution, with and without added ascorbic acid.
J. Am. Vet. Med. Assoc. 163, 984-987
- EISENBRANDT, D.L. und SMITH, J.E. (1974)
Effects of various additives on in vitro parameters related to viability and function of stored canine blood.
Res. Vet. Sci. 17, 231-235

- EJIMA, H., KUROKAWA, K. und IKEMOTO, S. (1986)
Phenotype and gene frequencies of red blood cell groups in dogs of various breeds reared in Japan.
Jpn. J. Vet. Sci. 48, 363-368
- ENGELBRECHT, R., KOHN, B., GIGER, U. und LEIBOLD, W. (1999)
Thrombozyten-gebundene Antikörper bei Hunden mit Thrombozytopenie.
Vortragsband, 8. Jahrestagung der Fachgruppe „Innere Medizin und klinische Laboratoriumsdiagnostik, DVG, München, S. 36
- EYQUEM, A., PODLIACHOUK, L. und MILLOT, P. (1962)
Blood groups in chimpanzees, horses, sheep, pigs, and other mammals.
Ann. N. Y. Acad. Sci. 97, 320-328
- FANTUS, B. (1937)
The therapy of the Cook Country Hospital.
J. Am. Med. Assoc. 6, 128-130
- FEINSTEIN, D.I. (1988)
Treatment of disseminated intravascular coagulation.
Sem. Thromb. Hemost. 14, 351-362
- FELDMAN, B.F. und KRISTENSEN, A.T. (1995)
Modern veterinary blood banking practices and their application in companion animal practice.
In: KRISTENSEN, A.T. u. FELDMAN, B.F. (Hrgb.): Vet. Clin. North Am. Small Anim. Pract.: Canine and Feline Transfusion Medicine. Philadelphia, WB Saunders Co., 1231-1245
- FELDMAN, B.F., MADEWELL, B.R. und O'NEILL, S. (1981)
Disseminated intravascular coagulation: antithrombin, plasminogen and coagulation abnormalities in 41 dogs.
J. Am. Vet. Med. Assoc. 179, 151-154
- FINCO, D.R., RAWLINGS, C.A., BARSANTI, J.A. und CROWELL, W.A. (1985)
Kidney graft survival in transfused and nontransfused sibling beagle dogs.
J. Vet. Res. 46, 2327-2331
- FISER, D.H. (1990)
Intraosseus infusion.
New Engl. J. Med. 322, 1579-1581

FRANCIS, D.M.A. (1991)

Relationship between blood transfusion and tumour behaviour.

Br. J. Surg. 78, 1420-1428

FREEMAN, M.J., KIRBY, B.M., PANCIERA, D.L. (1994)

Hypotensive shock syndrome associated with Babesia canis infection in a dog.

J. Am. Vet. Med. Assoc. 204, 94-96

GELENS, C.J., GIGER, U., CALLAN, M.B. und OAKLEY, D.A. (1992)

Canine blood type frequencies and an acute hemolytic transfusion reaction.

10th ACVIM Forum, Abstract, 6, 141

GIBSON, T. und NORRIS, W. (1958)

Skin fragments removed by injection needles.

Lancet 2, 983-985

GIGER, U. (1992)

Transfusion Medicine

In: MORGAN, R.V. (Hrgb.): Handbook of small animal practice, 2. Ausgabe, Churchill Livingstone, New York, 727-731

GIGER, U. (1993)

Transfusionsmedizin: Behandlung von Anämien und Blutungen

WSAVA Weltkongreß, Berlin, 342-345

GIGER, U. (1996)

persönliche Mitteilungen

GIGER, U. (1999)

persönliche Mitteilungen

GIGER, U., GELENS, C.J., CALLAN, M.B. und OAKLEY, D.A. (1995)

An acute hemolytic transfusion reaction caused by dog erythrocyte antigen 1.1 incompatibility in a previously sensitized dog.

J. Am. Vet. Med. Assoc. 206, 1358-1362

GIGER, U., OAKLEY, D.A., CALLAN, M.B. und KOHN, B. (1996)

Advances in canine blood typing, crossmatching, and donor programs.

Proc. 14th ACVIM Forum, San Antonio, TX, 22-23

GOLDFINGER, D. (1977)

Acute hemolytic transfusion reactions - a fresh look at pathogenesis and considerations regarding therapy.

Transfusion 17, 85-94

GOLDMAN, M. und BLAJCHMAN, M.A. (1991)

Blood product-associated bacterial sepsis.

Transfus. Med. Rev. 5, 73-83

GREENBERGER, P.A. (1991)

Plasma anaphylaxis and immediate type reactions.

In: ROSSI, C.E.; SIMON, T.L. u. MOSS, G.S. (Hrgb.): Principles of Transfusion Medicine. Baltimore, Williams & Wilkins, 635-640

GREENE, C.E. (1980)

Practical considerations of blood transfusion therapy.

AAHA's 47th Annual Meeting Proceedings, 187-191

GREENE, C.E. und BECK, B.B. (1980)

Coagulation properties of fresh-frozen plasma during prolonged storage.

Am. J. Vet. Res. 41, 147-150

GREENE, R.T. (1985)

Blood banking and transfusion therapy.

Vet. Tech. 6, 134-140

GREENWALT, T.J. und DUMASWALA, U.J. (1988)

Effect of red cell age on vesiculation in vitro.

Br. J. Haematol. 68, 465-467

GRIOT-WENK, M. und GIGER, U. (1995)

Feline transfusion medicine: blood types and their clinical importance.

In: KRISTENSEN, A.T. u. FELDMAN, B.F. (Hrgb.): Vet. Clin. North Am. Small Anim. Pract.: Canine and Feline Transfusion Medicine. Philadelphia, WB Saunders Co., 1305-1322

GRÜNBAUM, E.G. (1993)

Bluttransfusion und Infusionstherapie.

In: FREUDIGER, U.; GRÜNBAUM, E.G. und SCHIMKE, E. (Hrgb.): Klinik der Hundekrankheiten, Stuttgart, Gustav Fischer Verlag, Jena, 175-189

GRÜNBAUM, E.G. und HAARER, M. (1993)

Serologisch kontrollierte Bluttransfusion bei Hund und Katze.

Der praktische Tierarzt 8, 696-703

HÄNIES, R., MISCHKE, R. und WIRTH, W. (1996)

Plasmatransfusionen beim Hund: Wirkung bei Hypoproteinämie infolge hämorrhagischer Gastroenteritis.

Tierärztl. Umschau 51, 350-356

HALE, A.S. (1995)

Canine blood groups and their importance in veterinary transfusion medicine.
In: KRISTENSEN, A.T. u. FELDMAN, B.F. (Hrgb.): Vet. Clin. North Am. Small Anim. Pract.: Canine and Feline Transfusion Medicine. Philadelphia, WB Saunders Co., 1325-1333

HALE, A.S. (1999)

Canine blood typing and incompatibility reactions.
Newsletter, Association of Veterinary Hematology and Transfusion Medicine, 5

HARADIN, A.R., WEED, R.I. und REED, C.F. (1969)

Changes in physical properties of stored erythrocytes. Relationship to survival in vivo.
Transfusion 9, 229-237

HARDAWAY, R.M., MC KAY, D.G., WAHLE, G.H., TARTOCK, D.E. und EDELSTEIN, R. (1956)

Pathologic study of intravascular coagulation following incompatible blood transfusion in dogs.
Am. J. Surg. 91, 24-31

HARDIE, E.M. und KRUSE-ELLIOTT, K. (1990)

Endotoxic shock part II: A review of treatment.
J. Vet. Intern. Med. 4, 306-311

HARDIE, E.M. und RAWLINGS, C.A. (1983)

Septic shock. Part II: Prevention, recognition, and treatment.
Comp. Contin. Educ. Pract. Vet. 5, 483-493

HARRELL, K. A. und KRISTENSEN, A.T. (1995)

Canine transfusion reactions and their management.
In: KRISTENSEN, A.T. u. FELDMAN, B.F. (Hrgb.): Vet. Clin. North Am. Small Anim. Pract.: Canine and Feline Transfusion Medicine. Philadelphia, WB Saunders Co., 1333-1364

HARRELL, K., PARROW, J. und KRISTENSEN, A. (1997a)

Canine transfusion reactions. Part I. Causes and consequences.
Comp. Cont. Educ. Pract. Vet. 19, 181-189

HARRELL, K., PARROW, J. und KRISTENSEN, A. (1997b)

Canine transfusion reactions. Part II. Prevention and Treatment.
Comp. Cont. Educ. Pract. Vet. 19, 193-200

HEAL, J.M., SINGAL, S., SARDISCO, E. und MAYER, T. (1986)

Bacterial proliferation in platelet concentrates.

Transfusion, 26, 388-393

HEATON, A., MIRIPOL, J., ASTER, R., HARTMAN, P., DENHART, D., RZAD, L.,

GRAPKA, B., DAVIDSSON, W. und BUCHHOLZ, D.H. (1984)

Use of Adsol preservation solution for prolonged storage of low viscosity AS-1 red blood cells.

Br. J. Haematol. 57, 467-478

HELTBERG, O., SKOV, F., GERNER-SMIDT, P., KOLMOS, H.J., DYBKJÆR, E., GUTSCHIK, E., JERNE, D., JEPSEN, O.B., WEISCHER, M., FREDERIKSEN, W. und SØRENSEN, H. (1993)

Nosocomial epidemic of *Serratia marcescens* septicemia ascribed to contaminated blood transfusion bags.

Transfusion 33, 221-227

HÖGMAN, C.F., AKERBLOM, O., HEDLUND, K., ROSÉN, I. und WIKLUND, L. (1983)

Red cell suspensions in SAGM medium.

Vox Sang. 45, 217-223

HÖGMAN, C.F., DE VERDIER, C.H., ERICSON, A., HEDLUND, K. und SANDHAGEN, B. (1985)

Studies on the mechanism of human red cell loss of viability during storage at +4°C in vitro. 1. Cell shape and total adenylate concentration as determinant factors for post-transfusion survival.

Vox Sang. 48, 257-268

HÖGMAN, C.F., HEDLUND, K. und SAHLESTROM, Y. (1981)

Red cell preservation in protein-poor media.

Vox Sang. 41, 274-281

HÖGMAN, C.F., HEDLUND, K. und ZETTERSTROM, H. (1978)

Clinical usefulness of red cells preserved in protein-poor mediums.

N. Engl. J. Med. 229, 1377-1382

HOHENHAUS, A.E. (1992a)

Canine blood transfusions.

In: HOHENHAUS, A.E. (Hrsg.): Problems in veterinary medicine. Transfusion Medicine, Philadelphia, J.B. Lippincott, 612-635

HOHENHAUS, A.E. (1992b)

Management of the inpatient canine blood donor.

In: HOHENHAUS, A.E. (Hrgb.): Problems in veterinary medicine. Transfusion Medicine, Philadelphia, J.B. Lippincott, 565-571

HOHENHAUS, A.E. (1994)

Transfusions, infusions and other solutions.

Proc. 12th ACVIM Forum, San Francisco, CA, 158-161

HOHENHAUS, A.E. (1996)

Transfusion reactions: prevention and management.

Proc. 14th ACVIM Forum, San Antonio, TX, 26-28

HOHENHAUS, A.E., DRUSIN, L.M. und GARWEY, M.S. (1997)

Serratia marcescens contamination of feline whole blood in a hospital blood bank.

J. Am. Vet. Med. Assoc. 210, 794-798

HOPPE, P.A. (1992)

Interim measures for the detection of bacterially contaminated red cell components.

Transfusion 32, 199-201

HOSGOOD, G. (1990)

Blood transfusion: A historical review.

J. Am. Vet. Med. Assoc. 8, 998-1000

HOWARD, A., CALLAN, B., SWEENEY, M. und GIGER, U. (1992)

Transfusion practices and costs in dogs.

J. Am. Vet. Med. Assoc. 201, 1697-1701

HURST, T.S., TURRENTINE, M.A. und JOHNSON, G.S. (1987)

Evaluation of microwave-thawed canine plasma for transfusion.

J. Am. Vet. Med. Assoc. 190, 863-865

ISBISTER, J.P. (1993)

Adverse reactions to plasma and plasma components.

Anaesth. Intensive Care 21, 31-36

ISBISTER, J.P. und SCURR, R.D. (1978)

Blood transfusion therapy: Components, indications, complications and controversies.

Anaesth. Intensive Care 6, 297-308

ISERSON und HUESTIS (1991)

Blood warming: current applications and techniques.

Transfusion, 31, 558-569

KAMEL, S.H. und EZZAT, E.A. (1968)

Study of the frequency of blood group antigen and their combinations in dogs.

Zentralbl. Veterinärmed 16, 712-716

KAUFMANN, P.M. (1992)

Supplies for blood transfusions in dogs and cats.

In: HOHENHAUS, A.E. (Hrgb.): Problems in Veterinary Medicine. Transfusion Medicine, J.B. Lippincott, Philadelphia, 582-593

KERL, M.E. und HOHENHAUS, A.E. (1993)

Packed red blood cell transfusions in dogs: 131 cases (1989)

J. Am. Vet. Med. Assoc. 202, 1495-1499

KEVY, S.V., SCHMIDT, P.J., MC GINNIS, M.H. und WORKMAN, W.G. (1962)

Febrile, nonhemolytic transfusion reactions and the limited role of leukoagglutinins in their etiology.

Transfusion 2, 7-15

KILLINGSWORTH, C.R. (1984a)

Use of blood and blood components for feline and canine patients.

J. Am. Vet. Med. Assoc. 185, 1452-1455

KILLINGSWORTH, C.R. (1984b)

Blood banking for the feline and canine patient.

J. Vet. Crit. Care 7, 1-5

KIM, D.M., BRECHER, M.E., BLAND, L.A., ESTES, T.J., CARMEN, R.A. und NELSON, E.J. (1992)

Visual identification of bacterially contaminated red cells.

Transfusion 32, 221-225

KIMURA, W., MEYER, F. und HESS, D. (1992)

Comparison of different treatment modalities in experimental pancreatitis in rats.

Gastroenterology 103, 1916-1924

KIRBY, R. (1995)

Transfusion therapy in emergency and critical care.

In: KRISTENSEN, A.T. u. FELDMAN, B.F. (Hrgb.): Vet. Clin. North Am. Small Anim. Pract.: Canine and Feline Transfusion Medicine. Philadelphia, WB Saunders Co., 1365-1387

KOHN, B., REITEMEYER, S. und GIGER, U. (1998)

Bestimmung der Blutgruppe DEA 1.1 und deren Bedeutung beim Hund.

Kleintierpraxis 43, 77-86

- KREUGER, A., ÅKERBLOM, O. und HÖGMAN, C. (1975)
A clinical evaluation of Citrate-Phosphate-Dextrose-Adenine blood.
Vox Sang. 29, 81-89
- KRISTENSEN, A.T. (1996)
Complications associated with the administrations of blood and blood products.
In: LIPOWITZ, A.L., CAYWOOD, D.D., NEWTON, C.D. und SCHWARTZ, A. (Hrgb.): Complications in Small Animal Surgery, Lea & Febiger, 7-33
- KRISTENSEN, A.T. und FELDMANN, B.F. (1995)
General principles of small animal blood component administration.
In: KRISTENSEN, A.T. u. FELDMAN, B.F. (Hrgb.): Vet. Clin. North Am. Small Anim. Pract.: Canine and Feline Transfusion Medicine. Philadelphia, WB Saunders Co., 1277-1290
- LATHAM, J.T., BOVE, J.R. und WEIRICH, F.L. (1982)
Chemical and hematologic changes in stored CPDA-1 blood.
Transfusion 22, 158-159
- LAU, P., SHOLTIS, C.P. und ASTER, R.H. (1980)
Post-transfusion purpura: An enigma of alloimmunization.
Am. J. Hematol. 9, 331-335
- LEE, V.S., TARASSENKO, L und BELLHOUSE, B.J. (1988)
Platelet transfusion therapy: Platelet concentrate preparation and storage.
J. Lab. Clin. Med. 111, 371-381
- LEES, G.E. (1985)
Blood transfusion.
In: SLATTER, D.H. (Hrgb.): Textbook of Small Animal Surgery. Vol. I, W.B. Saunders Company, 74-82
- LEWIS, D.C., MEYERS, K.M., CALLAN, M.B., BÜCHELER, J., GIGER, U. (1995)
Detection of platelet-bound and serum platelet-bindable antibodies for diagnosis of idiopathic thrombocytopenic purpura in dogs.
J. Am. Vet. Med. Assoc. 206, 47-52
- LOUTIT, J.F., MOLLISON, R.L. und YOUNG, I.M. (1943)
Citric Acid-Sodium Citrate-Glucose mixtures for blood storage.
Q. J. Exp. Physiol. 32, 183-202
- MARCENAC, N. und LEROY, G. (1959)
La banque de sang de chien d'Alfort.
Rec. Méd. Vét. 299-304

MASOUREDIS, S.P. (1977)

Preservation and clinical use of blood components.

In: WILLIAMS, W.J.; BEUTLER, E.; ERSLER, A.J. (Hrgb.): Haematology, Vol.2.
New York, McGraw Hill, 1530

MEYERS, K.M., WARDROP, K.J. und MEINKOTH, J. (1992)

Canine von Willebrand's Disease: Pathobiology, diagnosis, and short-term treatment.
Comp. Cont. Educ., North Am. Ed. 14, 13-22

MILLER, R.D. und BRZICA, S.M. (1981)

Blood, blood component, colloid and autotransfusion therapy.

In: MILLER, R.D. (Hrgb.): Anesthesia. Churchill Livingstone, New York

MINTZ, P.D. (1991)

Febrile reactions to platelet transfusions.

Am. J. Clin. Pathol. 95, 609-612

MISCHKE, R., HÄNIES, R., DENIZ, A. und HART, S. (1996)

Hämophilie B bei einem Mischlings-Rüden: Behandlung einer Blutungskrise mit frisch-gefrorenem Plasma.

Dtsch. tierärztl. Wschr. 103, 3-6

MOLLISON, P.L., ENGELFRIED, L.P. und CONTRERAS, M. (1987)

Blood transfusion in clinical medicine.

8. Ausgabe, Oxford, Blackwell Scientific Publications, 45

MOONEY, S. (1992)

Preparation of blood components.

In: HOHENHAUS, A. (Hrgb.): Problems in Veterinary Medicine, Transfusion Medicine, 4, 594-599

MOORE, F.D. (1974)

Transcapillary refill, the unrepaird anemia, and clinical hemodilution.

Surg. Gynecol. Obstet. 139, 245-247

MOORE, G.L., PECK, C.C., SOHMER, P.R. und ZUCK, T.F. (1981)

Some properties of blood stored in anticoagulant CPDA-1 solution. A brief summary.
Transfusion 21, 135-137

MORDUCHOWICS, G., PITLIK, S.D. und HUMINER, D. (1991)

Transfusion reactions due to bacterial contamination of blood and blood products.

Rev. Infect. Dis. 13, 307-314

MORITZ, A., WIDMANN und HALE, A.S. (1998)

Comparison of current typing techniques for evaluation of dog erythrocyte antigen 1.1.
Abstract 16th ACVIM Forum, San Diego, CA, J. Am. Vet. Med. Assoc. 12, 226

MOROFF, G. und DENDE, D. (1983)

Characterization of biochemical changes occurring during storage of red cells. Comparative studies with CPD and CPDA-1 anticoagulant-preservative solutions.
Transfusion 23, 484-489

MURPHY, P., HEAL, J.M. und BLUMBERG, N. (1991)

Infection or suspected infection after hip replacement surgery with autologous or homologous blood transfusions.
Transfusion 31, 212-217

MYHRE, B.A. (1989)

The first recorded blood transfusions: 1656 to 1668.
Transfusion 30, 358-362

NAKAO, K., WADA, T., KAMIYAMA, T., NAKAO, M. und NAGANO, K. (1962)

A direct relationship between adenosine triphosphate level and in vivo viability of erythrocytes.
Nature 194, 877-878

NESS, P.M., WALSH, P.C. und ZAHURAK, M. (1992)

Prostate cancer recurrence in radical surgery patients receiving autologous or homologous blood.
Transfusion 32, 31-36

NIH Consensus Conference (1985)

Fresh frozen plasma: indications and risks.
J. Am. Med. Assoc. 253, 551-553

NOLTE, I. (1986)

Indikation, Technik und Risiken der Blutübertragung bei Hund und Katze.
Der praktische Tierarzt, 2, 133-136

NOLTE, I. (1988)

Konservierung von Vollblut des Hundes für Transfusionszwecke in CPDA-1 Stabilisator beschicktem PVC-Beutel – Einfluß der Lagerung auf den Erhalt von Erythrozyten und Gesamteiweiß.
Berl. Münch. Tierärztl. Wochenschr. 101, 37-43

- NOLTE, I., MISCHKE, R., AMMELOUNX, U., NIEMAND, C. und HEYDE, P.M. (1994)
Diagnostische und therapeutische Aspekte thrombozytenabhängiger Hämostase-
störungen beim Hund.
Kleintierpraxis 39, 709-726
- NOLTE, I. und MISCHKE, R. (1995)
Investigations of platelet aggregation and platelet counts from stored canine whole
blood.
Res. Vet. Sci. 58, 190-192
- NOLTE, I., NIEMANN, C. und MÜLLER-BERGHAUS, G. (1988)
Konservierung von Vollblut des Hundes für Transfusionszwecke in CPDA-1 Stabili-
sator beschicktem PVC-Beutel – Einfluß der Lagerung auf den Erhalt der plasmati-
schen Gerinnungsfaktoren.
Berl. Münch. Tierärztl. Wschr. 101, 73-76
- OAKLEY, D.A. (1987)
Clinical and technical aspects of blood banking and transfusion therapy in small ani-
mals.
Manual of transfusion medicine, Veterinary Hospital, University of Pennsylvania
- OAKLEY, D.A. und SHAFFRAN, N. (1987)
Blood transfusions: Part II. Collection, storage, and administration.
Comp. Contin. Educ. Vet. Tech. 8, 189-193
- OBERMAN, H.A. (1985)
Inappropriate use of fresh-frozen plasma.
J. Am. Med. Assoc. 253, 556-557
- O'NEILL, S. (1987)
Blood transfusions. Part I. The blood donor colony.
Comp. Contin. Educ. Vet. Tech. 8, 87-91
- OPELZ, G., SENGAR, D.P.S., MICKEY, M.R. und TERASAKI, P.I. (1973)
Effect of blood transfusions on subsequent kidney transplants.
Transplant. Proc. 1, 253-259
- O'ROURKE, L.G. (1983)
Practical blood transfusions.
In: KIRK, R.W. (Hrgb.): Current Veterinary Therapy, VIII, WB Saunders Co., Phil-
adelphia, S. 408-411

- OU, D., MAHAFFEY, E. und SMITH, J. (1975)
Effect of storage on oxygen dissociation of canine blood.
J. Am. Vet. Med. Assoc. 167, 56-58
- OWEN, R. und HOLMES, P.H. (1972)
An assessment of the viability of canine blood, stored under normal veterinary hospital conditions.
Vet. Rec. 90, 231-235
- PALEK, J. und LIU, S.C. (1979)
Membrane protein organization in ATP-depleted and irreversibly sickled red cells.
J. Supram St. 10, 79-96
- PALMER, J.R., DORSEY, N.S. und HAYES, F.A. (1954)
Considerations for a canine blood bank.
J. Am. Vet. Med. Assoc. 8, 130-133
- PARADIS, M.R. (1991)
Neonatal transfusion medicine.
In: COTTER, S.M. (Hrgb.): Comparative Transfusion Medicine. 36, San Diego, CA, Academic Press, 225-237
- PEARL, T.C.Y., TOY, M.D. und GIRISH, N.V. (1984)
Blood transfusion reactions.
In: ENGELFRIED, C.P.; LOGHEM, J.J. und VON DEM BORNE, A.E.G.K. (Hrgb.): Immunohaematology. Amsterdam, Elsevier Science Publishers, 119-125
- PECK, C.C., MOORE, G.L. und BOLIN, R.B. (1981)
Adenine in blood preservation.
CRC Crit. Rev. Clin. Lab. Sci. 13, 173-212
- PICHLER, M.E. und TURNWALD, G.H. (1985)
Blood transfusions in the dog and cat. Part I. Physiology, collection, storage, and indications for whole blood therapy.
Compend. Contin. Educ. Pract. Vet. 7, 64-72
- PICK, P. und FABIJANIC, J. (1971)
Temperature changes in donor blood under different storage conditions.
Transfusion 11, 213-215

PIETERSZ, R.N.I., STENEKER, I., REESINK, H.W., DEKKER, W.J.A., AL, E.J.M., HUISMAN, J.G und BIEWENGA, J. (1992)

Comparison of five different filters for the removal of leukocytes from red cell concentrates.

Vox Sang. 62, 76-81

PINEDA, A.A., TASWELL, H.F. und BRZICA, J.R. (1978)

Delayed hemolytic transfusion reactions. An immunologic hazard of blood transfusion.

Transfusion 18, 1-7

POHLMAN, T.H. und CARRICO, C.J. (1992)

Evaluation of bleeding in the surgical patient.

In: CIVETTA, J.M., TAYLOR, R.W. und KIRBY, R.R. (Hrgb.): Critical Care, Philadelphia, J.B. Lippincott, 627-639

POTKAY, S. und ZINN, R.D. (1969)

Effect of collection interval, body weight, and season on the hemograms of canine blood donors.

Lab. Anim. Sci. 19, 192-197

PRICE, G.S., ARMSTRONG, P.J., MC LEOD, D.A., BABINEAU, C.A., METCALF, M.R. und SELLETT, L.C. (1988)

Evaluation of citrate-phosphate-dextrose-adenine as a storage medium for packed canine erythrocytes.

J. Vet. Intern. Med. 2, 126-132

PROHASKA, W. und KRETSCHMER, V. (1984)

Simple method for preparation of cryoprecipitate (CP) and cryodepleted plasma (CDP).

Infusionstherapie 11, 342-344

PUNSALANG, A., HEAL, J.M. und MURPHY, P.J. (1989)

Growth of gram-positive and gram-negative bacteria in platelet concentrates.

Transfusion 29, 596-599

PURVIS, D. (1995)

Autotransfusion in the emergency patient.

In: KRISTENSEN, A.T. u. FELDMAN, B.F. (Hrgb.): Vet. Clin. North Am. Small Anim. Pract.: Canine and Feline Transfusion Medicine. Philadelphia, WB Saunders Co., 1291-1304

RACKOW, E.C. und ASTIZ, M.E. (1991)

Pathophysiology and treatment of septic shock.

J. Am. Med. Assoc. 266, 548-552

RAMSEY, G. (1994)

The pathophysiology and organ-specific consequences of severe transfusion reactions.

New Horiz. 2, 575-581

RASEDEE, A., FELDMAN, B.F. und WASHABAU, R. (1986)

Naturally occurring canine nephrotic syndrome is a potentially hypercoagulable state.

Acta Vet. Scand. 27, 369-377

ROCK, G., TACKABERRY, S., DUNN, J.G. und KASHYAP, S. (1984)

Rapid controlled thawing of fresh-frozen plasma in a modified microwave oven.

Transfusion 24, 60-65

ROSE, R.J. (1979)

Some physiological and biochemical effects of the intravenous administration of five different electrolyte solutions in the dog.

J. Vet. Pharmacol. Therapy 2, 279-289

RUDLOFF, E. (1995a)

Use of blood and blood components in canine and feline patients with hemostatic disorders.

In: KRISTENSEN, A.T. u. FELDMAN, B.F. (Hrgb.): Vet. Clin. North Am. Small Anim. Pract.: Canine and Feline Transfusion Medicine. Philadelphia, WB Saunders Co., 1387-1405

RUDLOFF, E. (1995b)

The role of blood component therapy in the management of canine and feline patients with cancer.

In: KRISTENSEN, A.T. u. FELDMAN, B.F. (Hrgb.): Vet. Clin. North Am. Small Anim. Pract.: Canine and Feline Transfusion Medicine. Philadelphia, WB Saunders Co., 1403-1417

RUEHL, W., MILLS, C. und FELDMAN, B.F. (1982)

Rational therapy in disseminated intravascular coagulation.

J. Am. Vet. Med. Assoc. 181, 76-78

RYDEN, S.E. und OBERMAN, H.A. (1975)

Compatibility of common intravenous solutions with CPD blood.

Transfusion 15, 250-255

SANFEY, H., BROE, P.J. und CAMERON, J.L. (1985)
Experimental ischemic pancreatitis: Treatment with albumin.
Am. J. Surg. 150, 297-300

SAZAMA, K. (1994)
Bacteria in blood for transfusion: a review.
Arch. Pathol. Lab. Med. 118, 350-365

SCHMIDT, P.J. (1978)
Red cells for transfusion.
N. Engl. J. Med. 299, 1411-1412

SCHNEIDER, A. (1995)
Blood components. Collection, processing, and storage.
In: KRISTENSEN, A.T. u. FELDMAN, B.F. (Hrsg.): Vet. Clin. North Am. Small Anim. Pract.: Canine and Feline Transfusion Medicine. Philadelphia, WB Saunders Co., 1245-1261

SCHRIER, S.L., SOHMER, P.R. und MOORE, G.L. (1982)
Red blood cell membrane abnormalities during storage: Correlation with in vivo survival.
Transfusion 22, 261-265

SEIDL, S., GOSDA, W. und REPPUCCI, A.J. (1991)
The in vitro and in vivo evaluation of whole blood and red cell concentrates drawn on CPDA-1 and stored in a non-DEHP plasticized PVC container.
Vox Sang. 61, 8-13

SHACKFORD, S.R., VIRGILIO, R.W. und PETERS, R.M. (1981)
Whole blood versus packed-cell transfusions. A physiologic comparison.
Ann. Surg. 193, 337-340

SHERMAN, L.A. und DORNER, I.M. (1974)
A new rapid method for thawing fresh frozen plasma.
Transfusion 14, 595-597

SHIELDS, C.E. (1969)
Effect of adenine on stored erythrocytes evaluated by autologous and homologous transfusions.
Transfusion 9, 115-119

- SHULMAN, N.R. und REID, D.M. (1994)
Platelet Immunology.
In: COLMAN, R.W., HIRSH, J., MARDER, V.J. und SALZMAN, E.W. (Hrgb.):
Hemostasis and Thrombosis: Basic principles and clinical practice., 3. Ausgabe, J.B.
Lippincott Comp., Philadelphia
- SIMON, E.R., CHAPMAN, R.G. und FINCH, C.A. (1962)
Adenine in red cell preservation.
J. Clin. Invest. 41, 351-357
- SLICHTER, S.J. (1990)
Platelet transfusion therapy.
Hematology/Oncology Clin. North Am. 4, 291-308
- SLICHTER, S.J. und HARKER, L.A. (1976)
Preparation and storage of platelet concentrates. I. Factors influencing the harvest of
viable platelets from whole blood.
Br. J. Haematol. 34, 395-419
- SMITH, C.A. (1991a)
Transfusion medicine: The challenge of practical use.
J. Am. Vet. Med. Assoc. 198, 747-752
- SMITH, J.E. (1983)
Storing and preserving erythrocytes.
In: APGAR, N.S. und BOARD, P.G. (Hrgb.): Red blood cells of domestic mammals,
New York, NY, Elsevier, 357-366
- SMITH, J.E. (1991b)
Erythrocytes.
Adv. Vet. Sci. Comp. Med. 36, 9-55
- SMITH, J.E., ANDREWS, G.A. und LAYTON, C.E. (1989)
Problems in animal transfusion: an area of growing interest.
In: WESTPHAL, R.G. und SMITH, J.E. (Hrgb.): AABB, Technical workshop on ve-
terinary transfusion medicine. AABB, Arlington, VA, 1-2 – 1-12
- SMITH, J.E., MAHAFFEY, E. und BOARD, P. (1978)
A new storage medium for canine blood.
J. Am. Vet. Med. Assoc. 172, 701-703

- SNYDER, E.L. und STACK, G. (1991)
Febrile and nonimmune transfusion reactions.
In: ROSSI, C.E.; SIMON, T.L. u. MOSS, G.S. (Hrgb.): Principles of Transfusion Medicine. Baltimore, Williams & Wilkins, 641-643
- SÖHNGEN, D., KRETSCHMER, V., FRANKE, K., PELZER, H. und WALKER, W.H. (1988)
Thawing of fresh-frozen plasma with a new microwave oven.
Transfusion 28, 576-580
- SQUIRES, R. (1997)
Management of anemia.
In: BADEN, E. und MELLING, M. (Hrgb.): Canine Practice 2, W.B. Saunders Comp. Ltd., 91-96
- STILES, J. und RAFFE, M.R. (1991)
Hemolysis of canine fresh and stored blood associated with peristaltic pump infusion.
Vet. Emerg. Crit. Care 1, 50-53
- STOKOL, T. und PARRY, B.W. (1998)
Efficiency of fresh-frozen plasma and cryoprecipitate in dogs with von Willebrand's disease or hemophilia A.
J. Vet. Intern. Med. 12, 84-92
- STONE, M.S. und COTTER, S.M. (1992)
Practical guidelines for transfusion therapy.
In: KIRK, R.W. u. BONAGURA, J.D. (Hrgb.): Current Veterinary Therapy. XI. Philadelphia, WB Saunders Co, 475-479
- STONE, E., BADNER, D. und COTTER, S.M. (1992)
Trends in transfusion medicine in dogs at a veterinary school clinic: 315 cases (1986-1989).
J. Am. Vet. Med. Assoc. 200, 1000-1004
- STORMONT, C.L. (1982)
Blood groups in animals.
J. Am. Vet. Med. Assoc. 181, 1120-1124
- STRYER, L. (1991)
Der Pentosephosphatweg und die Gluconeogenese.
In: STRYER, L. (Hrgb.): Biochemie, 5. Auflage, 460

STUBBS, J.R., REDDY, R.L., ELG, S.A., PERRY, E.H., ADCOCK, L.L. und MC CULLOUGH, J. (1991)

Yersinia enterocolitica (serotype O:5,27) sepsis after blood transfusion.
Vox Sang. 61, 18-23

SUZUKI, Y., STORMONT, C., MORRIS, G., SHIFRINE, M. und DOBRUCKI, R. (1975)
New antibodies in dog blood groups.
Transplant. Proc. 7, 365-367

SWISHER, S.N. (1954)

Studies on the mechanisms of erythrocyte destruction initiated by antibodies.
Trans. Assoc. Am. Phys. 67, 124-130

SWISHER, S.N. und YOUNG, L.E. (1961)

The blood grouping systems of dogs.
Physiol. Rev. 41, 495-520

SWISHER, S.N., BULL, R. und BOWDLER, J. (1973)

Canine erythrocyte antigens.
Tissue Antigens 3, 164-165

SWISHER, S.N., IZZO, M.J. und YOUNG, L.E. (1953a)

A method of differential agglutination of dog erythrocytes.
J. Lab. Clin. Med. 41, 936-945

SWISHER, S.N., IZZO, M.J. und YOUNG, L.E. (1953b)

Post-transfusion survival of fresh and stored dog erythrocytes measured by differential agglutination.
J. Lab. Clin. Med. 41, 946-952

SWISHER, S.N., YOUNG, L.E., TRABOLD, N. (1962)

In vitro and in vivo studies of the behavior of canine erythrocyte-isoantibody systems.
Ann. N.Y. Acad. Sci. 97, 15-25

SYMONS, M und BELL, K. (1991)

Expansion of the canine A blood group system.
Anim. Genet. 22, 227-235

SYMONS, M. und BELL, K. (1992)

Canine blood groups: description of 20 specificities.
Anim. Genet. 23, 509-515

TANGER, C.H. (1982)

Transfusion therapy for the dog and cat.
Comp. Cont. Educ. Pract. Vet. 4, 521-527

THOMASON, K.J. und FELDMAN, B.F. (1985)

Immune-mediated thrombocytopenia: diagnosis and treatment.
Comp. Cont. Educ. Pract. Vet. 7, 569-574

THOMPSON, K.S. und O'KELL, R.T. (1981)

Comparison of fresh-frozen plasmas thawed in a microwave oven and in a 37°C water bath.
Am. J. Clin. Pathol. 75, 851-853

THORNTON, G.W. (1971)

Blood transfusions.
In: Kirk, R.W. (Hrgb.), Current Veterinary Therapy IV. Small Animal Practice, W.B. Saunders Company, 10-16

THULSTRUP, H. (1971)

The influence of leukocyte and thrombocyte incompatibility on non-hemolytic transfusion reactions.
Vox Sang. 21, 233-248

TIPPLE, M.A., BLAND, L.A. und MURPHY, J.J. (1990)

Sepsis associated with transfusion of red cells contaminated with Yersinia enterocolitica.
Transfusion 30, 207-213

TIZARD, I. (1992a)

Erythrocyte antigens and type II hypersensitivity.
In: TIZARD, I. (Hrgb.): Veterinary Immunology: An Introduction. 5. Ausgabe, Philadelphia, WB Saunders Co, 359-367

TIZARD, I. (1992b)

Type I hypersensitivity.
In: TIZARD, I. (Hrgb.): Veterinary Immunology: An Introduction, 5. Ausgabe, Philadelphia, WB Saunders Co, 343-358

TURNWALD, G.H. und PICHLER, M.E. (1985)

Blood transfusion in dogs and cats. Part II. Administration, adverse effects, and component therapy.
Comp. Contin. Educ. Pract. Vet. 7, 115-126

VALERI, C.R. und HIRSH, N.M. (1969)

Restoration in vivo of erythrocyte adenosine triphosphate, 2,3-diphosphoglycerate, potassium ion, and sodium ion concentrations following the transfusion of acid-citrate-dextrose-stored human red blood cells.

J. Lab. Clin. Med. 73, 722-733

VALERI, C.R., VALERI, D.A., GRAY, A., MELARAGNO, A., DENNIS, R.C. und EMERSON, C.P. (1982)

Viability and function of red blood cell concentrates stored at 4°C for 35 days in CPDA-1, CPDA-2, or CPDA-3.

Transfusion 22, 210-216

VANAMAN, L. (1984)

Emergency procedures in the small animal hospital – Part II

Comp. Cont. Educ. Vet. Techn. 5, 429-435

VAN LIERDE, S., FLEISHER, G.R., PLOTKIN, S.A. und CAMPOS, J.M. (1985)

A case of platelet transfusion-related *Serratia marcescens* sepsis.

Pediatr. Infect. Dis. 4, 293-295

VAN PELT, D.R., MILLER, E., MARTIN, L.G. und HACKETT, T.B. (1994)

Hematologic emergencies.

Vet. Clin. North Am. Small Anim. Pract. 24, 1139-1169

VÖGTLIN, J., HAGMANN, W. und GRUBER, U.F. (1977)

Die Wirkung verschiedener Micropore-Blutfilter.

Anaesthesist 26, 56-63

VRIESENDORP, H.M., ALBERT, E.D., TEMPLETON, J.W., BELOTSKY, S., TAYLOR, B., BLUMENSTOCK, D.A., BULL, R.W., CANNON, F.D., EPSTEIN, R.B., FERREBEE, J.W., GROSSE-WILDE, H., HAMMER, C., KRUMBACHER, K., LEON, S., MEERA KHAN, P., MICKEY, M.R., MOTOLA, M., RAPAPORT, F.T., SAISON, R., SCHNAPPAUF, H., SCHOLZ, S., SCHROEDER, M.L., STORB, R., WANK, R., WEST-BROEK, D.L. und ZWEIBAUM, A. (1976)

Joint Report of the Second International Workshop on Canine Immunogenetics.

Transplant. Proc. 8, 289-311

WALKER, R.H. (1993)

Blood and blood components: Preparation, storage and shipment.

In: Technical manual of the American Association of Blood Banks, 11. Ausgabe, Arlington, VA., American Association of Blood Banks, 52-55

WARDROP, K.J. (1995)

Selection of anticoagulant-preservatives for canine and feline blood storage.
In: KRISTENSEN, A.T. u. FELDMAN, B.F. (Hrgb.): Vet. Clin. North Am. Small Anim. Pract.: Canine and Feline Transfusion Medicine. Philadelphia, WB Saunders Co., 1263-1276

WARDROP, K.J. (1996)

Medical indications for plasma therapy.
Proc. 14th ACVIM Forum, San Antonio, TX, 31-33

WARDROP, K.J. (1998)

New developments in canine and feline transfusion medicine: Blood component therapy.
Proc. 16th ACVIM Forum, San Diego, CA, 592-594

WARDROP, K.J. und HALE, A.S. (1998)

New developments in canine and feline transfusion medicine: Blood typing and crossmatching.
Proc. 16th ACVIM Forum, San Diego, CA, 589-591

WARDROP, K.J., OWEN, T.J. und MEYERS, K.M. (1994)

Evaluation of an additive solution for preservation of canine red blood cells.
J. Vet. Intern. Med. 8, 253-257

WARDROP, K.J., TUCKER, R.L. und MUGNAI, K.N. (1995)

A comparison of canine red blood cells stored in the additive solution Nuticel or in CPDA-1 for 35 days.
In: Proceedings of the American College of Veterinary Internal Medicine, 1002

WARDROP, K.J., TUCKER, R.L. und MUGNAI, K.N. (1997)

Evaluation of canine red blood cells stored in a saline, adenine, and glucose solution for 35 days.
J. Vet. Intern. Med. 11, 6-8

WARDROP, K.J., YOUNG, J. und WILSON, E. (1994b)

An in vitro evaluation of storage media for the preservation of canine packed red blood cells.
Vet. Clin. Pathol. 23, 83-88

WELTGESUNDHEITSORGANISATION (1994)

Anforderungen an die Entnahme, Verarbeitung und Qualitätskontrolle von Blut, Blutbestandteilen und Plasmabestandteilen.
Technical Report Series, No. 840, In: Empfehlungen des Europarates und der Weltgesundheitsorganisation zu Blut und Blutzubereitungen, Bundesanzeiger Verlagsges. mbH, Köln

WENDT, P., FRITSH, A. und SCHULZ, F. (1984)

Proteinases and inhibitors in plasma and peritoneal exudate in acute pancreatitis.
Hepato-Gastroenterology 31, 277-281

WIDMANN, F.K. (1985)

AABB Technical Manual
Am. Assoc. Blood Banks, 9. Ausgabe, Arlington, Virginia

WILLER, R.L. und RIEDESEL, D.H. (1985)

Transfusion therapy and blood banking in the dog and cat.
Iowa State Univ. Veterinarian 47, 102-109

WILLIAMS, D.A. (1994)

Diagnosis and management of pancreatitis.
J. Small Anim. Pract. 35, 445-454

WILLIAMS, D.A. (1996a)

Malabsorption, small intestinal bacterial overgrowth, and protein-losing enteropathy.
In: GUILFORD, W.G., SHARON, A.C., STROMBECK, D.R., WILLIAMS, D.A. und MEYER, D.J. (Hrgb.): Strombeck's small animal gastroenterology, 3. Ausgabe, W.B. Saunders Comp., 367-380

WILLIAMS, D.A. (1996b)

The pancreas.
In: GUILFORD, W.G., SHARON, A.C., STROMBECK, D.R., WILLIAMS, D.A. und MEYER, D.J. (Hrgb.): Strombeck's small animal gastroenterology, 3. Ausgabe, W.B. Saunders Comp., 381-410

WINGFIELD, W.E. und VAN PELT, D. (1989)

Abnormal bleeding.
In: KIRBY, R. und STAMP, G.L. (Hrgb.): Vet. Clin. North Am. Small Anim. Pract.: Critical Care. Philadelphia, WB Saunders Co., 1275-1286

WOOD, L. und BEUTLER, E. (1967)

The viability of human blood stored in phosphate adenine media.
Transfusion 7, 401-407

WOODFIELD, D.G. (1991)

Transfusion acquired *Serratia liquefaciens* septicaemia.

N. Z. Med. J. 104, 141

WORKMAN, K., BURSTAIN, J. und BRECHER, M. (1995)

Glucometry and the detection of bacterially contaminated platelets.

Transfusion 35 (Suppl.), 34 S

YESTON, N.S., NIEHOFF, J.M. und DENNIS, R.C. (1992)

Transfusion therapy.

In: CIVETTA, J.M., TAYLOR, R.W. und KIRBY, R.R. (Hrgb.): Critical Care, 2.
Ausg., Philadelphia, J.B. Lippincott, 427-441

YOUNG, L.E., CHRISTIAN, R.M., ERVIN, D.M., DAVIS, R.W., O'BRIEN, W.A.,
SWISHER, S.N. und YUILE, C.L. (1951a)

Hemolytic disease in newborn dogs. I. Serologic and hematologic aspects.

Blood 6, 291-312

YOUNG, L.E., ERVIN, D.M., CHRISTIAN, R.M. und DAVIS, R.W. (1949a)

Hemolytic disease in newborn dogs following isoimmunization of the dam by transfusion.

Science 109, 630-631

YOUNG, L.E., ERVIN, D.M. und YUILE, C.L. (1949b)

Hemolytic reactions produced in dogs by transfusion of incompatible dog blood and plasma.

Blood 4, 1218-1231

YOUNG, L.E., O'BRIEN, W.A., MILLER, G., SWISHER, S.N., ERVIN, D.M., CHRISTIAN, R.M. und YUILE, C.L. (1951b)

Erythrocyte isoantibody reactions in dogs.

Trans. N.Y. Acad. Sci. Ser. 13, 209-211

YOUNG, L.E., O'BRIEN, W.A., SWISHER, S.N., MILLER, G. und YUILE, C.L. (1952)

Blood groups in dogs – their significance to the veterinarian.

Am. J. Vet. Res. 13, 207-213

YUILE, C.L., VAN ZANDT, T.F., ERVIN, D.M. und YOUNG, L.E. (1949)

Hemolytic reactions produced in dogs by transfusion of incompatible dog blood and plasma. II. Renal aspects following whole blood transfusions.

Blood 4, 1232-1239