

5. Literaturverzeichnis

- Abe, F., N. Ishibashi und S. Shimamura (1995). "Effect of administration of bifidobacteria and lactic acid bacteria to newborn calves and piglets." J Dairy Sci **78**(12): 2838-46.
- Adami, A. und V. Cavazzoni (1999). "Occurrence of selected bacterial groups in the faeces of piglets fed with *Bacillus coagulans* as probiotic." J Basic Microbiol **39**(1): 3-9.
- Akiba, M., T. Sameshima und M. Nakazawa (2000). "Clonal turnover of enterohemorrhagic *Escherichia coli* O157:H7 in experimentally infected cattle." FEMS Microbiol Lett **184**(1): 79-83.
- Alexopoulos, C., A. Karagiannidis, S. K. Kritas, C. Boscos, I. E. Georgoulakis und S. C. Kyriakis (2001). "Field evaluation of a bioregulator containing live *Bacillus cereus* spores on health status and performance of sows and their litters." J Vet Med A Physiol Pathol Clin Med **48**(3): 137-45.
- Allison, M. J., I. M. Robinson, J. A. Bucklin und G. D. Booth (1979). "Comparison of bacterial populations of the pig cecum and colon based upon enumeration with specific energy sources." Appl Environ Microbiol **37**(6): 1142-51.
- Altenhoefer, A., S. Oswald, U. Sonnenborn, C. Enders, J. Schulze, J. Hacker und T. A. Oelschlaeger (2004). "The probiotic *Escherichia coli* strain Nissle 1917 interferes with invasion of human intestinal epithelial cells by different enteroinvasive bacterial pathogens." FEMS Immunol Med Microbiol **40**(3): 223-9.
- Amann, R., B. M. Fuchs und S. Behrens (2001). "The identification of microorganisms by fluorescence in situ hybridisation." Curr Opin Biotechnol **12**(3): 231-6.
- Amann, R. und W. Ludwig (2000). "Ribosomal RNA-targeted nucleic acid probes for studies in microbial ecology." FEMS Microbiol Rev **24**(5): 555-65.
- Amann, R. I., B. J. Binder, R. J. Olson, S. W. Chisholm, R. Devereux und D. A. Stahl (1990). "Combination of 16S rRNA-targeted oligonucleotide probes with flow cytometry for analyzing mixed microbial populations." Appl Environ Microbiol **56**(6): 1919-25.

Anadon, A., M. R. Martinez-Larranaga und M. Aranzazu Martinez (2006). "Probiotics for animal nutrition in the European Union. Regulation and safety assessment." Regul Toxicol Pharmacol **45**(1): 91-5.

Anonym (2002). "Opinion of the Scientific Committee on Animal Nutrition on the Safety of the Use of Product Oralin in Turkeys". Directorate C - Scientific Opinions, European Commission, http://ec.europa.eu/food/fs/sc/scan/out92_en.pdf.

Anonym (2003). "Opinion of the Scientific Committee on Animal Nutrition on the Criteria for Assessing the Safety of Micro-Organisms resistant to Antibiotics of Human Clinical and Veterinary Importance". Directorate C - Scientific Opinions, European Commission, http://ec.europa.eu/food/fs/sc/scan/out108_en.pdf.

Anonym (2003). "Opinion on the use of certain micro-organisms as additives in feedingstuffs". Directorate C - Scientific Opinions, European Commission, http://ec.europa.eu/food/fs/sc/scan/out93_en.pdf.

(2003) "Verordnung (EG) Nr. 1831/2003 des europäischen Parlaments und des Rates vom 22. September 2003 über Zusatzstoffe zur Verwendung in der Tierernährung" L 268/29 Amtsblatt der Europäischen Union.

Bach Knudsen, K. E., B. B. Jensen, J. O. Andersen und I. Hansen (1991). "Gastrointestinal implications in pigs of wheat and oat fractions. 2. Microbial activity in the gastrointestinal tract." Br J Nutr **65**(2): 233-48.

Bach Knudsen, K. E., A. Serena, N. Canibe und K. S. Juntunen (2003). "New insight into butyrate metabolism." Proc Nutr Soc **62**(1): 81-6.

Bai, A. P., Q. Ouyang, W. Zhang, C. H. Wang und S. F. Li (2004). "Probiotics inhibit TNF-alpha-induced interleukin-8 secretion of HT29 cells." World J Gastroenterol **10**(3): 455-7.

Bailey, M., F. J. Plunkett, H. J. Rothkotter, M. A. Vega-Lopez, K. Haverson und C. R. Stokes (2001). "Regulation of mucosal immune responses in effector sites." Proc Nutr Soc **60**(4): 427-35.

Baillon, M. L., Z. V. Marshall-Jones und R. F. Butterwick (2004). "Effects of probiotic *Lactobacillus acidophilus* strain DSM13241 in healthy adult dogs." *Am J Vet Res* **65**(3): 338-43.

Bartkeviciute, Z., J. Cernauskiene, A. Jeresiunas, J. Kulpys und H. Jeroch (2005). "Einfluss des Probiotikums Bonvital auf die Mast- und Schlachtleistung von Schweinen", 4. BOKU- Symposium Tierernährung, Wien. http://www.boku.ac.at/tte-symposium/Tagungsband/BOKU_Symposium_2005.pdf. 34-43.

Basson, M. D., Y. W. Liu, A. M. Hanly, N. J. Emenaker, S. G. Shenoy und B. E. Gould Rothberg (2000). "Identification and comparative analysis of human colonocyte short-chain fatty acid response genes." *J Gastrointest Surg* **4**(5): 501-12.

Benyacoub, J., G. L. Czarnecki-Maulden, C. Cavadini, T. Sauthier, R. E. Anderson, E. J. Schiffrin und T. von der Weid (2003). "Supplementation of food with *Enterococcus faecium* (SF68) stimulates immune functions in young dogs." *J Nutr* **133**(4): 1158-62.

Bergman, E. N. (1990). "Energy contributions of volatile fatty acids from the gastrointestinal tract in various species." *Physiol Rev* **70**(2): 567-90.

Betzl, D., W. Ludwig und K. H. Schleifer (1990). "Identification of lactococci and enterococci by colony hybridization with 23S rRNA-targeted oligonucleotide probes." *Appl Environ Microbiol* **56**(9): 2927-9.

Bikker, P., A. Dirkzwager, J. Fledderus, P. Trevisi, I. le Huerou-Luron, J. P. Lalles und A. Awati (2006). "The effect of dietary protein and fermentable carbohydrates levels on growth performance and intestinal characteristics in newly weaned piglets." *J Anim Sci* **84**(12): 3337-45.

Bird, A. R., T. Hayakawa, Y. Marsono, J. M. Gooden, I. R. Record, R. L. Correll und D. L. Topping (2000). "Coarse brown rice increases fecal and large bowel short-chain fatty acids and starch but lowers calcium in the large bowel of pigs." *J Nutr* **130**(7): 1780-7.

Blanco, M., J. E. Blanco, E. A. Gonzalez, A. Mora, W. Jansen, T. A. Gomes, L. F. Zerbini, T. Yano, A. F. de Castro und J. Blanco (1997). "Genes coding for enterotoxins and verotoxins in porcine *Escherichia coli* strains belonging to different O:K:H serotypes: relationship with toxic phenotypes." *J Clin Microbiol* **35**(11): 2958-63.

Blömer, A., Schneeberger, E., Mathies, E. (2005). "Effect of Enterococcus faecium DSM 7134 on the reproduction performance of sows", 4. BOKU- Symposium Tierernährung, Wien. http://www.boku.ac.at/tte-symposium/Tagungsband/BOKU_Symposium_2005.pdf. 77-80.

Bohmer, B. M., W. Kramer und D. A. Roth-Maier (2006). "Dietary probiotic supplementation and resulting effects on performance, health status, and microbial characteristics of primiparous sows." J Anim Physiol Anim Nutr (Berl) **90**(7-8): 309-15.

Bolduan, G., R. Schneider, H. Jung und B. Klenke (1986). "The ammonia content in the digesta of pigs." Arch Tierernahr **36**(2-3): 281-5.

Bollmann, S. (2002). "Untersuchungen zur Wirkung nichtantibiotischer Futterzusätze auf die Darmflora sowie den Verlauf einer experimentellen Escherichia coli- bzw. Salmonella Derby- Infektion bei Schweinen", Vet.med.Diss., Institut für Mikrobiologie und Tierseuchen, Institut für Tierernährung, Tierärztliche Hochschule, Hannover.

Bosworth, B. T., Casey, T. A. (1997). "Identification of toxin and pilus genes in porcine Escherichia coli using polymerase chain reaction (PCR) with multiple primer pairs." 97th general meeting of the American Society for Microbiology, Miami Beach, Florida. May 4-8 1997, Abstract B-509,116.

Breeuwer, P. und T. Abbe (2000). "Assessment of viability of microorganisms employing fluorescence techniques." Int J Food Microbiol **55**(1-3): 193-200.

Breves, G., C. Walter, M. Burmeister und B. Schroeder (2000). "In vitro studies on the effects of *Saccharomyces boulardii* and *Bacillus cereus* var. *toyoii* on nutrient transport in pig jejunum." J. Anim. Physiol. a. Anim. Nutr. **84**: 9-20.

Brooker, J. D. und B. Stokes (1990). "Monoclonal antibodies against the ruminal bacterium *Selenomonas ruminantium*." Appl Environ Microbiol **56**(7): 2193-9.

Broom, L. J., H. M. Miller, K. G. Kerr und J. S. Knapp (2006). "Effects of zinc oxide and Enterococcus faecium SF68 dietary supplementation on the performance, intestinal microbiota and immune status of weaned piglets." Res Vet Sci **80**(1): 45-54.

Buluwela, L., A. Forster, T. Boehm und T. H. Rabbits (1989). "A rapid procedure for colony screening using nylon filters." Nucleic Acids Res **17**(1): 452.

Bunthof, C. J., S. van den Braak, P. Breeuwer, F. M. Rombouts und T. Abee (2000). "Fluorescence assessment of Lactococcus lactis viability." Int J Food Microbiol **55**(1-3): 291-4.

Butine, T. J. und J. A. Leedle (1989). "Enumeration of selected anaerobic bacterial groups in cecal and colonic contents of growing-finishing pigs." Appl Environ Microbiol **55**(5): 1112-6.

Buydens, P. und S. Debeuckelaere (1996). "Efficacy of SF 68 in the treatment of acute diarrhea. A placebo-controlled trial." Scand J Gastroenterol **31**(9): 887-91.

Canibe, N., S. H. Steien, M. Overland und B. B. Jensen (2001). "Effect of K-diformate in starter diets on acidity, microbiota, and the amount of organic acids in the digestive tract of piglets, and on gastric alterations." J Anim Sci **79**(8): 2123-33.

Casey, P. G., G. E. Gardiner, G. Casey, B. Bradshaw, P. G. Lawlor, P. B. Lynch, F. C. Leonard, C. Stanton, R. P. Ross, G. F. Fitzgerald und C. Hill (2007). "A Five-Strain Probiotic Combination Reduces Pathogen Shedding and Alleviates Disease Signs in Pigs Challenged with *Salmonella Typhimurium*." Appl Environ Microbiol.

Casey, T. A. und H. W. Moon (1990). "Genetic characterization and virulence of enterotoxigenic *Escherichia coli* mutants which have lost virulence genes in vivo." Infect Immun **58**(12): 4156-8.

Cebra, J. J. (1999). "Influences of microbiota on intestinal immune system development." Am J Clin Nutr **69**(5): 1046S-1051S.

Chaveerach, P., L. J. Lipman und F. van Knapen (2004). "Antagonistic activities of several bacteria on in vitro growth of 10 strains of *Campylobacter jejuni/coli*." Int J Food Microbiol **90**(1): 43-50.

Cleveland, J., T. J. Montville, I. F. Nes und M. L. Chikindas (2001). "Bacteriocins: safe, natural antimicrobials for food preservation." Int J Food Microbiol **71**(1): 1-20.

Collado, M. C., A. Gonzalez, R. Gonzalez, M. Hernandez, M. A. Ferrus und Y. Sanz (2005). "Antimicrobial peptides are among the antagonistic metabolites produced by *Bifidobacterium* against *Helicobacter pylori*." Int J Antimicrob Agents **25**(5): 385-91.

- Collado, M. C., M. Gueimonde, M. Hernandez, Y. Sanz und S. Salminen (2005). "Adhesion of selected *Bifidobacterium* strains to human intestinal mucus and the role of adhesion in enteropathogen exclusion." *J Food Prot* **68**(12): 2672-8.
- Collado, M. C., M. Hernandez und Y. Sanz (2005). "Production of bacteriocin-like inhibitory compounds by human fecal *Bifidobacterium* strains." *J Food Prot* **68**(5): 1034-40.
- Collier, C. T., M. R. Smiricky-Tjardes, D. M. Albin, J. E. Wubben, V. M. Gabert, B. Deplancke, D. Bane, D. B. Anderson und H. R. Gaskins (2003). "Molecular ecological analysis of porcine ileal microbiota responses to antimicrobial growth promoters." *J Anim Sci* **81**(12): 3035-45.
- Collinder, E., M. E. Cardona, H. Kozakova, E. Norin, S. Stern und T. Midtvedt (2002). "Biochemical intestinal parameters in pigs reared outdoors and indoors, and in germ-free pigs." *J Vet Med A Physiol Pathol Clin Med* **49**(4): 203-9.
- Collins, M. D. und G. R. Gibson (1999). "Probiotics, prebiotics, and synbiotics: approaches for modulating the microbial ecology of the gut." *Am J Clin Nutr* **69**(5): 1052S-1057S.
- Colwell, R. R. (2000). "Viable but nonculturable bacteria: a survival strategy." *J Infect Chemother* **6**(2): 121-5.
- Cromwell, G. L. (2002). "Why and how antibiotics are used in swine production." *Anim Biotechnol* **13**(1): 7-27.
- Cummings, J. H. und G. T. Macfarlane (1991). "The control and consequences of bacterial fermentation in the human colon." *J Appl Bacteriol* **70**(6): 443-59.
- Cummings, J. H. und G. T. Macfarlane (1997). "Role of intestinal bacteria in nutrient metabolism." *JPEN J Parenter Enteral Nutr* **21**(6): 357-65.
- Dahan, S., G. Dalmasso, V. Imbert, J. F. Peyron, P. Rampal und D. Czerucka (2003). "Saccharomyces boulardii interferes with enterohemorrhagic *Escherichia coli*-induced signaling pathways in T84 cells." *Infect Immun* **71**(2): 766-73.
- Darcy-Vrillon, B., C. Cherbuy, M. T. Morel, M. Durand und P. H. Duee (1996). "Short chain fatty acid and glucose metabolism in isolated pig colonocytes: modulation by NH4+." *Mol Cell Biochem* **156**(2): 145-51.

Datta, A. R., B. A. Wentz und W. E. Hill (1987). "Detection of hemolytic Listeria monocytogenes by using DNA colony hybridization." Appl Environ Microbiol **53**(9): 2256-9.

De Boever, P., R. Wouters, L. Verschaeve, P. Berckmans, G. Schoeters und W. Verstraete (2000). "Protective effect of the bile salt hydrolase-active Lactobacillus reuteri against bile salt cytotoxicity." Appl Microbiol Biotechnol **53**(6): 709-14.

De Cupere, F., P. Deprez, D. Demeulenaere und E. Muylle (1992). "Evaluation of the effect of 3 probiotics on experimental Escherichia coli enterotoxaemia in weaned piglets." Zentralbl Veterinarmed B **39**(4): 277-84.

De Man, J. D., M. Rogosa und M. E. Sharpe (1960). "A Medium for the cultivation of lactobacilli." J Appl Bacteriol **23**: 130-135.

De Smet, I., P. De Boever und W. Verstraete (1998). "Cholesterol lowering in pigs through enhanced bacterial bile salt hydrolase activity." Br J Nutr **79**(2): 185-94.

De Vuyst, L., M. R. Foulquier Moreno und H. Revets (2003). "Screening for enterocins and detection of hemolysin and vancomycin resistance in enterococci of different origins." Int J Food Microbiol **84**(3): 299-318.

Devriese, L. A., J. Hommez, B. Pot und F. Haesebrouck (1994). "Identification and composition of the streptococcal and enterococcal flora of tonsils, intestines and faeces of pigs." J Appl Bacteriol **77**(1): 31-6.

Dixit, S. M., D. M. Gordon, X. Y. Wu, T. Chapman, K. Kailasapathy und J. J. Chin (2004). "Diversity analysis of commensal porcine Escherichia coli - associations between genotypes and habitat in the porcine gastrointestinal tract." Microbiology **150**(Pt 6): 1735-40.

Domig, K. (2005). "Antibiotikaresistenz und Einsatz von Antibiotika in der Tierernährung", 4. BOKU- Symposium Tierernährung, Wien. www.boku.ac.at/tte-symposium/Tagungsband/BOKU_Symposium_2005.pdf. 27.Okt.2005, 1-9.

du Toit, M., C. M. Franz, L. M. Dicks und W. H. Holzapfel (2000). "Preliminary characterization of bacteriocins produced by Enterococcus faecium and Enterococcus faecalis isolated from pig faeces." J Appl Microbiol **88**(3): 482-94.

- Duncker, S. C., A. Lorentz, B. Schroeder, G. Breves und S. C. Bischoff (2006). "Effect of orally administered probiotic E. coli strain Nissle 1917 on intestinal mucosal immune cells of healthy young pigs." Vet Immunol Immunopathol **111**(3-4): 239-50.
- Durant, J. A., C. R. Young, D. J. Nisbet, L. H. Stanker und S. C. Ricke (1997). "Detection and quantification of poultry probiotic bacteria in mixed culture using monoclonal antibodies in an enzyme-linked immunosorbent assay." Int J Food Microbiol **38**(2-3): 181-9.
- Eaton, T. J. und M. J. Gasson (2001). "Molecular screening of Enterococcus virulence determinants and potential for genetic exchange between food and medical isolates." Appl Environ Microbiol **67**(4): 1628-35.
- Ehle, F. R., J. B. Robertson und P. J. Van Soest (1982). "Influence of dietary fibers on fermentation in the human large intestine." J Nutr **112**(1): 158-66.
- Emenaker, N. J., G. M. Calaf, D. Cox, M. D. Basson und N. Qureshi (2001). "Short-chain fatty acids inhibit invasive human colon cancer by modulating uPA, TIMP-1, TIMP-2, mutant p53, Bcl-2, Bax, p21 and PCNA protein expression in an in vitro cell culture model." J Nutr **131**(11 Suppl): 3041S-6S.
- Erickson, K. L. und N. E. Hubbard (2000). "Probiotic immunomodulation in health and disease." J Nutr **130**(2S Suppl): 403S-409S.
- Falk, P. G., L. V. Hooper, T. Midtvedt und J. I. Gordon (1998). "Creating and maintaining the gastrointestinal ecosystem: what we know and need to know from gnotobiology." Microbiol Mol Biol Rev **62**(4): 1157-70.
- Favier, C. F., E. E. Vaughan, W. M. De Vos und A. D. Akkermans (2002). "Molecular monitoring of succession of bacterial communities in human neonates." Appl Environ Microbiol **68**(1): 219-26.
- Fedorka-Cray, P. J., J. S. Bailey, N. J. Stern, N. A. Cox, S. R. Ladely und M. Musgrove (1999). "Mucosal competitive exclusion to reduce Salmonella in swine." J Food Prot **62**(12): 1376-80.

- Feighner, S. D. und M. P. Dashkevicz (1987). "Subtherapeutic levels of antibiotics in poultry feeds and their effects on weight gain, feed efficiency, and bacterial cholytaurine hydrolase activity." *Appl Environ Microbiol* **53**(2): 331-6.
- Finegold, S. M., V. L. Sutter, P. T. Sugihara, H. A. Elder, S. M. Lehmann und R. L. Phillips (1977). "Fecal microbial flora in Seventh Day Adventist populations and control subjects." *Am J Clin Nutr* **30**(11): 1781-92.
- Forchielli, M. L. und W. A. Walker (2005). "The role of gut-associated lymphoid tissues and mucosal defence." *Br J Nutr* **93 Suppl 1**: S41-8.
- Foulquie Moreno, M. R., R. Callewaert, B. Devreese, J. Van Beeumen und L. De Vuyst (2003). "Isolation and biochemical characterisation of enterocins produced by enterococci from different sources." *J Appl Microbiol* **94**(2): 214-29.
- Franklin, M. A., A. G. Mathew, J. R. Vickers und R. A. Clift (2002). "Characterization of microbial populations and volatile fatty acid concentrations in the jejunum, ileum, and cecum of pigs weaned at 17 vs 24 days of age." *J Anim Sci* **80**(11): 2904-10.
- Franks, A. H., H. J. Harmsen, G. C. Raangs, G. J. Jansen, F. Schut und G. W. Welling (1998). "Variations of bacterial populations in human feces measured by fluorescent in situ hybridization with group-specific 16S rRNA-targeted oligonucleotide probes." *Appl Environ Microbiol* **64**(9): 3336-45.
- Franz, C. M., W. H. Holzapfel und M. E. Stiles (1999). "Enterococci at the crossroads of food safety?" *Int J Food Microbiol* **47**(1-2): 1-24.
- Franz, C. M., A. B. Muscholl-Silberhorn, N. M. Yousif, M. Vancanneyt, J. Swings und W. H. Holzapfel (2001). "Incidence of virulence factors and antibiotic resistance among Enterococci isolated from food." *Appl Environ Microbiol* **67**(9): 4385-9.
- Franz, C. M., I. Specht, P. Haberer und W. H. Holzapfel (2001). "Bile salt hydrolase activity of Enterococci isolated from food: screening and quantitative determination." *J Food Prot* **64**(5): 725-9.
- Frydendahl, K. (2002). "Prevalence of serogroups and virulence genes in Escherichia coli associated with postweaning diarrhoea and edema disease in pigs and a comparison of diagnostic approaches." *Vet Microbiol* **85**(2): 169-82.

Fuller, R. (1989). "Probiotics in man and animals." J Appl Bacteriol **66**(5): 365-78.

Fuller, R. (1999). Probiotics for Farm Animals. In: Probiotics, A Critical Review. G. W. Tannock (Hrsg.), Horizon Scientific Press, Wymondham, UK.

Gardiner, G. E., P. G. Casey, G. Casey, P. B. Lynch, P. G. Lawlor, C. Hill, G. F. Fitzgerald, C. Stanton und R. P. Ross (2004). "Relative ability of orally administered Lactobacillus murinus to predominate and persist in the porcine gastrointestinal tract." Appl Environ Microbiol **70**(4): 1895-906.

Gaskins, H. R., C. T. Collier und D. B. Anderson (2002). "Antibiotics as growth promotants: mode of action." Anim Biotechnol **13**(1): 29-42.

Gedek, B., M. Kirchgessner, S. Wiehler, A. Bott, U. Eidelsburger und F. X. Roth (1993). "The nutritive effect of *Bacillus cereus* as a probiotic in the raising of piglets. 2. Effect and microbial count, composition and resistance determination of gastrointestinal and fecal microflora." Arch Tierernahr **44**(3): 215-26.

Genovese, K. J., R. C. Anderson, R. B. Harvey und D. J. Nisbet (2000). "Competitive exclusion treatment reduces the mortality and fecal shedding associated with enterotoxigenic *Escherichia coli* infection in nursery-raised neonatal pigs." Can J Vet Res **64**(4): 204-7.

Girvan, M. S., C. D. Campbell, K. Killham, J. I. Prosser und L. A. Glover (2005). "Bacterial diversity promotes community stability and functional resilience after perturbation." Environ Microbiol **7**(3): 301-13.

Göbel, S. (2003). "Multiplex-Polymerase-Ketten-Reaktion (MPCR) zum Nachweis ausgewählter Virulenzfaktoren schweinepathogener *Escherichia coli* - Einsatz bei Ferkeln mit *Bacillus cereus* var. *toyoii* Zulage -", Vet.med.Diss., Institut für Tierernährung, Freie Universität Berlin, Berlin, Germany.

Görke, B. (2000). "Untersuchung der Schleimhautmorphologie im Dünnd- und Dickdarm nach oraler Applikation von *Saccharomyces boulardii* und *Bacillus cereus* var. *toyoii* beim Schwein", Vet.med.Diss., Institut für Pathologie, Physiologisches Institut, Tierärztliche Hochschule, Hannover.

Gößling, A. (2001). "Wirkungen eines Oreganoöl-Zusatzes als Futteradditiv auf die Darmflora von Absetzferkeln", *Vet.med.Diss.*, Institut für Mikrobiologie und Tierseuchen, Institut für Tierernährung, Tierärztliche Hochschule Hannover, Hannover, Germany.

Guo, X., D. Li, W. Lu, X. Piao und X. Chen (2006). "Screening of *Bacillus* strains as potential probiotics and subsequent confirmation of the in vivo effectiveness of *Bacillus subtilis* MA139 in pigs." Antonie Van Leeuwenhoek **90**(2): 139-46.

Ha, S. K., C. Choi und C. Chae (2003). "Prevalence of a gene encoding adhesin involved in diffuse adherence among *Escherichia coli* isolates in pigs with postweaning diarrhea or edema disease." J Vet Diagn Invest **15**(4): 378-81.

Harmsen, H. und G. W. Welling (2002). Fluorescence In Situ Hybridization as a Tool in Intestinal Bacteriology. In: Probiotics and Probiotics - Where Are We Going? G. W. Tannock (Hrsg.), Caister Academic Press, Whymondham, UK 41-58.

Harmsen, H. J., G. R. Gibson, P. Elfferich, G. C. Raangs, A. C. Wildeboer-Veloo, A. Argaiz, M. B. Roberfroid und G. W. Welling (2000). "Comparison of viable cell counts and fluorescence in situ hybridization using specific rRNA-based probes for the quantification of human fecal bacteria." FEMS Microbiol Lett **183**(1): 125-9.

Herbst, W., H. Willems und G. Baljer (2004). "[Distribution of *Brachyspira hyodysenteriae* and *Lawsonia intracellularis* in healthy and diarrhoeic pigs]." Berl Munch Tierarztl Wochenschr **117**(11-12): 493-8.

Hojberg, O., N. Canibe, H. D. Poulsen, M. S. Hedemann und B. B. Jensen (2005). "Influence of dietary zinc oxide and copper sulfate on the gastrointestinal ecosystem in newly weaned piglets." Appl Environ Microbiol **71**(5): 2267-77.

Holt, J. G., N. R. Krieg, P. H. A. Sneath, J. T. Staley und S. T. Williams (Hrsg.) (1994). Bergey's Manual of Determinative Bacteriology. USA, Williams and Wilkins.

Holzapfel, W. H., P. Haberer, J. Snel, U. Schillinger und J. H. Huis in't Veld (1998). "Overview of gut flora and probiotics." Int J Food Microbiol **41**(2): 85-101.

Hooper, L. V. und J. I. Gordon (2001). "Commensal host-bacterial relationships in the gut." Science **292**(5519): 1115-8.

Hooper, L. V., T. Midtvedt und J. I. Gordon (2002). "How host-microbial interactions shape the nutrient environment of the mammalian intestine." Annu Rev Nutr **22**: 283-307.

Huijsdens, X. W., R. K. Linskens, M. Mak, S. G. Meuwissen, C. M. Vandebroucke-Grauls und P. H. Savelkoul (2002). "Quantification of bacteria adherent to gastrointestinal mucosa by real-time PCR." J Clin Microbiol **40**(12): 4423-7.

Hultqvist, L. (2003). "Zum Vorkommen und zur Bedeutung antibiotikaresistenter Enterokokken im Bereich der Fleischgewinnung bei landwirtschaftlichen Nutztieren", Vet.med.Diss., Bundesinstitut für Risikobewertung, Institut für Lebensmittelhygiene, Freie Universität, Berlin.

Iizuka, M., S. Konno, H. Itou, J. Chihara, I. Toyoshima, Y. Horie, K. Sasaki, A. Sato, K. Shindo und S. Watanabe (2004). "Novel evidence suggesting Clostridium difficile is present in human gut microbiota more frequently than previously suspected." Microbiol Immunol **48**(11): 889-92.

Imoto, S. und S. Namioka (1978). "VFA metabolism in the pig." J Anim Sci **47**(2): 479-87.

Imoto, S. und S. Namioka (1978). "VFA production in the pig large intestine." J Anim Sci **47**(2): 467-78.

Inoue, R., M. Otsuka und K. Ushida (2005). "Development of intestinal microbiota in mice and its possible interaction with the evolution of luminal IgA in the intestine." Exp Anim **54**(5): 437-45.

Inoue, R., T. Tsukahara, N. Nakanishi und K. Ushida (2005). "Development of the intestinal microbiota in the piglet." J Gen Appl Microbiol **51**(4): 257-65.

Ishibashi, N. und S. Yamazaki (2001). "Probiotics and safety." Am J Clin Nutr **73**(2 Suppl): 465S-470S.

Isolauri, E., A. C. Ouwehand und K. Laitinen (2005). "Novel approaches to the nutritional management of the allergic infant." Acta Paediatr Suppl **94**(449): 110-4.

Iversen, A., I. Kuhn, M. Rahman, A. Franklin, L. G. Burman, B. Olsson-Liljequist, E. Torell und R. Mollby (2004). "Evidence for transmission between humans and the environment of a nosocomial strain of Enterococcus faecium." Environ Microbiol **6**(1): 55-9.

Jadamus, A. (2001). "Untersuchungen zur Wirksamkeit und Wirkungsweise des sporenbildenden *Bacillus cereus* var *toyoji* im Verdauungstrakt von Broilern und Ferkeln", *Vet.med.Diss.*, Institut für Tierernährung, Freie Universität, Berlin.

Jadamus, A., W. Vahjen, K. Schafer und O. Simon (2002). "Influence of the probiotic strain *Bacillus cereus* var. *toyoji* on the development of enterobacterial growth and on selected parameters of bacterial metabolism in digesta samples of piglets." *J Anim Physiol Anim Nutr (Berl)* **86**(1-2): 42-54.

Jadamus, A., W. Vahjen und O. Simon (2001). "Growth behaviour of a spore forming probiotic strain in the gastrointestinal tract of broiler chicken and piglets." *Arch. Anim. Nutr.* **54**(1): 1-17.

Jin, L. Z., R. R. Marquardt und X. Zhao (2000). "A strain of *Enterococcus faecium* (18C23) inhibits adhesion of enterotoxigenic *Escherichia coli* K88 to porcine small intestine mucus." *Appl Environ Microbiol* **66**(10): 4200-4.

Johnson-Henry, K. C., K. E. Hagen, M. Gordonpour, T. A. Tompkins und P. M. Sherman (2006). "Surface-layer protein extracts from *Lactobacillus helveticus* inhibit enterohaemorrhagic *Escherichia coli* O157:H7 adhesion to epithelial cells." *Cell Microbiol* **9**(2): 356-67.

Jonsson, C. (1992). Probiotics for pigs. In: Probiotics - The Scientific Basis. R. Fuller (Hrsg.), Chapman and Hall, London.

Kabir, S. R., MM; Rahman, MB; Rahman, MM; Ahmed, SU (2004). "The dynamics of probiotics on growth performance and immune response in broilers." International-Journal-of-Poultry-Science **3**(5): 361-364; 17 ref.

Kamphues, J. (1999). "Antibiotic growth promoters for the view of animal nutrition." Berl Munch Tierarztl Wochenschr **112**(10-11): 370-9.

Karch, H., T. Meyer, H. Russmann und J. Heesemann (1992). "Frequent loss of Shiga-like toxin genes in clinical isolates of *Escherichia coli* upon subcultivation." *Infect Immun* **60**(8): 3464-7.

Karlsson, K. A. (1989). "Animal glycosphingolipids as membrane attachment sites for bacteria." *Annu Rev Biochem* **58**: 309-50.

Katouli, M., E. Foo, I. Kuhn und R. Mollby (1997). "Evaluation of the Phene Plate generalized microplate for metabolic fingerprinting and for measuring fermentative capacity of mixed bacterial populations." *J Appl Microbiol* **82**(4): 511-8.

Katouli, M., A. Lund, P. Wallgren, I. Kuhn, O. Soderlind und R. Mollby (1995). "Phenotypic characterization of intestinal Escherichia coli of pigs during suckling, postweaning, and fattening periods." *Appl Environ Microbiol* **61**(2): 778-83.

Katouli, M., A. Lund, P. Wallgren, I. Kuhn, O. Soderlind und R. Mollby (1997). "Metabolic fingerprinting and fermentative capacity of the intestinal flora of pigs during pre- and post-weaning periods." *J Appl Microbiol* **83**(2): 147-54.

Katsuda, K., M. Kohmoto, K. Kawashima und H. Tsunemitsu (2006). "Frequency of enteropathogen detection in suckling and weaned pigs with diarrhea in Japan." *J Vet Diagn Invest* **18**(4): 350-4.

Kelly, D. (1998). "Probiotics in Young and Newborn Animals." *J. Anim. Feed Sci.* **7**: 15-23.

Kirchgessner, M., F. X. Roth, U. Eidelsburger und B. Gedek (1993). "[The nutritive efficiency of *Bacillus cereus* as a probiotic in the raising of piglets. 1. Effect on the growth parameters and gastrointestinal environment]." *Arch Tierernahr* **44**(2): 111-21.

Kirjavainen, P. V., E. Apostolou, S. J. Salminen und E. Isolauri (1999). "New aspects of probiotics--a novel approach in the management of food allergy." *Allergy* **54**(9): 909-15.

Kirjavainen, P. V. und G. R. Gibson (1999). "Healthy gut microflora and allergy: factors influencing development of the microbiota." *Ann Med* **31**(4): 288-92.

Klein, G., A. Pack, C. Bonaparte und G. Reuter (1998). "Taxonomy and physiology of probiotic lactic acid bacteria." *Int J Food Microbiol* **41**(2): 103-25.

Kleta, S., H. Steinruck, G. Breves, S. Duncker, C. Laturnus, L. H. Wieler und P. Schierack (2006). "Detection and distribution of probiotic *Escherichia coli* Nissle 1917 clones in swine herds in Germany." *J Appl Microbiol* **101**(6): 1357-66.

Klüß, J. (2004). "Untersuchung ilealer Digesta von Absatzferkeln bei Fütterung mit verschiedenen Diäten", *Vet.med.Diss.*, Institut für Tierernährung, *Freie Universität*, Berlin.

Kocher, A., A. Connolly, J. Zawadzki und D. Gallet (2004). "The challenge of finding alternatives to antibiotic growth promoters", International Society for Animal Hygiène, Saint-Malo.

Konstantinov, S. R., A. Awati, H. Smidt, B. A. Williams, A. D. Akkermans und W. M. de Vos (2004). "Specific response of a novel and abundant Lactobacillus amylovorus-like phylotype to dietary prebiotics in the guts of weaning piglets." Appl Environ Microbiol **70**(7): 3821-30.

Konstantinov, S. R., N. Fitzsimon, E. E. Vaughan und A. D. L. Akkermans (2002). From Composition to Functionality of the Intestinal Microflora. In: Probiotics and Prebiotics - Where Are We Going. G. W. Tannock (Hrsg.), Caister Academic Press, Wymondham, UK 59-84.

Koolman, J. und K.-H. Röhm (1994). "Taschenatlas der Biochemie". Thieme Verlag, Stuttgart

Kuhbacher, T., S. J. Ott, U. Helwig, T. Mimura, F. Rizzello, B. Kleessen, P. Gionchetti, M. Blaut, M. Campieri, U. R. Folsch, M. A. Kamm und S. Schreiber (2006). "Bacterial and fungal microbiota in relation to probiotic therapy (VSL#3) in pouchitis." Gut **55**(6): 833-41.

Kuhn, I., A. Iversen, L. G. Burman, B. Olsson-Liljequist, A. Franklin, M. Finn, F. Aarestrup, A. M. Seyfarth, A. R. Blanch, X. Vilanova, H. Taylor, J. Caplin, M. A. Moreno, L. Dominguez, I. A. Herrero und R. Mollby (2003). "Comparison of enterococcal populations in animals, humans, and the environment--a European study." Int J Food Microbiol **88**(2-3): 133-45.

Kwon, D., O. Kim und C. Chae (1999). "Prevalence of genotypes for fimbriae and enterotoxins and of O serogroups in Escherichia coli isolated from diarrheic piglets in Korea." J Vet Diagn Invest **11**(2): 146-51.

Lahtinen, S. J., M. Gueimonde, A. C. Ouwehand, J. P. Reinikainen und S. J. Salminen (2005). "Probiotic bacteria may become dormant during storage." Appl Environ Microbiol **71**(3): 1662-3.

- Larsen, N., G. J. Olsen, B. L. Maidak, M. J. McCaughey, R. Overbeek, T. J. Macke, T. L. Marsh und C. R. Woese (1993). "The ribosomal database project." Nucleic Acids Res **21**(13): 3021-3.
- Lee, Y. K., C. Y. Lim, W. L. Teng, A. C. Ouwehand, E. M. Tuomola und S. Salminen (2000). "Quantitative approach in the study of adhesion of lactic acid bacteria to intestinal cells and their competition with enterobacteria." Appl Environ Microbiol **66**(9): 3692-7.
- Lenoir-Wijnkoop, I. und M. Hopkins (2003). "The Intestinal Microflora - Understanding the Symbiosis". John Libbey & Company Ltd, Montrouge, France.
- Leser, T. D., J. Z. Amenuvor, T. K. Jensen, R. H. Lindecrona, M. Boye und K. Moller (2002). "Culture-independent analysis of gut bacteria: the pig gastrointestinal tract microbiota revisited." Appl Environ Microbiol **68**(2): 673-90.
- Leser, T. D., R. H. Lindecrona, T. K. Jensen, B. B. Jensen und K. Moller (2000). "Changes in bacterial community structure in the colon of pigs fed different experimental diets and after infection with *Brachyspira hyodysenteriae*." Appl Environ Microbiol **66**(8): 3290-6.
- Leuschner, R. G., J. Bew, K. J. Domig und W. Kneifel (2002). "A collaborative study of a method for enumeration of probiotic enterococci in animal feed." J Appl Microbiol **93**(5): 781-6.
- Lilly, D. M. und R. H. Stillwell (1965). "Probiotics: Growth-Promoting Factors Produced by Microorganisms." Science **147**: 747-8.
- Linaje, R., M. D. Coloma, G. Perez-Martinez und M. Zuniga (2004). "Characterization of faecal enterococci from rabbits for the selection of probiotic strains." J Appl Microbiol **96**(4): 761-71.
- Lund, B. und C. Edlund (2001). "Probiotic Enterococcus faecium strain is a possible recipient of the vanA gene cluster." Clin Infect Dis **32**(9): 1384-5.
- Lynch, P. A., B. J. Gilpin, L. W. Sinton und M. G. Savill (2002). "The detection of *Bifidobacterium adolescentis* by colony hybridization as an indicator of human faecal pollution." J Appl Microbiol **92**(3): 526-33.

- Macfarlane, S. und G. T. Macfarlane (2003). "Regulation of short-chain fatty acid production." Proc Nutr Soc **62**(1): 67-72.
- Macha, M., D. Taras, W. Vahjen, A. Arini und O. Simon (2004). "Specific enumeration of the probiotic strain Enterococcus faecium NCIMB 10415 in the intestinal tract and in faeces of piglets and sows." Arch Anim Nutr **58**(6): 443-52.
- Mack, D. R. (2004). "D(-)-lactic acid-producing probiotics, D(-)-lactic acidosis and infants." Can J Gastroenterol **18**(11): 671-5.
- Mack, D. R., S. Michail, S. Wei, L. McDougall und M. A. Hollingsworth (1999). "Probiotics inhibit enteropathogenic E. coli adherence in vitro by inducing intestinal mucin gene expression." Am J Physiol **276**(4 Pt 1): G941-50.
- Mackie, R. I., A. Sghir und H. R. Gaskins (1999). "Developmental microbial ecology of the neonatal gastrointestinal tract." Am J Clin Nutr **69**(5): 1035S-1045S.
- Madec, F., N. Bridoux, S. Bounaix und A. Jestin (1998). "Measurement of digestive disorders in the piglet at weaning and related risk factors." Prev Vet Med **35**(1): 53-72.
- Maidak, B. L., J. R. Cole, T. G. Lilburn, C. T. Parker, Jr., P. R. Saxman, J. M. Stredwick, G. M. Garrity, B. Li, G. J. Olsen, S. Pramanik, T. M. Schmidt und J. M. Tiedje (2000). "The RDP (Ribosomal Database Project) continues." Nucleic Acids Res **28**(1): 173-4.
- Malinen, E., A. Kassinen, T. Rinttila und A. Palva (2003). "Comparison of real-time PCR with SYBR Green I or 5'-nuclease assays and dot-blot hybridization with rDNA-targeted oligonucleotide probes in quantification of selected faecal bacteria." Microbiology **149**(Pt 1): 269-77.
- Mangell, P., P. Nejdors, M. Wang, S. Ahrne, B. Westrom, H. Thorlacius und B. Jeppsson (2002). "Lactobacillus plantarum 299v inhibits Escherichia coli-induced intestinal permeability." Dig Dis Sci **47**(3): 511-6.
- Manichanh, C., L. Rigottier-Gois, E. Bonnaud, K. Gloux, E. Pelletier, L. Frangeul, R. Nalin, C. Jarrin, P. Chardon, P. Marteau, J. Roca und J. Dore (2006). "Reduced diversity of faecal microbiota in Crohn's disease revealed by a metagenomic approach." Gut **55**(2): 205-11.

Männer, K. und A. Spieler (1997). "Probiotics in piglets - an alternative to traditional growth promoters." Mikroökologie und Therapie **26** (1997),: 243-256.

Marin, M. L., J. H. Lee, J. Murtha, Z. Ustunol und J. J. Pestka (1997). "Differential cytokine production in clonal macrophage and T-cell lines cultured with bifidobacteria." J Dairy Sci **80**(11): 2713-20.

Marteau, P. und M. C. Boutron-Ruault (2002). "Nutritional advantages of probiotics and prebiotics." Br J Nutr **87 Suppl 2**: S153-7.

Marteau, P. R., M. de Vrese, C. J. Cellier und J. Schrezenmeir (2001). "Protection from gastrointestinal diseases with the use of probiotics." Am J Clin Nutr **73**(2 Suppl): 430S-436S.

Mathew, A. G., S. E. Chattin, C. M. Robbins und D. A. Golden (1998). "Effects of a direct-fed yeast culture on enteric microbial populations, fermentation acids, and performance of weanling pigs." J Anim Sci **76**(8): 2138-45.

Mathew, A. G., T. Jones und M. A. Franklin (1994). "Effect of creep feeding on selected microflora and short-chain fatty acids in the ileum of weanling pigs." J Anim Sci **72**(12): 3163-8.

Mathew, A. G., C. M. Robbins, S. E. Chattin und J. D. Quigley, 3rd (1997). "Influence of galactosyl lactose on energy and protein digestibility, enteric microflora, and performance of weanling pigs." J Anim Sci **75**(4): 1009-16.

Mathew, A. G., W. G. Upchurch und S. E. Chattin (1998). "Incidence of antibiotic resistance in fecal Escherichia coli isolated from commercial swine farms." J Anim Sci **76**(2): 429-34.

McCracken, B. A., M. E. Spurlock, M. A. Roos, F. A. Zuckermann und H. R. Gaskins (1999). "Weaning anorexia may contribute to local inflammation in the piglet small intestine." J Nutr **129**(3): 613-9.

McCracken, V. J. (1999). Probiotics and the Immune System. In: Probiotics-A Critical Review. G. W. Tannock (Hrsg.), Horizon Scientific Press, Wymondham, UK.

McCracken, V. J. und R. G. Lorenz (2001). "The gastrointestinal ecosystem: a precarious alliance among epithelium, immunity and microbiota." Cell Microbiol **3**(1): 1-11.

- Melin, L., M. Jensen-Waern, A. Johannisson, M. Ederoth, M. Katouli und P. Wallgren (1997). "Development of selected faecal microfloras and of phagocytic and killing capacity of neutrophils in young pigs." Vet Microbiol **54**(3-4): 287-300.
- Metchnikoff, E. (1907). "The Prolongation of Life". Heinemann, London
- Moon, H. W., L. J. Hoffman, N. A. Cornick, S. L. Booher und B. T. Bosworth (1999). "Prevalences of some virulence genes among Escherichia coli isolates from swine presented to a diagnostic laboratory in Iowa." J Vet Diagn Invest **11**(6): 557-60.
- Moore, W. E. und L. V. Holdeman (1974). "Human fecal flora: the normal flora of 20 Japanese-Hawaiians." Appl Microbiol **27**(5): 961-79.
- Moore, W. E., L. V. Moore, E. P. Cato, T. D. Wilkins und E. T. Kornegay (1987). "Effect of high-fiber and high-oil diets on the fecal flora of swine." Appl Environ Microbiol **53**(7): 1638-44.
- Mortensen, F. V., H. Nielsen, M. J. Mulvany und I. Hessov (1990). "Short chain fatty acids dilate isolated human colonic resistance arteries." Gut **31**(12): 1391-4.
- Mountzouris, K. C., C. Balaskas, F. Fava, K. M. Tuohy, G. R. Gibson und K. Fegeros (2006). "Profiling of composition and metabolic activities of the colonic microflora of growing pigs fed diets supplemented with prebiotic oligosaccharides." Anaerobe **12**(4): 178-85.
- Murray, R. D., H. J. McClung, B. U. Li und A. Ailabouni (1989). "Stimulatory effects of short-chain fatty acids on colonic absorption in newborn piglets in vivo." J Pediatr Gastroenterol Nutr **8**(1): 95-101.
- Muyzer, G. (1999). "DGGE/TGGE a method for identifying genes from natural ecosystems." Curr Opin Microbiol **2**(3): 317-22.
- Muyzer, G., E. C. de Waal und A. G. Uitterlinden (1993). "Profiling of complex microbial populations by denaturing gradient gel electrophoresis analysis of polymerase chain reaction-amplified genes coding for 16S rRNA." Appl Environ Microbiol **59**(3): 695-700.
- Nagy, B. und P. Z. Fekete (1999). "Enterotoxigenic Escherichia coli (ETEC) in farm animals." Vet Res **30**(2-3): 259-84.

Nagy, B., R. A. Wilson und T. S. Whittam (1999). "Genetic diversity among Escherichia coli isolates carrying f18 genes from pigs with porcine postweaning diarrhea and edema disease." J Clin Microbiol **37**(5): 1642-5.

Naumann, C. und R. Bassler (1993). "Die chemische Untersuchung von Futtermitteln".
VDLUFA-Verlag, Darmstadt

Nemeth, E., S. Fajdiga, J. Malago, J. Koninkx, P. Tooten und J. van Dijk (2006). "Inhibition of Salmonella-induced IL-8 synthesis and expression of Hsp70 in enterocyte-like Caco-2 cells after exposure to non-starter lactobacilli." Int J Food Microbiol **112**(3): 266-74.

Nilsson, N. E., K. Kotarsky, C. Owman und B. Olde (2003). "Identification of a free fatty acid receptor, FFA2R, expressed on leukocytes and activated by short-chain fatty acids." Biochem Biophys Res Commun **303**(4): 1047-52.

Nousiainen, J. S., J. (1993). Lactic acid bacteria as animal probiotics. In: Lactic acid bacteria. S. Salminen, von Wright, A. (Hrsg.), Marcel Dekker Inc., New York 315-356.

Nyachoti, C. M., F. O. Omogbenigun, M. Rademacher und G. Blank (2006). "Performance responses and indicators of gastrointestinal health in early-weaned pigs fed low-protein amino acid-supplemented diets." J Anim Sci **84**(1): 125-34.

Osek, J. (1999). "Prevalence of virulence factors of Escherichia coli strains isolated from diarrheic and healthy piglets after weaning." Vet Microbiol **68**(3-4): 209-17.

O'Sullivan, D. J. (2001). "Screening of intestinal microflora for effective probiotic bacteria." J Agric Food Chem **49**(4): 1751-60.

Ott, S. J., M. Musfeldt, U. Ullmann, J. Hampe und S. Schreiber (2004). "Quantification of intestinal bacterial populations by real-time PCR with a universal primer set and minor groove binder probes: a global approach to the enteric flora." J Clin Microbiol **42**(6): 2566-72.

Ott, S. J., M. Musfeldt, D. F. Wenderoth, J. Hampe, O. Brant, U. R. Folsch, K. N. Timmis und S. Schreiber (2004). "Reduction in diversity of the colonic mucosa associated bacterial microflora in patients with active inflammatory bowel disease." Gut **53**(5): 685-93.

Park, S. H., K. Itoh und T. Fujisawa (2003). "Characteristics and identification of enterocins produced by Enterococcus faecium JCM 5804T." J Appl Microbiol **95**(2): 294-300.

Paulicks, B. und D. Roth-Maier (2003). "Effects of an Enterococcus faecium supplementation on the growth performance of weaned piglets", Proc. Soc. Nutr. Physiol., Göttingen. DLG Verlag. 77 (Abstr.).

Peters, J. (2003). "Antibiotic resistance of enterococci from farm animals and food of animal origin", Vet.med.Diss., Bundesinstitut für Risikobewertung, Institut für Fleischhygiene und -technologie, FB Veterinärmedizin, Freie Universität Berlin, Berlin.

Pollmann, M., M. Nordhoff, A. Pospischil, K. Tedin und L. H. Wieler (2005). "Effects of a probiotic strain of Enterococcus faecium on the rate of natural chlamydia infection in swine." Infect Immun **73**(7): 4346-53.

Pryde, S. E., A. J. Richardson, C. S. Stewart und H. J. Flint (1999). "Molecular analysis of the microbial diversity present in the colonic wall, colonic lumen, and cecal lumen of a pig." Appl Environ Microbiol **65**(12): 5372-7.

Radhika, B., B. P. Padmapriya, A. Chandrashekhar, N. Keshava und M. C. Varadaraj (2002). "Detection of *Bacillus cereus* in foods by colony hybridization using PCR-generated probe and characterization of isolates for toxins by PCR." Int J Food Microbiol **74**(1-2): 131-8.

Rafter, J. (2003). "Probiotics and colon cancer." Best Pract Res Clin Gastroenterol **17**(5): 849-59.

Reid, G. (1999). "The scientific basis for probiotic strains of *Lactobacillus*." Appl Environ Microbiol **65**(9): 3763-6.

Reid, G. und R. Friendship (2002). "Alternatives to antibiotic use: probiotics for the gut." Anim Biotechnol **13**(1): 97-112.

Reuter, G. (1992). "Culture media for enterococci and group D-streptococci." Int J Food Microbiol **17**(2): 101-11.

Reuter, G. (1997). "Ecology of two strains of probiotics in the intestine of young pigs." Microecology and Therapy **26**: 271-281.

- Reuter, G. (2001). "Probiotics - possibilities and limitations of their application in food, animal feed, and in pharmaceutical preparations for men and animals." Berl Munch Tierarztl Wochenschr **114**(11-12): 410-9.
- Rhee, K. J., P. Sethupathi, A. Driks, D. K. Lanning und K. L. Knight (2004). "Role of commensal bacteria in development of gut-associated lymphoid tissues and preimmune antibody repertoire." J Immunol **172**(2): 1118-24.
- Rhee, S. K., X. Liu, L. Wu, S. C. Chong, X. Wan und J. Zhou (2004). "Detection of genes involved in biodegradation and biotransformation in microbial communities by using 50-mer oligonucleotide microarrays." Appl Environ Microbiol **70**(7): 4303-17.
- Ricke, S. C. und S. D. Pillai (1999). "Conventional and molecular methods for understanding probiotic bacteria functionality in gastrointestinal tracts." Crit Rev Microbiol **25**(1): 19-38.
- Ricke, S. C. und D. M. Schaefer (1990). "Characterization of Egg Yolk Antibodies for Detection and Quantification of Selenomonas ruminantium by Using an Enzyme-Linked Immunosorbent Assay." Appl Environ Microbiol **56**(9): 2795-2800.
- Ricke, S. C., D. M. Schaefer, M. E. Cook und K. H. Kang (1988). "Differentiation of ruminal bacterial species by enzyme-linked immunosorbent assay using egg yolk antibodies from immunized chicken hens." Appl Environ Microbiol **54**(2): 596-9.
- Robinson, I. M., S. C. Whipp, J. A. Bucklin und M. J. Allison (1984). "Characterization of predominant bacteria from the colons of normal and dysenteric pigs." Appl Environ Microbiol **48**(5): 964-9.
- Rodriguez, E., J. L. Arques, R. Rodriguez, M. Nunez und M. Medina (2003). "Reuterin production by lactobacilli isolated from pig faeces and evaluation of probiotic traits." Lett Appl Microbiol **37**(3): 259-63.
- Rolfe, R. D. (2000). "The role of probiotic cultures in the control of gastrointestinal health." J Nutr **130**(2S Suppl): 396S-402S.
- Roszak, D. B. und R. R. Colwell (1987). "Metabolic activity of bacterial cells enumerated by direct viable count." Appl Environ Microbiol **53**(12): 2889-93.

Roszak, D. B. und R. R. Colwell (1987). "Survival strategies of bacteria in the natural environment." Microbiol Rev **51**(3): 365-79.

Roy, C. C., C. L. Kien, L. Bouthillier und E. Levy (2006). "Short-chain fatty acids: ready for prime time?" Nutr Clin Pract **21**(4): 351-66.

Saarela, M., G. Mogensen, R. Fonden, J. Matto und T. Mattila-Sandholm (2000). "Probiotic bacteria: safety, functional and technological properties." J Biotechnol **84**(3): 197-215.

Sakata, T., M. Adachi, M. Hashida, N. Sato und T. Kojima (1995). "Effect of n-butyric acid on epithelial cell proliferation of pig colonic mucosa in short-term culture." Dtsch Tierarztl Wochenschr **102**(4): 163-4.

Sakata, T., T. Kojima, M. Fujieda, M. Miyakozawa, M. Takahashi und K. Ushida (1999). "Probiotic preparations dose-dependently increase net production rates of organic acids and decrease that of ammonia by pig cecal bacteria in batch culture." Dig Dis Sci **44**(7): 1485-93.

Sakata, T., T. Kojima, M. Fujieda, M. Takahashi und T. Michibata (2003). "Influences of probiotic bacteria on organic acid production by pig caecal bacteria in vitro." Proc Nutr Soc **62**(1): 73-80.

Sakurazawa, T. und T. Ohkusa (2005). "Cytotoxicity of organic acids produced by anaerobic intestinal bacteria on cultured epithelial cells." J Gastroenterol **40**(6): 600-9.

Salanitro, J. P., I. G. Blake und P. A. Muirhead (1977). "Isolation and identification of fecal bacteria from adult swine." Appl Environ Microbiol **33**(1): 79-84.

Salmon, H. (1999). "The mammary gland and neonate mucosal immunity." Vet Immunol Immunopathol **72**(1-2): 143-55.

Sanders, M. E. (2000). "Considerations for use of probiotic bacteria to modulate human health." J Nutr **130**(2S Suppl): 384S-390S.

Sansom, B. F. und P. T. Gleed (1981). "The ingestion of sow's faeces by suckling piglets." Br J Nutr **46**(3): 451-6.

Savage, D. C. (1977). "Microbial ecology of the gastrointestinal tract." Annu Rev Microbiol **31**: 107-33.

Savage, D. C. (1986). "Gastrointestinal microflora in mammalian nutrition." Annu Rev Nutr **6**: 155-78.

Savage, D. C., J. E. Siegel, J. E. Snellen und D. D. Whitt (1981). "Transit time of epithelial cells in the small intestines of germfree mice and ex-germfree mice associated with indigenous microorganisms." Appl Environ Microbiol **42**(6): 996-1001.

Schanler, R. J. (2000). "Overview: the clinical perspective." J Nutr **130**(2S Suppl): 417S-419S.

Scharek, L., J. Guth, K. Reiter, K. D. Weyrauch, D. Taras, P. Schwerk, P. Schierack, M. F. Schmidt, L. H. Wieler und K. Tedin (2005). "Influence of a probiotic Enterococcus faecium strain on development of the immune system of sows and piglets." Vet Immunol Immunopathol **105**(1-2): 151-61.

Scharek, L., L. Hartmann, L. Heinevetter und M. Blaut (2000). "Bifidobacterium adolescentis modulates the specific immune response to another human gut bacterium, Bacteroides thetaiotaomicron, in gnotobiotic rats." Immunobiology **202**(5): 429-41.

Scheuermann, S. E. (1993). "Effect of the probiotic Paciflor® (CIP 5832) on energy and protein metabolism in growing pigs." Animal Feed Science and Technology **41**(3): 181-189.

Schierack, P., M. Nordhoff, M. Pollmann, P. Schwerk, D. Taras, L.-B. A., W. L.H. und K. Tedin (2003). "Effects of an Enterococcus faecium probiotic in pigs: Influence on enteropathogenic bacteria", EU-Healthy Piggit Workshop 1, Dummerstorf, Germany.

Schierack, P., M. Nordhoff, M. Pollmann, K. D. Weyrauch, S. Amasheh, U. Lodemann, J. Jores, B. Tachu, S. Kleta, A. Blikslager, K. Tedin und L. H. Wieler (2006). "Characterization of a porcine intestinal epithelial cell line for in vitro studies of microbial pathogenesis in swine." Histochem Cell Biol **125**(3): 293-305.

Schierack, P., H. Steinruck, S. Kleta und W. Vahjen (2006). "Virulence factor gene profiles of Escherichia coli isolates from clinically healthy pigs." Appl Environ Microbiol **72**(10): 6680-6.

Schiffrin, E. J. und S. Blum (2002). "Interactions between the microbiota and the intestinal mucosa." Eur J Clin Nutr **56** Suppl 3: S60-4.

Schlager, T. A., J. O. Hendley, A. L. Bell und T. S. Whittam (2002). "Clonal diversity of Escherichia coli colonizing stools and urinary tracts of young girls." Infect Immun **70**(3): 1225-9.

Scholten, R. H., C. M. van der Peet-Schwering, L. A. den Hartog, M. Balk, J. W. Schrama und M. W. Verstegen (2002). "Fermented wheat in liquid diets: effects on gastrointestinal characteristics in weanling piglets." J Anim Sci **80**(5): 1179-86.

Schrezenmeir, J. und M. de Vrese (2001). "Probiotics, prebiotics, and synbiotics--approaching a definition." Am J Clin Nutr **73**(2 Suppl): 361S-364S.

Schroeder, B., S. Duncker, S. Barth, R. Bauerfeind, A. D. Gruber, S. Deppenmeier und G. Breves (2006). "Preventive effects of the probiotic Escherichia coli strain Nissle 1917 on acute secretory diarrhea in a pig model of intestinal infection." Dig Dis Sci **51**(4): 724-31.

Shim, S. B., M. W. Verstegen, I. H. Kim, O. S. Kwon und J. M. Verdonk (2005). "Effects of feeding antibiotic-free creep feed supplemented with oligofructose, probiotics or synbiotics to suckling piglets increases the preweaning weight gain and composition of intestinal microbiota." Arch Anim Nutr **59**(6): 419-27.

Shirkey, T. W., R. H. Siggers, B. G. Goldade, J. K. Marshall, M. D. Drew, B. Laarveld und A. G. Van Kessel (2006). "Effects of commensal bacteria on intestinal morphology and expression of proinflammatory cytokines in the gnotobiotic pig." Exp Biol Med (Maywood) **231**(8): 1333-45.

Shu, Q., F. Qu und H. S. Gill (2001). "Probiotic treatment using Bifidobacterium lactis HN019 reduces weanling diarrhea associated with rotavirus and Escherichia coli infection in a piglet model." J Pediatr Gastroenterol Nutr **33**(2): 171-7.

Shurson, G. C., P. K. Ku, G. L. Waxler, M. T. Yokoyama und E. R. Miller (1990). "Physiological relationships between microbiological status and dietary copper levels in the pig." J Anim Sci **68**(4): 1061-71.

Simon, O. (2005). "Mikroorganismen als Futterzusatzstoffe: Probiotika - Wirksamkeit und Wirkungsweise", 4. BOKU- Symposium Tierernährung, Wien.
http://www.boku.ac.at/tte-symposium/Tagungsband/BOKU_Symposium_2005.pdf.
10-16.

Simon, O. V., W.; Scharek, L. (2003). "Micro-Organisms as Feed Additives - Probiotics", 9th International Symposium on Digestive Physiology in Pigs, Banff, Canada.

Simpson, J. M., B. Martineau, W. E. Jones, J. M. Ballam und R. I. Mackie (2002). "Characterization of fecal bacterial populations in canines: effects of age, breed and dietary fiber." Microb Ecol **44**(2): 186-97.

Simpson, J. M., V. J. McCracken, H. R. Gaskins und R. I. Mackie (2000). "Denaturing gradient gel electrophoresis analysis of 16S ribosomal DNA amplicons to monitor changes in fecal bacterial populations of weaning pigs after introduction of Lactobacillus reuteri strain MM53." Appl Environ Microbiol **66**(11): 4705-14.

Simpson, J. M., V. J. McCracken, B. A. White, H. R. Gaskins und R. I. Mackie (1999). "Application of denaturant gradient gel electrophoresis for the analysis of the porcine gastrointestinal microbiota." J Microbiol Methods **36**(3): 167-79.

Sinkovics, G. und B. Juhasz (1974). "Development of the Intestinal Flora in Suckling Pigs." Acta Veterinaria Academiae Scientarum Hungaricae **24**(3): 375-381.

Slanetz, L. W. und C. H. Bartley (1957). "Numbers of enterococci in water, sewage, and faeces determined by the membrane filter technique with an improved medium." J. Bact. **74**: 591-595.

Spreeuwenberg, M. A., J. M. Verdonk, H. R. Gaskins und M. W. Verstegen (2001). "Small intestine epithelial barrier function is compromised in pigs with low feed intake at weaning." J Nutr **131**(5): 1520-7.

Stokes, C. R., H. J. Rothkötter und B. Miller (2003). Postnatal development of intestinal immunity in piglets: Implications for the process of weaning (preprint). EU-Healthy Pig-gut Workshop 1, Dummerstorf, Germany.

Stryer, L. (2003). "Biochemie". Spektrum Akademischer Verlag,

Styriak, I., R. Nemcova, Y. H. Chang und A. Ljungh (2003). "Binding of extracellular matrix molecules by probiotic bacteria." Lett Appl Microbiol **37**(4): 329-33.

- Sua, A., R. Bonnet, M. Sutren, J. J. Godon, G. R. Gibson, M. D. Collins und J. Dore (1999). "Direct analysis of genes encoding 16S rRNA from complex communities reveals many novel molecular species within the human gut." Appl Environ Microbiol **65**(11): 4799-807.
- Swords, W. E., C. C. Wu, F. R. Champlin und R. K. Buddington (1993). "Postnatal changes in selected bacterial groups of the pig colonic microflora." Biol Neonate **63**(3): 191-200.
- Takahashi, T., E. Nakagawa, T. Nara, T. Yajima und T. Kuwata (1998). "Effects of orally ingested *Bifidobacterium longum* on the mucosal IgA response of mice to dietary antigens." Biosci Biotechnol Biochem **62**(1): 10-5.
- Talham, G. L., H. Q. Jiang, N. A. Bos und J. J. Cebra (1999). "Segmented filamentous bacteria are potent stimuli of a physiologically normal state of the murine gut mucosal immune system." Infect Immun **67**(4): 1992-2000.
- Tannock, G. W. (2004). "Can the gut microflora of infants be modified by giving probiotics to mothers?" J Pediatr Gastroenterol Nutr **38**(3): 244-6.
- Tannock, G. W., A. Tangerman, A. Van Schaik und M. A. McConnell (1994). "Deconjugation of bile acids by lactobacilli in the mouse small bowel." Appl Environ Microbiol **60**(9): 3419-20.
- Taras, D. (2001). "Intestinaler H₂-Metabolismus: In vitro- Experimente und Etablierung eines gnotobiotischen Rattenmodells", *Vet.med.Diss.*, Deutsches Institut für Ernährungsforschung, Institut für Tierschutz, Tierverhalten und Labortierkunde, Freie Universität, Berlin, Potsdam.
- Taras, D., W. Vahjen, M. Macha und O. Simon (2005). "Response of performance characteristics and fecal consistency to long-lasting dietary supplementation with the probiotic strain *Bacillus cereus* var. *toyoii* to sows and piglets." Arch Anim Nutr **59**(6): 405-17.
- Taras, D., W. Vahjen, M. Macha und O. Simon (2006). "Performance, diarrhea incidence, and occurrence of *Escherichia coli* virulence genes during long-term administration of a probiotic *Enterococcus faecium* strain to sows and piglets." J Anim Sci **84**(3): 608-17.

Taras, D., W. Vahjen, and O. Simon. (2006). "Integrative analysis of the modes of action of probiotics in pigs: Impact of strain choice, dose and duration of supplementation of performance, diarrhea incidence and autochthonous microbiota." International Conference "Sustainable Animal Health through Eubiosis - Relevance for Man", Ascona-Monte Verité/Schweiz. 08.10. -13.10.2006, Tagungsband, ETH, p. 31 (Abstr.).

Tebbe, C. C. und W. Vahjen (1993). "Interference of humic acids and DNA extracted directly from soil in detection and transformation of recombinant DNA from bacteria and a yeast." Appl Environ Microbiol **59**(8): 2657-65.

Tedin, K. (2006) "Persönliche Mitteilung" Berlin.

Tedin, K., P. Schierack, S. Kleta, S. Tölke, M. Nordhoff, M. Pollmann, N. Walk, P. Schwerk, A. Lübke-Becker, and L. H. Wieler. (2006). "Integrative analysis of the modes of action of probiotics in pigs. Host-pathogen interactions and the cellular microbiology of probiotic function." International Conference "Sustainable animal health through Eubiosis - Relevance for Man", Ascona-Monte Verité/Schweiz. 08.10. -13.10.2006, Tagungsband, ETH, p. (Abstr.).

Temmerman, R., I. Scheirlinck, G. Huys und J. Swings (2003). "Culture-independent analysis of probiotic products by denaturing gradient gel electrophoresis." Appl Environ Microbiol **69**(1): 220-6.

Tuomola, E. M., A. C. Ouwehand und S. J. Salminen (1999). "The effect of probiotic bacteria on the adhesion of pathogens to human intestinal mucus." FEMS Immunol Med Microbiol **26**(2): 137-42.

Tuomola, E. M., A. C. Ouwehand und S. J. Salminen (1999). "Human ileostomy glycoproteins as a model for small intestinal mucus to investigate adhesion of probiotics." Lett Appl Microbiol **28**(3): 159-63.

Umesaki, Y., H. Setoyama, S. Matsumoto, A. Imaoka und K. Itoh (1999). "Differential roles of segmented filamentous bacteria and clostridia in development of the intestinal immune system." Infect Immun **67**(7): 3504-11.

Underdahl, N. R. (1983). "The effect of feeding *Streptococcus faecium* upon *Escherichia coli* induced diarrhea in gnotobiotic pigs." Prog Food Nutr Sci **7**(3-4): 5-12.

Underdahl, N. R., A. Torres-Medina und A. R. Dosten (1982). "Effect of Streptococcus faecium C-68 in control of Escherichia coli-induced diarrhea in gnotobiotic pigs." Am J Vet Res **43**(12): 2227-32.

Vahjen, W. (2007) "E. faecium NCIMB10415 weisst nach PCR Ergebnissen des Instituts für Tierernährung der FU Berlin keine typischen Enterococcus - relevanten Pathogenitätsfaktoren bis auf das EfaAfm-Gen auf." *Persönliche Mitteilung, Dr. W. Vahjen*, Berlin.

Vahjen, W., A. Jadamus und O. Simon (2002). "Influence of a probiotic Enterococcus faecium strain on selected bacterial groups in the small intestine of growing turkey pourets." Arch. Anim. Nutr. **56**(6): 419-29.

Vahjen, W. und K. Manner (2003). "The effect of a probiotic Enterococcus faecium product in diets of healthy dogs on bacteriological counts of Salmonella spp., Campylobacter spp. and Clostridium spp. in faeces." Arch Tierernahr **57**(3): 229-33.

Vahjen, W., D. Taras und O. Simon (2006). "Effect of the Probiotic Enterococcus faecium NCIMB10415 on Cell Numbers of Total Enterococcus spp., E. faecium and E. faecalis in the Intestine of Piglets." Curr. Issues Intestinal Microbiol. **8**: 1-8.

van Briel, C. (2002). "Veränderung der Anzahl und Verteilung von Plasmazellen und Lymphozytenpopulationen in der Darmschleimhaut des Schweines nach Applikation von Probiotika", *Vet.med.Diss.*, Institut für Pathologie, Physiologisches Institut, Tierärztliche Hochschule Hannover, Hannover, Germany.

Vanbelle, M., E. Teller und M. Focant (1990). "Probiotics in animal nutrition: a review." Arch Tierernahr **40**(7): 543-67.

Varel, V. H., S. J. Fryda und I. M. Robinson (1984). "Cellulolytic bacteria from pig large intestine." Appl Environ Microbiol **47**(1): 219-21.

Vega-Lopez, M. A., G. Arenas-Contreras, M. Bailey, S. Gonzalez-Pozos, C. R. Stokes, M. G. Ortega und R. Mondragon-Flores (2001). "Development of intraepithelial cells in the porcine small intestine." Dev Immunol **8**(2): 147-58.

Verstegen, M. W. und B. A. Williams (2002). "Alternatives to the use of antibiotics as growth promoters for monogastric animals." Anim Biotechnol **13**(1): 113-27.

Wang, R. F., W. W. Cao und C. E. Cerniglia (1996). "PCR detection and quantitation of pre-dominant anaerobic bacteria in human and animal fecal samples." Appl Environ Microbiol **62**(4): 1242-7.

Wetscherek-Seipelt, G. und W. Windisch (2005). "Effekt eines Probiotikums auf die Leistung von Absatzferkeln", 4. BOKU- Symposium Tierernährung, Wien.
http://www.boku.ac.at/tte-symposium/Tagungsband/BOKU_Symposium_2005.pdf.
81-88.

Wieler, L. H., A. Ilieff, W. Herbst, C. Bauer, E. Vieler, R. Bauerfeind, K. Failing, H. Klos, D. Wengert, G. Baljer und H. Zahner (2001). "Prevalence of enteropathogens in suckling and weaned piglets with diarrhoea in southern Germany." J Vet Med B Infect Dis Vet Public Health **48**(2): 151-9.

Williams, B., Awati, A, Bosch, MW, Konstantinov, SR and Akkermans, AD. (2003). "The effect of dietary fermentable carbohydrates on lactic acid concentration and presence of lactobacilli in small intestinal digesta of piglets at ten days after weaning." Tropical and Subtropical Agroecosystems **3**: 233-235.

Winckler, C., B. Schröder und G. Breves (1998). "Effects of *Saccharomyces boulardii*, *Bacillus cereus* var. caron and *Bacillus cereus* var. *toyoi* on epithelial transport functions in pig jejunum." Z Gastroenterol: Suppl.1.

Woese, C. R. (1987). "Bacterial evolution." Microbiol Rev **51**(2): 221-71.

Wollowski, I., G. Rechkemmer und B. L. Pool-Zobel (2001). "Protective role of probiotics and prebiotics in colon cancer." Am J Clin Nutr **73**(2 Suppl): 451S-455S.

Wostmann, B. S., C. Larkin, A. Moriarty und E. Bruckner-Kardoss (1983). "Dietary intake, energy metabolism, and excretory losses of adult male germfree Wistar rats." Lab Anim Sci **33**(1): 46-50.

Wu, X. Y., T. Chapman, D. J. Trott, K. Bettelheim, T. N. Do, S. Driesen, M. J. Walker und J. Chin (2007). "Comparative Analysis of Virulence Genes, Genetic Diversity, and Phylogeny of Commensal and Enterotoxigenic *Escherichia coli* Isolates from Weaned Pigs." Appl Environ Microbiol **73**(1): 83-91.

- Wunderlich, P. F., L. Braun, I. Fumagalli, V. D'Apuzzo, F. Heim, M. Karly, R. Lodi, G. Politta, F. Vonbank und L. Zeltner (1989). "Double-blind report on the efficacy of lactic acid-producing Enterococcus SF68 in the prevention of antibiotic-associated diarrhoea and in the treatment of acute diarrhoea." *J Int Med Res* **17**(4): 333-8.
- Zani, J. L., F. W. da Cruz, A. F. dos Santos und C. Gil-Turnes (1998). "Effect of probiotic CenBiot on the control of diarrhoea and feed efficiency in pigs." *J Appl Microbiol* **84**(1): 68-71.
- Zareie, M., K. Johnson-Henry, J. Jury, P. C. Yang, B. Y. Ngan, D. M. McKay, J. D. Soderholm, M. H. Perdue und P. M. Sherman (2006). "Probiotics prevent bacterial translocation and improve intestinal barrier function in rats following chronic psychological stress." *Gut* **55**(11): 1553-60.
- Zentek, J., D. Molitor und J. Kamphues (1998). "Prüfung inestinaler Effekte eines Probiotiks (Enterococcus faecium) bei Hunden." *Kleintierpraxis* **43**(3): 187-197.
- Zeyner, A. und E. Boldt (2006). "Effects of a probiotic Enterococcus faecium strain supplemented from birth to weaning on diarrhoea patterns and performance of piglets." *J Anim Physiol Anim Nutr (Berl)* **90**(1-2): 25-31.
- Zheng, D., E. W. Alm, D. A. Stahl und L. Raskin (1996). "Characterization of universal small-subunit rRNA hybridization probes for quantitative molecular microbial ecology studies." *Appl Environ Microbiol* **62**(12): 4504-13.
- Zoetendal, E. G., A. D. Akkermans und W. M. De Vos (1998). "Temperature gradient gel electrophoresis analysis of 16S rRNA from human fecal samples reveals stable and host-specific communities of active bacteria." *Appl Environ Microbiol* **64**(10): 3854-9.
- Zoetendal, E. G., Akkermans, A. D. L., Akkermans van-Vliet, W. M., de Visser, J. A. G. M., and de Vos, W. M. (2001). "The host genotype affects the bacterial community in the human gastrointestinal tract." *Microbial Ecol. Health Dis.* **13**: 129-134.
- Zoetendal, E. G., K. Ben-Amor, A. D. Akkermans, T. Abbe und W. M. de Vos (2001). "DNA isolation protocols affect the detection limit of PCR approaches of bacteria in samples from the human gastrointestinal tract." *Syst Appl Microbiol* **24**(3): 405-10.

Zoetendal, E. G., C. T. Collier, S. Koike, R. I. Mackie und H. R. Gaskins (2004). "Molecular ecological analysis of the gastrointestinal microbiota: a review." J Nutr **134**(2): 465-72.

Zoetendal, E. G., A. von Wright, T. Vilpponen-Salmela, K. Ben-Amor, A. D. Akkermans und W. M. de Vos (2002). "Mucosa-associated bacteria in the human gastrointestinal tract are uniformly distributed along the colon and differ from the community recovered from feces." Appl Environ Microbiol **68**(7): 3401-7.