

## 11. Literaturverzeichnis

- 
- <sup>1</sup> Wilson FM, Miranda QR, Chason JL, Lerner AM. Residual pathologic changes following murine coxsackie A and B myocarditis.  
Am J Pathol. 1969;55(2):253-265
- <sup>2</sup> Herskowitz A, Wolfgram LJ, Rose NR, Beisel KW. Coxsackie B3 murine myocarditis: a pathologic spectrum of myocarditis in genetically defined inbred strains.  
J Am Coll Cardiol. 1987;9(6):1311-1319
- <sup>3</sup> Sobernheim JF. Praktische Diagnostik der inneren Krankheiten mit vorzüglicher Rücksicht auf pathologische Anatomie.  
Hirschwald, Berlin. 1837;118
- <sup>4</sup> Corvisart JN. Essai sur les maladies et les lésions organiques du cœur.  
Gates J MMSS. 1812;182:299-303
- <sup>5</sup> Richardson P, McKenna W, Bristow M, Maisch B, Mautner B, O'Connel J, Olsen E, Tiene G, Goodwin J, Gyarfasi I, Martin I, Nordet P. Report of the 1995 World Health Organisation/International Society and Federation of Cardiology Task Force on the Definition and Classification of cardiomyopathies.  
Circulation. 1996;93(5):841-842
- <sup>6</sup> Feldman AM, McNamara D. Myocarditis  
N Engl J Med. 2000;343(19):1388-1398
- <sup>7</sup> Kandolf R, Hofschneider PH. Viral heart disease.  
Springer Semin Immunopathol. 1989;11(1):1-13
- <sup>8</sup> Sakakibara S, Konno S. Endomyocardial biopsy.  
Jpn Heart J. 1962;3:537-543

- 
- <sup>9</sup> Aretz HT. Myocarditis: the Dallas criteria.  
Hum Pathol. 1987;18(6):619-624
- <sup>10</sup> Aretz HT, Billingham ME, Edwards WD, Factor WD, Fallon JT, Fenoglio JJ Jr, Olsen EG, Schoen FJ. Myocarditis. A histopathologic definition and classification.  
Am J Cardiovasc Pathol. 1987;1(1):3-14
- <sup>11</sup> Matsumori A. Lessons from animal experiments in myocarditis.  
Herz. 1992;17(2):107-11
- <sup>12</sup> Matsumori A, Kawai C. An animal model of congestive (dilated) cardiomyopathy: dilatation and hypertrophy of the heart in the chronic stage in DBA/2 mice with myocarditis caused by encephalomyocarditis virus.  
Circulation. 1982;66(2):355-360
- <sup>13</sup> Sekiguchi M, Nunoda S, Hiroe M et al.. Prognosis of patients with acute viral myocarditis in whom endomyocardial biopsies and/or autopsies were performed: an ISFC survey. In: Sekiguki M, Richardson PJ, eds. Prognosis and treatment of cardiomyopathies and myocarditis, Tokyo, University of Tokyo Press, 1994;189-200.
- <sup>14</sup> Quigley PJ, Richardson PJ, Meany BT et al.. Long-term follow up of acute myocarditis. Correlation of ventricular function and outcome.  
Eur Heart J 1987;8(suppl I):39-42
- <sup>15</sup> Kandolf R, Ameis D, Kirschner P, Canu A, Hofschneider PH. In situ detection of enteroviral genomes in myocardial cells by nucleic acid hybridization: an approach to the diagnosis of viral heart disease.  
Proc Natl Acad Sci U S A. 1987;84(17):6272-6276

- 
- <sup>16</sup> Bowles NE, Richardson PJ, Olsen EG, Archard LC. Detection of Coxsckie-B-virus-specific RNA sequences in myocardial biopsy samples from patients with myokarditis and dilated cardiomyopathie.  
Lancet. 1986;1(8490):1120-1123
- <sup>17</sup> Weiss LM, Movahed LA, Billingham ME, Cleary ML. Detection of Coxsackie B3 RNA in myocardial tissue by polymerase chain reaction.  
Am J Pathol. 1991;138(2):497-503
- <sup>18</sup> Keeling PJ, Jeffery S, Caforio AL, Taylor R, Bottazzo GF, Davies MJ, McKenna WJ. Similar prevalence of enteroviral genome within the myocardium from patients with idiopathic dilated cardiomyopathie and controls by polymerase chain reaction.  
Br Heart J 1992;68(6):554-559
- <sup>19</sup> Giacca M, Severini GM, Mestroni L, Salvi A, Lardieri G, Falaschi A, Camerini F. Low frequency of detection by nested polymerase chain reaction of enterovirus ribonucleic acid in endomyocardial tissue of patients with idiopathic dilated cardiomyopathie.  
J Am Coll Cardiol. 1994;24(4):1033-1040
- <sup>20</sup> Sole MJ, Liu P. Viral myocarditis: a paradigm for understanding the pathogenesis and treatment of dilated cardiomyopathy.  
J Am Coll Cardiol. 1993;22(4 Suppl A):99A-105A
- <sup>21</sup> Melnick JL. Enteroviruses: polioviruses, coxsackieviruses, echoviruses and newer enteroviruses.  
In: Fields BN ed:Virology. Raven Press, New York, USA, 1990. pp 549-605
- <sup>22</sup> Clements GB. Characteristics of viruses inducing cardiac disease.  
In: Banatvala JE ed: Viral infections in the heart.1993; pp. 1-22

- 
- <sup>23</sup> Huber SA. Experimental studies Part 1: Animal models: immunological aspects.  
In: Banatvala JE ed: Viral infections in the heart. 1993; pp. 82-109
- <sup>24</sup> Bergelson JM, Cunningham JA, Droguett G, Kurt-Jones EA, Krithivas A, Hong JS, Horwitz MS, Crowell RL, Finberg RW: Isolation of a common receptor for Coxsackie B viruses and adenoviruses 2 and 5.  
Science. 1997;275(5304):1320-1323
- <sup>25</sup> Gifford R, Dalldorf G. The morbid anatomy of experimental coxsackie virus infection.  
Am J Pathol. 1951;27:1047-1064
- <sup>26</sup> Morita H. Experimental coxsackie B-3 virus myocarditis in golden hamsters. Light and electron microscopy findings in a long-term follow-up study.  
Jpn Circ J. 1981;45(6):713-729
- <sup>27</sup> Abelmann WH, Adesanya CO, Goldberg AH, Phear WP, Young NA. Depressed myocardial function in subacute experimental viral myocarditis.  
Recent Adv Stud Cardiac Struct Metab. 1975;6:535-42
- <sup>28</sup> Kawai C. From myocarditis to cardiomyopathy: mechanisms of inflammation and cell death: learning from the past to the future.  
Circulation. 1999;99(8):1091-1100
- <sup>29</sup> Shioi T, Matsumori A, Sasayama S. Persistent expression of cytokine in the chronic stage of viral myocarditis in mice.  
Circulation. 1996; 94(11):2930-2937
- <sup>30</sup> Matsumori A. Molecular and immune mechanisms in the pathogenesis of cardiomyopathy: role of viruses, cytokines and nitric oxide.  
Jpn Circ J. 1997;61(4):275-291

- 
- <sup>31</sup> Herzum M, Weller R, Jomaa H, Wietrzychowski F, Pankuweit S, Mahr P, Maisch B. Left ventricular hemodynamic parameters in the course of acute experimental coxsackievirus B3 myocarditis.  
J Mol Cell Cardiol. 1995;27(8):1573-1580
- <sup>32</sup> Godeny EK, Gauntt CJ. Involvement of natural killer cells in coxsackievirus B3-induced murine myocarditis.  
J Immunol. 1986;137(5):1695-1702
- <sup>33</sup> Godeny EK, Gauntt CJ. Interferon and natural killer cell activity in coxsackievirus B3-induced murine myocarditis.  
Eur Heart J. 1987;8(suppl.):433-435
- <sup>34</sup> Godeny EK, Gauntt CJ. Murine natural killer cells limit coxsackievirus B3 replication.  
J Immunol. 1987;139(3):913-918
- <sup>35</sup> Seko Y, Shinkai Y, Kawasaki A, Yagita H, Okumura K, Yazaki Y. Evidence of perforin-mediated cardiac myocyte injury in acute murine myocarditis caused by Coxsackie virus B3.  
J Pathol. 1993;170(1):53-58
- <sup>36</sup> Lodge PA, Herzum M, Olszewski J, Huber SA. Coxsackievirus B-3 myocarditis. Acute and chronic forms of the disease caused by different immunopathogenic mechanisms.  
Am J Pathol. 1987;128(3):455-463.
- <sup>37</sup> Huber SA, Polgar J, Schultheiss P, Schwimmbeck P. Augmentation of pathogenesis of coxsackievirus B3 infections in mice by exogenous administration of interleukin-1 and interleukin-2.  
J Virol. 1994;68(1):195-206

- 
- <sup>38</sup> Neumann DA, Lane JR, Allen GS, Herskowitz A, Rose NR. Viral myocarditis leading to cardiomyopathy: do cytokines contribute to pathogenesis? *Clin Immunol Immunopathol.* 1993;68(2):181-90
- <sup>39</sup> Lane JR, Neumann DA, LaFond-Walker A, Herskowitz A, Rose NR. Interleukin 1 or tumor necrosis factor can promote Coxsackie B3-induced myocarditis in resistant B10.A mice. *J Exp Med.* 1992;175(4):1123-1129
- <sup>40</sup> Mosmann TR, Coffman RL. TH1 and TH2 cells: different patterns of lymphokine secretion lead to different functional properties. *Annu Rev Immunol.* 1989 ;7 :145-173
- <sup>41</sup> Falcone M, Sarvetnick N. Cytokines that regulate autoimmune responses. *Curr Opin Immunol.* 1999;11(6):670-676
- <sup>42</sup> Seko Y, Takahashi N, Yagita H, Okumura K, Yazaki Y. Expression of cytokine mRNAs in murine hearts with acute myocarditis caused by Coxsackievirus B3. *J Pathol.* 1997;183(1):105-108
- <sup>43</sup> Seko Y, Shinkai Y, Kawasaki A, Yagita H, Okumura K, Takaku F, Yazaki Y. Expression of perforin in infiltrating cells in murine heart and acute myocarditis caused by Coxsackievirus B3. *Circulation.* 1991;84(2):788-795
- <sup>44</sup> Seko Y, Tsuchimochi H, Nakamura T, Okumura K, Naito S, Imataka K, Fujii J, Takaku F, Yazaki Y. Expression of major histocompatibility complex class I antigen in murine ventricular myocytes infected with Coxsackievirus B3. *Circ Res.* 1990;69(2):360-367

- 
- <sup>45</sup> Seko Y, Matsuda H, Kato K, Hashimoto Y, Yagita H, Okumura K, Yazaki Y. Expression of intercellular adhesion molecule-1 in murine hearts with acute myocarditis caused by coxsackievirus B3.  
J Clin Invest. 1993;91(4):1327-1336
- <sup>46</sup> Tomioka N, Kishimoto C, Matsumori A, Kawai C. Effects of prednisolone on acute viral myocarditis in mice.  
J Am Coll Cardiol. 1986;7(4):868-872
- <sup>47</sup> Woodruff JF. Viral myocarditis. A review.  
Am J Pathol. 1980;101(2):425-484
- <sup>48</sup> Kawai C, Takatsu T. Clinical and experimental studies on cardiomyopathy.  
N Engl J Med. 1975;293(12):592-597
- <sup>49</sup> Kishimoto C, Kurabayashi K, Masuda T, Tomioka N, Kawai C. Immunologic behavior of lymphocytes in experimental viral myocarditis: significance of T lymphocytes in the severity of myocarditis and silent myocarditis in BALB/c-*nu/nu* mice.  
Circulation. 1985;71(6):1247-1254
- <sup>50</sup> Schwimmbeck PL, Huber SA, Schultheiss HP. Roles of T cells in coxsackievirus B-induced disease.  
Curr Top Microbiol Immunol. 1997;223:283-303
- <sup>51</sup> Henke A, Huber S, Stelzner A, Whitton JL: The role of CD8+ T lymphocytes in coxsackievirus B3-induced myocarditis.  
J Virol. 1995;69(11):6720-6728
- <sup>52</sup> Woodruff JF, Woodruff JJ. Involvement of T lymphocytes in the pathogenesis of coxsackie virus B3 heart disease.  
J Immunol. 1974;113(6):1726-1734

- 
- <sup>53</sup> Kishimoto C, Abelmann WH. Monoclonal antibody therapy for prevention of acute coxsackievirus B3 myocarditis in mice.  
Circulation. 1989;79(6):1300-1308
- <sup>54</sup> Kishimoto C, Kurabayashi K, Fukuma K, Masuda T, Tomioka N, Abelmann WH, Kawai C. Immunologic identification of lymphocyte subsets in experimental murine myocarditis with encephalomyocarditis virus. Different kinetics of lymphocyte subsets between the heart and the peripheral blood, and significance of Thy 1.2+ (pan T) and Lyt 1+, 23+ (immature T) subsets in the development of myocarditis.  
Circulation. 1987;61(5):715-725
- <sup>55</sup> Huber SA, Lodge PA. Coxsackievirus B-3 myocarditis in BALB/c mice. Evidence for autoimmunity to myocyte antigens.  
Am J Pathol. 1984;116(1):21-29
- <sup>56</sup> Estrin M, Huber SA. Coxsackievirus B3-induced myocarditis. Autoimmunity is L3T4+ T-helper cell and IL-2 independent in BALB/c mice.  
Am J Pathol. 1987;127(2):335-341
- <sup>57</sup> Cronin ME, Love LA, Miller FW, McClintock PR, Plotz PH. The natural history of encephalomyocarditis virus-induced myositis and myocarditis in mice. Viral persistence demonstrated by in situ hybridization.  
J Exp Med. 1988;168(5):1639-1648
- <sup>58</sup> Kyu B, Matsumori A, Sato Y, Okada I, Chapman NM, Tracy S. Cardiac persistence of cardioviral RNA detected by polymerase chain reaction in a murine model of dilated cardiomyopathy.  
Circulation. 1992;86(2):522-530

- 
- 59 Wee L, Liu P, Penn L, Butany JW, McLaughlin PR, Sole MJ, Liew CC. Persistence of viral genome into late stage of murine myocarditis detected by polymerase chain reaction.  
Circulation 1992;86(5):1605–1614
- 60 Klingel K, Hohenadl C, Canu A, Albrecht M, Seemann M, Mall G, Kandolf R. Ongoing enterovirus-induced myocarditis is associated with persistent heart muscle infection: quantitative analysis of virus replication, tissue damage, and inflammation.  
Proc Natl Acad Sci U S A. 1992;89(1):314-318
- 61 Fairweather D, Kaya Z, Shellam GR, Lawson CM, Rose NR. From infection to autoimmunity.  
J Autoimmun. 2001;16(3):175-186
- 62 Neu N, Rose NR, Beisel KW, Herskowitz A, Gurri-Glass G, Craig SW. Cardiac myosin induces myocarditis in genetically predisposed mice.  
J Immunol. 1987;139(11):3630-3636
- 63 Kodama M, Hanawa H, Saeki M, Hosono H, Inomata T, Suzuki K, Shibata A. Rat dilated cardiomyopathy after autoimmune giant cell myocarditis.  
Circ Res. 1994;75(2):278-284
- 64 Cunningham MW, Antone SM, Gulizia JM, McManus BM, Fischetti VA, Gauntt CJ. Cytotoxic and viral neutralizing antibodies crossreact with streptococcal M protein, enteroviruses, and human cardiac myosin.  
Proc Natl Acad Sci U S A 1992;89(4):1320-1324
- 65 Gauntt CJ, Higdon AL, Arizpe HM, Tamayo MR, Crawley R, Henkel RD, Pereira ME, Tracy SM, Cunningham MW. Epitopes shared between coxsackievirus B3 (CVB3) and Normal heart tissue contribute to CVB3-induced murine myocarditis.  
Clin Immunol Immunopathol. 1993;68(2):129-134

- 
- <sup>66</sup> Huber SA, Lodge PA, Herzum M, Estrin M, Olszewski J. The role of T-lymphocytes in the pathogenesis of coxsackievirus B3 myocarditis.  
In: Kawai C, Abelman W, eds.: Pathogenesis of myocarditis and cardiomyopathy. 1987.  
pp 9-22
- <sup>67</sup> Blay R, Simson K, Leslie K, Huber S. Coxsackievirus-induced disease: CD4+ cells initiate both myocarditis and pancreatitis in DBA/2 mice.  
Am J Pathol. 1989;135(5):899-907
- <sup>68</sup> Neu N, Beisel KW, Traystman MD, Rose NR, Craig SW: Autoantibodies specific for the cardiac myosin isoform are found in mice susceptible to Coxsackievirus B3-induced myocarditis.  
J Immunol. 1987;138(8):2488-2492
- <sup>69</sup> Smith SC, Allen PM. Myosin-induced acute myocarditis is a T cell-mediated disease.  
J Immunol. 1991;147(7):2141-2147
- <sup>70</sup> Mosmann TR, Li L, Hengartner H, Kagi D, Fu W, Sad S: Differentiation and functions of T cell subsets .  
Ciba Found Symp. 1997;204:148-154; discussion 154-158
- <sup>71</sup> Elson LH, Nutman TB, Metcalfe DD, Prussin C. Flow cytometric analysis for cytokine production identifies T helper 1, T helper 2, and T helper 0 cells within the human CD4+CD27- lymphocyte subpopulation.  
J Immunol. 1995;154(9):4294-4301
- <sup>72</sup> Mosmann TR, Cherwinski H, Bond MW, Giedlin A, Coffman RL. Two types of murine helper T cell clones. 1. Definition according to profiles of lymphokine activities and secreted proteins.  
J Immunol. 1986;136(7):2348-2357

- 
- <sup>73</sup> Romagnani S. Human TH1 und TH2 subsets: regulation of differentiation and role in protection and immunopathology.  
Int Arch Allergy Immunol. 1992;98(4):279-285
- <sup>74</sup> Romagnani S. The Th1/Th2 paradigm.  
Immunol Today 1997;18(6):263-6
- <sup>75</sup> Mosmann TR, Sad S. The expanding universe of T-cell subsets: Th1, Th2 and more.  
Immunol Today 1996;17(3):138-46
- <sup>76</sup> Liblau RS, Singer SM, McDevitt HO. Th1 and Th2 CD4+ T cells in the pathogenesis of organ-specific autoimmune diseases.  
Immunol Today 1995;16(1):34-8
- <sup>77</sup> Lucey DR, Clerici M, Shearer GM. Type 1 and type 2 cytokine dysregulation in human infectious, neoplastic, and inflammatory disease.  
Clin Microbiol Rev. 1996;9(4):532-562
- <sup>78</sup> Liles WC, Van Voorhis WC. Review: nomenclature and biologic significance of cytokines involved in inflammation and the host immune response.  
J Infect Dis. 1995 ;172(6):1573-1580
- <sup>79</sup> Okura Y, Takeda K, Honda S, Hanawa H, Watanabe H, Kodama M, Izumi T, Aizawa Y, Seki S, Abo T. Recombinant murine interleukin-12 facilitates induction of cardiac myosin-specific type 1 helper T cells in rats.  
Circ Res. 1998;82(8):1035-1042
- <sup>80</sup> Huber SA, Kupperman J, Newell MK. Hormonal regulation of CD4(+) T-cell responses in coxsackievirus B3-induced myocarditis in mice.  
J Virol. 1999;73(6):4689-4695

- 
- 81 Huber SA, Pfaeffle B. Differential Th1 and Th2 cell responses in male and female BALB/c mice infected with coxsackievirus group B type 3.  
J Virol. 1994;68(8):5126-5132
- 82 Seko Y, Takahashi N, Azuma M, Yagita H, Okumura K, Yazaki Y. Effects of in vivo administration of anti-B7-1/B7-2 monoclonal antibodies on murine acute myocarditis caused by coxsackievirus B3.  
Circ Res. 1998;82(5):613-618
- 83 Seko Y, Takahashi N, Yagita H, Okumura K, Azuma M, Yazaki Y. Effects of in vivo administration of anti-B7-1/B7-2 monoclonal antibodies on the survival of mice with chronic ongoing myocarditis caused by Coxsackievirus B3.  
J Pathol. 1999;188(1):107-112
- 84 Afanasyeva M, Wang Y, Kaya Z, Park S, Zilliox MJ, Schofield BH, Hill SL, Rose NR. Experimental autoimmune myocarditis in A/J mice is an interleukin-4-dependent disease with a Th2 phenotype.  
Am J Pathol. 2001;159(1):193-203
- 85 Eriksson U, Kurrer MO, Sebald W, Brombacher F, Kopf M. Dual role of the IL-12/IFN-gamma axis in the development of autoimmune myocarditis: induction by IL-12 and protection by IFN-gamma.  
J Immunol. 2001;167(9):5464-5469
- 86 Shioi T, Matsumori A, Nishio R, Ono K, Kakio T, Sasayama S. Protective role of interleukin-12 in viral myokarditis.  
J Mol Cell Cardiol. 1997;29(9):2327-34
- 87 Bishop JE, Laurent GJ. Collagen turnover and its regulation in the normal and hypertrophying heart.  
Eur Heart J. 1995;16 Suppl C:38-44

- 
- 88 Aplin AE, Howe AK, Juliano RL. Cell adhesion molecules, signal transduction and cell growth.  
Curr Opin Cell Biol. 1999;11(6):737-744
- 89 Bishop JE, Greenbaum R, Gibson DG, Yacoub M, Laurent GJ. Enhanced deposition of predominantly type I collagen in myocardial disease.  
J Mol Cell Cardiol. 1990;22(10):1157-1165
- 90 Pickering JG, Boughner DR. Fibrosis in the transplanted heart and its relation to donor ischemic time. Assessment with polarized light microscopy and digital image analysis.  
Circulation 1990;81(3):949-958
- 91 Schaper J, Speiser B. The extracellular matrix in the failing human heart.  
Basic Res in Cardiol 1992; 87 Suppl 1:303-309
- 92 Chello M, Mastroroberto P, Romano R, Perticone F, Marchese AR. Collagen network remodeling and left ventricular function in constrictive pericarditis. J Mol Cell Cardiol. Heart 1996; 75(2):184-189
- 93 Yoshikane H, Honda M, Goto Y, Morioka S, Ooshima A, Moriyama K. Collagen in dilated cardiomyopathy- scanning electron microscopic and immunhistochemical observations.  
Jpn Circ J. 1992;56(9):899-910
- 94 Weber KT. Cardiac interstitium in health and disease: the fibrillar collagen network.  
J Am Coll Cardiol. 1986;13(7):1637-1652.
- 95 Weber KT, Janicki JS, Shroff SG, Pick R, Chen RM, Bashey RI. Collagen remodeling of the pressure-overloaded, hypertrophied nonhuman primate myocardium.  
Circ Res. 1988;62(4):757-765

- 
- 96 Pauschinger M, Doerner A, Remppis A, Tannhauser R, Kuhl U, Schultheiss HP. Differential myocardial abundance of collagen type I and type III mRNA in dilated cardiomyopathy: effects of myocardial infammation.  
Cardiovasc Res. 1998;37(1):123-129
- 97 Pauschinger M, Knopf D, Petschauer S, Doerner A, Poller W, Schwimmbeck PL, Kuhl U, Schultheiss HP. Dilated cardiomyopathy is associated with significant changes in collagen type I/III ratio.  
Circulation. 1999; 99(21):2750-2756
- 98 Marijianowski MM, Teeling P, Mann J, Becker AE. Dilated cardiomyopathy is associated with an increase in the type I/type III collagen ratio: a quantitative assessment.  
J Am Coll Cardiol. 1995; 25(6):1263-1272
- 99 Robert V, Van Thiem N, Cheav SL, Mouas C, Swyngedauw B, Delcayre C. Increased cardiac types I and III collagen mRNAs in aldosteron-salt hypertension.  
Hypertension. 1994; 24(1):30-36
- 100 Woessner JF Jr. Matrix metalloproteinases and their inhibitors in connective tissue remodeling.  
FASEB J. 1991;5(8):2145-2154
- 101 DeClerck YA, Yean TD, Lu HS, Ting J, Langley KE. Inhibition of autoproteolytic activation of interstitial procollagenase by recombinant metalloproteinase inhibitor MI/TIMP-2.  
J Biol Chem. 1991;266(6):3893-3899

- 
- <sup>102</sup> Ward RV, Hembry RM, Reynolds JJ, Murphy G. The purification of tissue inhibitor of metalloproteinases-2 from its 72 kDa progelatinase complex. Demonstration of the biochemical similarities of tissue inhibitor of metalloproteinases-2 and tissue inhibitor of metalloproteinases-1.  
Biochem J. 1991;278:179-187
- <sup>103</sup> Ries C, Petrides PE. Cytokine regulation of matrix metalloproteinase activity and its regulatory dysfunction in disease.  
Biol Chem Hoppe Seyler. 1995;376(6):345-355
- <sup>104</sup> Knauper V, Lopez-Otin C, Smith B, Knight G, Murphy G. Biochemical characterization of human collagenase-3.  
J Biol Chem. 1996;271(3):1544-50
- <sup>105</sup> Murphy G, Nguyen Q, Cockett MI, Atkinson SJ, Allan JA, Knight CG, Willenbrock F, Docherty AJ. Assessment of the role of the fibronectin-like domain of gelatinase A by analysis of a deletion mutant.  
J Biol Chem. 1994;269(9):6632-6636
- <sup>106</sup> He CS, Wilhelm SM, Pentland AP, Marmer BL, Grant GA, Eisen AZ, Goldberg GI. Tissue cooperation in a proteolytic cascade activating human interstitial collagenase.  
Proc Natl Acad Sci U S A. 1989;86(8):2632-6
- <sup>107</sup> Murphy G, Allan JA, Willenbrock F, Cockett MI, O'Connell JP, Docherty AJ. The role of the C-terminal domain in collagenase and stromelysin specificity.  
J Biol Chem. 1992;267(14):9612-9618
- <sup>108</sup> Kim HE, Dalal SS, Young E, Legato MJ, Weisfeldt ML, D'Armiento J. Disruption of the myocardial extracellular matrix leads to cardiac dysfunction.  
J Clin Invest. 2000;106(7):857-66

- 
- <sup>109</sup> Ducharme A, Frantz S, Aikawa M, Rabkin E, Lindsey M, Rohde LE, Schoen FJ, Kelly RA, Werb Z, Libby P, Lee RT. Targeted deletion of matrix metalloproteinase-9 attenuates left ventricular enlargement and collagen accumulation after experimental myocardial infarction.  
J Clin Invest. 2000;106(1):55-62
- <sup>110</sup> Rohde LE, Ducharme A, Arroyo LH, Aikawa M, Sukhova GH, Lopez-Anaya A, McClure KF, Mitchell PG, Libby P, Lee RT. Matrix metalloproteinase inhibition attenuates early left ventricular enlargement after experimental myocardial infarction in mice.  
Circulation. 1999;99(23):3063-70
- <sup>111</sup> Spinale FG, Coker ML, Krombach SR, Mukherjee R, Hallak H, Houck WV, Clair MJ, Kribbs SB, Johnson LL, Peterson JT, Zile MR. Matrix metalloproteinase inhibition during the development of congestive heart failure: effects on left ventricular dimensions and function.  
Circ Res. 1999;85(4):364-76
- <sup>112</sup> Li YY, McTiernan CF, Feldman AM. Interplay of matrix metalloproteinases, tissue inhibitors of metalloproteinases and their regulators in cardiac matrix remodeling.  
Cardiovasc Res. 2000;46(2):214-24
- <sup>113</sup> Roberts AB, Sporn MB, Assoian RK, Smith JM, Roche NS, Wakefield LM, Heine UI, Liotta LA, Falanga V, Kehrl JH, Fauci AS. Transforming growth factor type beta: rapid induction of fibrosis and angiogenesis in vivo and stimulation of collagen formation in vitro.  
Proc Natl Acad Sci USA 1986;83(12):4167-4171
- <sup>114</sup> Ignatz RA, Endo T, Massague J. Regulation of fibronectin and type I collagen mRNA levels by transforming growth factor-beta.  
J Biol Chem. 1987;262(14):6443-6446

- <sup>115</sup> Ignotz RA, Massague J. Transforming growth factor-beta stimulates the expression of fibronectin and collagen and their incorporation in the extracellular matrix.  
J Biol Chem. 1986;261(9):4337-4345
- <sup>116</sup> Edwards DR, Murphy G, Reynolds JJ, Whitham SE, Docherty AJ, Angel P, Heath JK. Transforming growth factor beta modulates the expression of collagenase and metalloproteinase inhibitor.  
EMBO J. 1987;6(7):1899-1904
- <sup>117</sup> Overall CM, Wrana JL, Sodek J. Independent regulation of collagenase, 72-kDa progelatinase, and metalloendoproteinase inhibitor expression in human fibroblasts by transforming growth factor-beta.  
J Biol Chem. 1989;264(3):1860-1869
- <sup>118</sup> Kapadia S, Torre-Amione G, Yokoyama T, Mann DL. Soluble TNF binding proteins modulate the negative inotropic properties of TNF-alpha in vitro.  
Am J Physiol. 1995;268(2 Pt 2):H517-525
- <sup>119</sup> Moss ML, Jin SL, Milla ME et al.. Cloning of a disintegrin metalloproteinase that processes precursor tumor-necrosis factor-alpha.  
Nature 1997;385(6618):733-736
- <sup>120</sup> Bozkurt B, Kribbs SB, Clubb FJ Jr, Michael LH, Didenko VV, Hornsby PJ, Seta Y, Oral H, Spinale FG, Mann DL. Pathophysiologically relevant concentrations of tumor necrosis factor-alpha promote progressive left ventricular dysfunction and remodeling in rats.  
Circulation. 1998;97(14):1382-1391

- 
- <sup>121</sup> Rezzonico R, Burger D, Dayer JM. Direct contact between T lymphocytes and human dermal fibroblasts or synoviocytes down-regulates types I and III collagen production via cell-associated cytokines.  
J Biol Chem. 1998;273(30):18720-8
- <sup>122</sup> Scharffetter K, Heckmann M, Hatamochi A, Mauch C, Stein B, Riethmuller G, Ziegler-Heitbrock HW, Krieg T. Synergistic effect of tumor necrosis factor-alpha and interferon-gamma on collagen synthesis of human skin fibroblasts in vitro.  
Exp Cell Res. 1989;181(2):409-19
- <sup>123</sup> Siwik DA, Chang DL, Colucci WS. Interleukin-1beta and tumor necrosis factor-alpha decrease collagen synthesis and increase matrix metalloproteinase activity in cardiac fibroblasts in vitro.  
Circ Res. 2000;86(12):1259-65
- <sup>124</sup> Vaday GG, Franitza S, Schor H, Hecht I, Brill A, Cahalon L, Hershkoviz R, Lider O. Combinatorial signals by inflammatory cytokines and chemokines mediate leukocyte interactions with extracellular matrix.  
J Leukoc Biol. 2001;69(6):885-92
- <sup>125</sup> McGeehan GM, Becherer JD, Bast RC Jr, Boyer CM, Champion B, Connolly KM, Conway JG, Furdon P, Karp S, Kidao S, et al.. Regulation of tumor necrosis factor-alpha processing by a metalloproteinase inhibitor.  
Nature. 1994;370(6490):558-561
- <sup>126</sup> Gearing AJ, Beckett P, Christodoulou M, Churchill M, Clements J, Davidson AH, Drummond AH, Galloway WA, Gilbert R, Gordon JL, et al.. Processing of tumor necrosis factor-alpha precursor by metalloproteinases.  
Nature. 1994;370(6490):555-557

- 
- <sup>127</sup> Katz SD, Rao R, Berman JW, Schwarz M, Demopoulos L, Bijou R, LeJemtel TH. Pathophysiological correlates of increased serum tumor necrosis factor in patients with congestive heart failure. Relation to nitric oxide-dependant vasodilation in the forearm circulation.  
Circulation 1994;90(1):12-16
- <sup>128</sup> Grimm D, Huber M, Jabusch HC, Shakibaei M, Fredersdorf S, Paul M, Riegger GA, Kromer EP. Extracellular matrix proteins in cardiac fibroblasts derived from rat hearts with chronic pressure overload: effects of beta-receptor blockade.  
J Mol Cell Cardiol 2001;33(3):487-501
- <sup>129</sup> Hashimoto T, Nakamura M, Oshika Y, Tsuchida T, Yamazaki H, Kijima H, Ueyama Y, Minoguchi K, Adachi M, Ota H. Interleukin-10 relieves the inhibitory effects of interferon-gamma on normal human lung fibroblasts.  
Int J Mol Med. 2001;7(2):149-54
- <sup>130</sup> Varga J, Yufit T, Hitraya E, Brown RR. Control of extracellular matrix degradation by interferon-gamma. The tryptophan connection.  
Adv Exp Med Biol. 1996;398:143-8
- <sup>131</sup> Wahl LM, Corcoran ML. Regulation of monocyte/macrophage metalloproteinase production by cytokines.  
J Periodontol. 1993;64(5 Suppl):467-473
- <sup>132</sup> Mauviel A. Cytokine regulation of metalloproteinase gene expression.  
J Cell Biochem. 1993;53(4):288-295
- <sup>133</sup> Seder RA, Boulay JL, Finkelman F, Barbier S, Ben-Sasson SZ, Le Gros G, Paul WE. CD8<sup>+</sup> T cells can be primed in vitro to produce IL-4.  
J Immunol 1992;148:1652-1656

- 
- <sup>134</sup> Spits H, Yssel H, Takebe Y, Arai N, Yokota T, Lee F, Arai K, Banchereau J, de Vries JE. Rekombinant interleukin 4 promotes the growth of human T cells. *J Immunol.* 1987;139(4):1142-1147
- <sup>135</sup> Blay JY, Branellec D, Robinet E, Dugas B, Gay F, Chouaib S. Involvement of cyclic adenosine monophosphate in the interleukin 4 inhibitory effect on interleukin 2-induced lymphokine-activated killer generation. *J Clin Invest.* 1990;85(6):1909-1913
- <sup>136</sup> Terasaki F, Kitaura Y, Hayashi T, Nakayama Y, Deguchi H, Kawamura K. Arrhythmias in Coxsackie B3 virus myocarditis. Continous elektrocardiography in conscious mice and histopathology of the heart with special references to the conduction system. *Heart Vessels Suppl.* 1990;5:45-50
- <sup>137</sup> Terasaki F, James TN, Nakayama Y, Deguchi H, Kitaura Y, Kawamura K. Ultrastructural alterations of the conduction system in mice exhibiting sinus arrest or heart block during Coxsackievirus B3 acute myocarditis. *Am Heart J.* 1992;123(2):439-452
- <sup>138</sup> Herzum M, Mahr P, Wietrzychowski F, Jomaa H, Weller R, Spengler D, Ruppert V, Maisch B. Left ventricular hemodynamics in murine viral myocarditis. *Eur Heart J.* 1995;16 Suppl O:28-30
- <sup>139</sup> Watanabe K, Nakazawa M, Fuse K, Hanawa H, Kodama M, Aizawa Y, Ohnuki T, Gejyo F, Maruyama H, Miyazaki J. Protection against autoimmune myocarditis by gene transfer of interleukin-10 by electroporation. *Circulation.* 2001;104(10):1098-1100

- 
- <sup>140</sup> Schwimmbeck PL, Badorff C, Rohn G, Schulze K, Schultheiss HP. Impairment of left ventricular function in combined immune deficiency mice after transfer of peripheral blood leukocytes from patients with myocarditis.  
Eur Heart J. 1995;16 Suppl O:59-63
- <sup>141</sup> Roten L, Nemoto S, Simsic J, Coker ML, Rao V, Baicu S, Defreyte G, Soloway PJ, Zile MR, Spinale FG. Effects of gene deletion of the tissue inhibitor of the matrix metalloproteinase-type 1 (TIMP-1) on left ventricular geometry and function in mice.  
J Mol Cell Cardiol. 2000;32(1):109-120
- <sup>142</sup> Schwimmbeck PL, Rohn G, Wrusch A, Schulze K, Doerner A, Kuehl U, Tschoepe C, Pauschinger M, Schultheiss HP. Enteroviral and immune mediated myocarditis in SCID mice.  
Herz. 2000;25(3):240-4
- <sup>143</sup> Saiki RK, Gelfand DH, Stoffel S, Scharf SJ, Higuchi R, Horn GT, Mullis KB, Erlich HA. Primer-directed enzymatic amplification of DNA with a thermostable DNA polymerase.  
Science. 1988;239(4839):487-91
- <sup>144</sup> Angerer LM, Angerer RC. Localization of mRNAs by in situ hybridization.  
Methods Cell Biol. 1991;35:37-71
- <sup>145</sup> Tang X, Nakata Y, Li HO, Zhang M, Gao H, Fujita A, Sakatsume O, Ohta T, Yokoyama K. The optimization of preparations of competent cells for transformation of E. coli.  
Nucleic Acids Res. 1994; 22(14):2857-2858
- <sup>146</sup> pGEM<sup>®</sup>-T and pGEM<sup>®</sup>-T Easy Vector Systems, Technical Manual No. 042, Promega Corporation, Madison (USA), 1999.

- 
- <sup>147</sup> Maniatis T, Fritsch EF, Sambrook J. Molecular cloning: A laboratory manual. Cold Spring Harbor Laboratory Press, Cold Spring Harbor, New York 1989.
- <sup>148</sup> Bradford MM. A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. *Anal Biochem.* 1976;72:248-254
- <sup>149</sup> Blake MS, Johnston KH, Russel-Jones GF, Gotschlich EC. A rapid, sensitive method for detection of alkaline phosphatase-conjugated anti-antibody on Western blots. *Anal Biochem.* 1984;136(1):175-179
- <sup>150</sup> Laemmli UK. Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature.* 1970;227(259):680-685
- <sup>151</sup> Bortz J. Einfaktorielle Versuchspläne  
In: Bortz J: Statistik für Sozialwissenschaftler, Berlin, Springer-Verlag 1999: 237-278
- <sup>152</sup> Dawson-Saunders B, Trapp RG. Comparing three or more means.  
In: Dawson-Saunders B, Trapp RG. Biostatistics, Connecticut, USA, Appelton&Lange-Verlag 1994:125-142
- <sup>153</sup> Lapierre CM, Nusgens B, Pierard GE. Interaction between collagen type I and type III in conditioning bundles organization. *Connect Tissue Res.* 1977;5(1):21-9.
- <sup>154</sup> Oxlund H. Relationships between the biomechanical properties, composition and molecular structure of connective tissues. *Connect Tissue Res.* 1986;15(1-2):65-72.

- 
- <sup>155</sup> Woodiwiss AJ, Tsotetsi OJ, Sprott S, Lancaster EJ, Mela T, Chung ES, Meyer TE, Norton GR. Reduction in myocardial collagen cross-linking parallels left ventricular dilatation in rat models of systolic chamber dysfunction. *Circulation.* 2001;103(1):155-60
- <sup>156</sup> Spinale FG, Zellner JL, Johnson WS, Eble DM, Munyer PD. Cellular and extracellular remodeling with the development and recovery from tachycardia-induced cardiomyopathy: changes in fibrillar collagen, myocyte adhesion capacity and proteoglycans. *J Mol Cell Cardiol.* 1996;28(8):1591-608
- <sup>157</sup> Gunja-Smith Z, Morales AR, Romanelli R, Woessner JF Jr. Remodeling of human myocardial collagen in idiopathic dilated cardiomyopathy. Role of metalloproteinases and pyridinoline cross-links. *Am J Pathol.* 1996;148(5):1639-48
- <sup>158</sup> Li YY, Feng Y, McTiernan CF, Pei W, Moravec CS, Wang P, Rosenblum W, Kormos RL, Feldman AM. Downregulation of matrix metalloproteinases and reduction in collagen damage in the failing human heart after support with left ventricular assist devices. *Circulation.* 2001;104(10):1147-52
- <sup>159</sup> De Crombrugghe B, Karsenty G, Maity S, Vuorio T, Rossi P, Ruteshouser EC, McKinney SH, Lozano G. Transcriptional mechanisms controlling types I and III collagen genes. *Ann N Y Acad Sci.* 1990;580:88-96

- 
- <sup>160</sup> Pauschinger M, Leschka S, Spillmann F, Li J, Poller W, Noutsias M, Husmann L, Schwimmbeck PL, Tschoepe C. IL-4 induziert bei Coxsackie B3 infizierten BALB/c Mäusen die infekbedingten Auswirkungen auf Herzfunktion, MMP-3 und TIMP-1 Expression durch Induktion von TGF- $\beta$ 1.  
Z. Kardiol 2002;91 (Supplement 1):I/101
- <sup>161</sup> Sivasubramanian N, Coker ML, Kurrelmeyer KM, MacLellan WR, DeMayo FJ, Spinale FG, Mann DL. Left ventricular remodelling in transgenic mice with cardiac restricted overexpression of tumor necrosis factor.  
Circulation. 2001;104(7):826-31
- <sup>162</sup> Herskowitz A, Beisel KW, Wolfgram LJ, Rose NR. Coxsackievirus B3 murine myocarditis: wide pathologic spectrum in genetically defined inbred strains.  
Hum Pathol. 1985;16(7):671-673
- <sup>163</sup> Reyes MP, Lerner AM. Coxsackievirus myocarditis – with special reference to acute and chronic effects.  
Prog Cardiovasc Dis. 1985;27(6):373-394
- <sup>164</sup> Wolfgram LJ, Beisel KW, Herskowitz A, Rose NR. Variations in the susceptibility to Coxsackievirus B3-induced myocarditis among different strains of mice.  
J Immunol. 1986;136(5):1846-1852
- <sup>165</sup> Kishimoto C, Ochiai H, Sasayama S. Immunological mechanisms in experimental coxsackievirus B3 myocarditis in mice.  
Jpn Circ J. 1991;55(11):1144-1148
- <sup>166</sup> Baba T, Kanda T, Kobayashi I. Reduction of cardiac endothelin-1 by angiotensin II type 1 receptor antagonist in viral myocarditis of mice.  
Life Sci. 2000;67(5):587-597

- 
- <sup>167</sup> Nakamura H, Yamamoto T, Yamamura T, Nakao F, Umemoto S, Shintaku T, Yamaguchi K, Liu P, Matsuzaki M. Repetitive coxsackievirus infection induces cardiac dilatation in post-myocarditic mice.  
Jpn Circ J. 1999;63(10):794-802
- <sup>168</sup> Stull LB, Dilulio NA, Yu M, McTiernan CF, Ratliff NB, Tuohy VK, Moravec CS. Alterations in cardiac function and gene expression during autoimmune myocarditis in mice.  
J Mol Cell Cardiol. 2000;32(11):2035-2049
- <sup>169</sup> McMurray J, Abdullah I, Dargie HJ, Shapiro D. Increased concentrations of tumor necrosis factor in "cachectic" patients with severe chronic heart failure.  
Brit Heart J 1991;66(5):356-358
- <sup>170</sup> Kanda T, Koike H, Arai M, Wilson JE, Carthy CM, Yang D, McManus BM, Nagai R, Kobayashi I. Increased severity of viral myocarditis in mice lacking lymphocyte maturation.  
Int J Cardiol. 1999;68(1):13-22
- <sup>171</sup> Hashimoto I. Myocarditis in mice infected with Coxsackie virus B3.  
Br J Exp Pathol. 1986;67(5):737-745
- <sup>172</sup> Maisch B. Entzündliche Herzerkrankungen (Endokarditis, Myokarditis und Kardiomyopathien).  
In: Classen M, Diehl V, Kochsiek K eds.: Lehrbuch der Inneren Medizin. Urban & Schwarzenberg-Verlag, München, 1998:1085-1216
- <sup>173</sup> Ertl G. Grundlagen der Herz-Kreislaufregulation.  
In: Classen M, Diehl V, Kochsiek K eds.: Lehrbuch der Inneren Medizin, Urban & Schwarzenberg-Verlag, München, 1998: 1099-1102

- 
- <sup>174</sup> Schrömerich P. Klinik der Myokarditis.  
Verh dtsch Ges inn Med. 1971;77:335
- <sup>175</sup> Roskamm H, Meyer K. Arbeitsweisen des gesunden Herzens.  
In: Roskamm H & Reidell H eds.: Herzkrankheiten. Springer Verlag, Berlin, 1996:115-130
- <sup>176</sup> Bassenge E. Mechanik des intakten Herzens.  
In: Roskamm H & Reidell H eds.: Herzkrankheiten. Springer Verlag, Berlin, 1996:55-79
- <sup>177</sup> Zivkov-Saponja D, Stojsic-Milosavljevic A, Stojsic D, Vuckovic D. Level of left ventricular dysfunction in endomyocardial biopsy-proven myocarditis.  
Med Pregl. 1999;52(11-12):429-36
- <sup>178</sup> Nishio R, Matsumori A, Shioi T, Ishida H, Sasayama S. Treatment of experimental viral myocarditis with interleukin-10.  
Circulation. 1999;100(10):1102-1108
- <sup>179</sup> Soares MB, Silva-Mota KN, Lima RS, Bellintani MC, Pontes-de-Carvalho L, Ribeiro-dos-Santos R. Modulation of chagasic cardiomyopathy by interleukin-4: dissociation between inflammation and tissue parasitism.  
Am J Pathol. 2001;159(2):703-9
- <sup>180</sup> Kubota T, McTiernan CF, Frye CS, Slawson SE, Lemster BH, Koretsky AP, Demetris AJ, Feldman AM. Dilated cardiomyopathy in transgenic mice with cardiac-specific overexpression of tumor necrosis factor-alpha.  
Circ Res. 1997;81(4):627-635

<sup>181</sup> Wada H, Saito K, Kanda T, Kobayashi I, Fujii H, Fujigaki S, Maekawa N, Takatsu H, Fujiwara H, Sekikawa K, Seishima M. Tumor necrosis factor-alpha (TNF-alpha) plays a protective role in acute viral myocarditis in mice: A study using mice lacking TNF-alpha.

Circulation. 2001;103(5):743-749