

7 Literatur

- Abe, H., Shima, H., Sekiguchi, M., Guo, H., Nagao, M., Tamura, S. und Kondo, H. (1994): Localization of mRNA for protein phosphatase 2A in the brain of adult rats. *Brain Res Mol Brain Res*, 22: 139-43.
- Aberdam, D., Aguzzi, A., Baudoin, C., Galliano, M.F., Ortonne, J.P. und Meneguzzi, G. (1994): Developmental expression of nicein adhesion protein (laminin-5) subunits suggests multiple morphogenic roles. *Cell Adhes Commun*, 2: 115-29.
- Adachi, M., Taki, T., Huang, C., Higashiyama, M., Doi, O., Tsuji, T. und Miyake, M. (1998): Reduced integrin alpha3 expression as a factor of poor prognosis of patients with adenocarcinoma of the lung. *J Clin Oncol*, 16: 1060-7.
- Adachi, Y., Pavlakis, G.N. und Copeland, T.D. (1994): Identification and characterization of SET, a nuclear phosphoprotein encoded by the translocation break point in acute undifferentiated leukemia. *J Biol Chem*, 269: 2258-62.
- Adair, B.D. und Yeager, M. (2002): Three-dimensional model of the human platelet integrin alpha IIbbeta 3 based on electron cryomicroscopy and x-ray crystallography. *Proc Natl Acad Sci U S A*, 99: 14059-64.
- Akiyama, S.K. (1996): Integrins in cell adhesion and signaling. *Hum Cell*, 9: 181-6.
- Akula, S.M., Pramod, N.P., Wang, F.Z. und Chandran, B. (2002): Integrin alpha3beta1 (CD 49c/29) is a cellular receptor for Kaposi's sarcoma-associated herpesvirus (KSHV/HHV-8) entry into the target cells. *Cell*, 108: 407-19.
- Anderson, D.C. und Springer, T.A. (1987): Leukocyte adhesion deficiency: an inherited defect in the Mac-1, LFA-1, and p150,95 glycoproteins. *Annu Rev Med*, 38: 175-94.
- Andrews, R.K. und Berndt, M.C. (2000): Snake venom modulators of platelet adhesion receptors and their ligands. *Toxicon*, 38: 775-91.
- Anton, E.S., Kreidberg, J.A. und Rakic, P. (1999): Distinct functions of alpha3 and alpha(v) integrin receptors in neuronal migration and laminar organization of the cerebral cortex. *Neuron*, 22: 277-89.

- Armulik, A., Nilsson, I., von Heijne, G. und Johansson, S. (1999):
Determination of the border between the transmembrane and cytoplasmic domains of human integrin subunits.
J Biol Chem, 274: 37030-4.
- Bai, J., Brody, J.R., Kadkol, S.S. und Pasternack, G.R. (2001):
Tumor suppression and potentiation by manipulation of pp32 expression.
Oncogene, 20: 2153-60.
- Bartolazzi, A., Kaczmarek, J., Nicolo, G., Risso, A.M., Tarone, G., Rossino, P., Defilippi, P. und Castellani, P. (1993):
Localization of the alpha 3 beta 1 integrin in some common epithelial tumors of the ovary and in normal equivalents.
Anticancer Res, 13: 1-11.
- Beglova, N., Blacklow, S.C., Takagi, J. und Springer, T.A. (2002):
Cysteine-rich module structure reveals a fulcrum for integrin rearrangement upon activation.
Nat Struct Biol, 9: 282-7.
- Bellis, S.L. (2004):
Variant glycosylation: an underappreciated regulatory mechanism for beta1 integrins.
Biochim Biophys Acta, 1663: 52-60.
- Berditchevski, F. (2001):
Complexes of tetraspanins with integrins: more than meets the eye.
J Cell Sci, 114: 4143-51.
- Berditchevski, F., Chang, S., Bodorova, J. und Hemler, M.E. (1997a):
Generation of monoclonal antibodies to integrin-associated proteins. Evidence that alpha3beta1 complexes with EMMPRIN/basigin/OX47/M6.
J Biol Chem, 272: 29174-80.
- Berditchevski, F., Tolias, K.F., Wong, K., Carpenter, C.L. und Hemler, M.E. (1997b):
A novel link between integrins, transmembrane-4 superfamily proteins (CD63 and CD81), and phosphatidylinositol 4-kinase.
J Biol Chem, 272: 2595-8.
- Beresford, P.J., Zhang, D., Oh, D.Y., Fan, Z., Greer, E.L., Russo, M.L., Jaju, M. und Lieberman, J. (2001):
Granzyme A activates an endoplasmic reticulum-associated caspase-independent nuclease to induce single-stranded DNA nicks.
J Biol Chem, 276: 43285-93.
- Berndt, N. (1999):
Protein dephosphorylation and the intracellular control of the cell number.
Front Biosci, 4: D22-42.

- Birnboim, H.C. und Doly, J. (1979):
A rapid alkaline extraction procedure for screening recombinant plasmid DNA.
Nucleic Acids Res, 7: 1513-23.
- Bork, P., Doerks, T., Springer, T.A. und Snel, B. (1999):
Domains in plexins: links to integrins and transcription factors.
Trends Biochem Sci, 24: 261-3.
- Boukamp, P., Petrussevska, R.T., Breitkreutz, D., Hornung, J., Markham, A. und Fusenig, N.E. (1988):
Normal keratinization in a spontaneously immortalized aneuploid human keratinocyte cell line.
J Cell Biol, 106: 761-71.
- Bradford, M.M. (1976):
A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding.
Anal Biochem, 72: 248-54.
- Brady, M.J. und Saltiel, A.R. (2001):
The role of protein phosphatase-1 in insulin action.
Recent Prog Horm Res, 56: 157-73.
- Brakebusch, C., Bouvard, D., Stanchi, F., Sakai, T. und Fassler, R. (2002):
Integrins in invasive growth.
J Clin Invest, 109: 999-1006.
- Brennan, C.M., Gallouzi, I.E. und Steitz, J.A. (2000):
Protein ligands to HuR modulate its interaction with target mRNAs in vivo.
J Cell Biol, 151: 1-14.
- Brody, J.R., Kadkol, S.S., Hauer, M.C., Rajaii, F., Lee, J. und Pasternack, G.R. (2004):
pp32 reduction induces differentiation of TSU-Pr1 cells.
Am J Pathol, 164: 273-83.
- Brooks, J.E. (1987):
Properties and uses of restriction endonucleases.
Methods Enzymol, 152: 113-29.
- Brooks, P.C., Clark, R.A. und Cheresh, D.A. (1994):
Requirement of vascular integrin alpha v beta 3 for angiogenesis.
Science, 264: 569-71.
- Burke, R.D. (1999):
Invertebrate integrins: structure, function, and evolution.
Int Rev Cytol, 191: 257-84.
- Burzlaff, A., Kalesse, M., Kasper, C. und Schepers, T. (2003):
Multi parameter in vitro testing of ratjadone using flow cytometry.
Appl Microbiol Biotechnol, 4: 4.

- Calderwood, D.A., Zent, R., Grant, R., Rees, D.J., Hynes, R.O. und Ginsberg, M.H. (1999):
The Talin head domain binds to integrin beta subunit cytoplasmic tails and regulates integrin activation.
J Biol Chem, 274: 28071-4.
- Calvete, J.J., Henschen, A. und Gonzalez-Rodriguez, J. (1991):
Assignment of disulphide bonds in human platelet GPIIIa. A disulphide pattern for the beta-subunits of the integrin family.
Biochem J, 274 (Pt 1): 63-71.
- Caniggia, I., Han, R., Liu, J., Wang, J., Tanswell, A.K. und Post, M. (1995):
Differential expression of collagen-binding receptors in fetal rat lung cells.
Am J Physiol, 268: L136-43.
- Carter, W.G., Ryan, M.C. und Gahr, P.J. (1991):
Epiligrin, a new cell adhesion ligand for integrin alpha 3 beta 1 in epithelial basement membranes.
Cell, 65: 599-610.
- Chataway, T.K. und Barritt, G.J. (1995):
Purification of histidine-tagged ras and its use in the detection of ras binding proteins.
Mol Cell Biochem, 144: 167-73.
- Chen, L.M., Bailey, D. und Fernandez-Valle, C. (2000):
Association of beta 1 integrin with focal adhesion kinase and paxillin in differentiating Schwann cells.
J Neurosci, 20: 3776-84.
- Chen, T.H., Brody, J.R., Romantsev, F.E., Yu, J.G., Kayler, A.E., Voneiff, E., Kuhajda, F.P. und Pasternack, G.R. (1996):
Structure of pp32, an acidic nuclear protein which inhibits oncogene-induced formation of transformed foci.
Mol Biol Cell, 7: 2045-56.
- Chien, C.T., Bartel, P.L., Sternglanz, R. und Fields, S. (1991):
The two-hybrid system: a method to identify and clone genes for proteins that interact with a protein of interest.
Proc Natl Acad Sci U S A, 88: 9578-82.
- Chiquet, M. (1999):
Regulation of extracellular matrix gene expression by mechanical stress.
Matrix Biol, 18: 417-26.
- Cohen, M.W., Hoffstrom, B.G. und DeSimone, D.W. (2000):
Active zones on motor nerve terminals contain alpha 3beta 1 integrin.
J Neurosci, 20: 4912-21.

- Cohen, P.T. (2002):
Protein phosphatase 1--targeted in many directions.
J Cell Sci, 115: 241-56.
- Coppolino, M., Migliorini, M., Argraves, W.S. und Dedhar, S. (1995):
Identification of a novel form of the alpha 3 integrin subunit: covalent association with transferrin receptor.
Biochem J, 306 (Pt 1): 129-34.
- Coppolino, M.G. und Dedhar, S. (1999):
Ligand-specific, transient interaction between integrins and calreticulin during cell adhesion to extracellular matrix proteins is dependent upon phosphorylation/dephosphorylation events.
Biochem J, 340: 41-50.
- Coppolino, M.G., Woodside, M.J., Demaurex, N., Grinstein, S., St-Arnaud, R. und Dedhar, S. (1997):
Calreticulin is essential for integrin-mediated calcium signalling and cell adhesion.
Nature, 386: 843-7.
- Crowe, D.T., Chiu, H., Fong, S. und Weissman, I.L. (1994):
Regulation of the avidity of integrin alpha 4 beta 7 by the beta 7 cytoplasmic domain.
J Biol Chem, 269: 14411-8.
- Culley, B., Murphy, J., Babaie, J., Nguyen, D., Pagel, A., Rousselle, P. und Clegg, D.O. (2001):
Laminin-5 promotes neurite outgrowth from central and peripheral chick embryonic neurons.
Neurosci Lett, 301: 83-6.
- De Arcangelis, A., Mark, M., Kreidberg, J., Sorokin, L. und Georges-Labouesse, E. (1999):
Synergistic activities of alpha3 and alpha6 integrins are required during apical ectodermal ridge formation and organogenesis in the mouse.
Development, 126: 3957-68.
- De Melker, A.A., Kramer, D., Kuikman, I. und Sonnenberg, A. (1997):
The two phenylalanines in the GFFKR motif of the integrin alpha6A subunit are essential for heterodimerization.
Biochem J, 328 (Pt 2): 529-37.
- de Melker, A.A. und Sonnenberg, A. (1999):
Integrins: alternative splicing as a mechanism to regulate ligand binding and integrin signaling events.
Bioessays, 21: 499-509.

- de Melker, A.A., Sterk, L.M., Delwel, G.O., Fles, D.L., Daams, H., Weening, J.J. und Sonnenberg, A. (1997):
The A and B variants of the alpha 3 integrin subunit: tissue distribution and functional characterization.
Lab Invest, 76: 547-63.
- Dedhar, S., Jewell, K., Rojiani, M. und Gray, V. (1992):
The receptor for the basement membrane glycoprotein entactin is the integrin alpha 3/beta 1.
J Biol Chem, 267: 18908-14.
- DeFreitas, M.F., Yoshida, C.K., Frazier, W.A., Mendrick, D.L., Kypta, R.M. und Reichardt, L.F. (1995):
Identification of integrin alpha 3 beta 1 as a neuronal thrombospondin receptor mediating neurite outgrowth.
Neuron, 15: 333-43.
- Delwel, G.O., de Melker, A.A., Hogervorst, F., Jaspars, L.H., Fles, D.L., Kuikman, I., Lindblom, A., Paulsson, M., Timpl, R. und Sonnenberg, A. (1994):
Distinct and overlapping ligand specificities of the alpha 3A beta 1 and alpha 6A beta 1 integrins: recognition of laminin isoforms.
Mol Biol Cell, 5: 203-15.
- DiPersio, C.M., Hodivala-Dilke, K.M., Jaenisch, R., Kreidberg, J.A. und Hynes, R.O. (1997):
alpha3beta1 Integrin is required for normal development of the epidermal basement membrane.
J Cell Biol, 137: 729-42.
- DiPersio, C.M., Shah, S. und Hynes, R.O. (1995):
alpha 3A beta 1 integrin localizes to focal contacts in response to diverse extracellular matrix proteins.
J Cell Sci, 108: 2321-36.
- DiPersio, C.M., van der Neut, R., Georges-Labouesse, E., Kreidberg, J.A., Sonnenberg, A. und Hynes, R.O. (2000):
alpha3beta1 and alpha6beta4 integrin receptors for laminin-5 are not essential for epidermal morphogenesis and homeostasis during skin development.
J Cell Sci, 113: 3051-62.
- Dulabon, L., Olson, E.C., Taglienti, M.G., Eisenhuth, S., McGrath, B., Walsh, C.A., Kreidberg, J.A. und Anton, E.S. (2000):
Reelin binds alpha3beta1 integrin and inhibits neuronal migration.
Neuron, 27: 33-44.
- Elices, M.J., Urry, L.A. und Hemler, M.E. (1991):
Receptor functions for the integrin VLA-3: fibronectin, collagen, and laminin binding are differentially influenced by Arg-Gly-Asp peptide and by divalent cations.
J Cell Biol, 112: 169-81.

- Emsley, J., Cruz, M., Handin, R. und Liddington, R. (1998):
Crystal structure of the von Willebrand Factor A1 domain and implications for
the binding of platelet glycoprotein Ib.
J Biol Chem, 273: 10396-401.
- Evans, R.D., Perkins, V.C., Henry, A., Stephens, P.E., Robinson, M.K. und Watt, F.M. (2003):
A tumor-associated beta 1 integrin mutation that abrogates epithelial
differentiation control.
J Cell Biol, 160: 589-96.
- Fan, Z., Beresford, P.J., Oh, D.Y., Zhang, D. und Lieberman, J. (2003):
Tumor suppressor NM23-H1 is a granzyme A-activated DNase during CTL-
mediated apoptosis, and the nucleosome assembly protein SET is its inhibitor.
Cell, 112: 659-72.
- Fan, Z., Beresford, P.J., Zhang, D. und Lieberman, J. (2002):
HMG2 interacts with the nucleosome assembly protein SET and is a target of
the cytotoxic T-lymphocyte protease granzyme A.
Mol Cell Biol, 22: 2810-20.
- Fassler, R. und Meyer, M. (1995):
Consequences of lack of beta 1 integrin gene expression in mice.
Genes Dev, 9: 1896-908.
- Fornerod, M., Ohno, M., Yoshida, M. und Mattaj, I.W. (1997):
CRM1 is an export receptor for leucine-rich nuclear export signals.
Cell, 90: 1051-60.
- Fresu, M., Bianchi, M., Parsons, J.T. und Villa-Moruzzi, E. (2001):
Cell-cycle-dependent association of protein phosphatase 1 and focal adhesion
kinase.
Biochem J, 358: 407-14.
- Fujiwara, H., Kikkawa, Y., Sanzen, N. und Sekiguchi, K. (2001):
Purification and characterization of human laminin-8. Laminin-8 stimulates cell
adhesion and migration through alpha3beta1 and alpha6beta1 integrins.
J Biol Chem, 276: 17550-8.
- Fukuda, M., Asano, S., Nakamura, T., Adachi, M., Yoshida, M., Yanagida, M. und
Nishida, E. (1997):
CRM1 is responsible for intracellular transport mediated by the nuclear export
signal.
Nature, 390: 308-11.
- Gabriel, B., Mildenberger, S., Weisser, C.W., Metzger, E., Gitsch, G., Schule, R. und
Muller, J.M. (2004):
Focal adhesion kinase interacts with the transcriptional coactivator FHL2 and
both are overexpressed in epithelial ovarian cancer.
Anticancer Res, 24: 921-7.

- Gallouzi, I.E. und Steitz, J.A. (2001):
Delineation of mRNA export pathways by the use of cell-permeable peptides.
Science, 294: 1895-901.
- Gear, A.R., Simon, C.G. und Polanowska-Grabowska, R. (1997):
Platelet adhesion to collagen activates a phosphoprotein complex of heat-shock proteins and protein phosphatase 1.
J Neural Transm, 104: 1037-47.
- Gehlsen, K.R., Dickerson, K., Argraves, W.S., Engvall, E. und Ruoslahti, E. (1989):
Subunit structure of a laminin-binding integrin and localization of its binding site on laminin.
J Biol Chem, 264: 19034-8.
- Gehlsen, K.R., Dillner, L., Engvall, E. und Ruoslahti, E. (1988):
The human laminin receptor is a member of the integrin family of cell adhesion receptors.
Science, 241: 1228-9.
- Geiger, B., Bershadsky, A., Pankov, R. und Yamada, K.M. (2001):
Transmembrane crosstalk between the extracellular matrix--cytoskeleton crosstalk.
Nat Rev Mol Cell Biol, 2: 793-805.
- Ghosh, S., Brown, R., Jones, J.C., Ellerbroek, S.M. und Stack, M.S. (2000):
Urinary-type plasminogen activator (uPA) expression and uPA receptor localization are regulated by alpha 3beta 1 integrin in oral keratinocytes.
J Biol Chem, 275: 23869-76.
- Giancotti, F.G. und Ruoslahti, E. (1999):
Integrin signaling.
Science, 285: 1028-32.
- Gimond, C., de Melker, A., Aumailley, M. und Sonnenberg, A. (1995):
The cytoplasmic domain of alpha 6A integrin subunit is an in vitro substrate for protein kinase C.
Exp Cell Res, 216: 232-5.
- Goldfinger, L.E., Han, J., Kiosses, W.B., Howe, A.K. und Ginsberg, M.H. (2003):
Spatial restriction of alpha4 integrin phosphorylation regulates lamellipodial stability and alpha4beta1-dependent cell migration.
J Cell Biol, 162: 731-41.
- Gonzalez-Amaro, R., Diaz-Gonzalez, F. und Sanchez-Madrid, F. (1998):
Adhesion molecules in inflammatory diseases.
Drugs, 56: 977-88.

- Graus-Porta, D., Blaess, S., Senften, M., Littlewood-Evans, A., Damsky, C., Huang, Z., Orban, P., Klein, R., Schittny, J.C. und Muller, U. (2001):
Beta1-class integrins regulate the development of laminae and folia in the cerebral and cerebellar cortex.
Neuron, 31: 367-79.
- Greene, L.A. und Tischler, A.S. (1976):
Establishment of a noradrenergic clonal line of rat adrenal pheochromocytoma cells which respond to nerve growth factor.
Proc Natl Acad Sci U S A, 73: 2424-8.
- Gu, J., Stephenson, C.G. und Iadarola, M.J. (1994):
Recombinant proteins attached to a nickel-NTA column: use in affinity purification of antibodies.
Biotechniques, 17: 257, 260, 262.
- Hanks, S.K., Calalb, M.B., Harper, M.C. und Patel, S.K. (1992):
Focal adhesion protein-tyrosine kinase phosphorylated in response to cell attachment to fibronectin.
Proc Natl Acad Sci U S A, 89: 8487-91.
- Hashikawa, T., Nakazawa, K., Mikawa, S., Shima, H. und Nagao, M. (1995):
Immunohistochemical localization of protein phosphatase isoforms in the rat cerebellum.
Neurosci Res, 22: 133-6.
- Hayashi, Y.K., Chou, F.L., Engvall, E., Ogawa, M., Matsuda, C., Hirabayashi, S., Yokochi, K., Ziobor, B.L., Kramer, R.H., Kaufman, S.J., Ozawa, E., Goto, Y., Nonaka, I., Tsukahara, T., Wang, J.Z., Hoffman, E.P. und Arahata, K. (1998):
Mutations in the integrin alpha7 gene cause congenital myopathy.
Nat Genet, 19: 94-7.
- Hemler, M.E. (2001):
Specific tetraspanin functions.
J Cell Biol, 155: 1103-7.
- Heukeshoven, J. und Dernick, R. (1988):
Improved silver staining procedure for fast staining in PhastSystem Development Unit. I. Staining of sodium dodecyl sulfate gels.
Electrophoresis, 9: 28-32.
- Higgs, H.N. und Pollard, T.D. (1999):
Regulation of actin polymerization by Arp2/3 complex and WASp/Scar proteins.
J Biol Chem, 274: 32531-4.
- Hodivala-Dilke, K.M., DiPersio, C.M., Kreidberg, J.A. und Hynes, R.O. (1998):
Novel roles for alpha3beta1 integrin as a regulator of cytoskeletal assembly and as a trans-dominant inhibitor of integrin receptor function in mouse keratinocytes.
J Cell Biol, 142: 1357-69.

- Hoffman, S., Sorkin, B.C., White, P.C., Brackenbury, R., Mailhammer, R., Rutishauser, U., Cunningham, B.A. und Edelman, G.M. (1982):
Chemical characterization of a neural cell adhesion molecule purified from embryonic brain membranes.
J Biol Chem, 257: 7720-9.
- Hogervorst, F., Admiraal, L.G., Niessen, C., Kuikman, I., Janssen, H., Daams, H. und Sonnenberg, A. (1993):
Biochemical characterization and tissue distribution of the A and B variants of the integrin alpha 6 subunit.
J Cell Biol, 121: 179-91.
- Holst, J., Sim, A.T. und Ludowyke, R.I. (2002):
Protein phosphatases 1 and 2A transiently associate with myosin during the peak rate of secretion from mast cells.
Mol Biol Cell, 13: 1083-98.
- Hopp, T.P. und Woods, K.R. (1981):
Prediction of protein antigenic determinants from amino acid sequences.
Proc Natl Acad Sci U S A, 78: 3824-8.
- Howe, A., Aplin, A.E., Alahari, S.K. und Juliano, R.L. (1998):
Integrin signaling and cell growth control.
Curr Opin Cell Biol, 10: 220-31.
- Huber, O., Bierkamp, C. und Kemler, R. (1996):
Cadherins and catenins in development.
Curr Opin Cell Biol, 8: 685-91.
- Hughes, P.E., Diaz-Gonzalez, F., Leong, L., Wu, C., McDonald, J.A., Shattil, S.J. und Ginsberg, M.H. (1996):
Breaking the integrin hinge. A defined structural constraint regulates integrin signaling.
J Biol Chem, 271: 6571-4.
- Hughes, P.E., O'Toole, T.E., Ylanne, J., Shattil, S.J. und Ginsberg, M.H. (1995):
The conserved membrane-proximal region of an integrin cytoplasmic domain specifies ligand binding affinity.
J Biol Chem, 270: 12411-7.
- Hynes, R.O. (2002):
Integrins: bidirectional, allosteric signaling machines.
Cell, 110: 673-87.
- Hynes, R.O. und Zhao, Q. (2000):
The evolution of cell adhesion.
J Cell Biol, 150: F89-96.

Isberg, R.R. und Leong, J.M. (1990):

Multiple beta 1 chain integrins are receptors for invasin, a protein that promotes bacterial penetration into mammalian cells.
Cell, 60: 861-71.

Itin, C., Ulitzur, N., Muhlauer, B. und Pfeffer, S.R. (1999):

Mapmodulin, cytoplasmic dynein, and microtubules enhance the transport of mannose 6-phosphate receptors from endosomes to the trans-golgi network.
Mol Biol Cell, 10: 2191-7.

Ito, A., Kataoka, T.R., Watanabe, M., Nishiyama, K., Mazaki, Y., Sabe, H., Kitamura, Y. und Nojima, H. (2000):

A truncated isoform of the PP2A B56 subunit promotes cell motility through paxillin phosphorylation.
Embo J, 19: 562-71.

Ivaska, J., Nissinen, L., Immonen, N., Eriksson, J.E., Kahari, V.M. und Heino, J. (2002):

Integrin alpha 2 beta 1 promotes activation of protein phosphatase 2A and dephosphorylation of Akt and glycogen synthase kinase 3 beta.
Mol Cell Biol, 22: 1352-9.

Janknecht, R., de Martynoff, G., Lou, J., Hipskind, R.A., Nordheim, A. und Stunnenberg, H.G. (1991):

Rapid and efficient purification of native histidine-tagged protein expressed by recombinant vaccinia virus.
Proc Natl Acad Sci U S A, 88: 8972-6.

Janssens, V. und Goris, J. (2001):

Protein phosphatase 2A: a highly regulated family of serine/threonine phosphatases implicated in cell growth and signalling.
Biochem J, 353: 417-39.

Jiang, X., Kim, H.E., Shu, H., Zhao, Y., Zhang, H., Kofron, J., Donnelly, J., Burns, D., Ng, S.C., Rosenberg, S. und Wang, X. (2003):

Distinctive roles of PHAP proteins and prothymosin-alpha in a death regulatory pathway.
Science, 299: 223-6.

Juliano, R.L. (2002):

Signal transduction by cell adhesion receptors and the cytoskeleton: functions of integrins, cadherins, selectins, and immunoglobulin-superfamily members.
Annu Rev Pharmacol Toxicol, 42: 283-323.

Kadkol, S.S., Brody, J.R., Epstein, J.I., Kuhajda, F.P. und Pasternack, G.R. (1998):

Novel nuclear phosphoprotein pp32 is highly expressed in intermediate- and high-grade prostate cancer.
Prostate, 34: 231-7.

- Kadkol, S.S., Brody, J.R., Pevsner, J., Bai, J. und Pasternack, G.R. (1999):
Modulation of oncogenic potential by alternative gene use in human prostate cancer.
Nat Med, 5: 275-9.
- Kadkol, S.S., El Naga, G.A., Brody, J.R., Bai, J., Gusev, Y., Dooley, W.C. und Pasternack, G.R. (2001):
Expression of pp32 gene family members in breast cancer.
Breast Cancer Res Treat, 68: 65-73.
- Kalderon, D., Roberts, B.L., Richardson, W.D. und Smith, A.E. (1984):
A short amino acid sequence able to specify nuclear location.
Cell, 39: 499-509.
- Kalesse, M., Christmann, M., Bhatt, U., Quitschalle, M., Claus, E., Saeed, A., Burzlaff, A., Kasper, C., Haustedt, L.O., Hofer, E., Scheper, T. und Beil, W. (2001):
The chemistry and biology of ratjadone.
Chembiochem, 2: 709-14.
- Kantor, R.R., Mattes, M.J., Lloyd, K.O., Old, L.J. und Albino, A.P. (1987):
Biochemical analysis of two cell surface glycoprotein complexes, very common antigen 1 and very common antigen 2. Relationship to very late activation T cell antigens.
J Biol Chem, 262: 15158-65.
- Katayose, Y., Li, M., Al-Murrani, S.W., Shenolikar, S. und Damuni, Z. (2000):
Protein phosphatase 2A inhibitors, I(1)(PP2A) and I(2)(PP2A), associate with and modify the substrate specificity of protein phosphatase 1.
J Biol Chem, 275: 9209-14.
- Kerr, J.R. (1999):
Cell adhesion molecules in the pathogenesis of and host defence against microbial infection.
Mol Pathol, 52: 220-30.
- Kikkawa, Y., Sanzen, N. und Sekiguchi, K. (1998):
Isolation and characterization of laminin-10/11 secreted by human lung carcinoma cells. laminin-10/11 mediates cell adhesion through integrin alpha3 beta1.
J Biol Chem, 273: 15854-9.
- Kim, M., Carman, C.V. und Springer, T.A. (2003a):
Bidirectional transmembrane signaling by cytoplasmic domain separation in integrins.
Science, 301: 1720-5.
- Kim, S., Bell, K., Mousa, S.A. und Varner, J.A. (2000):
Regulation of angiogenesis in vivo by ligation of integrin alpha5beta1 with the central cell-binding domain of fibronectin.
Am J Pathol, 156: 1345-62.

- Kim, S.M., Kwon, M.S., Park, C.S., Choi, K.R., Chun, J.S., Ahn, J. und Song, W.K. (2003b):
Modulation of Thr-phosphorylation of integrin beta 1 during muscle differentiation.
J Biol Chem.
- King, A.J., Sun, H., Diaz, B., Barnard, D., Miao, W., Bagrodia, S. und Marshall, M.S. (1998):
The protein kinase Pak3 positively regulates Raf-1 activity through phosphorylation of serine 338.
Nature, 396: 180-3.
- Kishima, H., Shimizu, K., Tamura, K., Miyao, Y., Mabuchi, E., Tominaga, E., Matsuzaki, J. und Hayakawa, T. (1999):
Monoclonal antibody ONS-M21 recognizes integrin alpha3 in gliomas and medulloblastomas.
Br J Cancer, 79: 333-9.
- Kjoller, L. und Hall, A. (1999):
Signaling to Rho GTPases.
Exp Cell Res, 253: 166-79.
- Kobe, B. und Deisenhofer, J. (1994):
The leucine-rich repeat: a versatile binding motif.
Trends Biochem Sci, 19: 415-21.
- Kobe, B. und Deisenhofer, J. (1995a):
Proteins with leucine-rich repeats.
Curr Opin Struct Biol, 5: 409-16.
- Kobe, B. und Deisenhofer, J. (1995b):
A structural basis of the interactions between leucine-rich repeats and protein ligands.
Nature, 374: 183-6.
- Kornberg, L.J., Earp, H.S., Turner, C.E., Prockop, C. und Juliano, R.L. (1991):
Signal transduction by integrins: increased protein tyrosine phosphorylation caused by clustering of beta 1 integrins.
Proc Natl Acad Sci U S A, 88: 8392-6.
- Koster, M., Lykke-Andersen, S., Elnakady, Y.A., Gerth, K., Washausen, P., Hofle, G., Sasse, F., Kjems, J. und Hauser, H. (2003):
Ratjadones inhibit nuclear export by blocking CRM1/exportin 1.
Exp Cell Res, 286: 321-31.
- Kramar, E.A., Bernard, J.A., Gall, C.M. und Lynch, G. (2002):
Alpha3 integrin receptors contribute to the consolidation of long-term potentiation.
Neuroscience, 110: 29-39.

- Kreidberg, J.A. (2000):
Functions of alpha3beta1 integrin.
Curr Opin Cell Biol, 12: 548-53.
- Kreidberg, J.A., Donovan, M.J., Goldstein, S.L., Rennke, H., Shepherd, K., Jones, R.C. und Jaenisch, R. (1996):
Alpha 3 beta 1 integrin has a crucial role in kidney and lung organogenesis.
Development, 122: 3537-47.
- Krieg, A.M., Yi, A.K., Matson, S., Waldschmidt, T.J., Bishop, G.A., Teasdale, R., Koretzky, G.A. und Klinman, D.M. (1995):
CpG motifs in bacterial DNA trigger direct B-cell activation.
Nature, 374: 546-9.
- Kudo, N., Matsumori, N., Taoka, H., Fujiwara, D., Schreiner, E.P., Wolff, B., Yoshida, M. und Horinouchi, S. (1999):
Leptomycin B inactivates CRM1/exportin 1 by covalent modification at a cysteine residue in the central conserved region.
Proc Natl Acad Sci U S A, 96: 9112-7.
- Kyte, J. und Doolittle, R.F. (1982):
A simple method for displaying the hydropathic character of a protein.
J Mol Biol, 157: 105-32.
- Laemmli, U.K. (1970):
Cleavage of structural proteins during the assembly of the head of bacteriophage T4.
Nature, 227: 680-5.
- Law, D.A., Nannizzi-Alaimo, L. und Phillips, D.R. (1996):
Outside-in integrin signal transduction. Alpha IIb beta 3-(GP IIb IIIa) tyrosine phosphorylation induced by platelet aggregation.
J Biol Chem, 271: 10811-5.
- Legrand, C., Thomasset, M., Parkes, C.O., Clavel, M.C. und Rabie, A. (1983):
Calcium-binding protein in the developing rat cerebellum. An immunocytochemical study.
Cell Tissue Res, 233: 389-402.
- Leong, J.M., Fournier, R.S. und Isberg, R.R. (1990):
Identification of the integrin binding domain of the Yersinia pseudotuberculosis invasin protein.
Embo J, 9: 1979-89.
- Li, M., Guo, H. und Damuni, Z. (1995):
Purification and characterization of two potent heat-stable protein inhibitors of protein phosphatase 2A from bovine kidney.
Biochemistry, 34: 1988-96.

- Li, M., Makkinje, A. und Damuni, Z. (1996):
Molecular identification of I1PP2A, a novel potent heat-stable inhibitor protein of protein phosphatase 2A.
Biochemistry, 35: 6998-7002.
- Li, R., Babu, C.R., Lear, J.D., Wand, A.J., Bennett, J.S. und DeGrado, W.F. (2001):
Oligomerization of the integrin alphaIIbbeta3: roles of the transmembrane and cytoplasmic domains.
Proc Natl Acad Sci U S A, 98: 12462-7.
- Loo, D.T., Kanner, S.B. und Aruffo, A. (1998):
Filamin binds to the cytoplasmic domain of the beta1-integrin. Identification of amino acids responsible for this interaction.
J Biol Chem, 273: 23304-12.
- Lozahic, S., Christiansen, D., Manie, S., Gerlier, D., Billard, M., Boucheix, C. und Rubinstein, E. (2000):
CD46 (membrane cofactor protein) associates with multiple beta1 integrins and tetraspans.
Eur J Immunol, 30: 900-7.
- Lu, C., Takagi, J. und Springer, T.A. (2001):
Association of the membrane proximal regions of the alpha and beta subunit cytoplasmic domains constrains an integrin in the inactive state.
J Biol Chem, 276: 14642-8.
- Lu, C.F. und Springer, T.A. (1997):
The alpha subunit cytoplasmic domain regulates the assembly and adhesiveness of integrin lymphocyte function-associated antigen-1.
J Immunol, 159: 268-78.
- Malek, S.N., Katumuluwa, A.I. und Pasternack, G.R. (1990):
Identification and preliminary characterization of two related proliferation-associated nuclear phosphoproteins.
J Biol Chem, 265: 13400-9.
- Martin, B., Schneider, R., Janetzky, S., Waibler, Z., Pandur, P., Kuhl, M., Behrens, J., von der Mark, K., Starzinski-Powitz, A. und Wixler, V. (2002):
The LIM-only protein FHL2 interacts with beta-catenin and promotes differentiation of mouse myoblasts.
J Cell Biol, 159: 113-22.
- Matilla, A., Koshy, B.T., Cummings, C.J., Isobe, T., Orr, H.T. und Zoghbi, H.Y. (1997):
The cerebellar leucine-rich acidic nuclear protein interacts with ataxin-1.
Nature, 389: 974-8.
- Matsubae, M., Kurihara, T., Tachibana, T., Imamoto, N. und Yoneda, Y. (2000):
Characterization of the nuclear transport of a novel leucine-rich acidic nuclear protein-like protein.
FEBS Lett, 468: 171-5.

- Matsumoto, K., Nagata, K., Ui, M. und Hanaoka, F. (1993):
Template activating factor I, a novel host factor required to stimulate the adenovirus core DNA replication.
J Biol Chem, 268: 10582-7.
- Matsuoka, K., Taoka, M., Satozawa, N., Nakayama, H., Ichimura, T., Takahashi, N., Yamakuni, T., Song, S.Y. und Isobe, T. (1994):
A nuclear factor containing the leucine-rich repeats expressed in murine cerebellar neurons.
Proc Natl Acad Sci U S A, 91: 9670-4.
- Mayer, U., Saher, G., Fassler, R., Bornemann, A., Echtermeyer, F., von der Mark, H., Miosge, N., Poschl, E. und von der Mark, K. (1997):
Absence of integrin alpha 7 causes a novel form of muscular dystrophy.
Nat Genet, 17: 318-23.
- Mencinger, M., Panagopoulos, I., Contreras, J.A., Mitelman, F. und Aman, P. (1998):
Expression analysis and chromosomal mapping of a novel human gene, APRIL, encoding an acidic protein rich in leucines.
Biochim Biophys Acta, 1395: 176-80.
- Miki, H., Yamaguchi, H., Suetsugu, S. und Takenawa, T. (2000):
IRSp53 is an essential intermediate between Rac and WAVE in the regulation of membrane ruffling.
Nature, 408: 732-5.
- Miller, J.H. (1972):
Experiments in Molecular Genetic.
Cold Spring Harbour Laboratory Press, Cold Spring Harbour, New York.
- Miller, J.H. (1992):
A Short Course in Bacterial Genetics.
Cold Spring Harbour Laboratory Press, Cold Spring Harbour, New York: 74.
- Milner, R. und Campbell, I.L. (2002):
The integrin family of cell adhesion molecules has multiple functions within the CNS.
J Neurosci Res, 69: 286-91.
- Miranti, C.K. und Brugge, J.S. (2002):
Sensing the environment: a historical perspective on integrin signal transduction.
Nat Cell Biol, 4: E83-90.
- Muller, J.M., Isele, U., Metzger, E., Rempel, A., Moser, M., Pscherer, A., Breyer, T., Holubarsch, C., Buettner, R. und Schule, R. (2000):
FHL2, a novel tissue-specific coactivator of the androgen receptor.
Embo J, 19: 359-69.

- Muller, J.M., Metzger, E., Greschik, H., Bosserhoff, A.K., Mercep, L., Buettner, R. und Schule, R. (2002):
The transcriptional coactivator FHL2 transmits Rho signals from the cell membrane into the nucleus.
Embo J, 21: 736-48.
- Mullis, K.B. und Faloona, F.A. (1987):
Specific synthesis of DNA in vitro via a polymerase-catalyzed chain reaction.
Methods Enzymol, 155: 335-50.
- Mulrooney, J.P., Hong, T. und Grabel, L.B. (2001):
Serine 785 phosphorylation of the beta1 cytoplasmic domain modulates beta1A-integrin-dependent functions.
J Cell Sci, 114: 2525-33.
- Mutai, H., Toyoshima, Y., Sun, W., Hattori, N., Tanaka, S. und Shiota, K. (2000):
PAL31, a novel nuclear protein, expressed in the developing brain.
Biochem Biophys Res Commun, 274: 427-33.
- Nagata, K., Kawase, H., Handa, H., Yano, K., Yamasaki, M., Ishimi, Y., Okuda, A., Kikuchi, A. und Matsumoto, K. (1995):
Replication factor encoded by a putative oncogene, set, associated with myeloid leukemogenesis.
Proc Natl Acad Sci U S A, 92: 4279-83.
- Nair, S., Ghosh, K., Kulkarni, B., Shetty, S. und Mohanty, D. (2002):
Glanzmann's thrombasthenia: updated.
Platelets, 13: 387-93.
- Nolte, M., Pepinsky, R.B., Venyaminov, S., Koteliansky, V., Gotwals, P.J. und Karpusas, M. (1999):
Crystal structure of the alpha1beta1 integrin I-domain: insights into integrin I-domain function.
FEBS Lett, 452: 379-85.
- Novak, U. und Kaye, A.H. (2000):
Extracellular matrix and the brain: components and function.
J Clin Neurosci, 7: 280-90.
- O'Toole, T.E., Katagiri, Y., Faull, R.J., Peter, K., Tamura, R., Quaranta, V., Loftus, J.C., Shattil, S.J. und Ginsberg, M.H. (1994):
Integrin cytoplasmic domains mediate inside-out signal transduction.
J Cell Biol, 124: 1047-59.
- O'Toole, T.E., Mandelman, D., Forsyth, J., Shattil, S.J., Plow, E.F. und Ginsberg, M.H. (1991):
Modulation of the affinity of integrin alpha IIb beta 3 (GPIIb-IIIa) by the cytoplasmic domain of alpha IIb.
Science, 254: 845-7.

- Opal, P., Garcia, J.J., McCall, A.E., Xu, B., Weeber, E.J., Sweatt, J.D., Orr, H.T. und Zoghbi, H.Y. (2004):
Generation and characterization of LANP/pp32 null mice.
Mol Cell Biol, 24: 3140-9.
- Opal, P., Garcia, J.J., Propst, F., Matilla, A., Orr, H.T. und Zoghbi, H.Y. (2003):
Mapmodulin/leucine-rich acidic nuclear protein binds the light chain of microtubule-associated protein 1B and modulates neuritogenesis.
J Biol Chem, 278: 34691-9.
- Ossowski, L. und Aguirre-Ghiso, J.A. (2000):
Urokinase receptor and integrin partnership: coordination of signaling for cell adhesion, migration and growth.
Curr Opin Cell Biol, 12: 613-20.
- Otey, C.A., Pavalko, F.M. und Burridge, K. (1990):
An interaction between alpha-actinin and the beta 1 integrin subunit in vitro.
J Cell Biol, 111: 721-9.
- Palazzo, A.F., Eng, C.H., Schlaepfer, D.D., Marcantonio, E.E. und Gundersen, G.G. (2004):
Localized stabilization of microtubules by integrin- and FAK-facilitated Rho signaling.
Science, 303: 836-9.
- Pankov, R., Cukierman, E., Clark, K., Matsumoto, K., Hahn, C., Poulin, B. und Yamada, K.M. (2003):
Specific beta1 integrin site selectively regulates Akt/protein kinase B signaling via local activation of protein phosphatase 2A.
J Biol Chem, 278: 18671-81.
- Pappin, D.J. (1997):
Peptide mass fingerprinting using MALDI-TOF mass spectrometry.
Methods Mol Biol, 64: 165-73.
- Parise, L.V., Lee, J. und Juliano, R.L. (2000):
New aspects of integrin signaling in cancer.
Semin Cancer Biol, 10: 407-14.
- Patil, S., Jedsadayanmata, A., Wencel-Drake, J.D., Wang, W., Knezevic, I. und Lam, S.C. (1999):
Identification of a talin-binding site in the integrin beta(3) subunit distinct from the NPLY regulatory motif of post-ligand binding functions. The talin n-terminal head domain interacts with the membrane-proximal region of the beta(3) cytoplasmic tail.
J Biol Chem, 274: 28575-83.
- Paulus, W., Baur, I., Schuppan, D. und Roggendorf, W. (1993):
Characterization of integrin receptors in normal and neoplastic human brain.
Am J Pathol, 143: 154-63.

- Perkins, D.N., Pappin, D.J., Creasy, D.M. und Cottrell, J.S. (1999):
Probability-based protein identification by searching sequence databases using mass spectrometry data.
Electrophoresis, 20: 3551-67.
- Peter, K. und Bode, C. (1996):
A deletion in the alpha subunit locks platelet integrin alpha IIb beta 3 into a high affinity state.
Blood Coagul Fibrinolysis, 7: 233-6.
- Pfaff, M., Liu, S., Erle, D.J. und Ginsberg, M.H. (1998):
Integrin beta cytoplasmic domains differentially bind to cytoskeletal proteins.
J Biol Chem, 273: 6104-9.
- Pignatelli, M., Hanby, A.M. und Stamp, G.W. (1991):
Low expression of beta 1, alpha 2 and alpha 3 subunits of VLA integrins in malignant mammary tumours.
J Pathol, 165: 25-32.
- Pinkstaff, J.K., Detterich, J., Lynch, G. und Gall, C. (1999):
Integrin subunit gene expression is regionally differentiated in adult brain.
J Neurosci, 19: 1541-56.
- Plow, E.F., Haas, T.A., Zhang, L., Loftus, J. und Smith, J.W. (2000):
Ligand binding to integrins.
J Biol Chem, 275: 21785-8.
- Pulkkinen, L., Kimonis, V.E., Xu, Y., Spanou, E.N., McLean, W.H. und Uitto, J. (1997):
Homozygous alpha6 integrin mutation in junctional epidermolysis bullosa with congenital duodenal atresia.
Hum Mol Genet, 6: 669-74.
- Purcell, N.H., Darwis, D., Bueno, O.F., Muller, J.M., Schule, R. und Molkentin, J.D. (2004):
Extracellular signal-regulated kinase 2 interacts with and is negatively regulated by the LIM-only protein FHL2 in cardiomyocytes.
Mol Cell Biol, 24: 1081-95.
- Radrizzani, M., Vila-Ortiz, G., Cafferata, E.G., Di Tella, M.C., Gonzalez-Guerrico, A., Perandones, C., Pivetta, O.H., Carminatti, H., Idoyaga Vargas, V.P. und Santa-Coloma, T.A. (2001):
Differential expression of CPD1 during postnatal development in the mouse cerebellum.
Brain Res, 907: 162-74.
- Rankin, S., Isberg, R.R. und Leong, J.M. (1992):
The integrin-binding domain of invasin is sufficient to allow bacterial entry into mammalian cells.
Infect Immun, 60: 3909-12.

- Renshaw, M.W., Price, L.S. und Schwartz, M.A. (1999):
Focal adhesion kinase mediates the integrin signaling requirement for growth factor activation of MAP kinase.
J Cell Biol, 147: 611-8.
- Reuning, U., Magdolen, V., Hapke, S. und Schmitt, M. (2003):
Molecular and functional interdependence of the urokinase-type plasminogen activator system with integrins.
Biol Chem, 384: 1119-31.
- Ridley, A.J., Schwartz, M.A., Burridge, K., Firtel, R.A., Ginsberg, M.H., Borisy, G., Parsons, J.T. und Horwitz, A.R. (2003):
Cell migration: integrating signals from front to back.
Science, 302: 1704-9.
- Rojiani, M.V., Finlay, B.B., Gray, V. und Dedhar, S. (1991):
In vitro interaction of a polypeptide homologous to human Ro/SS-A antigen (calreticulin) with a highly conserved amino acid sequence in the cytoplasmic domain of integrin alpha subunits.
Biochemistry, 30: 9859-66.
- Rosa, J.P. und McEver, R.P. (1989):
Processing and assembly of the integrin, glycoprotein IIb-IIIa, in HEL cells.
J Biol Chem, 264: 12596-603.
- Ruoslahti, E. und Yamaguchi, Y. (1991):
Proteoglycans as modulators of growth factor activities.
Cell, 64: 867-9.
- Saiki, R.K., Scharf, S., Faloona, F., Mullis, K.B., Horn, G.T., Erlich, H.A. und Arnheim, N. (1985):
Enzymatic amplification of beta-globin genomic sequences and restriction site analysis for diagnosis of sickle cell anemia.
Science, 230: 1350-4.
- Sambrook, J., Fritsch, E.F. und Maniatis, T. (1989):
Molecular cloning: A laboratory manual.
Cold Spring Harbour Laboratory Press, Cold Spring Harbour, New York.
- Sanger, F., Nicklen, S. und Coulson, A.R. (1992):
DNA sequencing with chain-terminating inhibitors. 1977 [classical article].
Biotechnology, 24: 104-8.
- Schagger, H. und von Jagow, G. (1987):
Tricine-sodium dodecyl sulfate-polyacrylamide gel electrophoresis for the separation of proteins in the range from 1 to 100 kDa.
Anal Biochem, 166: 368-79.

- Schaller, M.D., Borgman, C.A., Cobb, B.S., Vines, R.R., Reynolds, A.B. und Parsons, J.T. (1992):
pp125FAK a structurally distinctive protein-tyrosine kinase associated with focal adhesions.
Proc Natl Acad Sci U S A, 89: 5192-6.
- Schaller, M.D., Otey, C.A., Hildebrand, J.D. und Parsons, J.T. (1995):
Focal adhesion kinase and paxillin bind to peptides mimicking beta integrin cytoplasmic domains.
J Cell Biol, 130: 1181-7.
- Scharffetter-Kochanek, K., Klein, C.E., Heinen, G., Mauch, C., Schaefer, T., Adelmann-Grill, B.C., Goerz, G., Fusenig, N.E., Krieg, T.M. und Plewig, G. (1992):
Migration of a human keratinocyte cell line (HACAT) to interstitial collagen type I is mediated by the alpha 2 beta 1-integrin receptor.
J Invest Dermatol, 98: 3-11.
- Schlaepfer, D.D., Hauck, C.R. und Sieg, D.J. (1999):
Signaling through focal adhesion kinase.
Prog Biophys Mol Biol, 71: 435-78.
- Schneider, D. und Engelman, D.M. (2003):
GALLEX, a measurement of heterologous association of transmembrane helices in a biological membrane.
J Biol Chem, 278: 3105-11.
- Schneider, R., Bannister, A.J., Weise, C. und Kouzarides, T. (2004):
Direct Binding of INHAT to H3 Tails Disrupted by Modifications.
J Biol Chem, 279: 23859-23862.
- Schneller, M., Vuori, K. und Ruoslahti, E. (1997):
Alphavbeta3 integrin associates with activated insulin and PDGFbeta receptors and potentiates the biological activity of PDGF.
Embo J, 16: 5600-7.
- Schonherr, E. und Hausser, H.J. (2000):
Extracellular matrix and cytokines: a functional unit.
Dev Immunol, 7: 89-101.
- Schrotz-King, P., Wilm, M., Andersen, J.S., Ashman, K., Podtelejnikov, A.V., Bachi, A., King, A. und Mann, M. (1999):
Use of mass spectrometric methods for protein identification in receptor research.
J Recept Signal Transduct Res, 19: 659-72.
- Schumacher, D. und Schaumburg-Lever, G. (1999):
Ultrastructural localization of alpha-3 integrin subunit in malignant melanoma and adjacent epidermis.
J Cutan Pathol, 26: 321-6.

- Schwartz, N. (2000):
Biosynthesis and regulation of expression of proteoglycans.
Front Biosci, 5: D649-55.
- Seminario, M.C., Sterbinsky, S.A. und Bochner, B.S. (1998):
Beta 1 integrin-dependent binding of Jurkat cells to fibronectin is regulated by a serine-threonine phosphatase.
J Leukoc Biol, 64: 753-8.
- Sen, D. und Gilbert, W. (1992):
Novel DNA superstructures formed by telomere-like oligomers.
Biochemistry, 31: 65-70.
- Senger, D.R., Claffey, K.P., Benes, J.E., Perruzzi, C.A., Sergiou, A.P. und Detmar, M. (1997):
Angiogenesis promoted by vascular endothelial growth factor: regulation through alpha1beta1 and alpha2beta1 integrins.
Proc Natl Acad Sci U S A, 94: 13612-7.
- Seo, S.B., Macfarlan, T., McNamara, P., Hong, R., Mukai, Y., Heo, S. und Chakravarti, D. (2002):
Regulation of histone acetylation and transcription by nuclear protein pp32, a subunit of the INHAT complex.
J Biol Chem, 277: 14005-10.
- Seo, S.B., McNamara, P., Heo, S., Turner, A., Lane, W.S. und Chakravarti, D. (2001):
Regulation of histone acetylation and transcription by INHAT, a human cellular complex containing the set oncogene.
Cell, 104: 119-30.
- Shevchenko, A., Wilm, M., Vorm, O. und Mann, M. (1996):
Mass spectrometric sequencing of proteins silver-stained polyacrylamide gels.
Anal Chem, 68: 850-8.
- Shikama, N., Chan, H.M., Krstic-Demonacos, M., Smith, L., Lee, C.W., Cairns, W. und La Thangue, N.B. (2000):
Functional interaction between nucleosome assembly proteins and p300/CREB-binding protein family coactivators.
Mol Cell Biol, 20: 8933-43.
- Shimaoka, M., Takagi, J. und Springer, T.A. (2002):
Conformational regulation of integrin structure and function.
Annu Rev Biophys Biomol Struct, 31: 485-516.
- Sigrist, C.J., Cerutti, L., Hulo, N., Gattiker, A., Falquet, L., Pagni, M., Bairoch, A. und Bucher, P. (2002):
PROSITE: a documented database using patterns and profiles as motif descriptors.
Brief Bioinform, 3: 265-74.

- Smith, B.E., Bradshaw, A.D., Choi, E.S., Rouselle, P., Wayner, E.A. und Clegg, D.O. (1996):
Human SY5Y neuroblastoma cell interactions with laminin isoforms: neurite outgrowth on laminin-5 is mediated by integrin alpha 3 beta 1.
Cell Adhes Commun, 3: 451-62.
- Smith, D.B. und Johnson, K.S. (1988):
Single-step purification of polypeptides expressed in Escherichia coli as fusions with glutathione S-transferase.
Gene, 67: 31-40.
- Smith, H.O. und Wilcox, K.W. (1970):
A restriction enzyme from Hemophilus influenzae. I. Purification and general properties.
J Mol Biol, 51: 379-91.
- Smith, P.K., Krohn, R.I., Hermanson, G.T., Mallia, A.K., Gartner, F.H., Provenzano, M.D., Fujimoto, E.K., Goede, N.M., Olson, B.J. und Klenk, D.C. (1985):
Measurement of protein using bicinchoninic acid [published erratum appears in Anal Biochem 1987 May 15;163(1):279].
Anal Biochem, 150: 76-85.
- Springer, T.A. (1997):
Folding of the N-terminal, ligand-binding region of integrin alpha-subunits into a beta-propeller domain.
Proc Natl Acad Sci U S A, 94: 65-72.
- Sriramarao, P., Steffner, P. und Gehlsen, K.R. (1993):
Biochemical evidence for a homophilic interaction of the alpha 3 beta 1 integrin.
J Biol Chem, 268: 22036-41.
- Stallmach, A., von Lampe, B., Matthes, H., Bornhoft, G. und Riecken, E.O. (1992):
Diminished expression of integrin adhesion molecules on human colonic epithelial cells during the benign to malign tumour transformation.
Gut, 33: 342-6.
- Stefansson, A., Armulik, A., Nilsson, I., von Heijne, G. und Johansson, S. (2004):
Determination of N- and C-terminal borders of the transmembrane domain of integrin subunits.
J Biol Chem, 279: 21200-5.
- Stipp, C.S., Kolesnikova, T.V. und Hemler, M.E. (2003):
EWI-2 regulates alpha3beta1 integrin-dependent cell functions on laminin-5.
J Cell Biol, 163: 1167-77.
- Streuli, C. (1999):
Extracellular matrix remodelling and cellular differentiation.
Curr Opin Cell Biol, 11: 634-40.

- Symington, B.E., Takada, Y. und Carter, W.G. (1993):
Interaction of integrins alpha 3 beta 1 and alpha 2 beta 1: potential role in keratinocyte intercellular adhesion.
J Cell Biol, 120: 523-35.
- Takeichi, M. (1990):
Cadherins: a molecular family important in selective cell-cell adhesion.
Annu Rev Biochem, 59: 237-52.
- Tanahashi, H. und Tabira, T. (2000):
Alzheimer's disease-associated presenilin 2 interacts with DRAL, an LIM-domain protein.
Hum Mol Genet, 9: 2281-9.
- Tapley, P., Horwitz, A., Buck, C., Duggan, K. und Rohrschneider, L. (1989):
Integrins isolated from Rous sarcoma virus-transformed chicken embryo fibroblasts.
Oncogene, 4: 325-33.
- Thorne, R.F., Marshall, J.F., Shafren, D.R., Gibson, P.G., Hart, I.R. und Burns, G.F. (2000):
The integrins alpha3beta1 and alpha6beta1 physically and functionally associate with CD36 in human melanoma cells. Requirement for the extracellular domain OF CD36.
J Biol Chem, 275: 35264-75.
- Tomaselli, K.J., Doherty, P., Emmett, C.J., Damsky, C.H., Walsh, F.S. und Reichardt, L.F. (1993):
Expression of beta 1 integrins in sensory neurons of the dorsal root ganglion and their functions in neurite outgrowth on two laminin isoforms.
J Neurosci, 13: 4880-8.
- Tomaselli, K.J., Hall, D.E., Flier, L.A., Gehlsen, K.R., Turner, D.C., Carbonetto, S. und Reichardt, L.F. (1990):
A neuronal cell line (PC12) expresses two beta 1-class integrins-alpha 1 beta 1 and alpha 3 beta 1-that recognize different neurite outgrowth-promoting domains in laminin.
Neuron, 5: 651-62.
- Tomiyama, Y. (2000):
Glanzmann thrombasthenia: integrin alpha IIb beta 3 deficiency.
Int J Hematol, 72: 448-54.
- Towbin, H., Staehelin, T. und Gordon, J. (1979):
Electrophoretic transfer of proteins from polyacrylamide gels to nitrocellulose sheets: procedure and some applications.
Proc Natl Acad Sci U S A, 76: 4350-4.
- Triantafilou, K., Takada, Y. und Triantafilou, M. (2001):
Mechanisms of integrin-mediated virus attachment and internalization process.
Crit Rev Immunol, 21: 311-22.

Tudyka, T. und Skerra, A. (1997):

Glutathione S-transferase can be used as a C-terminal, enzymatically active dimerization module for a recombinant protease inhibitor, and functionally secreted into the periplasm of Escherichia coli.

Protein Sci, 6: 2180-7.

Tumova, S., Woods, A. und Couchman, J.R. (2000):

Heparan sulfate proteoglycans on the cell surface: versatile coordinators of cellular functions.

Int J Biochem Cell Biol, 32: 269-88.

Ulitzur, N., Humbert, M. und Pfeffer, S.R. (1997a):

Mapmodulin: a possible modulator of the interaction of microtubule-associated proteins with microtubules.

Proc Natl Acad Sci U S A, 94: 5084-9.

Ulitzur, N., Rancano, C. und Pfeffer, S.R. (1997b):

Biochemical characterization of mapmodulin, a protein that binds microtubule-associated proteins.

J Biol Chem, 272: 30577-82.

Vaesen, M., Barnikol-Watanabe, S., Gotz, H., Awni, L.A., Cole, T., Zimmermann, B., Kratzin, H.D. und Hilschmann, N. (1994):

Purification and characterization of two putative HLA class II associated proteins: PHAPI and PHAPII.

Biol Chem Hoppe Seyler, 375: 113-26.

Vallar, L., Melchior, C., Plancon, S., Drobecq, H., Lippens, G., Regnault, V. und Kieffer, N. (1999):

Divalent cations differentially regulate integrin alphaiib cytoplasmic tail binding to beta3 and to calcium- and integrin-binding protein.

J Biol Chem, 274: 17257-66.

Valmu, L., Hilden, T.J., van Willigen, G. und Gahmberg, C.G. (1999):

Characterization of beta2 (CD18) integrin phosphorylation in phorbol ester-activated T lymphocytes.

Biochem J, 339 (Pt 1): 119-25.

van der Flier, A. und Sonnenberg, A. (2001):

Function and interactions of integrins.

Cell Tissue Res, 305: 285-98.

Venter, J.C., Adams, M.D., Myers, E.W., Li, P.W., Mural, R.J., Sutton, G.G., Smith, H.O., Yandell, M., Evans, C.A., Holt, R.A., Gocayne, J.D., Amanatides, P., Ballew, R.M., Huson, D.H., Wortman, J.R., Zhang, Q., Kodira, C.D., Zheng, X.H., Chen, L., Skupski, M., Subramanian, G., Thomas, P.D., Zhang, J., Gabor Miklos, G.L., Nelson, C., Broder, S., Clark, A.G., Nadeau, J., McKusick, V.A., Zinder, N., Levine, A.J., Roberts, R.J., Simon, M., Slayman, C., Hunkapiller, M., Bolanos, R., Delcher, A., Dew, I., Fasulo, D., Flanigan, M., Florea, L., Halpern, A., Hannenhalli, S., Kravitz, S., Levy, S., Mobarry, C., Reinert, K., Remington,

K., Abu-Threideh, J., Beasley, E., Biddick, K., Bonazzi, V., Brandon, R., Cargill, M., Chandramouliwaran, I., Charlab, R., Chaturvedi, K., Deng, Z., Di Francesco, V., Dunn, P., Eilbeck, K., Evangelista, C., Gabrielian, A.E., Gan, W., Ge, W., Gong, F., Gu, Z., Guan, P., Heiman, T.J., Higgins, M.E., Ji, R.R., Ke, Z., Ketchum, K.A., Lai, Z., Lei, Y., Li, Z., Li, J., Liang, Y., Lin, X., Lu, F., Merkulov, G.V., Milshina, N., Moore, H.M., Naik, A.K., Narayan, V.A., Neelam, B., Nusskern, D., Rusch, D.B., Salzberg, S., Shao, W., Shue, B., Sun, J., Wang, Z., Wang, A., Wang, X., Wang, J., Wei, M., Wides, R., Xiao, C., Yan, C. et al. (2001):
The sequence of the human genome.
Science, 291: 1304-51.

Vinogradova, O., Velyvis, A., Velyviene, A., Hu, B., Haas, T., Plow, E. und Qin, J. (2002):
A structural mechanism of integrin alpha(IIb)beta(3) "inside-out" activation as regulated by its cytoplasmic face.
Cell, 110: 587-97.

von Lindern, M., van Baal, S., Wiegant, J., Raap, A., Hagemeijer, A. und Grosveld, G. (1992):
Can, a putative oncogene associated with myeloid leukemogenesis, may be activated by fusion of its 3' half to different genes: characterization of the set gene.
Mol Cell Biol, 12: 3346-55.

Vorm, O. und Roepstorff, P. (1994):
Peptide sequence information derived by partial acid hydrolysis and matrix-assisted laser desorption/ionization mass spectrometry.
Biol Mass Spectrom, 23: 734-40.

Vossmeyer, D., Hofmann, W., Loster, K., Reutter, W. und Danker, K. (2002):
Phospholipase Cgamma binds alpha1beta1 integrin and modulates alpha1beta1 integrin-specific adhesion.
J Biol Chem, 277: 4636-43.

Vossmeyer, D., Kaufmann, C., Loster, K., Lucka, L., Horstkorte, R., Reutter, W. und Danker, K. (2000):
The cytoplasmic domain of the alpha1 integrin subunit influences stress fiber formation via the conserved GFFKR motif.
Exp Cell Res, 256: 321-7.

Vuori, K. (1998):
Integrin signaling: tyrosine phosphorylation events in focal adhesions.
J Membr Biol, 165: 191-9.

Walensky, L.D., Coffey, D.S., Chen, T.H., Wu, T.C. und Pasternack, G.R. (1993):
A novel M(r) 32,000 nuclear phosphoprotein is selectively expressed in cells competent for self-renewal.
Cancer Res, 53: 4720-6.

- Walzog, B. und Gaehtgens, P. (2000):
Adhesion Molecules: The Path to a New Understanding of Acute Inflammation.
News Physiol Sci, 15: 107-113.
- Wary, K.K., Mariotti, A., Zurzolo, C. und Giancotti, F.G. (1998):
A requirement for caveolin-1 and associated kinase Fyn in integrin signaling
and anchorage-dependent cell growth.
Cell, 94: 625-34.
- Watanabe, N., Kato, T., Fujita, A., Ishizaki, T. und Narumiya, S. (1999):
Cooperation between mDia1 and ROCK in Rho-induced actin reorganization.
Nat Cell Biol, 1: 136-43.
- Wayner, E.A. und Carter, W.G. (1987):
Identification of multiple cell adhesion receptors for collagen and fibronectin in
human fibrosarcoma cells possessing unique alpha and common beta subunits.
J Cell Biol, 105: 1873-84.
- Wei, Y., Yang, X., Liu, Q., Wilkins, J.A. und Chapman, H.A. (1999):
A role for caveolin and the urokinase receptor in integrin-mediated adhesion
and signaling.
J Cell Biol, 144: 1285-94.
- Weiss, B., Jacquemin-Sablon, A., Live, T.R., Fareed, G.C. und Richardson, C.C.
(1968):
Enzymatic breakage and joining of deoxyribonucleic acid. VI. Further
purification and properties of polynucleotide ligase from Escherichia coli
infected with bacteriophage T4.
J Biol Chem, 243: 4543-55.
- Welling, G.W., Weijer, W.J., van der Zee, R. und Welling-Wester, S. (1985):
Prediction of sequential antigenic regions in proteins.
FEBS Lett, 188: 215-8.
- Werb, Z., Tremble, P.M., Behrendtsen, O., Crowley, E. und Damsky, C.H. (1989):
Signal transduction through the fibronectin receptor induces collagenase and
stromelysin gene expression.
J Cell Biol, 109: 877-89.
- Whittaker, C.A. und DeSimone, D.W. (1993):
Integrin alpha subunit mRNAs are differentially expressed in early Xenopus
embryos.
Development, 117: 1239-49.
- Wixler, V., Geerts, D., Laplantine, E., Westhoff, D., Smyth, N., Aumailley, M.,
Sonnenberg, A. und Paulsson, M. (2000):
The LIM-only protein DRAL/FHL2 binds to the cytoplasmic domain of several
alpha and beta integrin chains and is recruited to adhesion complexes.
J Biol Chem, 275: 33669-78.

- Wixler, V., Laplantine, E., Geerts, D., Sonnenberg, A., Petersohn, D., Eckes, B., Paulsson, M. und Aumailley, M. (1999):
Identification of novel interaction partners for the conserved membrane proximal region of alpha-integrin cytoplasmic domains.
FEBS Lett., 445: 351-5.
- Xiong, J.P., Stehle, T., Diefenbach, B., Zhang, R., Dunker, R., Scott, D.L., Joachimiak, A., Goodman, S.L. und Arnaout, M.A. (2001):
Crystal structure of the extracellular segment of integrin alpha Vbeta3.
Science, 294: 339-45.
- Xiong, J.P., Stehle, T., Zhang, R., Joachimiak, A., Frech, M., Goodman, S.L. und Arnaout, M.A. (2002):
Crystal structure of the extracellular segment of integrin alpha Vbeta3 in complex with an Arg-Gly-Asp ligand.
Science, 296: 151-5.
- Yauch, R.L., Berditchevski, F., Harler, M.B., Reichner, J. und Hemler, M.E. (1998):
Highly stoichiometric, stable, and specific association of integrin alpha3beta1 with CD151 provides a major link to phosphatidylinositol 4-kinase, and may regulate cell migration.
Mol Biol Cell, 9: 2751-65.
- Ylanne, J., Chen, Y., O'Toole, T.E., Loftus, J.C., Takada, Y. und Ginsberg, M.H. (1993):
Distinct functions of integrin alpha and beta subunit cytoplasmic domains in cell spreading and formation of focal adhesions.
J Cell Biol, 122: 223-33.
- Zagris, N. (2001):
Extracellular matrix in development of the early embryo.
Micron, 32: 427-38.
- Zamecnik, P.C. und Stephenson, M.L. (1978):
Inhibition of Rous sarcoma virus replication and cell transformation by a specific oligodeoxynucleotide.
Proc Natl Acad Sci U S A, 75: 280-4.
- Zhang, X.A., Bontrager, A.L. und Hemler, M.E. (2001a):
Transmembrane-4 superfamily proteins associate with activated protein kinase C (PKC) and link PKC to specific beta(1) integrins.
J Biol Chem, 276: 25005-13.
- Zhang, X.A., Bontrager, A.L., Stipp, C.S., Kraeft, S.K., Bazzoni, G., Chen, L.B. und Hemler, M.E. (2001b):
Phosphorylation of a conserved integrin alpha 3 QPSXXE motif regulates signaling, motility, and cytoskeletal engagement.
Mol Biol Cell, 12: 351-65.

Zhu, L., Perlaky, L., Henning, D. und Valdez, B.C. (1997):
Cloning and characterization of a new silver-stainable protein SSP29, a
member of the LRR family.
Biochem Mol Biol Int, 42: 927-35.