

8. Literaturverzeichnis

Abrams, G.D., Bauer, H. Sprinz, H., 1963

Influence of the normal flora on mucosal morphology and cellular renewal in the ileum.

Lab. Invest. 12: 355-364

Adlerberth, I., Ahrné, S., Johansson, M.-L., Molin, G., Hanson, L.Å., World, A.E., 1996

A mannose- specific adherence mechanism in *Lactobacillus plantarum* conferring binding to the human colonic cell line HT-29.

Appl. Environ. Microbiol. 62:2244-2251

Allan,A., Leonard, A.J., Pearson, J.P., Sellers, L.A., Bennet, M.A., 1991

Pepsin induced mucosal damage compared with that with ethanol or hypertonic salin: the role of the adherent mucus barrier.

In: Mechanisms of Injury and Mucosal Repair in the Upper Gastrointestinal Tract, edited by Garner, A., O'Brien, P.E., New York: Wiley: 7-18

Allen, A., 1989

Gastrointestinal mucus. In: Handbook of Physiology. The Gastrointestinal System. Salivary, Gastric, Pancreatic, and Hepatobiliary Secretion. Bethesda,

Am. Physiol. Soc. 6 (3):359-382

Altmann, G.G., 1972

Influence of starvation and refeeding on mucosal size and epithelial renewal in the rat small intestine.

Am. J. Anat. 133: 391-400

Ammori, B.J., Cairns, A., Dixon, M.F., Larvin, M., McMahon, M.J., 2002

Altered intestinal morphology and immunity in patients with acute necrotizing pancreatitis.

J Hepatobiliary Pancreat Surg. 2002; 9(4): 490- 496

Arunachalam, K., Gill, H.S. et al., 2000

Enhancement of natural immune function by dietary consumption of *Bifidobacteria lactis* (HN019).

Eur. J. Clin. Nutr.; 54:263-267

Atuma, C., Strugala, V., Allen, A., Holm, L., 2000

The adherent gastrointestinal mucus gel layer: thickness and physical state in vivo.

Am. J. Physiol. Gastrointest. Liver Physiol. 280:922-929

Banasaz, M., Norin, E., Holma, R., Midtvedt, T., 2002

Increased Enterocyte Production in Gnotobiotic Rats Mono- Associated with *Lactobacillus rhamnosus* GG.

Appl. Enviro. Microbiol. 68;6; 3031- 3034

Baranyiova, E., Holman, J., 1976

Morphological changes in the intestinal wall in fed and fasted chickens in the first week after hatching.

Acta Vet. Brno 45: 151-158

Barbeito, C.G., Gonzàlez, N.V., Badrà, A.F., 2003

Sex- and Age- Related Temporal Variations in Intestinal- Epithelium Proliferation in the Suckling Mouse.

Chronobiol. Int. 20 (1): 37-47

Barefoot, S.F., Klaenhammer, T.R., 1984

Purification and characterisation of the *Lactobacillus acidophilus* bacteriocin Lactacin B.

Antimicrob. Agents Chemother 26 (3). 324-328

Barkla, D.H., Gibson, P.R., 1999

The fate of epithelial cells in the human large intestine.

Pathology 31: 230-238

Bartram, H.P., Scheppach, W., Schmid, H., Hofmann, A., Dusel, G., Richter, F., Richter, A., Kaspar, H., 1993

Proliferation of human colonic mucosa as an intermediate biomarker of carcinogenesis:
effects of butyrate, deoxycholate, calcium, ammonia, and pH.
Cancer Research 53: 3283-3288

Bates, R.C., Lincz, L.F., Burns, G.F., 1995

Involvement of integrins in cell survival.
Cancer Metastasis Rev. 14: 191-203

Baum, B., Liebler- Tenorio, E.M., Enß, M.-L., Pohlenz, J.F., Breves, G., 2002

Saccharomyces Boulardii and *Bacillus Cereus* Var. *Toyoi* Influence the Morphology and the
Mucins of the Intestine of Pigs.
Z Gastroenterol 40; 277-284

Beers- Schreurs, H.M.G., 1996

The changes in the function of the large intestine of weaned pigs.
Doctoral thesis, University of Utrecht, Utrecht, The Netherlands

Berg, R., 1988

Angewandte und topographische Anatomie der Haustiere.
3. Auflage
VEB Gustav Fischer Verlag Jena

Bernet, M.-F., Brassart, D., Neeser, J.R., Servin, A.L.,1993

Adehsion of human bifidobacterial strains to cultured human intestinal epithelial cells and
inhibition of enteropathogen- cell interactions.
Appl. Environ. Microbiol. 59: 4121-4128

Best, C., Simon, O., Weyrauch, K.D., 1999

Einfluss der Digestaviskosität auf die Morphologie des Dünndarms von Broilerküken.
Vortrag vor der Gesellschaft für Ernährungsphysiologie, Göttingen am 03.03.1999

**Blättler, U., Hammon, H.M., Morel, C., Philipona, C., Rauprich, A., Romé, V., Le
Huërou-Luron, I., Guilloteau, P., Blum, J.W., 2001**

Feeding Colostrum, Ist Composition and Feeding Duration Variably Modify Proliferation and Morphology of the Intestine and Digestive Enzyme Activities of Neonatal Calves.
American Society for Nutritional Sciences :1256-1263

Blotti re, H.M., Buecher, B., Galmiche, J-P., Cherbut, C., 2003

Molecular analysis of the effct of short- chain fatty acids on the intestinal cell proliferation.
Proc. Nutr. Soc. 62: 101-106

Bodreau, N., Sympson, C:J., Werb, Z. Et al., 1995

Suppression of ICE and apoptosis in mammary epithelial cells by extracellular matrix.
Sci. 267: 891-893

Boffa, L.C., Lupton, J.R., Mariani, M.R., Ceppi, M., Newmark, H.L., Scalmati, A., Lipkin, M., 1992

Modulalation of colonic epithelial cell proliferation, histone acetylation, and luminal short chain fatty acids by variation of dietary fiber (wheat bran) in rats.
Cancer Research 52: 5906-5912

Bohnhoff, M., Miller, C.P., Martin, W.R.,1964

Resistance of the mouse`s intestinal tract to experimental salmonella infection.

- I. Factors which interfere with the initiation of infection by oral inoculation.
J. Exp. Med. 120, 805- 816
- II. Factors responsible for its loss following streptomycin treatment.
J. Exp. Med. 120, 817-828

Bohnhoff, N., Drake, B. L., Muller, C. P., 1954

Effect of Streptomycin on susceptibility of the intestinal tract to experimental salmonella infection.

Proc. Soc. Exp. Biol. Med.; 86:132-7

Bomba, A.,Gancarcikova, S., Nemkova, R., Herich, R., Kastel, R., Depta, A., Demeterova, M., Ledecko, V., Zitnan, R., 1998

The effect of lactic acid bacteria on intestinal metabolism and metabolic profile in gnobiotic pigs.

Dtsch. Tierärztl. Wschr. 105: 384-389

Bottazzi, V., 1983

Food and feed production with microorganisms.

Biotechnology 5:315-363

Boulloche, J., Mouterde, O., Mallet, E., 1994

Management of acute diarrhea in infants and toddlers.

Ann. Pediatr. 41: 457-463

Brandao, R.L., Castro, I.M., Bambirra, E.A., Amaral, S.C., Fietto, L.G., Tropia, M. J., neves, M.J., Dos Santos, R.G., Gomes, N.C., Nicoli, J.R., 1998

Intracellular singnal triggered by Cholera toxin in *Saccharomyces boulardii* and *Saccharomyces cerevisiae*.

Appl. Environ. Microbiol. 64, 564-568

Breves, G., Hattenhauer, O., Schöneberger, M., Winckler, C., 1997

Untersuchungen zum Einfluss von Probiotika auf die intestinale Glykose- und Alaninaufnahme beim Schwein.

Proc. Soc. Nutr. Physiol. 6: 45

Brown, J.F., Keates, A.C., Hanson, P.J., Whittle, B.J.R., 1993

Nitric oxide generators and cGMP stimulate mucus secretion by rat gastric- mucosal cells.

Am. J. Physiol. Gastrointest. Liver Physiol. 265: 418-422

Brown, P.J., Miller, B.G., Stokes, C.R., Blazquez, N.B., Bourne, F.J., 1988

Histochemistry of mucins of pig intestinal secretory epithelial cells before and after weaning.

J Comp Path; 98:313-323

Bruininx, E.M.A.M., Schellingerhout, A.B., Binnendijk, G.P., van der Peet- Schwering, C.M.C., Schrama, J.W., den Hartog, L.A., Everts, H., Beynen, A.C., 2003

Individually assessed creep feed consumption by suckling piglets: influence on post- weaning feed intake charakteristics and indicators of gut morphology.

9th International Symposium on Digestive Physiology in Pigs, Banff, AB, Canada (2003)
Vol.2: 143

Brusch, W., Kleine, L., Tenniswood, M., 1990

The biochemistry of cell death by apoptosis.

Biochem. Cell. Biol. 88: 1071-1074

Buts, J.P., Bernasconi, P., Vaerman, J. Dive, C., 1990

Stimulation of secretory IgA and secretory component of immunoglobulins in small intestine
of rats treated with *Saccharomyces boulardii*.

Dig. Dis. Sci. 35: 251-256

Buydens, P., Debeuckelaere, S., 1996

Carlens, O., 1928

Studien über das lymphatische Gewebe des Darmkanals bei einigen Haustieren usw.

Zschr. Anat. Entw.gesch. 86, 393- 493

Carlson, M.D., 1968

Structures and immunochemical properties of oligosaccharides isolated from pig submaxillary
mucins.

J. Biol. Chem. 243 (3): 616-626

Cassidy, M.M., Lightfoot, F.G., Vahouny, G.V., 1981

Structural-functional modulation of mucin secretory patterns in the gastrointestinal tract.

In: Membrane Biophysics. Structure and Function in Epithelia (Dinno, M., Ed.):97-127

Alan, R., Liss Press, New York, NY

Castagliuolo, I., Lamont, J.T., Nikulasson, S.T., Pothoulakis, C., 1996

Saccharomyces boulardii protease inhibits *Clostridium difficile* toxin A and B in human
colonic mucosa.

Infect. Immun. 67, 302-307

Castagliuolo, I., Riegler, M.F., Valenick, L., LaMont, J.T., Pothoulakis, C., 1999

Saccharomyces boulardii protease inhibits the effect of *Clostridium difficile* toxin A and B in human colon mucosa.

Infect. Immun. 67: 302-307

Cera, K.R., Mahan, D.C., Cross, R.F., Reinhart, G.A., Whitmoyer, R.E., 1988

Effect of age, weaning and postweaning diet on small intestinal growth and jejunal morphology in young swine.

J. Anim. Sci. 66: 574-584

Chance, D.L., Mawhinney, T.P., 2000

Carbohydrate sulfation effects on growth of *Pseudomonas aeruginosa*.

Microbiology 146:1717-1725

Chauviere, G., Coconnier, M.H., Kerneis, S., Fourniat, J., Servin, A.L., 1992

Adhesion of human *Lactobacillus acidophilus* strain LB to human enterocyte- like Caco-« cells.

J. Gen. Microbiol. 138:1689-1696

Cheng, H., Leblond, C.P., 1974a

Origin, differentiation and renewal of the four main epithelial cell types in the mouse small intestine. IV: Paneth cells.

Am. J. Anat. 141: 521-536

Cheplin, H., Rettger, L., 1922

The Therapeutic Application of *Lactobacillus acidophilus*

Abs. Bact. 6, 24

Cherla, R.P., Lee, S.- Y., Tesh, V.L., 2003

Shiga toxins and apoptosis

FEMS Microbiol. Letters 228: 159-166

Chu, R.M., , Glock, R.D., Ross, R.F., 1979

Gut- associated lymphoid tissues of young swine with emphasis on dome epithelium of aggregated lymph nodules (Peyer's Patches) of smallintestine.

Am. J Vet. Res. 40 (12): 1720-1728

Claus, R., Mentschel, J., Blazey, B., Munz, O., 2001

Preliminary studies on epidermal growth factor (EGF) immunreactivity in goblet cells of the small intestine by a species- specific antiserum in healthy piglets and piglets with diarrhea.

J. Anim. Feed Sci. 10: 309-315

Coconnier, M.H., Bernet, M.-F., Chauviere, G., Servin, A.L., 1993

Adhering heat- killed human *Lactobacillus acidophilus* strain LB, inhibits the process of pathogenicity of diarrhoeagenetic bacteria in cultured human intestinal cells.

J. Diarrhoeal Dis. Res. 11:235-242

Coconnier, M.H., Klaenhammer, T.R., Kernéis, S., Bernet, M.-F., Servin, A.L., 1992

Protein- mediated adhesion of *Lactobacillus acidophilus* BG2FO4 on human enterocyte and mucus- secreting cell lines in culture.

Appl. Environ. Microbiol. 58:2034-2039

Coconnier, M.-H., Lievin, V., Hemery, E., Servin, A.L., 1998

Antagonistic activity against helicobacter infection *in vitro* and *in vivo* by human *Lactobacillus acidophilus* strain LB.

Appl. Environ. Microbiol. 64 (11): 4573-4580

Cohen, C.M., 1997

Caspases: the executioners of apoptosis.

Biochem. J. 326: 1

Cohendy, M., 1906

Description du Ferment Lactique Puissant Capable de s`acclimater dans l'intestine de l'homme

C.R. Soc. Biol.60, 558

Cohendy, M., 1906

Essais d'acclimation Microbienne dans la Cavite Intestinale

C.R. Soc. Biol. 60, 364

Collins, M.D., Gibson, G.R., 1999

Probiotics, prebiotics and synbiotics: approaches for modulating the microbial ecology of the gut.

Am J Clin Nutr; 69S:1025S-1027S

Collins, F.M., Carter, P., 1978

Growth of Salmonallae in orally infected germfree mice.

Infect. Immun. 21, 41-47

Conour, J.E., Ganessunker, D., Tappenden, K.A., Donovan, S.M., Gaskins, H.R., 2002

Acidomucin globet cell expansion induced by parenteral nutrition in the small intestine of piglets.

Am. J. Physiol. Gastrointest. Liver Physiol. 283: 1185-1196

Cook, R. H., Bird, F.H., 1973

Duodenal Villus Area and Epithelial Cellular Migration in Conventional and Germ- Free Chicks.

Poultry Sci.52:2276-2280

Coopersmith, C.M., Chandrasekaran, C., Mcnevin, M.S., Gordon, J.I., 1997

Bi- transgenic mice reveal that K-RasVal12 augments a p53- independent apoptosis when small intestinal villus enterocytes re- enter the cell cycl.

J. Cell.Biol. 138: 167-179

Cross, C.E., Halliwell, B., Allen, A., 1984

Anti- oxidant protection: a function of tracheobronchial and gastrointestinal mucus.

Lancet 16:1328-1330

Davidson, J.N., Hirsh, D.C., 1976

Bacterial competition as a means of preventing neonatal diarrhea in pigs.

Immun. 13, 1773-1774

Davis, M.E., Brown, D.C., Maxwell, C.V., Rehberger, T., Touchette, K.J., Coalson, J.A., 2003

Influence of *Lactobacillus brevis* 1E-1 on the gastrointestinal microflora, gut morphology, and pig performance pre- and post-weaning.

9th International Symposium on Digestive physiology in Pigs, Banff, AB, Canada (2003) Vol. 2: 265-267

De Simone, C., Bianchi Salvadori, B., Negri, M., Ferrazzi, M., Baldinelli, L., Vesely, R., 1986

The adjuvant effect of yogurt on production of gamma- interferon by Con A stimulated human peripheral blood lymphocytes.

Nutr. Rep. Int. 33:419-433

De Simone, C., Vesely, R., Negri, R. Et al., 1988

Enhancement of immune response of murine Peyer` s patches by a diet supplemented with yogurt.

Immunpharmacol Immunotoxicol; 9:87-100

Deckx, R.J., Vantrappen, G.R., Parein, M.M., 1967

Localisation of lysozyme activity in a Paneth cell granule fraction.

Bioch.Biophys..Acta 139: 204-207

Dellmann, H.D., Eurell, J.A., 1998

Textbook of veterinary histology

5th Edition, Williams & Wilkins, a waverly company, Baltimore, Philadelphia, London, Paris, Bangkok, Buenos Aires, Hong Kong, Munich, Sydney, Tokyo, Wroclaw

Di Giancamillo, A., Bontempo, V., Savoini, G., Paratte, R., Chevaux, E., Dell'Orto, V., Domeneghini, C., 2003

Oral feeding with live yeast: impact on some GALT (gut associated lymphoid tissue) parameters and cell proliferation in weaning piglets

9th International Symposium on Digestive physiology in Pigs, Banff, AB, Canada (2003) Vol. 2: 262-264

Domeneghini, C., Di Giancamillo, A., i, G., Paratte, R., Bontempo, V., Dell'Orto V., 2004

Structural patterns of swine ileal mucosa following L-glutamine and nucleotide administration during the weaning period. An histochemical and histometrical study.

Histol Histopathol. 2004 Jan; 19 (1): 49-58

Dubois, R., 1965

Man Adapting.

Yale University Press, New Haven, Connecticut: 134

Duggan, C., Gannon J., Allan Walker, W., 2002

Protective nutrients and functional foods for the gastrointestinal tract.

Am J Clin Nutr; 75:789-808

Dunsford, R., Haensly, W.E., Knabe, D.A., 1991

Effects of diet on acidic and neutral goblet cell populations in the small intestine of early weaned pigs.

Am. J. Vet. Res. 52 (10): 1743-1746

Durgut, R., 2000

Characterization of normal feline small intestine and associated nodes by morphometric and immunhistochemical studies.

Israel Vet. Med. Ass. 55 (2)

Dyce K.M., Sack W.O., Wensing C.J.G., 1991

Anatomie der Haustiere, S.143- 148

Ferdinand Enke Verlag Stuttgart 1991

Ehrlich, P., 1886

Kein Titel: behandelt saure Hämatoxylinlösung

Z. wiss. Mikrosk.3: 150

Eidelsburger, U., Kirchgessner, M., Roth, F.X., 1992 b

Zum Einfluss von Ameisensäure, Calciumformiat und Natriumhydrogencarbonat auf pH-Wert, Trockenmassengehalt, Konzentration an Carbonsäuren und Ammoniak in

verschiedenen Segmenten des Gastrointestinaltraktes. 8. Mitteilung. Untersuchungen zur nutritiven Wirksamkeit von organischen Säuren in der Ferkelaufzucht.

J. Anim. Physiol. Anim. Nutr. 68: 20-32

Elias, H., 1947

Submucosal glands in the Bovine Ileum

Amer. J. Vet. Res. 8, 52-53

Filipe, M.I., 1979

Mucins in the human gastrointestinal epithelium: a review.

Invest. Cell Pathol. 2: 195-216

Floch, M.H., Binder, H.J., Filburn, B., Gershengoren, W., 1972

The effect of bile acids on intestinal microflora.

Am. J. Clin. Nutr. 25:1418-1426

Fontaine, I.F., Aissi, E.A., Bouquelet, S.J.-L., 1994

In vitro binding of *Bifidobacterium bifidum* DSM 20028 to mucosal glycoproteins and hemagglutination activity.

Curr. Microbiol. 28:325-330

Fontaine, N., Meslin, J.C., Dorè, J., 1998

Selective in vitro degradation of the sialylated fraction of germ-free rat mucins by the caecal flora of the rat.

Reprod. Nutr. Dev. 38:289-296

Forstner, G., 1995

Signal transduction, packaging and secretion of mucins.

Annu. Rev. Physiol. 57: 585-605

Forstner, J.F., Forstner, G.G., 1994

Gastrointestinal mucus. In: physiology of the Gastrointestinal Tract (3rd ed.), edited by Johnson LR. New York:Raven, 1994, 1255-1284

Frankfurt, O.S., Robb, E.V., Sugarbaker, E.V., Villa, L., 1996

Monoclonal antibody to single- stranded DNA is a specific and sensitive cellular marker of apoptosis.

Exp. Cell Res. 226:387-397

Freter, R., 1954

The fatal enteric cholera infection in the guinea pig.

Bacteriol Proc.:56

Freter, R., 1955

The fatal enteric cholera infection in the guinea pig achieved by inhibition of normal enteric flora.

J Infect Dis;97:57-64

Freter, R., 1956

Experimental enteric *Shigella* and *Vibrio* infections in mice and guinea pigs.

J Exp Med; 104:411-8

Fujimoto, M., Kanaya, A., Nakabou, Y., Hagiwara, H., 1978

Circadian rhythm in the ornithine decarboxylase activity of rat small intestine.

J. Biochem. (Tokyo) 83: 237-242

Fukunaga, T., Sasaki, M., Araki, Y., Okamoto, T., Yasuoka, T., Tsujikawa, T., Fujimura, Y., Bamba, T., 2003

Effects of the Soluble Fibre Pectin on Intestinal Cell Proliferation, Fecal Short Chain Fatty Acid Production and Microbial Population.

Digestion 67: 42-49

Fuller R. J., 1989

Probiotics in Man and Animals.

J Appl Bacteriology 66, 365-378

Fuller, R., 1999

Probiotics in farm animals

G.W. Tannock (Editor). Probiotics a critical review

Horizon Scientific Press, Norfolk (UK), 15-22

Gately, M.K., Martz, E., 1979

Early steps in specific tumor lysis by sensitized mouse T lymphocytes.

J. Immunol. 122:482-489

Gearing, A.J.H., Wadhwa, M., Perris, A.D., 1985

Interleukin 2 stimulates T cell proliferation using a calcium flux.

Immunol. Lett. 10:297-302

Gebert, A., 1999

Funktion und Differenzierung von M-Zellen im Darm- Immunsystem

Forschungsbericht der Abteilung Anatomie 2 für 1999

www.mh-hannover.de/institute/anatomie2/fb1999.htm

Gedek, B., 1975

Zur Wirkung des Hefepräparates Perenterol®

Münch. Wochenschr. 117: 97-98

Gedek, B., 1987

Wirkmechanismus des Hefepilzes *Saccharomyces cerevisiae*.

Hansen. Therapiewoche 37/1, 7-8

Gedek, B.; Amselgruber, W., 1990

Mikrobieller Antagonismus: Zur Eliminierung von enteropathogenen *E. coli*- Keimen und

Salmonellen aus dem Darm durch *Saccharomyces boulardii*.

In: R. Ottenjan, J. Müller, J. Seifert (Hrsg.): Ökosystem Darm II

Springer, Berlin, S. 180-192

Gordon, D., Macrae, J., Wheater, D., 1959

A Lactobacillus Preparation for use with Antibiotics

Lancet, May, 899-901

Gordon, H.A., 1960

The germ- free animal. Its use in the study of “physiologic” effects of the normal microbial flora on the host.

Am. J. Dig. Diseases 5: 841-867

Görke, B., 2000

Untersuchungen der Schleimhautmorphologie in Dünn- und Dickdarm nach oraler Applikation von *Saccharomyces boulardii* und *Bacillus cereus* var. *toyoi* beim Schwein.
Hannover, Tierärztliche Hochschule, Diss.

Gotz, V., Romankiewicz, J.A., Moss, J., Murray, H.W., 1979

Prophylaxis against ampicillin- associated diarrhea with a lactobacillus preparation.

Am. J. Hosp. Pharm. 36: 754-757

Grau, H., Walter, P., 1958

Extraduodenale Submucosadrüsen am Darm einiger Haussäugetiere.

Zschr. mikrosk.- anat. Forsch. 64, 672-676

Gravrieli, Y., Sherman, Y., Ben-Sasson, A., 1992

Identification of programmed cell death *in situ* via specific labelling of nuclear DNA fragmentation.

J Cell. Biol. 119: 493-501

Greene, J.D., Klaenhammer, T.R., 1994

Factors involved in adherence of lactobacilli to human Caco-2 cells.

Appl. Environ. Microbiol. 60: 4487-4494

Groos, S., Reale, E., Luciano, L., 2003

General Suitability of Techniques for In Situ Detection of Apoptosis in Small Intestinal Epithelium.

Ana. Rec. Part A 272 A: 503-513

Gu, X., Li, D., 2004

Effect of dietary crude protein level on villous morphology, immune status and histochemistry parameters of digestive tract in weaning piglets.

Animal Feed Science and Technology 114 :113-126

Guandalini, S., Pensabene, L., Zikri, M.A., Dias, J.A., Casali, L.G. et al., 2000

Lactobacillus GG administered in oral rehydration solution to children with acute diarrhea: a multicenter European trial.

J. Pediatr. Gastroenterol. Nutr. 30: 54-60

Guimaraes, C.A., Linden, R., 2004

Programmed Cell Death- Apoptosis and alternative deathstyles.

Eur. J. Biochem. 271: 1638- 1650

Guo, M., Hay, B.A., 1999

Cell proliferation and apoptosis.

Curr. Opin. Cell Biol. 11: 745-752

Habold, C., Chevalier, C., Dunel-Erb, S., Foltzer- Jourdainne, C., Le Maho, Y., Lignot, J. H., 2004

Effects of fasting and refeeding on jejunal morphology and cellular activity in rats in relation to depletion of body stores.

J gastroent 39 (6): 531-539

Hall P.A., Coates, P.J., Ansari, B., Hopwood, D., 1994

Regulation of cell number in the mammalian gastrointestinal tract: the importance of apoptosis.

J Cell Sci 107: 3569- 3577

Hall, G.A., Byrne, T.F., 1989

Effect of age and diet on small intestinal structure and function in gnotobiotic piglets.

Res. Vet. Sci. 47(3): 387-392

Hampson, D.J., 1986

Alterations in piglet small intestinal structure at weaning.

Res. Vet. Sci. 40 (1): 32-40

Han, H., Iwanaga, T., Uchiyama; Y., Fujita, T., 1993

Aggregation of macrophages in the tips of intestinal villi in guinea pigs: their possible role in the phagocytosis of effect epithelial cell.

Cell. Tissue Res. 271: 407-416

Harwig, S.S.L., Eisenhauer, P.B., 1995

Cryptidins: endogenous antibiotic peptides of the small intestinal Paneth cells.

In: Adv. In mucosal Immunol. Ed: J. Mestecky et al., Plenum Press. New York.

Hawley, H., Shepherd, P., Wheater, D., 1957

Factors Affecting the Implantation of Lactobacilli in the Intestine.

J. Appl. Biol. 22, 360-367

He, F., Ouwehand, A.C., Isolauri, E., Hashimoto, H., Benno, Y., Salminen, S., 2001

Comparision of mucosal adhesion and species identification of bifidobacteria isolated from healthy and allergic infants.

FEMS Immunol. Med. Microbiol. 30: 43-47

Hebel, R., 1960

Untersuchungen über das Vorkommen von lymphatischen Darmkrypten in der Tunica submucosa des Darms von Schwein, Rind, Schaf, Hund und Katze

Anat. Anz. Bd. 109, H.1, S. 7- 27

Hilgenbrink, R., 1987

Vorkommen,- Bedeutung und Funktion der Paneth-Zelle. Eine Literaturübersicht.

Dissertation Hannover

Hodin, R.A., Chamberlain, S.M., Meng, S., 1995

Pattern of rat intestinal brush- border enzyme gene- expression changes with epithelial growth state.

Am. J. Physiol. 269:385-391

Hoey, D.E.E., Sharp, L., Currie, C., Lingwood, C.A., Gally, D.L., Smith, D.G.E., 2003

Verotoxin 1 binding to intestinal crypt epithelial cells results in localization to lysosomes and abrogation to toxicity.

Cell Microbiol. 5: 85-97

Holt, P.R., Moss, S.F., Heydari, A.R., Richardson, A., 1998

Diet Restriction Increases Apoptosis in the Gut of Aging Rats.

J. Gerontol. : Biol. Sci. 53 A: 168-172

Holt, P.R., Pascal, P.R., Kotler, D.P., 1984

Effect of aging upon small intestinal structure in the Fisher rat.

J. Gerontol. 39: 642-647

Hosono, A. 1992

Fermented Milk in the Orient in Functions of Fermented Milk: Challenges for the Health Sciences

pp. 61-78, Elsevier Science Publishers Ltd., Barking

Huis in't Veld, J., Havenaar, R., 1991

Probiotics in Man and Animal.

Journal of Chemistry Technology and Biotechnology 51, 562-567

Hurley, B.P., Jacewicz, M., Thorpe, C.M., Lincicome, L.L., King, A.J., Keusch, G.T., Acheson, D:W.K., 1999

Shiga toxin 1 and 2 translocate differently across polarized intestinal epithelial cells.

Infect. Immun. 67: 6670-6677

Hyoh, Y., Nishida, M., Tegoshi, T., Yamada, M., Uchikawa, R., Matsuda, S., Arizono, N., 1999

Enhancement of apoptosis with loss of cellular adherence in the villus epithelium of the small intestine after infection with the nematode *Nippostrongylus brasiliensis* in rats.

Parasitology 119:2; 199-207, 29 ref.

Iben, Ch., Leibetseder, J., 1989

Untersuchungen der leistungsfördernden Wirkung von Toyocerin in der Ferkelaufzucht.

Wien. Tierärztl. Mschr. 76: 363-366

Ichikawa, T., Ishihara, K., Kuakabe, T., Kurihara, M., Kawakami, T., Takenaka, T., Saigenji, K., Hotta, K., 1998

Distinct effects of tetragastrin, histamine, and CCh on rat gastric mucin synthesis and contribution of NO.

Am. J. Physiol. Gastrointest. Liver Physiol. 274: 138-146

Iji, P.A., Saki, A., Tivey, D.R., 2001

Body and intestinal growth of broiler chicks on a commercial starter diet.

1. Intestinal weight and mucosal development.

British Poultry Sci. 42: 505-513

Isolauri, E., Juntunen, M., Rautanen, T., Sillanaukee, P., Koivula, T., 1991

A human *Lactobacillus* strain (*Lactobacillus Casei* sp strain GG) promotes recovery from acute diarrhea in children.

Pediatrics 88:90-97

Isolauri, E., Kaila, M., Mykkanen, H., Ling, W.H., Salminen, S., 1994

Oral bacteriotherapy for viral gastroenteritis.

Dig. Dis. Sci. 39:2595-2600

Isolauri, E., Majamaa, H., Arvola, T., Rantala, I., Vitanen, E., Arvolimmi, H., 1993

Lactobacillus casei strain GG reverses increased intestinal permeability induced by cow milk in suckling rats.

Gastroenterology 105: 1643-1650

Iwakiri, R., Gotoh, Y., Noda, T., Sugihara, H., Fujimoto, K., Fuseler, J., Aw, T.Y., 2001

Programmed Cell Death in Rat Intestine: Effect of Feeding and Fasting

Scand. J. Gastroenterol. 1: 39-47

Jadamus, A., 2001

Untersuchungen zur Wirksamkeit und Wirkungsweise des sporenbildenden *Bac. Cereus* var. *toyoi* im Verdauungstrakt von Broilern und Ferkeln.
FU- Berlin, Diss.

Jahn, H., Ullrich, R., Schneider, T., Liehr, R., Schieferdecker, L., Holst, H., Zeitz, M., 1996

Immunological and trophical effects of *Saccharomyces boulardii* on the small intestine in healthy human volunteers.
Digestion 57, 95-104

Jin, L.Z., Maquardt, R.R., Zhao, X., 2000

A strain of *Enterococcus faecium* (18C23) inhibits adhesion of enterotoxigenic *E. Coli* K88 to porcine small intestine mucus.
Appl. Environ Microbiol, Vol.66, No 10, p 4200-4204

Johansson, M. L., Molin G. Et al., 1993

Administration of different *Lactobacillus* strains in fermented oatmeal soup : in vivo colonisation of human intestinal mucosa and effect on the indigenous flora.
Appl Environ Microbiol; 58: 15-20

Johnson, I.T., Gee, J.M., 1986

Gastrointestinal adaption in response to soluble non- available polysaccharides in rats.
British J. Nutr. 55:497-505

Johnson, L.R., McCormack, S.A., 1994

Regulation of gastrointestinal mucosal growth.
In: Johnson, R.L.(ed): Physiology of Gastrointestinal Tract. (ed3). New York, NY, Raven, 611-641

Jones, B.A., Gores, G.J., 1997

Physiology and pathophysiology of apoptosis in epithelial cells of liver, pancreas, and intestine.
Am. Physiol. Soc. 97: 1174-1186

Jungueira, L.C., Carneivo, J., 1986

Histologie- Lehrbuch der Cytologie, Histologie und mikroskopischen Anatomie des Menschen.

2. Auflage, Springer Verlag Berlin, Heidelberg, New York, London, Paris, Tokyo

Kabir, A.M., Aiba, Y., Takagi, A., Kamiya, S., Miwa, T., Koga, Y., 1997

Prevention of *Helicobacter pylori* infection by *lactobacilli* in a gnotobiotic murine model.

Gut 41 (1):49-55

Kaila, M., Isolauri, E. Et al., 1992

Enhancement of circulating antibody secreting cell response in human diarrhoea by a human *Lactobacillus* strain.

Pediatr. Res.; 32:141-144

Kaila, M., Isolauri, E. Et al., 1995

Viable versus inactivated *Lactobacillus* strain GG in acute rotavirus diarrhoea.

Arch. Dis. Child.; 72:51-53

Kaila, M., Isolauri, E., Saxelin, M., Arvolmme, H., Vesikari, T., 1995

Viable versus inactivated lactobacillus strain GG in acute rotavirus diarrhea.

Arch. Dis. Child. 72:51-53

Kaila, M., Isolauri, E., Soppi, E., Virtanen, E., Laine, S., Arvolmme, H., 1992

Enhancement of circulating antibody secreting cell response in human diarrhea by a human *Lactobacillus* strain.

Pediatr. Res. 32:141-144

Karnowsky M.J., 1965

A formaldehyd- glutaraldehyd fixative of high osmolality for use in electron microscopy.

J Cell Biol 27: 137 A

Kelly, D., 1998

Probiotics in young and newborn animals.

J. Anim. Feed Sci. 7, Suppl.1, 15-23

Kenworthy, R., 1976

Observations on the effects of weaning in the young pig. Clinical and histopathological studies of intestinal function and morphology.

Res. Vet. Sci. 21: 69-75

Kerr, J.F.R., Searle, J., Harmon, B.V., Bishop, C.J., 1987

Apoptosis.

In: Perspectives on Mammalian Cell Death. C.S. Potten (ed)

Oxford University Press, Oxford: 93-128

Kerr, J.F.R., Wyllie, A.H., Currie, A.R., 1972

Apoptosis: basic biological phenomenon with wide-ranging implications of tissue kinetics.

Br. J. Cancer 26: 239-257

Kiechle, F.L., Zhang, X., 1998

Apoptosis: a brief review.

J. Clin. Lig. Ass. 21: 58-61

Kim, B., Kim, O., Tai, J.H., Chae, C., 2000

Transmissible Gastroenteritis Virus Induces Apoptosis in Swine Testicular Cell Lines but not in Intestinal Enterocytes.

J. Comp. Pathol. 123: 64-66

Klein, U., Schmidts, H.L., 1997

Zum Einfluss des Bioregulators Paciflor auf die Morphologie der Dünndarmmukosa beim Schwein.

Proc. Soc. Nutr. Physiol. 6:41

Kopeloff, N., 1926

Lactobacillus acidophilus

Baltimore: Williams & Wilkins

Korochkin, L.I., 1999

Vvedenie v geentiku razvitiya (Introduction to Developmental Genetics.).

Moscow: Nauka

Kyriakis, S.C., Tsiloyiannis, V.K., Vlemmas, J., Sarris, K., Tsinas, A.C., Alexopoulos, C., Jansegers, L., 1999

The effect of probiotic LSP 122 on the control of post-weaning diarrhea syndrome of piglets.

Res. Vet. Sci. 67: 223-228

Langhout, D.J., Schutte, J.B., van Leeuwen, P., Wiebenga, J., Tamminga, S.. 1999

Effect of dietary high- and low-methylated citrus pectin on the activity of the ileal microflora and morphology of the small intestinal wall of broiler chicks.

British Poultry Sci. 40: 340-347

Leblond, C.P., Messier, B., 1958

Renewal of chief cells and goblet cells in the small intestine as shown by radioautography after injection of thymidine- H³ into mice.

Anat Rec, 1958; 132:247-259

Lee, J.B., Chi, J.G., Lee, S.K., Cho, S.Y., 1981

Study on the Pathology of Metagonimiasis in experimentally infected Cat intestine.

Kisaengchunghak Chapchi. 1981 Dec; 19 (2): 109-129

Lee, Y.K., Lim, C.Y., Teng, W.L., Ouwehand, A.C., Tuomola, E.M., Salminen, S., 2000

Quantitative Approach in the Study of Adhesion of Lactic Acid Bacteria to Intestinal Cells and Their Competition with Enterobacteria.

Appl. Environ. Microbiol. 66: 3692-3697

9th International Symposium on Digestive Physiology in Pigs, Banff, AB, Canada, Volume 2: 201

Li, G., Shinozuka, J., Uetsuka, K., Nakayama, H., Doi, K., 1997

T-2 toxin-induced apoptosis in intestinal crypt epithelial cells of mice.

Exp. Toxic Pathol. 49: 447-450

Liebich, H.G., 2003

Funktionelle Histologie der Haussäugetiere
4. Auflage, Schattauer Verlag Stuttgart, New York

Lilly, D., Stillwell, 1965

Probiotics: Growth- Promoting Factors Produced by Microorganisms
Science 147, 747-748

Lindahl- Kiessling, K.M., 1976

Calcium dependency of the binding and mitogenicity of phytohemagglutinin. Differentiation between Calcium- dependent and independent binding events.
Exp. Cell. Res. 103:151-157

Link- Amster, H., Rochat, F. et al., 1994

Modulation of a specific humoral immune response and changes in intestinal flora mediated through fermented milk intake.

FEMS Immunol Med Microbiol; 10: 55-64

Loeffler, M., Birke, A., Winton, D., Potten, C.S., 1993

Somatic mutation monoclonality and stochastic models of stem cell organisation in the intestinal crypt.

J. Theor. Biol. 162: 471-491

Loh, C., 2003

Ak Ernährungsmythen. 2. Probiotika
Hertzfeld, H. (HG): Tatort und Tatsache
Ferienakademie der Stipendiatinnen und Stipendiaten der Rosa- Luxemburg- Stiftung
September 2003, Karl Dietz Verlag Berlin

Lowden, S., Heath, T., 1995

Lymphoid tissues of the ileum in young horses: distribution, structure and epithelium.
Anat. Embryol. (Berl.) 192 (2): 171-179

Machado- Caetano,J.A, Paramés; M.T., Babo, M.J., Santos, A., Bandeira Ferreira, A., Freitas, A.A., Clemente Coelho, M.A., Matthioli Matheus, A., 1986
Immunopharmacological effects of *Saccharomyces boulardii* in healthy human volunteers.
Int. J. Immunopharmac. 8, 245-259

Majamaa, H., Isolauri, E., Saxelin, M., Vesikari, T., 1995
Lactic acid bacteria in the treatment of acute rotavirus gastroenteritis,.
J. Pediatr. Gastroenterol. Nutr. 20; 333-338

Männer, K., Spieler, A., 1997
Probiotics in piglets- an alternative to traditional growth promoters.
Microecol. Therapy 26: 243-256

Marion, Biernat, Thomas, Savary, Breton, Zabielski, Ce-Huëron- Curon, Le Dividich, 2000
Small intestine growth and morphometry in piglets weaned at 7 days of age.
Effects of level of energy intake.
Reprod Nutr Dev. 2002, 42 (4): 339- 354

Martin, K., Kirkwood, T.B.L., Potten, C.S., 1998
Age Changes in Stem Cells of Murine Small Intestinal Crypts.
Exp. Cell Res. 241: 316-323

Martin, M.L., Tejada- Simon,M.V., Lee, J.H., Murtha, J., Ustunol, Z., Pestka, J.J., 1998
Stimulation of cytokine production in clonal macrophage and T- cell models by *Streptococcus thermophilus*: comparision with *Bifidobacteria* sp and *Lacobacillus bulgaricus*.
J. Food Prot.; 61: 859-864

Martz, E., Howell, D.M., 1989
CTL: virus control cells first and cytolytic cells second?
Immunol. Today 10:79-86

Mater, A., 1979

Microcinematographic and electron microscopy analysis of target cells lysis induced by cytotoxic T lymphocytes.

Immunology 36:179-190

Matsuzaki, T., Yamazaki, R., Hoshimoto, S., Yokokura, T., 1998

The effect of oral feeding of *Lactobacillus casei* strain Shirota on immunoglobulin E production in mice.

J Dairy Sci; 81: 48-53

Mattick, A.T., Hirsch, A., 1944

A powerful inhibitory substance produced by group N streptococci.

Nature 154, 128

Mayhew, T.M., Myklebust, R., Whybrow, A., Jenkins, R., 1999

Epithelial integrity, cell death and cell loss in mammalian small intestine.

Histol. Histopathol. 14: 257-267

Mayer, P., 1920

Zoomikrotechnik.

Bornträger, Berlin

Mazhar, R., 2004

Kolon-ösierung

Journal Ernährungsmedizin 6 (1): 44-45

Aus: 35. Jahrestagung der Österreichischen Gesellschaft für innere Medizin.

16.-18.09.2003, Wien

McDonald, Pethick, Mullan, Hampson, 2001

Increasing viscosity of the intestinal contents alters small intestinal structure and intestinal growth, and stimulates proliferation of enterotoxigenic *Escherichia coli* in newly-weaned pigs.

British J. Nutr. 86, 487-498

McGhee,J., Mestecky,J.et al., 1992

The mucosal immune system: from fundamental concepts to vaccine development.
Vaccine; 10: 75-88

Meisel, H., Schlimme, F., 1990

Milk proteins: precursors of bioactive peptides.
Trends Food Sci. Tech. 1:41-45

Mekbungwan, A., Yamauchi, K., Sakaida, T., 2004

Intestinal Villus Histological Alterations in Piglets fed Dietary Charcoal Powder Including
Wood Vinegar Compound Liquid.
Anat. Histol. Embryol. 33: 11-16

Metchnikoff, E., 1905

Immunity in Infective Diseases.
Cambridge University Press, p. 7

Metchnikoff, E., 1907

Prolongation of Life
William Heinemann, London

Meydani, S.N., Ha, W.K., 2000

Immunological effects of yoghurt
Am J Clin Nutr; 71:861- 872

Michel, G., 1988

Ein Beitrag zum Vorkommen und Verhalten der Becherzellen im Darmkanal des Schweines
Anat. Anz., Jena 169 (1989) 169-174
VEB Gustav Fischer Verlag Jena

Miettinen, M., Vuopio- Varkila, J. Et al., 1996

Production of human tumor necrosis factor alpha, Interleukin- 6 and Interleukin- 10 is
induced by lactic acid bacteria.
Infect Immunity: 5403-5404

Miettinen, M., Vuopio- Varkila, J., Matikainen, S., Pirhonen, J., Varkila, K. Et al., 1998

Lactobacilli and streptococci induce interleukin- 12 (IL-12), IL-18, and gamma interferon production in human peripheral blood mononuclear cells.

Infect Immun ;66:6058-6062

Miller, B.G., James, P.S., Smith, M.W., Bourne, F.J., 1986

Effect of weaning on the capacity of pig intestinal villi to digest and adsorb nutrients.

J. Agric. Sci. (Camp.) 107, 579-589

Miller, H., Huntley, J.F., Wallace, G.R., 1981

Immune exclusion and mucus trapping during the rapid expulsion of *Nippostrongylus brasiliensis* from primed rats.

Immunology 44: 419-429

Miller, H.R.P., Newby, T.J., Stokes, C.R., Hampson, D., Brown, P.J., Bourne, F.J., 1984

The importance of dietary antigen- The cause of postweaning diarrhea in pigs.

Am. J. Vet. Res. 45, 1730- 1733

Miller, H.R.P., Phillips, A.D., Brown, P.J., Stokes, C.R., , Bourne, F.J., 1988

Soya intolerance and infection in the early weaned pig: factors in the aetiology of postweaning diarrhea.

In Preparation.

Mitjans, M., Ferrer, R., 2004

Morphometric Study of the Guinea Pig Small Intestine During Development

Microscopy Research and Technique 63: 206-214

Mitra, A.K., Rabbani, G.H., 1990

A double- blind, controlled trial of Bioflorin (*Streptococcus faecium* SF68) in adults with acute diarrhea due to *Vibrio cholera* and enterotoxigenic *Escherichia coli*.

Gastroenterology 99: 1149-1152

Montgomery, A.M., Reisfeld, R.A., Cheresh, D.A., 1994

Integrin alpha v beta 3 rescues melanoma cells from apoptosis in three dimensional dermal collagen.

PNAS 91: 8856-8860

Moon, H.W., 1971

Epithelial cell migration in the alimentary mucosa of the suckling pig.

Proc. Soc. Exp. Biol. Med. 137:1651-1655

Morimoto, T., Ito, Y., Shibata, M.- A., Yoden, A., Tamai, H., Otsuki, Y., 2002

Apoptosis and Cell Proliferation of Small Intestinal Villi in Mitomycin C- Treated Rats.

Digest. Sci 47: 2237-2246

Mortensen, F.V., Nielsen, H., Mulvany, M.J., Hessov, I., 1990

Short chain fatty acids dilate isolated human colonic resistance arteries.

Gut 31:1391-1394

Motyka, B., Reynolds, J.D., 1991

Apoptosis is associated with the extensive B cell death in sheep ileal Peyer's Patch and the chicken bursa of Fabricius.: a possible role in B cell selection.

Eur. J. Immunol. 21: 1951- 1958

Mouwen, J.M.V.M., 1972

White scours in piglets as three weeks of age.

Ph.D.Thesis, University of Utrecht, the Netherlands

Muralidhara, K.S., Sandine, W.E., England, D.C., Elliker, P.R., 1973

Colonization of *E.coli* and *Lactobacillus* in intestine of pigs.

J.Dairy Sci. 56

Muscettola, M., Massai, L., Tanganeli, C., Grasso, G., 1994

Effects of lactobacilli on interferon production in young and aged mice.

Ann. N Y Acad Sci; 717: 226- 232

Muthmann, E., 1913

Beiträge zur vergleichenden Anatomie des Blinddarms und der lymphoiden Organe des Darmkanals bei Säugetieren und Vögeln.

Zit. N. Carlens, 1928

Nabuurs, M.J.A., Hoogendorn, A., van der Molen, E.J., van Osta, A.L.M., 1993

Villus height and crypt depth in weaned and unweaned pigs, reared under various circumstances in the Netherlands.

Res. Vet. Sci. 55:78-84

Neumann, E., Oliveira, M.A., Cabral, C.M., Moura, L.N., Nicoli, J.R., et al., 1998

Monoassociation with *Lactobacillus acidophilus* UFV-H2b20 stimulates the immune defense mechanisms of germfree mice.

Braz. J. Med. Biol. Res. 31: 1565-1573

Neutra, M.R., Forstner J.F., 1987

Gastrointestinal mucus: Synthesis, secretion, and function.

Johnson LR, ed. Physiology of the gastrointestinal tract. New York: Raven Press, 975-1009

Neutra, M.R., Forstner, J.F., 1987

In: L.R. Johnson (Ed), Physiology of the Gastointestinal Tract, Raven, New York, 975-1009

Newman, D., 1915

The Treatment of Cystitis by Intravesical Injections of Lactic Bacillus Cultures.

The Lancet, August, 330-332

Nickel R., Schummer A., Seiferle, E., 1987

Lehrbuch der Anatomie der Haustiere. Band III

6. Auflage Verlag Paul Parey

Nielsen, J.S., Larsson, A., Brix- Christensen, V., Nyengaard, J.R., Lolet, T., Tonnesen, E., 2005

Endotoxemia- induced lymphocyte apoptosis is augmented by a hyperinsulinemic-euglycemic clamp.

Anesthesiology 102 (4): 768-773

Nissle, A., 1916

Über Grundlagen einer neuen ursächlichen Bekämpfung der pathologischen Darmflora
Deutsche Medizinische Wochenschrift;42:1181-4

Nousiainen, J., 1991

Comperative observations on selected probiotics and olanquindox as feed additives for piglets around weaning. 2. Effects on villus length and crypt depth in the jejunum, ileum, caecum and colon.

J. Anim. Physiol. Anim. Nutr. 66: 224-230

Nousiainen, J., Suomi, K., 1991

Comperative observations on selected probiotics and olanquindox as feed additives for piglets around weaning.

J. Anim. Physiol. Anim. Nutr. 66:212-223

Oatley, J.T., Rarick, M.D., Ji, G.E., Linz, J.E., 2000

Binding of aflatoxin B-1 to bifidobacteria *in vitro*.

J. Food Protection 63 (8): 1133-1156

Ohashi, Y., Tanaka, K., Matsuki, T., Umesaki, Y., Ushida, K., 2001

Lactobacillus casei strain Shirota- fermented Milk stimulates indegenous *Lactobacilli* in the pig intestine.

J Nutr Sci Vitaminol 47: 172-176

Ouelette, A.J., Greco, R.M., James, M., Frederixk, D., Naftilan, J., Fallon, J.T., 1996

Developmental regulation of cryptidin, a corticostain/defensin precursor mRNA in mouse small intestinal crypt epithelium.

J. Cell Biol. 108 : 1687-1695

Owusu-Asiedu, A., Nyachoti, C.M., Marquardt, R.R., 2003

Response of early- weaned pigs to an enterotoxigenic Escherichia coli (K88) challenge when fed diets containing spray- dried porcine plasma or pea protein isolate plus egg yolk antibody, zinc oxide, fumaric acid, or antibiotic.

J Anim Sci. 2003 Jul; 81 (7):1790-1798

Oxford, A. E., 1944

Diplococin, an anti- bacterial protein elaborated by certain mild streptococci.

Biochem.J. 38, 178-182

Palanch, A.C., Alvares, E.P., 1998

Feeding manipulation elicits different proliferative responses in the gastrointestinal tract of suckling and weanling rats.

Brazilian J. Med. Biol. Res. 31: 563-572

Pant, A.R., Graham, S.M., Allen, S.J., Harikul, S., Sabchareon, A. et al., 1996

Lactobacillus GG and acute diarrhea in young children in the tropics.

J.Trop. Pediatr. 42: 162-165

Parker R. B., 1974

Probiotics, the other half of the antibiotic story.

Anim Nutr Health; 29:4-8

Parker, F., Migliore- Samour, D., Floch, F. Et al., 1984

Immunostimulating hexapeptide from human casein: amino acid sequence, synthesis and biological properties.

Eur. J. Biochem. 145: 677-682

Paulus, U., Loeffler, M., Zeidler, J., Owen, G., Potten, C.S., 1993

The differentiation and lineage development of goblet cells in the murine small intestinal crypt: experimental and modelling studies.

J. Cell Sci. 106: 473-484

Peltonen, K.D., El- Nezami, H.S., Salminen, S.J., Ahokas, J.T., 2000

Binding of aflatoxin B-1 by probiotic bacteria.

J. Sci. Food Agriculture 80 (13): 1942-1945

Perdigon, G., Alvarez, S., Pesce de Ruiz Holgado, A.A., 1991

Immunadjuvant activity of oral *Lactobacillus casei*: influence of dose on the secretory immune response and protective capacity in intestinal infections.

J. dairy Res.;58: 485- 496

Perdigon, G., Alvarez, S., Rachid, M., Aguero, G., Gobbato, N., 1995

Immun system stimulation by probiotics.

J. Dairy Sci.; 78: 1597-1606

Perdigon, G., DeMacias, M.E., Alvarez, S., oliver, G., Ruiz Holgado, A.A., 1986

Effect of perorally administered Lactobacilli on macrophage activation in mice.

Infect. Immun.;53: 404-410

Perdigon, G., Nader de Ruiz Holgado, M-E., Alvarez, S., Oliver, G., Media, M., Pesce de Ruiz Holgado, A.A., 1986

Effect of mixture of *Lactobacillus casei* and *Lactobacillus acidophilus* administered orally on the immune system in mice.

J. Food Prot. 49:986-988

Peridon, G., Alvarez, S., 1992

Probiotics and the immune state.

In: Fuller (Editor). Probiotics. The Scientific basis.

Chapmann and Hall, London (UK), 29-54

Petzoldt, K., Müller, E., 1986

Tierexperimentelle und zellbiologische Untersuchungen zur Wirkung von *Saccharomyces cerevisiae* Hansen CBS 5926 bei der unspezifischen Steigerung des Immunsystems.

Arzneim. Forsch./Drug Res. 36, 1085-1088

Plaisancière, P., Barcelo, A., Moro, F., Claustre, J., Chayvialle, J.-A., Cuber, J.C., 1998

Effects of neurotransmitters, gut hormones and inflammatory mediators on mucus discharge in rat colon.

Am. J. Physiol. Gastrointest. Liver Physiol. 275: 1073-1084

Pluske, J.R., Williams, I.H., Aherne, F.X., 1996

Villous height and crypt depth in piglets in response to increases in intake of cows' milk after weaning.

Anim.Sci.62: 145-158

Ponder, B.J.A., Schmidt, G.H., Wilkinson, M.M., Wood, M.J., Monk, M., Reid, A., 1985,

Derivation of mouse intestinal crypts from single progenitor cell.

Nature 313: 689-691

Popov, L.S., Korochkin, L.I., 2004

Apoptosis: Genetically Programmed Cell Death.

Russian J. Genetics 40 (2): 99-113

Pospischil, A., Heß, R.G., Baljer, G., Bachmann, P.A., 1986

Infektiöse Durchfallerkrankungen beim Ferkel: morphologische und mikrobiologische Befunde.

Tierärztl. Praxis 14: 353-363

Potten, C.S., 1977

Extreme sensitivity of some intestinal crypt cell to X and γ irradiation.

Nature 269: 518-521

Potten, C.S., 1992

The significance of spontaneous and induced apoptosis in the gastrointestinal tract of mice.

Cancer Metast. Rev. 11: 179-195

Potten, C.S., 1997

Epithelial cell growth and differentiation.

II. Intestinal apoptosis.

Am. J. Physiol. 273: 253-257

Potten, C.S., Booth, C., Pritchard, D.M., 1997

The intestinal epithelial stem cell: the mucosal governor.

Int. J. Exp. Path. 78: 219-243

Potten, C.S., Hendry, J.H., 1995

Clonal regeneration studies.

In: Radiation and Gut (ed. C.S. Potten & J.H. Hendry: 45-59, Amsterdam: Elsevier

Potten, C.S., Merritt, A., Hickman, J., Hall, P., Farandia, A., 1994

Characterization of radiated- induced apoptosis in the small intestine and its biological implications.

Int. J. Radiat. Biol. 65: 71-78

Potten, C.S., Wilson, J.W., Booth, C., 1997

Regulation and Significance of Apoptosis in the Stem Cells of the Gastrointestinal Epithelium.

Stem Cells 15: 82-93

Potten, C.S., 1992

The significance of spontaneous and induced apoptosis in the gastrointestinal tract of mice.

Cancer Metastasis Reviews 11: 179-195

Probstmeier, R., Martini, R., Schachner, M., 1990

Expression of J1/tenascin in crypt- villus unit of adult mouse small intestine: implications for its role in epithelial cell shedding.

Development 109: 313-321

Probstmeier, R., Martini, R., Tacke, R. Et al., 1990

Expression of the adhesion molecules L1, N-CAM and J1/tenascin during development of the murine small intestine.

Differentiation 44: 42-55

Proskuryakov, S.Y., Konoplyannikov, A.G., Gabai, V.L., 2002

Necrosis: a specific form of programmed cell death.

Exp. Cell Res. 283: 1-16

Puri, P., Rattan, A., Bijlani, R.L., Mahapatra, S.C., Nath, I., 1996

Splenic and intestinal lymphocyte proliferation response in mice fed milk or yogurt and challenged with *Salmonella typhimurium*.

Int J Food Sci Nutr; 47:391-398

Qui, J.M., Roberts, S.A., Potten, C.S., 1994

Cell migration in the small and large bowel shows a strong circadian rhythm.

Epithelial Cell. Biol. 3: 137-148

Raab, S., Leiser, R., Kemmer, H., Claus, R., 1998

Effects of Energy and Purines in the Diet on Proliferation, Differentiation, and Apoptosis in the Small Intestine of the Pig.

Metabolism 47 (9): 1105-1111

Rampal, P., LaMont, J.T., Trier, J.S., 1978

Differentiation of glycoprotein synthesis in fetal rat colon.

Am. Physiol 1978, 235:E207-E212

Raza, S., Graham, S.M., Allen, S.J., Sultana, S., Cuevas, L., Hart, C.A., 1995

Lactobacillus GG promotes recovery from acute nonbloody diarrhea in Pakistan.

Pediatr. Infect. Dis. J. 14: 107-111

Rettger, L.F., Cheplin, H.A., 1921

A treatise on the transformation of the intestinal flora with spezial reference to the implantation of bacillus acidophilus

London: Yale University Press

Rettger, L.F., Levy, M.N., Weinstein, L., Weiss, J.E., 1935

Lactobacillus acidophilus and its therapeutic application.

London: Yale University Press

Reyniers R.A., 1960

An explosion instrument for disrupting tissues and cells. (A-Wey2-02

J Natl Cancer Inst. Sep; 25: 663-681

Roberton, A., Corfield, A.P., 1999

Mucin degradation and its significance in the inflammatory conditions of the gastrointestinal tract.

In: Medical Importance of the Normal Microflora, edited by Tanock GW. Boston, MA: Kluwer Academic, 1999, 222-261

Roberton, A.M., Wright, D.P., 1997

Bacterila glucosulphatases and sulphomucin degradation.

Can. J. Gastroenterol. 11: 361-366

Roussel, P., Lamblin, G., Lhermitte, M., Houdret, N., Lafitte, J.J., Perini, J.M., Klein, A., Scharfman, A.P., 1988

The complexity of mucins.

Biochemie 70: 1471-1482

Rowe, E.L., Withe, N.A., Buechner- Maxwell, V., Robertson, J.L., Ward, D.L., 2003

Detection of apoptotic cells in intestines from horses with and without gastrointestinal tract disease.

Am. J. Vet. Res. 64: 982-988

Rozee, K., Cooper, K., Costerton, J.W., 1982

Microbial flora of the mouse ileum mucous layer and epithelial surface.

Appl. Envir. Microbiol. 43: 1451-1463

Russell, S.W., Rosenau, W., Lee, J.C., 1972

Cytolysis induced by human lymphotoxin.

Ann. J. Pathol. 69: 103-118

Rustin, P., 2002

Mitochondria, from Cell Death to Proliferation.

Nat. Gen. 30: 352-352

Ryn, H.Y., Emberly, J.K., Schlezinger, J.J., Allan, L.L., Na, S., Sherr, D.M., 2005

Environmental Chemical- Induced Bone Marrow B Cell Apoptosis: Death Receptor-Independent Activation of a Caspase- 3 to Caspase- 8 Pathway.

Mol. Pharmacol. 12 (Epup ahead of print)

Sababi, M., Nilsson, E., Holm,L., 1995

Mucus and alkali secretion in the rat duodenum: effects of indomethacin, N^ω-nitro-L-arginine, and luminal acid.

Gastroenterology 114 Suppl:1093-1098

Saif, L.J., Wesley, R.D., 1999

Transmissible gastroenteritis and porcine respiratory coronavirus.

In: Diseases of Swine, 8th Edition, B.E. Straw, S.D. Allaire, W.L. Mengeling and D.J. Taylor, Eds, Iowa State Press, Iowa: 295-325

Sakata, T., Kojima, T., Fujieda, M., Miyakozawa, M., Takahashi, M., Ushida, K., 1999

Probiotic preparationsdose- dependently increase of anaerobic bacteria from chicken cecum.

J. Appl. Microbiol. 27: 678-687

Sakata, T., 1987

Stimulatory effects of short-chain fatty acids on epithelial cell proliferation in the rat intestine: a possible explanation for trophic effects of fermentable fibre, gut microbes and luminal factors.

British Journal of Nutrition 58: 95-103

Sakata, T., von Engelhardt, W., 1983

Stimulatory effect of short chain fatty acids in the epithelial cell proliferation in rat large intestine.

Comparative Biochemistry and Physiology 74: 459-462

Salminen, S., 1996

Uniqueness of probiotic strains

IDF Nutr News Lett; 5:16-18

Salminen, S., Bouley, C., Boutron- Ruault, M.-C., Cummings, J., Franck, A., Gibson, G., Isolauri, E., Moreau, M.-C., Roberfroid, M., Rowland, I., Sanders, E.J., 1997

Methods for detecting apoptotic cells in tissues.

Histol. Histopathol. 12: 1169-1177

Functional Food Science and Gastrointestinal Physiology and Function

Brit J. Nutr 80, 147- 171

Sanders, M.E., 2000

Considerations for use of probiotic bacteria to modulate human health.

Symposium: Probiotic bacteria: Implications for human health.

J. Nutr. 130: 384-390

Sanderson, C.J., 1976

The mechanism of T- cell mediated cytotoxicity II. Morphological studies of cell death by time lapse microcinematography.

Proc. Roy. Soc. Lon. B. 192: 241-255

Satchithanandam, S., Vargofcak- Apker, M., Calvert, R.J., Leeds, A.R., Cassidy, M.M., 1990

Alteration of Gastrointestinal Mucin by Fiber Feeding in Rats.

Am. Inst. Nutr. 0022-3166/90

Saxelin, M., 1997

Lactobacillus GG- A human probiotic strain with thorough clinical documentation.

Food Rev Int. 13 (2): 293-313

Schaafsma, G., 1996

State of art concerning probiotic strains in milk products

IDF Nutr News Lett;5:23-24

Schauser, K., Ohlsen, J.E., Larsson, L.I., 2005

Salmonella Typhimurium infection in the porcine intestine: evidence for caspase-3-dependent and independent programmed cell death.

Histochem. Cell Biol. 123 (1): 43-50

Scheunert, A., Trautmann, A., 1987

Lehrbuch der Veterinär- Physiologie, S. 49-57

7. Auflage, Verlag Paul Parey, Berlin und Hamburg

Schiffrin, E.J., Brassart, D., Servin, A.L., Rochat, F., Donnet- Hughes, A., 1997

Immune modulation of human blood cells following the ingestion of lactic acid bacteria.

J. Dairy Sci. 78;491:497

Schmidt, G.H., Winton, D.J., Ponder, B.A.J., 1988

Development of the pattern of cell renewal in the crypt villus unit of chimeric mouse small intestine.

Development 103: 785-790

Schneemann, B.O., Richter, D., Jacobs, L.R., 1982

Response to Dietary Wheat Bran in the Exocrine Pancreas and Intestine of Rats.

J. Nutr. 112:283-286

Schumm, H., Pohl, R., Willeke, H., 1990

Ergebnis des Einsatzes von Suiferm bei Absatzferkeln mit Durchfällen zur Aufrechterhaltung und Wiederherstellung der gesunden Darmflora.

Tierärztl. Umschau 45: 402-411

Schwarzbacher, S., 2004

Vorlesung zum Anatomiekurs II. Unterer Verdauungstrakt.

Anatomisches Institut I, Universität Frankfurt

www.hgn.de/zmorph//lehre/VL_AnalL_untGIT_Schwarz.pdf

Schwarze, L. 1962

Kompendium der Veterinär- Anatomie

Band II- Eingeweidesystem, S.83 - 107

VEB Gustav Fischer Verlag Jena

Sennikov, S.V., Temchura, V.V., Kozlov, V.A., Trufakin, V.A., 2002

The influence of conditioned medium from mouse intestinal epithelial cells on the proliferative activity of crypt cells: role of granulocyte- macrophage colony- stimulating factor.

J. Gastroenterol. 37: 1048-1051

Sepulveda, F.V., Burton, K.A., Clarkson, G.M., Syme, G., 1982

Cell differentiation and L- ornithine decarboxylase activity in the small intestine of rat fed low and high protein diets.

Bioch. Biophys. Acta 716: 439-442

Sharma, R., Fernandez, F., Hinton, M., Schuhmacher, U., 1997

The influence of diet on the mucin carbohydrates in the chick intestinal tract.

Cellular and Molecular Life Sciences. Abstr. Vol. 53 Issue

Shirkey, T.W., Goldade, B.G., Siggers, R.H., Drew, M.D., Laarveld, B., Van Kessel, A.G., 2003

Effect of commensal bacteria on intestinal morphology and expression of pro- inflammatory cytokine genes in the gnotobiotic pig.

9th International Symposium on Digestive Physiology in Pigs, Banff, AB, Canada (2003)

Vol.2: 290-291

Shornikova, A.-V., isolauri, E., Burnakova, L., Lukovnikova, S., Vesikari, T., 1997

A trial in the Karelian Republic of oral rehydration and *lactobacillus GG* for treatment of acute diarrhea.

Acta Pediatr. 86: 460- 465

Siavoshian, S., Blottiere, H.M., Le Foll, E., Kaeffer, B., Cherbut, C., Galmiche, J.P., 1997 (b)

Comparision of the effect of different short chain fatty acids on the growth and differentiation of human colonic carcinoma cell lines in vitro.

Cell Biology International 21: 281-287

Siiiton, S., Vapaatalo, H., Salminen, S., Gordin, A., Saxelin, M. Et al., 1990

Effect of *Lactobacillus GG* yogurt in prevention of antibiotic associated diarrhea.

Ann. Med. 22:57-59

Silva, M., Jacobus, N.V. et al., 1987

Antimicrobial substance from a human *Lactobacillus* strain.

Antimicrob Agents Chemother, 1231-1233

Simon, O., Weyrauch, K.-D., 1999

Einfluss von Nichtstärke- Polysacchariden und NSP-spaltenden Enzymen auf Morphologie und bakterielle Besiedlung des Gastrointestinaltraktes beim Geflügel.

111. VDLUFA- Kongress in Halle/ Saale: 119

Slomianka, L., 2004

Gut- Associated Lymphoid Tissue- GALT

School of Anatomy and Human Biology- The University of Western Australia

Smith, M.W., 1983

Postnatal development of alanine uptake by pig intestinal villi

Journal Physiology, 1983, 343:78 P

Smith, M.W., Peacock, M.A., 1980

Proc. R. Soc. B. 206, 411-420

Smith, W.E., Kane, A.V., Campbell, S.T., Acheson, D.W.K., Cochran, B.H., Thorpe, C.M., 2003

Shiga toxin 1 triggers a ribotoxic stress response leading to p 38 and JNK activation and induction of apoptosis in intestinal epithelial cells.

Infect. Immun. 71: 497-504

Smits, C.H.M., Te Maarssen, C.A.A., Mouwen, J.M.V.M., Koninkx, J.F.J.G., Beynen, A.C., 2000

The antinutritive effect of a carboxymethylcellulose with high viscosity on lipid digestibility in broiler chickens is not associated with mucosal damage.

J. Anim. Physiol. A. Anim. Nutr. 83:239-245

Smollich, A., Michel, G. 1992

Mikroskopische Anatomie der Haustiere, S.152- 170

Gustav Fischer Verlag Jena, Stuttgart

Snyder, J.D., Walker, W.A., 1987

Structure and function of intestinal mucin: developmental aspects.

Int.Arch Allergy Appl Immunol., 82:351-356

Solis- Pereyra, B., Aattouri, N., Lemonnier, D., 1994

Role of food in stimulation of cytokine production.

Am J Clin Nutr; 66 (suppl):521S-525S

Sperti, G. S., 1971

Probiotics

West Point, CT: Avi Publishing Co

Spreeuwenberg, M.A., Verdonk, J.M., Gaskins, H.R., Verstegen, M.W., 2001

Small intestine epithelial barrier function is compromised in pigs with low feed intake at weaning.

J Nutr 2001 May; 131 (5): 1520-1527

Sprinz, H., 1962

Morphological response of intestinal mucosal cells to enteric bacteria and Asiatic cholera.

Fed. Proc. 21:57-64

Steller, H., 1995

Apoptosis.

Sci. 267: 1442-1449

Stevens- Hooper, C., Blair, M., 1958

The effect of starvation on epithelial renewal in the rat duodenum.

Exp. Cell Res. 14: 175-181

Strous, G.J., Dekker, J., 1992

Mucin- type glycoproteins.

Crit. Rev. Biochem. Mol. Biol. 27: 57-92

Surawicz, C.M., Elmer, G.W., Speelman, P., McFarland, L.V., Chin, J., van Belle, G., 1989

Prevention of antibiotic- associated diarrhea by *Saccharomyces boulardii*: a prospective study.

Gastroenterology 96: 981- 988

Tabata, K., Johnson, L.R., 1986

Mechanism of induction of mucosal ornithine carboxylase by food.

Am. J. Physiol. 251: 370-374

Tabata, K., Johnson, L.R., 1986

Ornithine decarboxylase and mucosal growth in response to feeding.

Am. J. Physiol. 251: 270-274

Takahashi, T., Oka, T., Iwana, H., Kuwata, T., Ymamoto, Y., 1993

Immune response of mice to orally administered lactic acid bacteria.

Biosci Biotechnol Biochem;57: 1557-1560

Tan, X., Hsueh, W., Gonzales-Crussi, F., 1993

Cellular localisation of tumor necrosis factor (TNF)-alpha transcripts in normal bowel and in necrotizing enterocolitis. TNF gene expression by Paneth cells, intestinal eosinophils, and macrophages.

Am. J. Pathol. 142: 1858-1865

Tang, M., Laarveld, B., Van Kessel, A.G., Hamilton, D.L., Estrada, A., Patience, J.F., 1999

Effect of segregated early weaning on postweaning small intestinal development in pigs.

J Anim Sci. 1999 Dec; 77 (12):3191-3200

Teitelbaum, J.E., Allan Walker, W., 2002

Nutritional Impact of Pre- and Probiotics as Protective Gastrointestinal Organisms.
Annu. Rev. Nutr.; 22:107-138

Tejada-Simon, M.V., Ustunol, Z., Pestka, J.J., 1999

Effects of lactic acid bacteria ingestion on basal cytokine mRNA and immunglobulin levels in the mouse.

J Food Prot ; 62: 287-291

Thelen, U., 1997

Einfluss zweier Varianten von *Bacillus cereus* als Probiotika beim frühentwöhnten Ferkel unter Einbeziehung ernährungsphysiologischer, mikrobiologischer, histologischer und hämatologischer Aspekte.

Giessen, Tierärztliche Hochschule, Diss.

Tissier, H., 1906

Le Traitement des Infections Intestinales par la Methode de Transformation de la Flore Bacterienne de l'intestine
C.R. Soc.Biol.60, 359-361

Tomarkin, E., 1893

Lieberkühnsche Krypten und ihre Beziehungen zu den Follikeln beim Meerschweinchen.
Zit. N. Carlens, 1928

Traber, P.G., Gumucio, D.L., Wang, W., 1991

Isolation of intestinal epithelial cells for the study of differential gene expression along crypt-villus axis.
Am. J. Physiol. 260: 895-903

Tuch, K., Amtsberg, G., 1973

Zottenstrukturen im Dünndarm des Schweines. Stereoluppenmikroskopische Befunde.
Zentralblatt für Veterinärmedizin 20 A (Heft 6): 503-518

Tuomola, E.M., Ouwehand, A.C., Salminen, S.J., 2000

Chemical, physical and enzymatic pre-treatments of probiotic lactobacilli alter their adhesion to human intestinal mucus glycoproteins

Int. J Food Microbiology 60: 75-81

Ucker, P.S., 1991

Death by suicide: one way to go in mammalian cellular development?

The new Biologist 3: 103-109

Udin, M., Altmann, G.G., Leblond, C.P., 1984

Radioautographic visualization of differences in the pattern of [³H]uridine and [³H]orotic acid incorporation into the RNA of migrating columnar cells in the rat small intestine.

J. Cell. Biol. 98:1619-1629

Umansky, S.R., 1982

The genetic Programm of cell death. Hypothesis and some applications: transformation, carcinogenesis, ageing.

J. Theor. Biol. 97: 591-602

Uni, Z., Platin, R., Sklan, D., 1998

Cell proliferation in chicken intestinal epithelium occurs both in the crypt and along the villus.

J. Comp. Physiol. B. 168: 241-247

Urase, K., Momoi, T., Fujita, E., Isahara, K., Uchiyama, Y., Tokunaga, A., Nakayama, K., Motoyama, N., 1999

Bcl-xL is a negative regulator of caspase- 3 activation in immature neurons during development.

Brain Res. Dev. Brain Res. 116 : 69-78

Van Briel, C., 2002

Veränderungen der Anzahl und Verteilung von Plasmazellen und

Lymphozytensubpopulationen in der Darmschleimhaut des Schweines nach Applikation von Probiotika.

Dissertation, Tierärztliche Hochschule Hannover

Van der Meulen, J., Koopmans, S.J., Dekker, R.A., Hoogendorn, A., 2003

Weaning at 4 or 7 weeks: consequences for intestinal function and growth.

9th International Symposium on Digestive Physiology in Pigs, Banff, AB, Canada 2, 140

Van Leeuwen, P., Mouwen, J.M.V.M., Van der klis, J.D., Verstegen, M.W.A., 2004

Morphology of the small intestinal mucosal surface of broilers in relation to age, diet formulation, small intestinal microflora and performance.

British Poultry Science Vol. 45 (1): 41-48

Van Nevel, C.J., Decuypere, J.A., Dierick, N., Molly, K., 2003

The Influence of Lentinus Edodes (Shiitake Mushrooms) Preparations on Bacteriological and Morphological Aspects of the Small Intestine in Piglets.

Arch. Anim. Nutr. 57(6):399-412

Vente- Spreeuwenberg, M.A.M., Verdonk, J., Bakker, G.C.M., Beynen, A.C., Verstegen, M.W.A., 2004

Effect of dietary protein source on feed intake and small intestinal morphology in newly weaned piglets.

Livestock Production Sci. 86 (1-3): 169-177

Verdonk, J.M.A.J., Vente-Spreeuwenberg, M.A.M., Bakker, G.C.M., Verstegen, M.W.A., 2003

Adaptation of the intestinal mucosa in weaned pigs is related to intestinal site and modulated by feed intake.

Viera, R., Huska,M., Levkut, M., Kolodzieyski, L., Bartko, P., 1999

Intestinal mucosal morphometry and analysis of CD3 lymphocytes in the intestinal mucosa of piglets after the application of *Lactobacillus*

Acta Veterinaria, Fac. Of Vet. Med, Vol.49, No.5-6, 343-352

Vodovar, N., 1964

Intstin grêle do porc.

Annales des Biologie animale, Biochimie, Biophysique, 4: 113-139

Wiebecke et al., 1969

Virch. Arch. Abt. B Zellpath. 4:164-175

Wiese, F., 2002

Der Einfluss viskositätsbildender Nicht- Stärke- Polysaccharide auf die Morphologie der Dünndarmschleimhaut von Ferkeln.

FU- Berlin, FB Veterinärmedizin, Diss.

Wijsman, J.H., Jinker, R.R., Keijzer, R., van de Velde, C.J.H., Cornelisse, C.J., Van Dierendonck, J.H., 1993

A new method to detect apoptosis in paraffin sections. *in situ* end- labeling of fragmented DNA.

J Histochem Cytochem 41:7-12

Williams, G.T., 1991

Programmed cell death: apoptosis and oncogenesis.

Cell. 65:1097-1098

Wunderlich, P.F., Braum, L., Fumagalli, I., D`Apuzzo, V., Heim, F. et al., 1989

Double- blind repor on the efficacy of lactic- acid producing *Enterococcus* SF68 in the prevention of antibiotic- associated diarrhea and the treatment of acute diarrhea.

J. Int. Med. Res. 17:333-338

Wyllie, A.H., 1981

Cell death: a new classification separating apoptosis from necrosis.

In: Cell Death in Biology and Pathology.

I.D. Bowen and R.A. Lockshin (ed)

Chapman and Hall, London: 9-34

Wyllie, A.H., Morris, R.G., Smith, A.L., Dunlop, P.,1984

Chromatin cleavage in apoptosis: association with condensed chromatin morphology and dependence on macromolecular synthesis.

J. Path. 142: 67-77

Yakult Central Institute for Microbiological Research 1998

Lactobacillus casei strain shirota

Yakult Honsha Company Ltd., Tokyo

Yamauchi, K., Kamisoyama, H., Isshiki, Y., 1996

Effects of fasting and refeeding on structures of the intestinal villi and epithelial cells in White Leghorn hens.

British Poultry Sci. 37: 909-921

Yang, H., Fan, Y., Teitelbaum, D.H., 2003

Intraepithelial lymphocyte- derived interferon- γ evokes enterocyte apoptosis with parenteral nutrition in mice.

Am. J. Physiol. Gastrointest. Liver Physiol. 284: 629-637

Yason, C.V., Summers, B.A., Schat, K.A., 1987

Pathogenesis of rotavirus infection in various age groups of chicken and turkeys: pathology.

Am J Vet Res. 1987 Jun; 48 (6): 927-938

Zehava, U., Sklan, D., 1999

Functional development of the small intestine: cellular and molecular aspects.

Poultry and Avian Biology Reviews 10.3: 167-179

Ziegler, T.R., Almahfouz, A., Pedrini, M.T., et al., 1995

A comparision of rat small intestinal insulin- like growth factor I receptors during fasting and refeeding.

Endocrinology 136: 5148-5154

Zimmermann, B., Bauer, E., Mosenthin, R., 2001

Pro- and prebiotics in pig nutrition- potential modulator of gut health?

J of Anim and Feed Sciences; 10: 47-56

Zufarov, K.A., Chakhava, O.V., Gorskaia, E.M., Iuldashev, Alu, 1979

Structural characteristics of the mucosa of the small intestine in gnotobiote rats.

Arkh Anat Gistol Embriol 1979 May; 76 (5): 55-61