



Figures 2-15 to 2-28: Ehretiaceae. 2-15, 2-19, 2-21: habitus. 2-15: *Ehretia tinifolia*. 2-19: *Halgania cyanea*. 2-21: *Bourreria ovata*. 2-16 to 2-18: aberrant leaf shapes. 2-16: *Cortesia cuneifolia*. 2-17: *Coldenia procumbens*. 2-18: *Ehretia microphylla*. 2-20, 2-22 and 2-23: flowers. 2-20: *Halgania erecta* (connate anthers surrounding the style). 2-22: *Bourreria ovata*. 2-23: *Ehretia cymosa*. 2-24: fruit of *Ehretia cymosa*. 2-25 to 2-28: transverse sections of the fruit. 2-25: *Ehretia cymosa*. 2-26: *Ehretia acuminata*. 2-27: *Ehretia microphylla*. 2-28: *Bourreria teitensis* (original, 2-15 redrawn from BROWNE 1756, 2-19 from [http://155.187.10.12/images/photo\\_cd/732131822162/088.html](http://155.187.10.12/images/photo_cd/732131822162/088.html), 2-20 from TOELKEN & CRAVEN 1986, 2-21 from SARGENT *et al.* 1933, 2-22 from TOMLINSON 1980, 2-23 to 2-25, 2-28 from VERDCOURT 1991, 2-26 from PITOT 1939a).