

11 Literaturverzeichnis

- Adebajo, A. C., Olawode, E. O., Omobuwajo, O. R., Adesanya, S. A., Begrow, F., Elkhawad, A., Akanmu, M. A., Edrada, R., Proksch, P., Schmidt, T. J., Klaes, M., Verspohl, E. J. (2007). Hypoglycaemic constituents of *Stachytarpheta cayennensis* leaf. *Planta Medica* **73** (3): 241-250.
- Andary, C., Ravn, H., Wylde, R., Heitz, A., Motte-Florac, E. (1989). Crassifolioside, a caffeic acid glycoside ester from *Plantago crassifolia*. *Phytochemistry* **28** (1): 288-290.
- Aqil, M., Babayo, Y., Bobboi, A. (1997). Two flavonoid glycosides from *Aspilia africana*. *Ultra Scientist of physical Sciences* **9** (2): 281-284.
- Aquino, R., D' Agosino, M., De Simone, F., Pizza, C. (1988). 4-Arylcoumarin glycosides from *Coutarea hexandra*. *Phytochemistry* **27**: 1827-1830.
- Arene, E. O. (1972). 7,24 (28)-Stigmastadien-3 β -ol from *Vernonia amygdalina*. *Phytochemistry* **11**: 2886-2887.
- Argotte-Ramos, R., Ramírez-Avila, G., Rodríguez-Gutiérrez, M. C., Ovilla-Muñoz, M., Lanz-Mendoza, H., Rodríguez, M. H., González-Cortazar, M., Alvarez, L. (2006). Antimalarial 4-Phenylcoumarins from the Stem Bark of *Hintonia latiflora*. *Journal of Natural Products* **69**: 1442-1444.
- Bailly, E., Jambou, R., Savel, J., Jaureguiberry, G. (1992). *Plasmodium falciparum*: different sensitivity in vitro to E-64 (cysteine protease inhibitor) and Pepstatin A (aspartyl protease inhibitor). *The Journal of Protozoology* **39**: 593-599.
- Barrett, A. J., Kumbhavi, A. A., Brown, M. A., Kirschke, H., Knight, C. G., Tamai, M., Hanada, K. (1982). L-trans-Epoxysuccinylleucylamido (4-guanidino) butane (E-64) and its analogues as inhibitors of cysteine proteinases including cathepsins B, H and L. *The Biochemical Journal* **201**: 189-198.
- Barrett, A. J. (1994). Classification of peptidases. *Methods in Enzymology* **244**: 1-15.
- Becker, K. S., Koncarevic, S., Hunt, N. H. (2005). Oxidative stress and antioxidative defense in malarial parasites. In: Sherman, I. (Hrsg.) *Molecular approaches to malaria*. American Society for Microbiology: 365-383.
- Becker, K., Schirmer, T. (2007). Antioxidative Enzyme des Malariaerregers als Drug-

- Targets. *BIOspektrum Das Magazin für Biowissenschaften* **13**: 138-141.
- Becker, K., Tilley, L., Vennerstrom, J. L., Roberts, D., Rogerson, S., Ginsburg, H. (2004). Oxidative stress in malaria parasite-infected erythrocytes: host-parasite interactions. *International Journal for Parasitology* **34**: 163-189.
- Burkill, H. M. (1985). *The useful plants for West Tropical Africa*. London, Royal Botanical Garden.
- Calis, I., Lahloub, M. F., Rogenmoser, E., Sticher, O. (1984). Isomartynoside, a phenylpropanoid glycoside from *Galeopsis pubescens*. *Phytochemistry* **23** (10): 2313-2315.
- Campanale, N., Nickel, C., Daubenberger, C. A., Wehlan, D. A., Gorman, J. J., Klonis, N., Becker, K., Tilley, L. (2003). Identification and characterization of heme-interacting proteins in the malaria parasite, *Plasmodium falciparum*. *The Journal of Biological Chemistry* **278** (30): 27354-27361.
- Chen, M., Theander, T. G., Christensen, S. B., Hviid, L., Zhai, L., Kharazmi, A. (1994). Licochalcone A, a new antimalarial agent, inhibits in vitro growth of the human malaria parasite *Plasmodium falciparum* and protects mice from *P. yoelii* infection. *Antimicrobial Agents and Chemotherapy* **38** (7): 1470-1475.
- Da Sá Ferreira, I. C. F., Ferrão Vagas, V. M. (1999). Mutagenicity of Medicinal Plant Extracts in *Salmonella*/microsome Assay. *Phytotherapy Research* **13**: 397-400.
- Delle Monache, G., Botta, B., Neto, A. S., De Lima, R. A. (1983). 4-Arylcoumarins from *Coutarea hexandra*. *Phytochemistry* **22**: 1657-1658.
- Dluzewski, A. R., Rangachari, K., Wilson, R. J., Gratzer, W. B. (1986). *Plasmodium falciparum*: protease inhibitors and inhibition of erythrocyte invasion. *Experimental Parasitology* **62**: 416-422.
- Dönges, J. (1980). *Parasitologie*. Stuttgart, Thieme Verlag.
- Domínguez, J. N., Charris, J. E., Lobo, G., Gamboa de Domínguez, N., Moreno, M. M., Riggione, F., Sanchez, E., Olson, J., Rosenthal, P. J. (2001). Synthesis of quinolinyl chalcones and evaluation of their antimalarial activity. *European Journal of Medicinal Chemistry* **36**: 555-560.
- Drahl, C., Cravatt, B. F., Sorensen, E. J. (2005). Protein-Reactive Natural Products. *Angewandte Chemie (International Edition)* **44**: 5788-5809.
- Eckstein-Ludwig, U., Webb, R. J., van Goethem, I. D. A., East, J. M., Lee, A. G.,

- Kimura, P., O'Neill, M., Bray, P. G., Ward, S. A., Krishna, S. (2003). Artemisinines target the SERCA of *Plasmodium falciparum*. *Nature* **424**: 957-961.
- Eggleston, K. K., Duffin, K. L., Goldberg, D. E. (1999). Identification and characterization of falcilysin, a metallopeptidase involved in hemoglobin catabolism within the malaria parasite *Plasmodium falciparum*. *The Journal of Biological Chemistry* **274** (45): 32411-32417.
- Eksi, S., Czesny, B., Greenbaum, D. C., Bogyo, M., Williamson, K. C. (2004). *Plasmodium falciparum* cysteine protease, falcipain 1, reduces oocyst production, not erythrocyte stage growth. *Molecular Microbiology* **53**: 243-250.
- Emig, D., Fülbier, A., Günder, M., Schattel, V. (2005). Peptide, die keine sind – Peptidomimetika- Wirkstoffentwurf SS05 (URL: [http://www-bs.informatik.uni-tuebingen.de/\(09.09.2007\)](http://www-bs.informatik.uni-tuebingen.de/(09.09.2007)))
- Engel, J. C., Doyle, P. S., Hsich, I., McKerrow, J. H. (1998). Cysteine protease inhibitors cure experimental *Trypanosoma cruzi* infection. *The Journal of Experimental Medicine* **188**: 725-734.
- Erasto, P., Grierson, D. S., Afolayan, A. J. (2006). Bioactive sesquiterpene lactones from the leaves of *Vernonia amygdalina*. *Journal of Ethnopharmacology* **106**: 117-120.
- Francis, S. E., Banerjee, R., Goldberg, D. E. (1997). Biosynthesis and maturation of the malaria aspartic hemoglobins plasmepsins I and II. *The Journal of Biological Chemistry* **272**: 14961-14968.
- Freshney, R. I. (1990). *Tierische Zellkulturen: Ein Methodenhandbuch*. De Gruyter Berlin, New York: 259-260.
- Frölich, S., Schubert, C., Bienzle, U., Jenett-Siems, K. (2005). *In vitro* antiplasmodial activity of prenylated chalcone derivatives of hop (*Humulus lupulus*) and their interaction with haemin. *The Journal of Antimicrobial Chemotherapy* **55**: 883-887.
- Gessler, M. C., Nkunya, M. H. H., Mwasunmbi, L. B., Heinrich, M., Tanner, M. (1994). Screening Tanzanian medicinal plants for antimalarial activity. *Acta Tropica* **56**: 65-77.
- Ginsburg, H., Famin, O., Zhang, J., Krugliak, M. (1998). Inhibition of Glutathione-

- dependent Degradation of Heme by Chloroquine and Amiodiaquine as a Possible Basis for their Antimalarial Mode of Action. *Biochemical Pharmacology* **56**: 1305-1313.
- Go, M. L. (2003). Novel antiplasmodial agents. *Medicinal Research Reviews* **23** (4): 456-487.
- Goh, S. L., Goh, L. L., Sim, T. S. (2005). Cysteine protease falcipain 1 in *Plasmodium falciparum* is biochemically distinct from its isoenzymes. *Parasitology Research* **97**: 295-301.
- Greenbaum, D. C., Baruch, A., Grainger, M., Bozdech, Z., Medzihradzky, K. F., Engel, J., DeRisi, J., Holder, A. A., Bogyo, M. (2002). A role for the protease falcipain 1 in host cell invasion by the human malaria parasite. *Science* **298**: 2002-2006.
- Habourne, J. B. (1994). *The Flavonoids*. London, New York, Chapman & Hall.
- Hänsel, R., Schulz, J. (1988). Desmethylxanthohumol: Isolierung aus Hopfen und Cyclisierung zu Flavanonen. *Archiv der Pharmazie* **321**: 37-40.
- Hakizamungu, E., van Puyvelde, L., Wery, M. (1992). Screening of Rwandese medicinal plants for anti-trichomonas activity. *Journal of Ethnopharmacology* **36**: 143-146.
- Hanada, K., Tamai, M., Yamagishi, S., Ohmura, J., Sawada, I., Tanaka, I. (1978). Studies on thiol protease inhibitors. Part I. Isolation and characterization of E-64, a new thiol proteinase inhibitor. *Agricultural and Biological Chemistry* **42**: 523-528.
- Hayden, W. J. (2005). Flora of Kaxil Kiuic. Biocultural Reserve, Yucatan, Mexico. (URL: http://www.oncampus.richmond.edu/academics/flora-kiuic/e/exostema_mexicanum.html (12.10.2005)).
- Hiller, N., Fritz-Wolf, K., Deponte, M., Wende, W., Zimmermann, H., Becker, K. (2006). *Plasmodium falciparum* glutathione S-transferase-structural and mechanistic studies on ligand binding and enzyme inhibition. *Protein Science* **15**: 281-289.
- Huffman, M. A., Seifu, M. (1989). Observations on the illness and consumption of a possibly medicinal plant *Vernonia amygdalina* (Del.), by a wild chimpanzee in the Mahale Mountains National Park, Tanzania. *Primates* **30**: 51-63.

- Huy, N. T., Kamei, K., Kondo, Y., Serada, S., Kanaori, K., Takano, R., Tajima, K., Hara, S. (2002). Effect of antifungal azoles on the heme detoxification system of malarial parasite. *The Journal of Biochemistry* **131** (3): 437-444.
- Hyde, M., Wursten, B. (2006). *Flora of Zimbabwe*. (URL: <http://www.zimbabweflora.co.zw> (05.06.2006)).
- Igile, G. O., Oleszek, W., Jurzysta, M., Burda, S., Fafunso, M., Fasanmade, A. A. (1994). Flavonoids from *Vernonia amygdalina* and their antioxidant activities. *Journal of Agricultural and Food Chemistry* **42**: 2445-2448.
- Ito, A., Chai, H. B., Shin, Y. G., Garcia, R., Mejía, M., Gao, Q., Fairchild, C. R., Lane, K. E., Menendez, A. T., Farnsworth, N. R., Cordell, G. A., Pezzuto, J. M., Kinghorn, A. D. (2000). Cytotoxic constituents of the roots of *Exostema acuminatum*. *Tetrahedron* **56**: 6401-6405.
- Iwu, M. M. (1993). *Handbook of African Medicinal Plants*. Florida, CRP Press Boca Raton.
- Jeffrey, C. (1967). Cucurbitaceae. In: Milne-Redhead, E., Polhill, R. M., Editors. *Flora of Tropical East Africa*. Crown Agents, London, UK.
- Jenett-Siems, K. (2002). Untersuchung ethnobotanisch genutzter afrikanischer und mittelamerikanischer Arzneipflanzen im Hinblick auf Phytochemie und *in-vitro*-Aktivität gegen *Plasmodium falciparum*. Fachbereich Pharmazie. Berlin, Freie Universität Berlin. (Habilitationsschrift)
- Jiménez, C., Riguera, R. (1994). Phenylethanoid Glycosides in Plants: Structure and Biological Activity. *Natural Product Reports* **11** (6): 591-606.
- Jisaka, M., Kawanaka, M., Sugiyama, H., Takegawa, K., Huffman, M. A., Ohigaski, H., Koshimizu, K. (1992). Antischistosomal activities of sesquiterpene lactones and steroid glucosides from *Vernonia amygdalina*, possibly used by wild chimpanzees against parasite-related diseases. *Bioscience, Biotechnology and Biochemistry* **56** (5): 845-846.
- Kawada, T., Asano, R., Makino, K. (2002) Synthesis of isoacteoside, a dihydroxyphenylethyl glycoside. *Journal of Wood Science* **48**: 512-515.
- Kayser, F. H., Böttger, E. C., Zinkernagel, R. M., Haller, O., Eckert, J., Deplazes, P. (2005). *Medizinische Mikrobiologie*. Stuttgart, Thieme Verlag.
- Kiszewski, A., Mellinger, A., Spielman, A., Malaney, P., Ehrlich Sachs, S., Sachs, J.

- (2004). A global index representing the stability of malaria transmission. *The American Journal of Tropical Medicine and Hygiene* **70** (5): 486-498.
- Köhler, I. (2002). Evaluierung antiplasmodial wirkender partialsynthetischer Ergoline und *in-vitro*-Aktivitätsgeleitete Fraktionierung von traditionellen tropischen Heilpflanzen gegen Malaria. Fachbereich Pharmazie. Berlin, Freie Universität Berlin. (Thesis)
- Köhler, I., Jenett-Siems, K., Mockenhaupt, F. P., Siems, K., Jakupovic, J., González, J. C., Hernández, M. A., Ibarra, R. A., Berendsohn, W. G., Bienzle, U., Eich, E. (2001). *In vitro* antiplasmodial activity of 4-phenylcoumarins from *Exostema mexicanum*. *Planta Medica* **67**: 89-91.
- Kraft, C. (2003). Traditionell gegen Malaria eingesetzte Arzneipflanzen: *In-vitro*-Aktivität pflanzlicher Extrakte und isolierter Naturstoffe aus dem Phenylpropan- und Terpen-Stoffwechsel gegen *Plasmodium falciparum*. Fachbereich Pharmazie. Berlin, Freie Universität Berlin. (Thesis)
- Krauth-Siegel, R- L., Bauer, H., Schirmer, T. (2005). Dithiol proteins as guardians of the intracellular redox milieu in parasites: old and new drug targets in Trypanosomes and Malaria-causing Plasmodia. *Angewandte Chemie (International Edition)* **44**: 690-715.
- Kuiate, J. R., Amvam Zollo, P. H., Lamaty, G., Menut, C., Bessière, J. M. (1999). Composition of the essential oils from the leaves of two varieties of *Aspilia africana* (Pers.) C. D. Adams from Cameroon. *Flavour and Fragrance Journal* **14**: 167-169.
- Kumar, A., Kumar, K., Korde, R., Kumar Puri, S., Malhotra, P., Singh Chauhan, V. (2007). Falcipain-1, a *Plasmodium falciparum* Cysteine Protease with Vaccine Potential. *Infection and Immunity* **75** (4): 2026-2034.
- Kumar, S., Guha, M., Choubey, V., Maity, P., Bandyopadhyay, U. (2007). Antimalarial drugs inhibiting hemozoin (β -hematin) formation: A mechanistic update. *Life Sciences* **80**: 813-828.
- Kupchan, S. M., Hemingway, R. J., Karim, A., Werner, D. (1969). Tumor inhibitors. XLVII. Vernodalin and Vernomygdin, Two New Cytotoxic Sesquiterpene Lactones from *Vernonia amygdalina* Del. *The Journal of Organic Chemistry* **34**: 3908-3911.

- Landry, L. G., Chapple, C. C. S., Last, R. L. (1995). Arabidopsis Mutants Lacking Phenolic Sunscreens Exhibit Enhanced Ultraviolet-B Injury and Oxidative Damage. *Plant Physiology* **109**: 1159-1166.
- Lange, B. M., Ketchum, R. E. B., Croteau, R. B. (2001). Isoprenoid biosynthesis. Metabolite profiling of peppermint oil gland secretory cells and application to herbicide target analysis. *Plant Physiology* **127**: 305-314.
- Li, R., Kenyon, G. L., Cohen, F. E., Chen, X., Gong, B., Dominguez, J. N., Davidson, E., Kurzban, G., Miller, R. E., Nuzum, E. O., Rosenthal, P. J., Mc Kerrow, J. H., (1995). *In vitro* antimalarial activity of chalcones and their derivatives. *Journal of Medicinal Chemistry* **38**: 5031-5037.
- Likhitwitayawuid, K., Angerhofer, C. K., Chai, H., Pezzuto, J. M., Cordell, G. A. (1993). Cytotoxic and antimalarial alkaloids from the tubers of *Stephania pierrei*. *Journal of Natural Products* **56**: 1468-1478.
- Lind, E. M., Tallantire, A. C. (1962). Some common flowering plants of Uganda. Makerere University College, Oxford University Press.
- Liu, M., Wilairat, P., Croft, S. L., Lay-Choo Tan, A., Go, M.-L. (2003). Structure-activity relationship of antileishmanial and antimalarial chalcones. *Bioorganic and Medicinal Chemistry* **11**: 2729-2738.
- Madigan, M. T., Martinko, J. M. (2006). Brock Mikrobiologie. München, Pearson Studium.
- Marechal, E., Cesbron-Delauw, M. F. (2001). The apicoplast: a new member of the plastid family. *Trends in Plant Science* **6**: 200-205.
- Marquis, V. O., Adanlawo, T. A., Olaniyi, A. A. (1977). The effect of foetidin from *Momordica foetida* on blood glucose level of albino rats. *Planta Medica* **31**: 367-374.
- Mata, R., Albor, C., Pereda-Miranda, R., Mc Laughlin, J. (1990b). Cytotoxic constituents of *Exostema mexicanum*. *Planta Medica* **56**: 241.
- Mata, R., Calzada, F., Garcia, M. R., Reguero, M. T. (1987). Chemical studies on mexican plants used in traditional medicine, III: New 4-phenylcoumarins from *Exostema caribaeum*. *Journal of Natural Products* **50**: 866-871.
- Mata, R., Del Rayo Camacho, M., Cervera, E., Bye, R., Linares, E. (1990a). Secondary metabolites from *Hintonia latiflora*. *Phytochemistry* **29**: 2037-2040.

- Mc Dowell, T., Bremer, B. (1998). Phylogeny, diversity, and distribution in *Exostema* (Rubiaceae): implications of morphological and molecular analyses. *Plant Systematics and Evolution* **212**: 215-246.
- Milligan, S. R., Kalita, J. C., Pocock, V., Van de Kauter, V., Stevens, J. F., Deinzer, M. L., Rong, H., De Keukeleire, D. (2000). The endocrine activities of 8-prenylnaringenin and related hop (*Humulus lupulus* L.) flavonoids. *The Journal of Clinical Endocrinology & Metabolism* **85**: 4912-4915.
- Miranda, C. L., Stevens, J. F., Helmrich, A., Henderson, M. C., Rodriguez, R. J., Yang, Y.-H., Deinzer, M. L., Barnes, D. W., Buhler, D. R. (1999). Antiproliferative and cytotoxic effects of prenylated flavonoids from hop (*Humulus lupulus*) in human cancer cell lines. *Food and Chemical Toxicology* **37**: 271-285.
- Miranda, C. L., Stevens, J. F., Ivanov, V., McCall, M., Frei, B., Deinzer, M. L., Buhler, D., R. (2000). Antioxidant and prooxidant actions of prenylated and nonprenyated chalcones and flavanones *in vitro*. *Journal of Agriculture and Food Chemistry* **48**: 3876-3884.
- Miyase, T., Koizumi, A., Ueno, A., Tadataka, N., Kuroyanagi, M., Fukushima, S., Akiyama, Y., Takemoto, T. (1982). Studies on the acyl glycosides from *Leucoseptum japonicum* (Miq.) Kitamura et Murata. *Chemical & Pharmaceutical Bulletin* **30** (8): 2732-2737.
- Moldenke, H. N. (1973). *Flora of Panama Part IX Family 168 Verbenaceae*, Missouri Botanical Garden Press.
- Morton, J. F. (1981). *Atlas of Medicinal Plants of Middle America, Bahamas to Yucatan*. Springfield, IL, Thomas, C Charles.
- Mosmann, T. (1983). Rapid colorimetric assay for cellular growth and survival: application to proliferation and cytotoxicity assays. *Journal of Immunological Methods* **65**: 55-63.
- Motta, L. F., Gaudio, A. C., Takahata, Y. (2006). Quantitative structure-activity relationships of a series of chalcone derivatives (1,3-diphenyl-2-propen-1-one) as anti *Plasmodium falciparum* agents (Anti Malaria Agents). *Internet Electronic Journal of Molecular Design* **5**: 555-569.
- Müller, S. (2004). Redox and antioxidant systems of the malaria parasite *Plasmodium falciparum*. *Molecular Microbiology* **53** (5): 1291-1305.

- Mulholland, D. A., Sewram, V., Osborne, R., Pegel, K. H., Connolly, J. D. (1997). Cucurbitane triterpenoids from the leaves of *Momordica foetida*. *Phytochemistry* **45**: 391-395.
- Mun'im, A., Osamu, N., Ozawa, T. (2003). Antioxidative compounds from *Crotalaria sessiliflora*. *Bioscience, Biotechnology and Biochemistry* **67**: 410-414.
- Nielsen, J. K., Nørbæk, R., Olsen, C. E. (1998). Kaempferol tetraglucosides from cabbage leaves. *Phytochemistry* **49** (7): 2171-2176.
- Noster, S. (1992). Untersuchung der Copalchi-Rinden unter besonderer Berücksichtigung von *Coutarea hexandra* (Jacq.) Schum., *Exostema caribaeum* (Jacq.) Schum., *Exostema mexicanum* Gray und *Hintonia latiflora* (Sessé & Moc. ex DC.) Bullock. Hamburg, Universität Hamburg. (Thesis)
- Ohigashi, H., Huffman, M. A., Izutsu, D., Koshimizu, K., Kawanaka, M., Sugiyama, H., Kirby, G. C., Warhurst, D. C., Allen, D., Wright, C. W., Phillipson, J. D., Timon-David, P., Delmas, F., Elias, R., Balansard, G. (1994). Toward the chemical ecology of medicinal plant use in chimpanzees: the case of *Vernonia amygdalina*, a plant used by wild chimpanzees possibly for parasite-related diseases. *Journal of Chemical Ecology* **20** (3): 541-553.
- Okuhara, M., Kuroda, Y., Goto, T., Okamoto, M., Terano, H., Kohsaka, M., Aoki, H., Imanaka, H. (1980). Studies on new phosphonic acid antibiotics III: Isolation and characterization of FR-31564, FR-32863, and FR-33289. *The Journal of Antibiotics (Tokyo)* **33**: 24-28.
- Olaniyi, A. A. (1975a). A neutral constituent of *Momordica foetida*. *Journal of Natural Products* **38**: 361-362.
- Olaniyi, A. A. (1980). 1 β -Hydroxyfriedel-6(7)-ene-3-one from *Momordica foetida*. *Journal of Natural Products* **40**: 303-305.
- Olaniyi, A. A., Marquis, V. O. (1975b). Phytochemical and preliminary pharmacological investigation of the alkaloid obtained from *Momordica foetida*. *Journal of Pharmacy (Yaba Nigeria)* **6**: 117-119.
- O'Neill, M. J., Bray, D. H., Boardman, P., Phillipson, J. D., Warhurst, D. C. (1985). Plants as sources of antimalarial drugs. Part 1. *In vitro* test method for the evaluation of crude extracts from plants. *Planta Medica* **51**: 394-398.
- O'Neill, P. L., Posner, G. H. (2004). A medicinal chemistry perspective on Artemisinin

- and related endoperoxides. *Journal of medicinal chemistry* **47**: 2945-2964.
- Paganotti, G. M., Palladino, C., Coluzzi, M. (2004). Der Ursprung der Malaria. *Spektrum der Wissenschaft* **3**: 82-89.
- Rawlings, N. D., Barrett, A. J. (1993). Evolutionary families of peptidases. *The Biochemical Journal* **290** (1): 205-218.
- Rawlings, N. D., Tolle, D. P., Barrett, A. (2004). MEROPS: the peptidase database. *Nucleic Acids Research* **32**: D160-D164. URL (<http://merops.sanger.ac.uk/>)
- Ridley, R. L. (2003). To kill a parasite. *Nature* **424**: 887-889.
- Rohmer, M., Knani, M., Simonin, P., Sutter, B., Sahm, H. (1993). Isoprenoid biosynthesis in bacteria: a novel pathway for the early steps leading to isopentenyl diphosphate. *The Biochemical journal* **295**: 517-524.
- Rosenthal, P. J., McKerrow, J. H., Aikawa, M., Nagasawa, H., Leech, J. H. (1988). A malarial cysteine proteinase is necessary for hemoglobin degradation by *Plasmodium falciparum*. *The Journal of Clinical Investigation* **82**: 1560-1566.
- Rosenthal, P. J., Wollish, W. S., Palmer, J. T., Rasnick, D. (1991). Antimalarial Effects of Peptide Inhibitors of a *Plasmodium falciparum* Cysteine Proteinase. *The Journal of Clinical Investigation* **88**: 1467-1472.
- Rosenthal, P. J. (2004). Cysteine proteases of malaria parasites. *International Journal for Parasitology* **34**: 1489-1499.
- Roush, W. R., Hernandez, A. A., McKerrow, J. H., Selzer, P. M., Hansell, E., Engel, J. C. (2000). Design, synthesis and evaluation of D-homophenylalanyl epoxysuccinate inhibitors of the trypanosomal cysteine protease cruzain. *Tetrahedron* **56**: 9747-9762.
- Rwangabo, P. C. (1993). *La médecine traditionnelle au Rwanda*. Paris, Edition Karthala and ACCT, France.
- Sajid, M., McKerrow, J. H. (2002). Cysteine proteases of parasitic organisms. *Molecular and Biochemical Parasitology* **120**: 1-21.
- Salas, F., Fichmann, J., Lee, G. K., Scott, M. D., Rosenthal, P. J. (1995). Functional expression of falcipain, a *Plasmodium falciparum* cysteine proteinase, supports its role as a malarial hemoglobinase. *Infection and Immunity* **63**: 2120-2125.
- Saleh, Y., Siewiński, M., Sebzda, T., Grybos, M., Pawelec, M., Janocha, A. (2003). Effects of combined *in vivo* treatment of transplantable solid mammary

- carcinoma in Wistar rats using vitamin E and cysteine peptidase inhibitors from human placenta. *Journal of Experimental Therapeutics and Oncology* **3**: 95-102.
- Sasaki, H., Nishimura, H., Chin, M., Mitsunashi, H. (1989). Hydroxycinnamic acid esters of phenylethylalcohol glycosides from *Rehmannia glutinosa* var. *pupurea*. *Phytochemistry* **28** (3): 875-879.
- Sasaki, H., Taguchi, H., Endo, T., Yosioka, I., Higashiyama, K., Otomasu, H. (1978). The glycosides of *Martynia lousiana* Mill. A new phenylpropanoid glycoside, Martynoside. *Chemical & Pharmaceutical Bulletin* **26** (7): 2111-2121.
- Schechter, I., Berger, A. (1967). On the size of the active site in proteases. I. Papain. *Biochemical and biophysical research communications* **27**: 157-162.
- Schmittmann, T., Rotscheidt, K., Breitmaier, E. (1994). Drei neue Steroidsaponine aus *Vernonia amygdalina* (Compositae). *Journal für praktische Chemie* **336**: 225-232.
- Semmar, N., Fenet, B., Gluchoff-Fiasson, K., Comte, G., Jay, M. (2002). New Flavonol tetraglycosides from *Astragalus caprinus*. *Chemical & Pharmaceutical Bulletin* **50** (7): 981-984.
- Silva, W. P. K., Deraniyagala, S. A., Wijesundera, R. L. C., Karunanayake, E. H., Priyanka U. M. S (2001). Isolation of scopoletin from leaves of *Hevea brasiliensis* and the effect of scopoletin on pathogens of *H. brasiliensis*. *Mycopathologia* **153**: 199-202.
- Schapoval, E. E. S., Winter de Vargas, M. R., Chaves, C. G., Bridi, R., Zuanazzi, J. A., Henriques, A. T. (1998). Antiinflammatory and antinociceptive activities of extracts and isolated compounds from *Stachytarpheta cayennensis*. *Journal of Ethnopharmacology* **60**: 53-59.
- Schimmer, O., Kruger, A., Paulini, H., Haefele, F. (1994). An evaluation of 55 commercial plant extracts in the Ames mutagenicity test. *Pharmazie* **49**: 448-451.
- Shenai, B. R., Sijwali, P., Sing, A., Rosenthal, P. J. (2000). Characterization of native and recombinant falcipain-2a a principal trophozoite cysteine protease and essential hemoglobins of *Plasmodium falciparum*. *The Journal of Biological Chemistry* **275**: 29000-29100.
- Shenai, B. R., Lee, B. J., Alvarez-Hernandez, A., Chong, P. Y., Emal, C. D., Neitz, R.

- J., Roush, W. R., Rosenthal, P. J. (2003). Structure-activity relationships for inhibition of cysteine protease activity and development of *Plasmodium falciparum* by peptidyl vinyl sulfones. *Antimicrobial Agents and Chemotherapy* **47**: 154-160.
- Simon, A., Chulia, A. J., Kaouadji, M., Delage, C. (1994). Quercetin-3-[triacetyl-arabinosyl-(1→6)-galactoside] and chromones from *Calluna vulgaris*. *Phytochemistry* **36**: 1043-1045.
- Sijwali, P., Brinen, L., Rosenthal, P. J. (2001). System optimization of expression and refolding of the *Plasmodium falciparum* cysteine protease falcipain-2. *Protein Expression and Purification* **22**: 128-134.
- Sijwali, P., Kato, K., Seydel, K. B., Gut, J., Lehmann, J., Klemba, M., Goldberg, D. E., Miller, L. H., Rosenthal, P. J. (2004). *Plasmodium falciparum* cysteine protease falcipain-1 is not essential in erythrocytic stage malaria parasite. *Proceedings of the National Academy of Sciences of the United States of America* **101**: 8721-8726.
- Slater, A. F., Cerami, A. (1992). Inhibition by chloroquine of a novel haem polymerase enzyme activity in malaria trophozoites. *Nature* **355** (6356): 167-169.
- Steele, J. C. P., Phelps, R. J., Simmonds, M. S. J., Warhurst, D. C., Meyer, D. J. (2002). Two novel assays for the detection of haemin-binding properties of antimalarials evaluated with compounds isolated from medicinal plants. *The Journal of Antimicrobial Chemotherapy* **50**: 25-31.
- Surolia, N., RamachandraRao, S. P., Surolia, A. (2002). Paradigm shifts in malaria parasite biochemistry and anti-malarial chemotherapy. *BioEssays* **24**: 192-196.
- Surolia, N., Surolia, A. (2001). Triclosan offers protection against blood stages of malaria by inhibiting enoyl-ACP reductase of *Plasmodium falciparum*. *Nature Medicine* **7**: 167-173.
- Takahashi, K., Sawasaki, Y., Hata, J., Mukai, K., Goto, T. (1990). Spontaneous transformation and immortalization of human endothelial cells. *In Vitro Cellular & Developmental Biology* **26**: 265-274.
- Tanaka, R., Matsunaga, S. (1989). Loliolide and Olean-12-en-3 β , 9 α , 11 α -triol from *Euphorbia supina*. *Phytochemistry* **28**: 1699-1702.
- Teborg, D., Junior, P. (1989). Martynoside and the novel dimeric open-chain

- monoterpene glucoside Digipenstroside from *Penstemon digitalis*. *Planta Medica* **55**: 474-476.
- Teguia, A., Tchoumboue, J., Mayaka, B. T., Tnakou, C. M. (1993). The growth of broiler chickens as affected by the replacement of graded levels of maize by sweet potato leaves (*Ipomoea batatas*) or Ndole (*Vernonia spp.*) in the finisher diet. *Animal Feed Science and Technology* **40**: 223-237.
- Waako, P. J., Gumede, B., Smith, P., Folb, P. I. (2005a). The in vitro and in vivo antimalarial activity of *Cardiospermum halicacabum* L. and *Momordica foetida* Schumch. Et Thonn. *Journal of Ethnopharmacology* **99**: 137-143.
- Waako, P. J., Smith, P., Folb, P. I. (2005b). In vitro interactions of *Aspilia africana* (Pers.) C. D. Adams, a traditional antimalarial medicinal plant, with Artemisinin against *Plasmodium falciparum*. *Journal of Ethnopharmacology* **102**: 262-268.
- Wagner, H., Blatt, S., Zgainski, E. M. (1983). *Drogenanalyse: Dünnschichtchromatographische Analyse von Arzneistoffen*. Berlin, Heidelberg, New York, Springer Verlag.
- Wagner, U. (2002). Alle 40 Sekunden stirbt ein Kind an Malaria. *Pharmazeutische Zeitung* **147**: 38-50.
- Watt, J. M., Breyer-Brandwijk, M. G. (1962). *The medicinal and poisonous plants of southern and western Africa*. Edinburgh, E. & S. Livingstone Ltd.
- Wenk, P., Renz, A. (2003). *Parasitology: Biologie der Humanparasiten*. Stuttgart, Thieme Verlag.
- WHO. (2004). *International Travel and Health*, World Health Organization: Geneva, Switzerland. (URL: <http://www.who.int>)
- WHO. (2005). *World Malaria Report*, World Health Organization: Geneva, Switzerland. (URL: <http://www.who.int>)
- WHO. (2006). *Guidelines for the treatment of malaria*/World Health Organization. (URL: <http://www.who.int/malaria/docs/TreatmentGuidelines2006.pdf>).
- Wiesner, J., Ortmann, R., Jomaa, H., Schlitzer, M. (2003). Neue Antimalaria-Wirkstoffe. *Angewandte Chemie* **115**: 5432-5451.
- Wiesner, J., Seeber, F. (2005). The plastid-derived organelle of protozoan human parasites as a target of established and emerging drugs. *Expert Opinion on Therapeutic Targets* **9** (1): 23-44.

- Yahara, S., Kohjyouma, M., Kohoda, H. (2000). Flavonoids glycosides from *Astragalus shikokianus*. *Phytochemistry* **53**: 469-471.
- Yayon, A., Timberg, R., Freidman, S., Ginsburg, H. (1984). Effects of chloroquine on the feeding mechanism of the intraerythrocytic human malarial parasite *Plasmodium falciparum*. *The Journal of Protozoology* **31** (3): 367-372.
- Zapesochnaya, G. G., Kurkin, V. A., Braslavskii, V. B., Filatova, N. V. (2002). Phenolic compounds of *Salix acutifolia* Berk. *Chemistry of Natural Compounds* **38**: 314-318.
- Ziegler, J., Linck, R., Wright, D. W. (2001). Heme Aggregation inhibitors: antimalarial drugs targeting an essential biomineralization process. *Current Medicinal Chemistry* **8** (2): 171-189.