

8. Literatur

Aerssens, J., S. Boonen, G. Lowetand, J. Dequeker (1998). "*Interspecies differences in bone composition, density, and quality: potential implications for in vivo bone research.*" *Endocrinology* 139(2): 663-670.

Amling, M., and G. Delling (1996). "*Cell biology of osteoclasts and molecular mechanisms of bone resorption.*" *Pathologe* 17(5): 358-367.

Anderson, D.E., and G. St Jean (1996). "*External skeletal fixation in ruminants.*" *Vet Clin North Am Food Anim Pract* 12(1): 117-152.

Anderson, L.D. (1993). "*Compression plate fixation and the effect of different types of internal fixation on fracture healing.*" *Instr Course Lect* 42: 3-16; discussion 16-18.

Aro, H.T., and E.Y. Chao (1993). "*Biomechanics and biology of fracture repair under external fixation.*" *Hand Clin* 9(4): 531-542.

Aro, H.T., B.W. Wippermann, S.F. Hodgson and E.Y. Chao (1990). "*Internal remodeling of periosteal new bone during fracture healing.*" *J Orthop Res* 8(2): 238-246.

Augat, P., J. Merk, A. Ignatius, K. Margevicius, G. Bauer, D. Rosenbaum and L. Claes (1996). "*Early, full weightbearing with flexible fixation delays fracture healing.*" *Clin Orthop*(328): 194-202.

Autefage, A. (2000). "*The point of view of the veterinary surgeon: bone and fracture.*" *Injury* 31(Suppl 3): C50-55.

Behrens, F. (1989). "*General theory and principles of external fixation.*" *Clin Orthop*(241): 15-23.

Bhandari, M., G.H. Guyatt, M.F. Swiontkowski and E.H. Schemitsch (2001). "*Treatment of open fractures of the shaft of the tibia.*" *J Bone Joint Surg Br* 83(1): 62-68.

Blachut, P.A., P.J. O'Brien, R.N. Meek and H.M. Broekhuysse (1997). "*Interlocking intramedullary nailing with and without reaming for the treatment of closed frac-*

tures of the tibial shaft. A prospective, randomized study." J Bone Joint Surg Am 79(5): 640-646.

Bone, L.B., S. Kassman, P. Stegemann and J. France (1994). "Prospective study of union rate of open tibial fractures treated with locked, unreamed intramedullary nails." J Orthop Trauma 8(1): 45-49.

Boudrieau, R.J., and K.R. Sinibaldi (1992). "Principles of long bone fracture management." Semin Vet Med Surg (Small Anim) 7(1): 44-62.

Bourque, W. T., and M. Gross (1992). "A reproducible method for producing and quantifying the stages of fracture repair." Lab Anim Sci 42(4): 369-374.

Braun, W., and A. Ruter (1996). "Fracture healing. Morphologic and physiologic aspects." Unfallchirurg 99(1): 59-67.

Brighton, C.T. (1984). "The biology of fracture repair." Instr Course Lect 33: 60-82.

Brunner, E., and F. Langer (1999). *Nichtparametrische Analyse longitudinaler Daten*. Universität Göttingen, R. Oldenbourg Verlag München Wien.

Bucher, O., und H. Wartenberg (1997). *Cytologie, Histologie und mikroskopische Anatomie des Menschen*, Verlag Hans Huber, Bern.

Carter, D.R., G.S. Beaupre, N.J. Giori and J.A. Helms (1998). "Mechanobiology of skeletal regeneration." Clin Orthop (355 Suppl): S41-55.

Chao, E. Y., and T. J. Hein (1988). "Mechanical performance of the standard Orthofix external fixator." Orthopedics 11(7): 1057-1069.

Chao, E.Y., H.T. Aro, D.G. Lewallen and P.J. Kelly (1989). "The effect of rigidity on fracture healing in external fixation." Clin Orthop(241): 24-35.

Claes, L. (1990). "[The biomechanics of osteosynthesis]." Aktuelle Probl Chir Orthop 34: 32-38.

Claes, L., P. Augat, G. Suger and H.J. Wilke (1997). "Influence of size and stability of the osteotomy gap on the success of fracture healing." J Orthop Res 15(4): 577-584.

Claes, L., C. Burri, H. Gerngross and W. Mutschler (1985). “*Bone healing stimulated by plasma factor XIII. Osteotomy experiments in sheep.*” *Acta Orthop Scand* 56(1): 57-62.

Claes, L., K. Eckert-Hubner and P. Augat (2002a). “*The effect of mechanical stability on local vascularization and tissue differentiation in callus healing.*” *J Orthop Res* 20(5): 1099-1105.

Claes, L., R. Grass, T. Schmickal, B. Kisse, C. Eggers, H. Gerngross, W. Mutschler, M. Arand, T. Wintermeyer and A. Wentzensen (2002b). “*Monitoring and healing analysis of 100 tibial shaft fractures.*” *Langenbecks Arch Surg* 387(3-4): 146-152.

Claes, L., S. Wolf and P. Augat (2000). “[*Mechanical modification of callus healing*].” *Chirurg* 71(9): 989-994.

Claes, L.E., C.A. Heigele, C. Neidlinger-Wilke, D. Kaspar, W. Seidl, K.J. Margevicius and P. Augat (1998). “*Effects of mechanical factors on the fracture healing process.*” *Clin Orthop*(355 Suppl): S132-147.

Clasper, J.C., and S.J. Parker (1999). “*Contamination of the medullary canal following pin-tract infection.*” *J Orthop Res* 17(6): 947-952.

Clasper, J.C., L.B. Cannon, S.A. Stapley, V.M. Taylor and P.E. Watkins (2001). “*Fluid accumulation and the rapid spread of bacteria in the pathogenesis of external fixator pin track infection.*” *Injury* 32(5): 377-381.

Clemente, C.D. (1987). *Anatomy - A regional Atlas of the human Body*. München, Urban&Schwarzenberg.

Cornell, C.N., and J.M. Lane (1992). “*Newest factors in fracture healing.*” *Clin Orthop*(277): 297-311.

Cozma, T., O. Alexa and C. Iancu (2000). “*Ender nailing versus external fixation in the stabilization of type III open tibial shaft fractures.*” *Rev Med Chir Soc Med Nat Iasi* 104(3): 77-81.

Cruess, R.L., and J. Dumont (1975). “*Fracture healing.*” *Can J Surg* 18(5): 403-413.

- Duda, G.N., F. Mandruzzato, M. Heller, J. Goldhahn, R. Moser, M. Hehli, L. Claes and N.P. Haas** (2001). "*Mechanical boundary conditions of fracture healing: borderline indications in the treatment of unreamed tibial nailing.*" J Biomech 34(5): 639-650.
- Duda, G. N., S. Sporrer, M. Sollmann, J. E. Hoffmann, J. P. Kassi, C. Khodadadyan and M. Raschke** (2003). "*Interfragmentary movements in the early phase of healing in distraction and correction osteotomies stabilized with ring fixators.*" Langenbecks Arch Surg 387(11-12): 433-440.
- Einhorn, T.A.** (1998). "*The cell and molecular biology of fracture healing.*" Clin Orthop (355 Suppl): S7-21.
- Eitel, F., H. Seiler and L. Schweiberer** (1981 a). "*Morphologic examination of animal-experiment results: comparison with regeneration of the human bone-structure. I. Research methods.*" Unfallheilkunde 84(6): 250-254.
- Eitel, F., F. Klapp, W. Jacobson and L. Schweiberer** (1981 b). "*Bone regeneration in animals and in man. A contribution to understanding the relative value of animal experiments to human pathophysiology.*" Arch Orthop Trauma Surg 99(1): 59-64.
- Eitel, F., H. Seiler and L. Schweiberer** (1981 a). "*Morphologic examination of animal-experiment results: comparison with regeneration of the human bone-structure. II. Research results.*" Unfallheilkunde 84(6): 255-264.
- Foux, A., A.J. Yeadon and H.K. Uthoff** (1997). "*Improved fracture healing with less rigid plates. A biomechanical study in dogs.*" Clin Orthop(339): 232-245.
- Freedman, E.L., and E.E. Johnson** (1995). "*Radiographic analysis of tibial fracture malalignment following intramedullary nailing.*" Clin Orthop(315): 25-33.
- Frost, H.M.** (1989). "*The biology of fracture healing. An overview for clinicians. Part I.*" Clin Orthop(248): 283-293.
- Goodship, A.E.,** (1992). "*Mechanical stimulus to bone.*" Ann Rheum Dis 51(1): 4-6.
- Goodship, A.E., P.E. Watkins, H.S. Rigby and J. Kenwright** (1993). "*The role of fixator frame stiffness in the control of fracture healing. An experimental study.*" J Biomech 26(9): 1027-1035.

- Göthmann, L.** (1960). "The arterial pattern of the rabbit's tibia after the application of an intramedullary nail. A microangiographic study." *Acta Chir Scand* 120: 211-219.
- Guggenmoos-Holzmann, I., und K.-D. Wernecke** (1996): *Medizinische Statistik*. Blackwell Wissenschafts-Verlag, Berlin
- Haas, N., C. Krettek, P. Schandelmaier, R. Frigg and H. Tscherne** (1993). "A new solid unreamed tibial nail for shaft fractures with severe soft tissue injury." *Injury* 24(1): 49-54.
- Haas, N.P.** (2000). "Callus modulation--fiction or reality?" *Chirurg* 71(9): 987-988.
- Hierholzer, G., and R. Kleining** (1982). "[Theoretical principles and biomechanics of external fixator osteosynthesis]." *Langenbecks Arch Chir* 358: 105-112.
- Höntzsch, D.** (1997). "Fixateur-externe-Montagen mit dem AO-Rohrsystem." *OP-Journal* 13(1): 18-21.
- Huiskes, R., and E.Y. Chao** (1986). "Guidelines for external fixation frame rigidity and stresses." *J Orthop Res* 4(1): 68-75.
- James, J., and G.L. Steijn-Myagkaya** (1986). "Death of osteocytes. Electron microscopy after in vitro ischaemia." *J Bone Joint Surg Br* 68(4): 620-624.
- Jukema, G.N., and G. Hierholzer** (1997). "Geschichte und Entwicklung der Fixateur-externe-Osteosynthese." *OP-Journal* 13(1): 4-9.
- Kahn, K. M., and R. K. Beals** (2002). "Malrotation after locked intramedullary tibial nailing: three case reports and review of the literature." *J Trauma* 53(3): 549-552.
- Klaushofer, K., and M. Peterlik** (1994). "Pathophysiology of fracture healing." *Radiologie* 34(12): 709-714.
- Klein, M.P., B.A. Rahn, R. Frigg, S. Kessler and S.M. Perren** (1990). "Reaming versus non-reaming in medullary nailing: interference with cortical circulation of the canine tibia." *Arch Orthop Trauma Surg* 109(6): 314-316.

Klein, P., M. Opitz, H. Schell, W.R. Taylor, M.O. Heller, J.P. Kassi, F. Kandziora and G.N. Duda (2003 a). "*Comparison of unreamed nailing and external fixation of tibial diastases - Mechanical conditions during healing and biological outcome.*" J Orthop Res- in press.

Klein, P., H. Schell, F. Streitparth, M.O. Heller, J.P. Kassi, F. Kandziora, H. Braggulla, N.P. Haas and G.N Duda (2003 b). "*The initial phase of fracture healing is specifically sensitive to mechanical conditions.*" J Orthop Res 21(4): 662-669.

Klemm, K. (1977). "*Justified indications for using the interlocking nail.*" Hefte Unfallheilkd(129): 84-88.

Krettek, C. (2001 a). "*Principles of intramedullary fracture stabilization. 1.*" Unfallchirurg 104(7): 639-51; quiz 652.

Krettek, C. (2001 b). "*Principles of intramedullary fracture stabilization. 2. Surgical technique.*" Unfallchirurg 104(8): 749-69; quiz 770-771.

Krettek, C., N. Haas, P. Schandelmaier, R. Frigg and H. Tscherne (1991). "*Unreamed tibial nail in tibial shaft fractures with severe soft tissue damage. Initial clinical experiences.*" Unfallchirurg 94(11): 579-587.

Krettek, C., B. Konemann, T. Miclau, P. Schandelmaier, M. Blauth and H. Tscherne (1997). "*A new technique for the distal locking of solid AO unreamed tibial nails.*" J Orthop Trauma 11(6): 446-451.

Krettek, C., P. Schandelmaier, J. Rudolf and H. Tscherne (1994). "*Current status of surgical technique for unreamed nailing of tibial shaft fractures with the NAGEL-GRUPPE (unreamed tibia nail).*" Unfallchirurg 97(11): 575-599.

Krettek, C., P. Schandelmaier and H. Tscherne (1995). "*Nonreamed interlocking nailing of closed tibial fractures with severe soft tissue injury.*" Clin Orthop(315): 34-47.

Krischak, G.D., A. Janousek, S. Wolf, P. Augat, L. Kinzl and L.E. Claes (2002). "*Effects of one-plane and two-plane external fixation on sheep osteotomy healing and complications.*" Clin Biomech (Bristol, Avon) 17(6): 470-476.

- Kristiansen, T., and M.H. Pope** (1987). "Comparative study of fracture gap motion in external fixation." *Clin Biomech* (Bristol, Avon) 2: 191-195.
- Küntschner, G.** (1965). "25 years of medullary nailing." *Zentralbl Chir* 90(45): 2257-2263.
- Kusuzaki, K., N. Kageyama, H. Shinjo, H. Takeshita, H. Murata, S. Hashiguchi, T. Ashihara and Y. Hirasawa** (2000). "Development of bone canaliculi during bone repair." *Bone* 27(5): 655-659.
- Larsson, S., W. Kim, V.L. Caja, E.L. Egger, N. Inoue and E.Y. Chao** (2001). "Effect of early axial dynamization on tibial bone healing: a study in dogs." *Clin Orthop* 388: 240-251.
- Lindner, T.** (2001). *Die Wachstumshormon (GH)/ Insulin-Like Growth Factor I (IGF-I)-Achse unter der systemischen Applikation von GH während der Distraktion-sosteogenese*. Klinik für Unfall- und Wiederherstellungschirurgie der Charité. Berlin, Humboldt Universität: 87.
- Lippuner, K., R. Vogel, S. Tepic, B.A. Rahn, J. Cordey and S.M. Perren** (1992). "Effect of animal species and age on plate-induced vascular damage in cortical bone." *Arch Orthop Trauma Surg* 111(2): 78-84.
- Madan, S., and C. Blakeway** (2002). "Radiation exposure to surgeon and patient in intramedullary nailing of the lower limb." *Injury* 33(8): 723-727.
- Mahan, J., D. Seligson, S.L. Henry, P. Hynes and J. Dobbins** (1991). "Factors in pin tract infections." *Orthopedics* 14(3): 305-308.
- Markmiller, M., M. Tjarksen, E. Mayr and A. Ruter** (2000). "The unreamed tibia nail. Multicenter study of the AO/ASIF. Osteosynthesefragen/Association for the Study of Internal Fixation." *Langenbecks Arch Surg* 385(4): 276-283.
- Marsh, D.R., and G. Li** (1999). "The biology of fracture healing: optimising outcome." *Br Med Bull* 55(4): 856-869.
- Mathon, D.H., and A. Autefage** (1998). "Development of a segmental long-bone Defect Model in Sheep." *Vet Comp Orthop Traumatol* 11: 1-7.

- Mayer, G., and E. Wolf** (1983). "*Animal experiments to examine the histology of fracture healing in osteosynthesis with external fixation and compression.*" Arch Orthop Trauma Surg 101(2): 111-120.
- Mayr, E.** (2002). "*Tibial fractures.*" Chirurg 73(6): 642-61; quiz 662-663.
- McKibbin, B.** (1978). "*The biology of fracture healing in long bones.*" J Bone Joint Surg Br 60-B(2): 150-162.
- Mori, R., T. Kodaka, T. Sano, N. Yamagishi, M. Asari and Y. Naito** (2003): "*Comparative Histology of the laminar Bone between young Calves and Foals.*" Cells Tissue Organs 175: 43-50
- Nakanishi, M., K. Yoh, K. Uchida, S. Maruo, S.K. Rai and A. Matsuoka** (1999). "*Clinical usefulness of serum tartrate-resistant fluoride-sensitive acid phosphatase activity in evaluating bone turnover.*" J Bone Miner Metab 17(2): 125-130.
- Newman, R.J., M.J. Francis and R.B. Duthie** (1987). "*Nuclear magnetic resonance studies of experimentally induced delayed fracture union.*" Clin Orthop (216): 253-261.
- Nickel, R., A. Schummer, K.-H. Wille u. H. Wilkens** (1992): Knochen der Beckengliedmaße der Wiederkäuer. In: **Nickel, R., A. Schummer, E. Seiferle**: Lehrbuch der Anatomie der Haustiere, Band I, 6. Auflage. Berlin und Hamburg, Verlag Paul Parey, S. 110-112 u. 120-124.
- Noble, B.S., and J. Reeve** (2000). "*Osteocyte function, osteocyte death and bone fracture resistance.*" Mol Cell Endocrinol 159(1-2): 7-13.
- Nunamaker, D.M.** (1998). "*Experimental models of fracture repair.*" Clin Orthop (355 Suppl): S56-65.
- Oh, C.W., B.C. Park, J.C. Ihn and H.J. Park** (2001). "*Primary unreamed intramedullary nailing for open fractures of the tibia.*" Int Orthop 24(6): 338-341.
- Ong, C.T., D.S. Choon, N.P. Cabrera and N. Maffulli** (2002). "*The treatment of open tibial fractures and of tibial non-union with a novel external fixator.*" Injury 33(9): 829-834.

- Oni, O.A.** (1997). "*The bony callus.*" *Injury* 28(9-10): 629-631.
- Ostrum, R.F., A.S. Litsky and L.W. Anson** (1994). "*Limited internal fixation of the tibia with external fixation: an in vivo canine study.*" *J Orthop Trauma* 8(1): 50-53.
- Owen, M.** (1970). "*The origin of bone cells.*" *Int Rev Cytol* 28: 213-238.
- Palmer, R.H., D.A. Hulse, W.A. Hyman and D.R. Palmer** (1992). "*Principles of bone healing and biomechanics of external skeletal fixation.*" *Vet Clin North Am Small Anim Pract* 22(1): 45-68.
- Parfitt, A.M.** (1988). "*Bone histomorphometry: proposed system for standardization of nomenclature, symbols, and units.*" *Calcif Tissue Int* 42(5): 284-286.
- Park, S.H., O.C. K, H. McKellop and A. Sarmiento** (1998). "*The influence of active shear or compressive motion on fracture-healing.*" *J Bone Joint Surg Am* 80(6): 868-878.
- Pennig, D.** (1990). "*The biology of bones and of bone fracture healing.*" *Unfallchirurg* 93(11): 488-491.
- Perren, S.M.** (1979). "*Physical and biological aspects of fracture healing with special reference to internal fixation.*" *Clin Orthop*(138): 175-196.
- Perren, S.M.** (1992). "*Biomechanical basis of fracture treatment.*" *Orthopade* 21(1): 3-10.
- Perren, S.M.** (2001). "*Evolution and rationale of locked internal fixator technology. Introductory remarks.*" *Injury* 32(Suppl 2): S-B3-9.
- Perren, S.M.** (2002). "*Evolution of the internal fixation of long bone fractures. The scientific basis of biological internal fixation: choosing a new balance between stability and biology.*" *J Bone Joint Surg Br* 84(8): 1093-1110.
- Pommer, A., A. David, P. Barczik and G. Muhr** (1998). "*[Loosening of Schanz screws in external fixator montage of the lower extremity].*" *Unfallchirurg* 101(9): 708-712.

- Probst, A., and H. U. Spiegel** (1997). “*Cellular mechanisms of bone repair.*” *J Invest Surg* 10(3): 77-86.
- Radasch, R.M.** (1999). “*Biomechanics of bone and fractures.*” *Vet Clin North Am Small Anim Pract* 29(5): 1045-1082, v-vi.
- Rajtova, V.** (1973). “*Development of the skeleton in sheep and goat. II. Osteogenesis of hindlimbs.*” *Gegenbaurs Morphol Jahrb* 119(1): 76-85.
- Remedios, A.** (1999). “*Bone and bone healing.*” *Vet Clin North Am Small Anim Pract* 29(5): 1029-1044, v.
- Rhineland, F.W.** (1974). “*Tibial blood supply in relation to fracture healing.*” *Clin Orthop* 105(0): 34-81.
- Roach, H.I., J.R. Shearer and C. Archer** (1989). “*The choice of an experimental model. A guide for research workers.*” *J Bone Joint Surg Br* 71(4): 549-553.
- Runkel, M., and M. Klepsch** (1999). “*Wandel bei der Behandlung der Unterschenkelschaftfraktur.*” *Trauma Berufskrankh* 1: 229-239.
- Sadakane, T., K. Nagano, Y. Onoue, Y. Sunami and P. Engelhardt** (1978). “*Anatomical and biomechanical considerations for medullary nailing (author's transl).*” *Arch Orthop Trauma Surg* 91(1): 31-37.
- Sarmiento, A., L. Latta, A. Zilioli and W. Sinclair** (1974). “*The role of soft tissue in the stabilization of tibial fractures.*” *Clin Orthop* 105(0): 116-129.
- Sarmiento, A., H.A. McKellop, A. Llinas, S.H. Park, B. Lu, W. Stetson and R. Rao** (1996). “*Effect of loading and fracture motions on diaphyseal tibial fractures.*” *J Orthop Res* 14(1): 80-84.
- Schandelmaier, P., C. Krettek, J. Rudolf, A. Kohl, B.E. Katz and H. Tscherne** (1997 a). “*Superior results of tibial rodding versus external fixation in grade 3B fractures.*” *Clin Orthop*(342): 164-172.
- Schandelmaier, P., C. Krettek, J. Rudolf, A. Kohl and H. Tscherne** (1997 b). “*Advantages of the unreamed tibial nail in comparison with external fixator in treatment of grade 3 B open tibial shaft fractures.*” *Unfallchirurg* 100(4): 286-293.

Schandelmaier, P., C. Krettek and H. Tscherne (1994). "Biomechanical studies of 9 tibial interlocking nails in a bone-implant unit." *Unfallchirurg* 97(11): 600-608.

Schandelmaier, P., C. Krettek and H. Tscherne (1996). "Biomechanical study of nine different tibia locking nails." *J Orthop Trauma* 10(1): 37-44.

Schmickal, T., P. Hochstein, A. Wentzensen (1999). "Behandlung von Unterschenkelchaftfrakturen im Fixateur externe." *Trauma Berufskrankh*(1): 240-246.

Shannon, F.J., H. Mullett and K. O'Rourke (2002). "Unreamed intramedullary nail versus external fixation in grade III open tibial fractures." *J Trauma* 52(4): 650-654.

Shapiro, F. (1988). "Cortical bone repair. The relationship of the lacunar-canalicular system and intercellular gap junctions to the repair process." *J Bone Joint Surg Am* 70(7): 1067-1081.

Shim, S.S. (1968). "Physiology of blood circulation of bone." *J Bone Joint Surg Am* 50(4): 812-824.

Simmons, D.J. (1985). "Fracture healing perspectives." *Clin Orthop*(200): 100-113.

Skerry, T.M., R. Suswillo, A.J. el Haj, N.N. Ali, R.A. Dodds and L.E. Lanyon (1990). "Load-induced proteoglycan orientation in bone tissue in vivo and in vitro." *Calcif Tissue Int* 46(5): 318-326.

Stürmer, K.M. (1988). "Histologie und Biomechanik der Frakturheilung unter den Bedingungen des Fixateur externe." *Hefte Unfallheilkd*, Heft 200: 233-242.

Stürmer, K.M. (1993). "Measurement of intramedullary pressure in an animal experiment and propositions to reduce the pressure increase." *Injury* 24 Suppl 3: S7-21.

Stürmer, K.M. (1996 a). "Elastic plate osteosynthesis, biomechanics, indications and technique in comparison with rigid osteosynthesis." *Unfallchirurg* 99(11): 816-829.

Stürmer, K.M. (1996 b). "Pathophysiology of disrupted bone healing." *Orthopäde* 25(5): 386-393.

Stürmer, K.M., and W. Schuchardt (1980 a). “*New aspects of closed intramedullary nailing and marrow cavity reaming in animal experiments. I. The tibia of the sheep, as a model for intramedullar nailing (author's transl.)*.” *Unfallheilkunde* 83(7): 341-345.

Stürmer, K.M., and W. Schuchardt (1980 b). “*New aspects of closed intramedullary nailing and marrow cavity reaming in animal experiments. III. Bone-healing, revascularisation and remodelling (author's transl.)*.” *Unfallheilkunde* 83(9): 1980.

Tarr, R.R., and D.A. Wiss (1986). “*The mechanics and biology of intramedullary fracture fixation.*” *Clin Orthop* (212): 10-17.

Tepic, S., A.R. Remiger, K. Morikawa, M. Predieri and S.M. Perren (1997). “*Strength recovery in fractured sheep tibia treated with a plate or an internal fixator: an experimental study with a two-year follow-up.*” *J Orthop Trauma* 11(1): 14-23.

Terjesen, T., and E. Johnson (1986). “*Effects of fixation stiffness on fracture healing. External fixation of tibial osteotomy in the rabbit.*” *Acta Orthop Scand* 57(2): 146-148.

Toivanen, J.A., O. Vaisto, P. Kannus, K. Latvala, S.E. Honkonen and M.J. Jarvinen (2002). “*Anterior knee pain after intramedullary nailing of fractures of the tibial shaft. A prospective, randomized study comparing two different nail-insertion techniques.*” *J Bone Joint Surg Am* 84-A(4): 580-585.

Trostle, S.S., and M.D. Markel (1996). “*Fracture biology, biomechanics, and internal fixation.*” *Vet Clin North Am Food Anim Pract* 12(1): 19-46.

Vecsei, V., and H. Hertz (1977). “*Experience with the locking nail (author's transl.)*.” *Arch Orthop Unfallchir* 89(2): 191-198.

Venbrocks, H.P., K.J. Munzenberg and G. Thomas (1971). “*Animal experiments on pressure during osteosynthesis.*” *Z Orthop Ihre Grenzgeb* 108(4): 679-685.

Wade, R.H., C.I. Moorcroft and P.B. Thomas (2001). “*Fracture stiffness as a guide to the management of tibial fractures.*” *J Bone Joint Surg Br* 83(4): 533-535.

Wallace, A.L., E.R. Draper, R.K. Strachan, I.D. McCarthy and S.P. Hughes (1991). “*The effect of devascularisation upon early bone healing in dynamic external fixation.*” *J Bone Joint Surg [Br]* 73(5): 819-825.

Wang, X., Shen, X., Li, X., Agrawal, M. (2002). *Age related changes in Collagen vs. the toughness of bone.* Orthopaedic Research Society, 48th annual meeting. Dallas, USA.

Webb, J.C.J., Tricker, J. (2000). “*Bone biology- A review of fracture healing.*” *Current Orthopaedics* 14: 457-463.

Wentzensen, A., (1999). “*Tibiaschaftfraktur.*” *Trauma Berufskrankh* 1: 227-228.

White, A.A., 3rd, M.M. Panjabi and W.O. Southwick (1977). “*The four biomechanical stages of fracture repair.*” *J Bone Joint Surg Am* 59(2): 188-192.

Willenegger, H., S.M. Perren and R. Schenk (1971). “*Primary and secondary healing of bone fractures.*” *Chirurg* 42(6): 241-252.

Wolf, S., A. Janousek, J. Pfeil, W. Veith, F. Haas, G. Duda and L. Claes (1998). “*The effects of external mechanical stimulation on the healing of diaphyseal osteotomies fixed by flexible external fixation.*” *Clin Biomech (Bristol, Avon)* 13(4-5): 359-364.

Wu, J.J., H.S. Shyr, E.Y. Chao and P.J. Kelly (1984). “*Comparison of osteotomy healing under external fixation devices with different stiffness characteristics.*” *J Bone Joint Surg Am* 66(8): 1258-1264.

Yamagishi, M., and Y. Yoshimura (1955). “*The Biomechanics of Fracture Healing.*” *J Bone Joint Surg* 37-A(5): 1035-1068.