

## 5 Literaturverzeichnis

Abbott CA, Yu DM, Woollatt E, Sutherland GR, McCaughan GW, Gorrell MD (2000):  
**Cloning, expression and chromosomal localization of a novel human dipeptidyl peptidase (DPP) IV homolog, DPP8.**

Eur J Biochem 267: 6140-50

Aoyama A, Chen WT (1990):

**A 170-kD membrane-bound protease is associated with the expression of invasiveness by human malignant melanoma cells.**

Proc Natl Acad Sci USA 87: 8296-300

Asada Y, Aratake Y, Kotani T, Marutsuka K, Araki Y, Ohtaki S, Sumiyoshi A (1993):

**Expression of dipeptidyl aminopeptidase IV activity in human lung carcinoma.**

Histopathology 23: 265-70

Atherton AJ, Monaghan P, Warburton MJ, Robertson D, Kenny AJ, Gusterson BA:

**Dipeptidyl peptidase IV expression identifies a functional subgroup of breast fibroblasts.**

Int J Cancer 50: 15-9

Augustyns K, Bal G, Thonus G, Belyaev A, Zhang XM, Bollaert W, Lambeir AM, Durinx C, Goossens F, Haemers A (1999):

**The unique properties of dipeptidyl-peptidase IV (DPP IV/CD26) and the therapeutic potential of DPP IV inhibitors.**

Curr Med Chem 6: 311-27

Ayad S, Boot-Handford R, Humphries MJ, Kadler KE, Shuttleworth A (1994):

**The extracellular matrix facts book.**

Academic Press, London

Baenziger JU, Fiete D (1979):

**Structural determinants for concanavalin A specificity for oligosaccharides.**

J Biol Chem 254: 2400-7

Bailey AJ (2000):

**Perspective article: the fate of collagen implants in tissue defects.**

Wound Repair Regen 8: 5-12

Balow RM, Tomkinson B, Ragnarsson U, Zetterqvist O (1986):

**Purification, substrate specificity, and classification of tripeptidyl peptidase II.**

J Biol Chem 261: 2409-17

Barrett AJ (1994):

**Classification of peptidases.**

Meth Enzymol 244: 1-15

Barrett AJ, Rawlings ND (1992):

**Oligopeptidases, and the emergence of the prolyl oligopeptidase family.**

Biol Chem Hoppe-Seyler 373: 353-60

Barrett AJ, Rawlings ND (1995):

**Families and clans of serine peptidases.**

Arch Biochem Biophys 318: 247-50

Barrett AJ, Rawlings ND, Woessner JF (eds., 1998):

**Handbook of proteolytic enzymes.**

Academic Press, London

Bartles JR, Feracci HM, Stieger B, Hubbard AL (1987):

**Biogenesis of the rat hepatocyte plasma membrane in vivo: comparison of the pathways taken by apical and basolateral proteins using subcellular fractionation.**

J Cell Biol 105: 1241-51

Bauvois B (1988):

**A collagen-binding glycoprotein on the surface of mouse fibroblasts is identified as dipeptidyl peptidase IV.**

Biochem J 252: 723-31

Beier G, Engel J (1966):

**The renaturation of soluble collagen. Products formed at different temperatures.**

Biochemistry 5: 2744-55

Berstein HG, Schön E, Ansorge S, Röse I, Dorn A (1987):

**Immunolocalization of dipeptidyl aminopeptidase IV (DAP IV) in the developing human brain.**

Int J Devel Neurosci 5: 237-42

Bernt KM (2000):

**Der Einfluss von Mutationen im aktiven Zentrum der Dipeptidylpeptidase IV/CD26 auf Enzymaktivität, Proteinstabilität und subzelluläre Lokalisation.**

Dissertation FU-Berlin, Fachbereich Humanmedizin

Birkedal-Hansen H (1987):

**Catabolism and turnover of collagens: collagenases.**

Meth Enzymol 144: 140-71

Blanco J, Nguyen C, Callebaut C, Jacotot E, Krust B, Mazaleyrat JP, Wakselman M, Hovanessian AG (1998):

**Dipeptidyl-peptidase IV-beta -- further characterization and comparison to dipeptidyl-peptidase IV activity of CD26.**

Eur J Biochem 256: 369-78

Blum H, Beier H, Gross HJ (1987):

**Improved silver staining of plant proteins, RNA and DNA in polyacrylamide gels.**

Electrophoresis 8: 93-9

Bogenrieder T, Finstad CL, Freeman RH, Papandreou CN, Scher HI, Albino AP, Reuter VE, Nanus DM (1997):

**Expression and localization of aminopeptidase A, aminopeptidase N, and dipeptidyl**

**peptidase IV in benign and malignant human prostate tissue.**

Prostate 33: 225-32

Bond MD, Van Wart (1984):

**Purification and separation of individual collagenases of *Clostridium histolyticum* using red dye ligand chromatography.**

Biochemistry 23: 3077-85

Bongers J, Lambros T, Ahmad M, Heimer EP (1992):

**Kinetics of dipeptidyl peptidase IV proteolysis of growth hormone-releasing factor and analogs.**

Biochim Biophys Acta 1122: 147-53

Bork JP (1997):

**Charakterisierung des katalytisch aktiven Zentrums der Ratten-Dipeptidylpeptidase IV durch Mutanten ihrer cDNA.**

Dissertation FU-Berlin, Fachbereich Humanmedizin

Brubaker PL, Crivici A, Izzo A, Ehrlich P, Tsai CH, Drucker DJ (1997):

**Circulating and tissue forms of the intestinal growth factor, glucagon-like peptide-2.**

Endocrinology 138: 4837-43

Chen JM, Chen WT (1987):

**Fibronectin-degrading proteases from the membranes of transformed cells.**

Cell 48: 193-203

Chen WT (1996):

**Proteases associated with invadopodia, and their role in degradation of extracellular matrix.**

Enzyme Protein 49: 59-71

Commission on Biochemical Nomenclature:

**Enzyme Nomenclature.**

Elsevier, Amsterdam, 1973

Creemers LB, Jansen ID, Docherty AJ, Reynolds JJ, Beertsen W, Everts V (1998):

**Gelatinase A (MMP-2) and cysteine proteinases are essential for the degradation of collagen in soft connective tissue.**

Matrix Biol 17: 35-46

Dang NH, Torimoto Y, Schlossman SF, Morimoto C (1990):

**Human CD4 helper T-cell activation: functional involvement of two distinct collagen receptors, 1F7 and VLA integrin family.**

J Exp Med 172: 649-52

Danielsen EM (1994):

**Dimeric assembly of enterocyte brush border enzymes.**

Biochemistry 33: 1599-605

Darmoul D, Lacasa M, Chantret I, Swallow DM, Trugnan G (1990):

**Isolation of a cDNA probe for the human intestinal dipeptidylpeptidase IV and assignment of the gene locus DPP 4 to chromosome 2.**

Ann Hum Genet 54: 191-7

David F, Bernard A-M, Pierres M, Marguet D (1993):

**Identification of Serine 624, Aspartic Acid 702, and Histidine 734 as the catalytic triad residues of mouse dipeptidyl-peptidase IV (CD26).**

J Biol Chem 268: 17247-52

David R, MacNair DC, Kenny AJ (1979):

**Proteins of the kidney microvillar membrane. The amphipathic form of dipeptidyl peptidase IV.**

Biochem J 179: 379-95

Davis GE (1992):

**Affinity of integrins for damaged extracellular matrix: alpha v beta 3 binds to denatured collagen type I through RGD sites.**

Biochem Biophys Res Commun 182: 1025-31

De Meester I, Korom S, Van Camme J, Scharpe S (1999):

**CD26, let it cut or cut it down.**

Immunol Today 20: 367-75

Demuth HU, Heins J (1995):

**Catalytic mechanism of dipeptidyl peptidase IV.**

In: Fleischer B (ed.): Dipeptidyl peptidase IV (CD26) in metabolism and the immune response. Molecular Biology Intelligence Unit. Springer-Verlag, Heidelberg

Dobers J, Grams S, Reutter W, Fan H (2000):

**Roles of cysteines in rat dipeptidyl peptidase IV/CD26 in processing and proteolytic activity.**

Eur J Biochem 267: 5093-100

Erickson RH, Suzui Y, Sedlmayer A, Kim YS (1992):

**Biosynthesis and degradation of altered immature forms of intestinal dipeptidyl peptidase IV in a rat strain lacking the enzyme.**

J Biol Chem 267: 21623-9

Fan H, Meng W, Kilian C, Grams S, Reutter W (1997):

**Domain-specific N-glycosylation of the membrane glycoprotein dipeptidylpeptidase IV (CD26) influences its subcellular trafficking, biological stability, enzyme activity and protein folding.**

Eur J Biochem 246: 243-51

French MF, Mookhtiar KA, Van Wart HE (1987):

**Limited proteolysis of type I collagen at hyperreactive sites by class I and II Clostridium histolyticum collagenases: complementary digestion patterns.**

Biochemistry 26: 681-7

Fujiwara H, Maeda M, Imai K, Fukuoka M, Yasuda K, Takakura K, Mori T (1992):

**Human luteal cells express dipeptidyl peptidase IV on the cell surface.**

J Clin Endocrinol Metab 75: 1352-7

Fujiwara T, Tsuji E, Misumi Y, Takami N, Ikehara Y (1992):

**Selective cell-surface expression of dipeptidyl peptidase IV with mutations at the active site sequence.**

Biochem Biophys Res Commun 185: 776-84

Garin-Chesa P, Old LJ, Rettig WJ (1990):

**Cell surface glycoprotein of reactive stromal fibroblasts as a potential antibody target in human epithelial cancers.**

Proc Natl Acad Sci USA 87: 7235-9

Garnero P, Borel O, Byrjalsen I, Ferreras M, Drake FH, McQueney MS, Foged NT, Delmas P, Delaisse JM (1998):

**The collagenolytic activity of cathepsin K is unique among mammalian proteinases.**

J Biol Chem 273: 32347-52

Geier E, Pfeifer G, Wilm M, Lucchiari-Hartz M, Baumeister W, Eichmann K, Niedermann G (1999):

**A giant protease with potential to substitute for some functions of the proteasome.**

Science 283: 978-81

Goldstein LA, Ghersi G, Pineiro-Sánchez ML, Salamone M, Yeh Y, Flessate D, Chen WT (1997):

**Molecular cloning of seprase: a serine integral membrane protease from human melanoma.**

Biochim Biophys Acta 1361: 11-9

Gossrau R (1979):

**Peptidasen II. Zur Lokalisation der Dipeptidylpeptidase IV (DAP IV). Histochemische und biochemische Untersuchung.**

Histochemistry 60: 231-48

Gossrau R, Hartel-Schenk S, Reutter W (1990):

**Protease histochemistry of rats of Fischer strain 344.**

Histochem J 22: 172-3

Hanski C (1987):

**Dipeptidyl Peptidase IV in Leber und Hepatom: Beteiligung an Zell-Matrix-Wechselwirkung und tumorbedingte Veränderungen.**

Habilitationsschrift FU Berlin, Institut für Molekularbiologie und Biochemie, Fachbereich Humanmedizin

Hanski C, Huhle T, Gossrau R, Reutter W (1988):

**Direct evidence for the binding of rat liver DPP IV to collagen *in vitro*.**

Exp Cell Res 178: 64-72

Hanski C, Huhle T, Reutter W (1985):

**Involvement of plasma membrane dipeptidyl peptidase IV in fibronectin-mediated**

**adhesion of cells on collagen.**

Biol Chem Hoppe-Seyler 366: 1169-76

Harrington DJ (1996):

**Bacterial collagenases and collagen-degrading enzymes and their potential role in human disease.**

Infect Immun 64: 1885-91

Harrington WF, Rao NV (1970):

**Collagen structure in solution. I. Kinetics of helix regeneration in single-chain gelatins.**

Biochemistry 15: 3714-24

Hartel S, Gossrau R, Hanski C, Reutter W (1988a):

**Dipeptidyl peptidase IV in rat organs.**

Histochemistry 89: 151-61

Hartel S, Hanski C, Neumeier R, Gossrau R, Reutter W (1988b):

**Characterization of different forms of dipeptidyl peptidase IV from rat liver and hepatoma by monoclonal antibodies.**

Adv Exp Med Biol 240: 207-214

Hartel-Schenk S, Loch N, Zimmermann M, Reutter W (1991):

**Development of monoclonal antibodies against different protein and carbohydrate epitopes of dipeptidylpeptidase IV from rat liver plasma membranes.**

Eur J Biochem 196: 349-55

Heins J, Neubert K, Barth A, Canizaro PC, Behal FJ (1984):

**Kinetic investigation of the hydrolysis of aminoacyl *p*-nitroanilides by dipeptidyl peptidase IV from human and pig kidney.**

Biochim Biophys Acta 785: 30-5

Heins J, Welker P, Schönlein C, Born I, Hartrodt B, Neubert K, Tsuru D, Barth A (1988):

**Mechanism of proline-specific proteinases: (I) Substrate specificity of dipeptidyl peptidase IV from pig kidney and proline-specific endopeptidase from *Flavobacterium meningosepticum*.**

Biochim Biophys Acta 954: 161-9

Heussen C, Dowdle EB (1980):

**Electrophoretic analysis of plasminogen activators in polyacrylamide gels containing sodium dodecyl sulfate and copolymerized substrates.**

Anal Biochem 102: 196-202

Heymann E, Mentlein R (1978):

**Liver dipeptidyl aminopeptidase IV hydrolyzes substance P.**

FEBS Lett 91: 360-4

Hildebrandt M, Reutter W, Gitlin JD (1991):

**Tissue-specific regulation of dipeptidyl peptidase IV expression during development.**

Biochem J 277: 331-4

Holst JJ, Deacon CF (1998a):

**Inhibition of the activity of dipeptidyl-peptidase IV as a treatment for type 2 diabetes.**  
Diabetes 47: 1663-70

Holst JJ, Deacon C, Toft-Nielsen M-B, Bjerre-Knudsen L (1998b):

**On the treatment of diabetes mellitus with glucagon-like peptide-1.**  
Ann N Y Acad Sci 865: 336-43

Hong W, Doyle D (1987):

**cDNA cloning for a bile cannaliculus domain-specific membrane glycoprotein of rat hepatocytes.**  
Proc Natl Acad Sci USA 84: 7962-6

Hong W, Doyle D (1990):

**Molecular dissection of the NH<sub>2</sub>-terminal signal/anchor sequence of rat dipeptidyl peptidase IV.**  
J Cell Biol 111: 323-8

Hopsu-Havu VK, Glenner GG (1966):

**A new naphthylamidase hydrolysing glycyl-prolyl-beta-naphthylamide.**  
Histochemie 7: 197-201

Hopsu-Havu VK, Sarimo SR (1967):

**Purification of an aminopeptidase hydrolysing glycyl-proline-naphthylamide.**  
Biol Chem Hoppe-Seyler 348: 1540-50

Hopsu-Havu VK, Ekfors TO (1969):

**Distribution of a dipeptide naphthylamidase in rat tissues and its localisation by using diazo coupling and labeled antibody techniques.**  
Histochemie 17: 30-8

Igarashi S, Kang AH, Gross J (1970):

**Renaturation and ordering by electron microscopy of the cyanogen bromide peptides from the alpha 2 chain of chick skin collagen.**  
Biochem Biophys Res Commun 20: 697-702

Ihara T, Tsujikawa T, Fujiyama Y, Ueyama H, Ohkubo I, Bamba T (2000):

**Enhancement of brush border membrane peptidase activity in rat jejunum induced by starvation.**  
Pflugers Arch 440: 75-83

Imai K, Maeda M, Fujiwara H, Kariya M, Takakura K, Kanzaki H, Mori T (1992):

**Dipeptidyl peptidase IV as a differentiation marker of the human endometrial glandular cells.**  
Hum Reprod 7: 1189-94

Ivaska J, Heino J (2000):

**Adhesion receptors and cell invasion: mechanisms of integrin-guided degradation of**

**extracellular matrix.**

Cell Mol Life Sci 57: 16-24

Iwaki-Egawa S, Watanabe Y, Fuimoto Y (1993):

**N-terminal amino acid sequence of the 60-kD protein of rat kidney dipeptidyl peptidase IV.**

Biol Chem Hoppe-Seyler 374: 973-5

Iwaki-Egawa S, Watanabe Y, Kikuya Y, Fujimoto Y (1998):

**Dipeptidyl peptidase IV from human serum: purification, characterization, and N-terminal amino acid sequence.**

J Biochem (Tokyo) 124: 428-33

Jascur T, Matter K, Hauri HP (1991):

**Oligomerization and intracellular protein transport: dimerization of intestinal dipeptidylpeptidase IV occurs in the Golgi apparatus.**

Biochemistry 30: 1908-15

Junqueira LC, Carneiro J (1991):

**Histologie.**

Springer-Verlag, Heidelberg

Kafienah W, Brömme D, Buttle DJ, Croucher LJ, Hollander AP (1998a):

**Human cathepsin K cleaves native type I and II collagens at the N-terminal end of the triple helix.**

Biochem J 331: 727-32

Kafienah W, Buttle DJ, Burnett D, Hollander AP (1998b):

**Cleavage of native type I collagen by human neutrophil elastase.**

Biochem J 330: 897-902

Karlson P, Doenecke D, Koolman J (1994):

**Biochemie für Mediziner und Naturwissenschaftler.**

Thieme Verlag, Stuttgart, 13.Auflage: 158-163

Kato T, Nagatsu T, Fukasawa K, Harada M, Nagatsu I, Sakakibara S (1978):

**Successive cleavage of N-terminal Arg1-Pro2 and Lys3-Pro4 from substance P but no release of Arg1-Pro2 from bradykinin, by X-Pro dipeptidyl aminopeptidase.**

Biochim Biophys Acta 525: 417-22

Kenny AJ, Booth AG, George SG, Ingram J, Kershaw D, Wood EJ, Young AR (1976):

**Dipeptidyl peptidase IV, a kidney brush-border serine peptidase.**

Biochem J 155: 169-82

Kin Y, Misumi Y, Ikehara Y (2001):

**Biosynthesis and characterization of the brain-specific membrane protein DPPX, a dipeptidyl peptidase IV-related protein.**

J Biochem (Tokyo) 129: 289-95



Kirschke H, Langner J, Wiederanders B, Ansorge S, Bohley P, Hanson H (1977):

**Cathepsin H: an endoaminopeptidase from rat liver lysosomes.**

Acta Biol Med Ger 36: 185-99

Koch M, Foley JE, Hahn R, Zhou P, Burgeson RE, Gerecke DR, Gordon MK (2001):

**Alpha 1 (XX) collagen, a new member of the collagen subfamily, fibril-associated collagens with interrupted triple helices.**

J Biol Chem 276: 23120-6

Kotani T, Aratake Y, Ogata Y, Umeki K, Araki Y, Hirai K, Kuma K, Ohtaki S (1991):

**Expression of dipeptidyl aminopeptidase IV activity in thyroid carcinoma.**

Cancer Lett 57: 203-8

Kreisel W, Heussner R, Volk BA, Büchsel R, Reutter W, Gerok W (1982):

**Identification of the 110000 Mr glycoprotein isolated from rat liver plasma membrane as dipeptidylaminopeptidase IV.**

FEBS Lett 147: 85-8

Krstic RV (1991):

**Human Microscopic Anatomy.**

Springer-Verlag, Heidelberg

Kubiak TM, Friedman AR, Martin RA, Ichhpurani AK, Alaniz GR, Claflin, WH, Goodwin MC, Cleary DL, Kelly CR, Hillman RM (1993):

**Position 2 and position 2/Ala15-substituted analogs of bovine growth hormone-releasing factor (bGRF) with enhanced metabolic stability and improved in vivo bioactivity.**

J Med Chem 36: 888-97

Laemmli UK (1970):

**Cleavage of structural proteins during the assembly of the head of bacteriophage T 4.**

Nature 227: 680-5

Lambeir AM, Pereira JFD, Chacón P, Vermeulen G, Heremans K, Devreese B, Van Beeumen J, De Meester I, Scharpé S (1997):

**A prediction of DPP IV / CD26 domain structure from a physico-chemical investigation of dipeptidyl peptidase IV (CD26) from human seminal plasma.**

Biochim Biophys Acta 1340: 215-26

Langman J (1989):

**Medizinische Embryologie. Die normale menschliche Entwicklung und ihre Fehlbildungen.**

Thieme-Verlag, Stuttgart

Lauer-Fields JL, Tuzinski KA, Shimokawa K, Nagase H, Fields GB (2000):

**Hydrolysis of triple-helical collagen peptide models by matrix metalloproteinases.**

J Biol Chem 275: 13282-90

Levy MT, McCaughan GW, Abbott CA, Park JE, Cunningham AM, Muller E, Rettig, WJ, Gorrell MD (1999):

**Fibroblast activation protein: a cell surface dipeptidyl peptidase and gelatinase expressed by stellate cells at the tissue remodelling interface in human cirrhosis.**

Hepatology 29: 1768-78

Loch N (1992):

**Immunchemische Charakterisierung, Biosynthese und Abbau von Plasmamembranglycoproteinen der Rattenleber.**

Dissertation FU Berlin, Fachbereich Pharmazie

Loch N, Tauber R, Becker A, Hartel-Schenk S, Reutter W (1992):

**Biosynthesis and metabolism of dipeptidylpeptidase IV in primary cultured rat hepatocytes and Morris hepatoma 7777 cells.**

Eur J Biochem 210: 161-8

Löffler G, Petrides PE (1997):

**Biochemie und Pathobiochemie.**

Springer-Verlag, Heidelberg, 6. Auflage: 737-759

Löster K (1994):

**Charakterisierung Kollagen-bindender Proteine aus Leber und Morris Hepatom 7777 der Ratte.**

Dissertation FU Berlin, Fachbereich Biologie

Löster K, Zeilinger K, Schuppan D, Reutter W (1995):

**The cysteine-rich region of dipeptidyl peptidase IV (CD26) is the collagen-binding site.**

Biochem Biophys Res Commun 217: 341-8

Lojda Z, Gossrau R, Schiebler TH (1979):

**Enzyme histochemistry. A laboratory manual.**

Springer-Verlag, Heidelberg

Lojda Z, Smidova J, Barth A, Überberg H (1988):

**Are Z-Arg-Gly-Phe-Phe-Leu-MNA and Z-Arg-Gly-Phe-Phe-Pro-MNA suitable substrates for the demonstration of cathepsin D activity?**

Histochemistry 88: 505-12

Mantle D (1991):

**Characterization of dipeptidyl and tripeptidyl aminopeptidases in human kidney soluble fraction.**

Clin Chim Acta 196: 135-42

Marasimhan T, Hino M, Fuyamada H, Hayakawa T, Sakakibara S, Nakagawa Y, Takemoto T (1979):

**A structural basis for four distinct elution profiles on concanavalin A-Sepharose affinity chromatography of glycopeptides.**

Can J Biochem 57: 83-96

Marguet D, Bernard AM, Vivier I, Darmoul D, Naquet P, Pierres M (1992):

**cDNA cloning for mouse thymocyte-activating molecule.**

J Biol Chem 267: 2200-8

Martin RA, Cleary DL, Guido DM, Zucher-Neely HA, Kubiak TM (1993):  
**Dipeptidyl peptidase IV (DPP-IV) from pig kidney cleaves analogs of bovine growth hormone-releasing factor (bGRF) modified at position 2 with Ser, Thr, or Val. Extended DPP-IV substrate specificity?**  
Biochim Biophys Acta 1164: 252-60

Mathew S, Morrison ME, Murty VV, Houghton AN, Chaganti RS (1994):  
**Assignment of the DPP4 gene encoding adenosine deaminase binding protein (CD26/dipeptidylpeptidase IV) to 2q23.**  
Genomics 22: 211-2

Mathew S, Scanlan MJ, Mohan Raj BK, Murty VV, Garin-Chesa P, Old LJ, Rettig WJ, Chaganti RS (1995):  
**The gene for fibroblast activation protein alpha (FAP), a putative cell surface-bound serine protease expressed in cancer stroma and wound healing, maps to chromosome band 2q23.**  
Genomics 25: 335-7

Matsumoto Y, Bishop GA, McCaughan GW (1992):  
**Altered zonal expression of the CD26 antigen (dipeptidyl peptidase IV) in human cirrhotic liver.**  
Hepatology 15: 1048-53

Mauch C, Krieg T, Bauer EA (1994):  
**Role of the extracellular matrix in the degradation of connective tissue.**  
Arch Dermatol Res 287: 107-14

McDonald JK, Barrett AJ (1986):  
**Mammalian proteases: a glossary and bibliography, Vol. 2. Exopeptidases.**  
Academic Press, London

Mentlein R (1999):  
**Dipeptidyl-peptidase IV (CD26)--role in the inactivation of regulatory peptides.**  
Regul Pept 85: 9-24

Mentlein R, Dahms P, Grandth D, Krüger R (1993a):  
**Proteolytic processing of neuropeptide Y and peptide YY by dipeptidyl peptidase IV.**  
Regul Pept 49: 133-44

Mentlein R, Gallwitz B, Schmidt WE (1993b):  
**Dipeptidyl peptidase IV hydrolyses gastric inhibitory polypeptide, glucagon-like peptide-1(7-36) amide, peptide histidine methionine and is responsible for their degradation in human serum.**  
Eur J Biochem 214: 829-35

Mentlein R, Heymann E (1982):  
**Dipeptidyl peptidase IV inhibits the polymerization of fibrin monomers.**  
Arch Biochem Biophys 217: 748-50

Misumi Y, Hayashi Y, Arakawa F, Ikehara Y (1992):

**Molecular cloning and sequence analysis of human dipeptidyl peptidase IV, a serine protease on the cell surface.**

Biochim Biophys Acta 1131: 333-6

Morimoto C, Schlossman SF (1998):

**The structure and function of CD 26 in the T-cell immune response.**

Immunol Rev 161: 55-70

Nagatsu T, Hino M, Fuyamada H, Hayakawa T, Sakakibara S, Nakagawa Y, Takemoto T (1976):

**New chromogenic substrates for X-prolyl dipeptidyl-aminopeptidase.**

Anal Biochem 74: 466-76

Nausch I, Mentlein R, Heymann E (1990):

**The degradation of bioactive peptides and proteins by dipeptidyl peptidase IV from human placenta.**

Biol Chem Hoppe-Seyler 371: 1113-8

Niedermeyer J, Enenkel B, Park JE, Lenter M, Rettig WJ, Damm K, Schnapp A (1998):

**Mouse fibroblast-activation protein—conserved Fap gene organization and biochemical function as a serine protease.**

Eur J Biochem 254: 650-4

Nishimura T, Okitani A, Katakai R, Kato H (1983):

**Mode of action towards oligopeptides and proteins of hydrolase H, a high-molecular-weight aminoendopeptidase from rabbit skeletal muscle.**

Eur J Biochem 137: 23-7

Nomenclature Committee of the International Union of Biochemistry and Molecular Biology:  
**Enzyme Nomenclature 1992.**

Academic Press, San Diego, 1992. Supplements 1-5 in Eur J Biochem 1994; 223: 1-5; Eur J Biochem 1995; 232: 1-6; Eur J Biochem 1996; 237: 1-5; Eur J Biochem 1997; 250: 1-6; Eur J Biochem 1999; 264: 610-50. Web Version unter <http://www.chem.qmw.ac.uk/iubmb/enzyme>

Ogata S, Misumi M, Ikehara Y (1989):

**Primary structure of rat liver dipeptidyl peptidase IV deduced from its cDNA and identification of the N-terminal signal sequence as the membrane-anchoring domain.**

J Biol Chem 264: 3596-601

Ogata S, Misumi Y, Tsuji E, Takami N, Oda K, Ikehara Y (1992):

**Identification of the active site residues in dipeptidyl peptidase IV by affinity labeling and site-directed mutagenesis.**

Biochemistry 31: 2582-7

Ohtani H (1998):

**Stromal reaction in cancer tissue: pathophysiologic significance of the expression of matrix-degrading enzymes in relation to matrix turnover and immune/inflammatory reactions.**

Pathol Int 48: 1-9

Ohtsuki T, Tsuda H, Morimoto C (2000):

**Good or evil: CD26 and HIV infection.**

J Dermatol Sci 22: 152-60

Oravecz T, Pall M, Roderiquez G, Gorrell MD, Ditto M, Nguyen NY, Boykins R, Unsworth E, Norcross MA (1997):

**Regulation of the receptor specificity and function of the chemokine RANTES (regulated on activation, normal T cell expressed and secreted) by dipeptidyl peptidase IV (CD26)-mediated cleavage.**

J Exp Med 186: 1865-72

Palmieri FE, Ward PE (1989):

**Dipeptidyl(amino)peptidase IV and post proline cleaving enzyme in cultured endothelial and smooth muscle cells.**

Adv Exp Med Biol 247A: 305-11

Pfaff M, Aumailley M, Specks U, Knolle J, Zerwes HG, Timpl R (1993):

**Integrin and Arg-Gly-Asp dependence of cell adhesion to the native and unfolded triple helix of collagen type VI.**

Exp Cell Res 206: 167-76

Piazza GA, Callanan HM, Mowery J, Hixson DC (1989):

**Evidence for a role of dipeptidyl peptidase IV in fibronectin-mediated interactions of hepatocytes with extracellular matrix.**

Biochem J 262: 327-34

Pilcher BK, Sudbeck BD, Dumin JA, Welgus HG, Parks WC (1998):

**Collagenase-1 and collagen in epidermal repair.**

Arch Dermatol Res 290: S37-46

Pilcher BK, Wang M, Qin X-J, Parks WC, Senior RM, Welgus HG (1999):

**Role of matrix metalloproteinases and their inhibition in cutaneous wound healing and allergic contact hypersensitivity.**

Ann N Y Acad Sci 878: 12-24

Polgár L, Szabo E (1992):

**Prolyl endopeptidase and dipeptidyl peptidase IV are distantly related members of the same family of serine proteases.**

Biol Chem Hoppe Seyler: 373: 361-6

Poulsen MD, Hansen GH, Dabelsteen E, Hoyer PE, Nören O, Sjöström H (1993):

**Dipeptidyl peptidase IV is sorted to the secretory granules in pancreatic islet A-cells.**

J Histochem Cytochem 41: 81-8

Prager MD, Sabeh F, Baxter CR, Atilas L, Hartline B (1994):

**Dipeptidyl peptidase IV and aminopeptidase in burn wound exudates: implications for wound healing.**

J Trauma 36: 629-33

Proost P, Struyf S, Schols D, Opdenakker G, Sozzani S, Allavena P, Mantovani A, Augustyns K, Bal G, Haemers A, Lambeir AM, Scharpe S, Van Damme J, De Meester I (1999):

**Truncation of macrophage-derived chemokine by CD26/dipeptidyl peptidase IV beyond its predicted cleavage site affects chemotactic activity and CC chemokine receptor 4 interaction.**

J Biol Chem 274: 3988-93

Rahfeld J, Schutkowski M, Faust J, Neubert K, Barth A, Heins J (1991):

**Extended investigation of the substrate specificity of dipeptidyl peptidase IV from pig kidney.**

Biol Chem Hoppe Seyler 372: 313-8

Rawlings ND, Barrett AJ (1993):

**Evolutionary families of peptidases.**

Biochem J 290: 205-18

Rawlings ND, Barrett AJ (1994):

**Families of serine peptidases.**

Meth Enzymol 244: 19-61

Rawlings ND, Polgár L, Barrett AJ (1991):

**A new family of serine peptidases related to prolyl oligopeptidase.**

Biochem J 279: 907-11

Reeck GR, de Haen C, Teller DC, Doolittle RF, Fitch WM, Eickerson RE, Chambon P, McLachlan AD, Margoliash E, Jukes TH, Zuckerkandl E (1987):

**“Homology” in proteins and nucleic acids: a terminology muddle and a way out of it.**

Cell 50: 667

Rennex D, Hemmings BA, Hofsteenge J, Stone SR (1991):

**cDNA cloning of porcine brain prolyl endopeptidase and identification of the active-site seryl residue.**

Biochemistry 30: 2195-203

Reutter W, Baum O, Löster K, Fan H, Bork JP, Bernt K, Hanski C, Tauber R (1995):

**Functional aspects of the three extracellular domains of dipeptidyl peptidase IV: characterization of glycosylation events, of the collagen-binding site and of endopeptidase activity.**

In: Fleischer B (ed.): Dipeptidyl peptidase IV (CD26) in metabolism and the immune response. Molecular Biology Intelligence Unit. Springer-Verlag, Heidelberg

Reutter W, Hartel S, Hanski C, Huhle, T, Zimmer T, Gossrau R (1989):

**Biochemical properties of dipetidyl peptidase IV in liver and hepatoma plasma membranes.**

Adv Enzyme Regul 28: 235-69

Reynolds JJ, Meikle MC (1997):

**The functional balance of metalloproteinases and inhibitors in tissue degradation: relevance to oral pathologies.**

J R Coll Surg Edinb 42: 154-60

Ruiz P, Maillhot S, Delgado P, Amador A, Viciano AL, Ferrer L, Zacharievich N (1998):  
**CD26 expression and dipeptidyl peptidase IV activity in an aggressive hepatosplenic T-cell lymphoma.**  
Cytometry 34: 30-5

Salinovich O, Montelaro RC (1986):  
**Reversible staining and peptide mapping of proteins transferred to nitrocellulose after separation by sodium dodecylsulfate-polyacrylamide gel electrophoresis.**  
Anal Biochem 156: 341-7

Scanlan MJ, Raj BKM, Calvo B, Garin-Chesa P, Sanz-Moncasi MP, Healey JH, Old LJ, Rettig WJ (1994):  
**Molecular cloning of fibroblast activation protein alpha, a member of the serine protease family selectively expressed in stromal fibroblasts of epithelial cancers.**  
Proc Natl Acad Sci USA 91: 5657-61

Schechter I, Berger A (1967):  
**On the size of the active site in proteases.**  
Biochem Biophys Res Commun 27: 157-62

Schlagenhauff B, Klessen C, Teichmann-Dörr S, Breuninger H, Rassner G (1992):  
**Demonstration of proteases in basal cell carcinomas.**  
Cancer 70: 1133-40

Schneider C, Newman RA, Sutherland DR, Asser U, Greaves MF (1982):  
**A one-step purification of membrane proteins using a high efficiency immunomatrix.**  
J Biol Chem 257: 10766-9

Seiki M (1999):  
**Membrane-type matrix metalloproteinases.**  
Acta Pathol Microbiol Immunol Scand 107: 137-43

Shane R, Wilk S, Bodnar RJ (1999):  
**Modulation of endomorphin-2-induced analgesia by dipeptidyl peptidase IV.**  
Brain Res 81: 278-86

Shibuya-Saruta H, Kasahara Y, Hashimoto Y (1996):  
**Human serum dipeptidyl peptidase IV (DPP IV) and its unique properties.**  
J Clin Lab Anal 10: 435-40

Shioda T, Kato H, Ohnishi Y, Tashiro K, Ikegawa M, Nakayama EE, Hu H, Kato A, Sakai Y, Liu H, Honjo T, Nomot A, Iwamoto A, Morimoto C, Nagai Y (1998):  
**Anti-HIV-1 and chemotactic activities of human stromal cell-derived factor 1 alpha (SDF-1 alpha) and SDF-beta are abolished by CD26/dipeptidyl peptidase IV-mediated cleavage.**  
Proc Natl Acad Sci USA 95: 6331-6

Siegel EG, Gallwitz B, Scharf G, Mentlein R, Morys-Wortmann C, Fölsch UR, Schrezenmeir J, Drescher K, Schmidt WE (1999):

**Biological activity of GLP-1-analogues with N-terminal modifications.**

Regul Pept 79: 93-102

Siegmund P, Körber F, Dietsch P (1976):

**Praktikum der Physiologischen Chemie für Mediziner und Naturwissenschaftler.**

Springer-Verlag, Heidelberg, 3. Auflage

Silbernagl S (1994):

**Die Funktion der Nieren.**

In: Klinker R, Silbernagl S (eds.): Lehrbuch der Physiologie. Thieme Verlag, Stuttgart, 1. Auflage

Stecca BA, Nardo B, Chieco P, Mazziotti A, Bolondi L, Cavallari A (1997):

**Aberrant dipeptidyl peptidase IV (DPP IV/CD26) expression in human hepatocellular carcinoma.**

J Hepatol 27: 337-45

Stryer L (1996):

**Biochemie.**

Spektrum, Akademischer Verlag, Heidelberg, 4. Auflage

Thompson NL, Hixson DC, Callanan H, Panzica M, Flanagan D, Faris RA, Hong W, Hartel-Schenk S, Doyle D (1991):

**A Fischer rat substrain deficient in dipeptidyl peptidase IV activity makes normal steady-state RNA levels and an altered protein.**

Biochem J 273: 497-502

Tiruppathi C, Miyamoto Y, Ganapathy V, Leibach FH (1993):

**Genetic evidence for role of DPP IV in intestinal hydrolysis and assimilation of prolyl peptides.**

Am J Physiol 256: G81-9

Tiruppathi C, Ganapathy V, Leibach FH (1990a):

**Evidence for tripeptide-proton symport in renal brush border membrane vesicles.**

J Biol Chem 265: 2048-53

Tiruppathi C, Miyamoto Y, Ganapathy V, Roesel RA, Whitford GM, Leibach FH (1990b):

**Hydrolysis and transport of proline-containing peptides in renal brush-border membrane vesicles from dipeptidyl peptidase IV-positive and dipeptidyl peptidase IV-negative rat strains.**

J Biol Chem 265: 1476-83

Towbin H, Staehlin T, Gordon J (1979):

**Electrophoretic transfer of proteins from polyacrylamide gels to nitrocellulose sheets: procedure and some applications.**

Proc Natl Acad Sci USA 76: 4350-54



Tsuji E, Misumi Y, Fujiwara T, Takami N, Ogata S, Ikehara Y (1992):  
**An active-site mutation (Gly<sup>633</sup> to Arg) of dipeptidyl peptidase IV causes its retention and rapid degradation in the endoplasmic reticulum.**  
Biochemistry 31: 11921-27

Ulmer AJ, Mattern T, Feller AC, Heymann E, Flad HD (1990):  
**CD26 antigen is a surface dipeptidyl peptidase IV (DPP IV) as characterized by monoclonal antibodies clone TII-19-4-7 and 4EL1C7.**  
Scand J Immunol 31: 429-35

Umezawa H, Aoyagi T, Ogawa K, Naganawa H, Hamada M, Takeuchi T (1984):  
**Diprotins A and B, inhibitors of dipeptidyl aminopeptidase IV, produced by bacteria.**  
J Antibiot (Tokyo) 37: 422-5

Underwood R, Chiravuri M, Lee H, Schmitz T, Kabcenell AK, Yardley K, Huber BT (1999):  
**Sequence, purification, and cloning of an intracellular serine protease, quiescent cell proline dipeptidase.**  
J Biol Chem 274: 34053-8

Van den Oord JJ (1998):  
**Expression of CD26/dipeptidyl-peptidase IV in benign and malignant pigment-cell lesions of the skin.**  
Br J Dermatol 138: 615-21

Van der Rest M, Garrone R (1991):  
**Collagen family of proteins.**  
FASEB J 5: 2814-23

Vanhoof G, Goossens F, De Meester I, Hendricks D, Scharpe S (1995):  
**Proline motifs in peptides and their biological processing.**  
FASEB J 9: 736-44

Walter R, Simmons WH, Yoshimoto T (1980):  
**Proline specific endo- and exopeptidases.**  
Mol Cell Biochem 30: 111-27

Watanabe Y, Kojima T, Fujimoto Y (1987):  
**Deficiency of membrane-bound dipeptidyl aminopeptidase IV in a certain rat strain.**  
Experientia 43: 400-1

Watanabe Y, Kojima-Komatsu T, Iwaki-Egawa S, Fujimoto Y (1993):  
**Increased excretion of proline-containing peptides in dipeptidyl peptidase IV-deficient rats.**  
Res Commun Chem Pathol Pharmacol 81: 323-30

Werb Z (1997):  
**ECM and cell surface proteolysis: regulating cellular ecology.**  
Cell 91: 439-42

Wilson MJ, Ruhland AR, Quast BJ, Reddy PK, Ewing SL, Sinha AA (2000):

**Dipeptidylpeptidase IV activities are elevated in prostate cancers and adjacent benign hyperplastic glands.**

J Androl 21: 220-6

Xu H (1992):

**Klonierung der Ratten-Dipeptidylpeptidase IV und deren Expression in CHO-Zellen. Vergleichende Untersuchung des Enzyms aus transfizierten CHO-Zellen, primär kultivierten Hepatozyten und einer Morris-Hepatom 7777-Zelllinie.**

Dissertation FU Berlin, Fachbereich Natur- und Sozialwissenschaftliche Grundlagenmedizin und Medizinische Ökologie

Xu Y, Gurusiddappa S, Rich RL, Owens RT, Keene DR, Mayne R, Hook A, Hook M (2000):

**Multiple binding sites in collagen type I for the integrins alpha1beta1 and alpha2beta1.**

J Biol Chem 275: 38981-9

Yoshimoto T, Walter R (1977):

**Post-proline dipeptidyl aminopeptidase (dipeptidyl aminopeptidase IV) from lamb kidney. Purification and some enzymatic properties.**

Biochim Biophys Acta 485: 391-401