

Literaturverzeichnis

- Allmendinger, R.W. and Gubbels, T., 1996. Pure and simple shear plateau uplift, Altiplano-Puna, Argentina and Bolivia. *Tectonophysics*, 259: 1-14.
- Allmendinger, R.W., Jordan, T.E., Kay, S.M. and Isacks, B.L., 1997. The evolution of the Altiplano-Puna plateau of the Central Andes. *Earth and Planetary Science Annual Review*, 25: 139-174.
- Almendras-Alarcon, O.D., Baldellón, E.G. and Lopez, R., 1997. Hoja Geológica Volcán Ollague/San Agustín 5930/6030. Publicación SGM-Serie I-CGB-46 SGM.
- Alpers, C.N. and Brimhall, G.H., 1988. Middle Miocene climatic change in the Atacama Desert, northern Chile: Evidence from supergene mineralization at La Escondida. *Geological Society of America Bulletin*, 100: 1640-1656.
- ANCORP Working Group, 1999. Seismic reflection image revealing offset of Andean subduction-zone earthquake locations into oceanic mantle. *Nature*, 397(6717): 341-344.
- Anders, M.H., Gregory-Wodzicki, K.M. and Spiegelman, M., 2002. A Critical Evaluation of Late Tertiary Accelerated Uplift Rates for the Eastern Cordillera, Central Andes of Bolivia. *Journal of Geology*, 110: 89-100.
- Andriessen, P.A.M. and Reutter, K.-J., 1994. K-Ar and fission-track mineral age determination of igneous rocks related to multiple magmatic arc systems along the 23°S latitude of Chile and NW Argentina. In: K.-J. Reutter, E. Scheuber and P. Wigger (Editors), *Tectonics of the Southern Central Andes*. Springer, Berlin, pp. 141-153.
- Babeyko, A.Y., Sobolev, S.V., Trumbull, R.B., Oncken, O. and Lavier, L.L., 2002. Numerical models of crustal scale convection and partial melting beneath the Altiplano-Puna plateau. *Earth and Planetary Science Letters*, 199: 373-388.
- Baby, P., Moretti, I., Guillier, B., Limachi, R., Mendez, E., Oller, J., and Specht, M., 1995. Petroleum System of the Northern and Central Bolivian Sub-Andean Zone. In: A.J. Tankard, R. Suárez-Soruco and H.J. Welsink (Editors), *Petroleum Basins of South America*. American Association of Petroleum Geologists Memoir, pp. 445-458.
- Baby, P., Rochat, P., Mascle, G. and Héral, G., 1997. Neogene shortening contribution to crustal thickening in the back arc of the Central Andes. *Geology*, 25: 883-886.
- Bahlburg, H., Breitkreuz, C. and Zeil, W., 1986. Paläozoische Sedimente Nordchiles. *Berliner Geowissenschaftliche Abhandlungen (A)*, 66(I), 147-168.
- Baker, M.C.W. and Francis, P.W., 1978. Upper Cenozoic volcanism in the Central Andes - ages and volumes. *Earth and Planetary Science Letters*, 41(2): 175-187.
- Barazangi, M. and Isacks, B.L., 1976. Spatial distribution of earthquakes and subduction of the Nazca Plate beneath South America. *Geology*, 4: 686-692.
- Barbarand, J., Carter, A. and Hurford, A.J., 2002. A comparison between spontaneous and induced fission-track annealing in apatite. Do induced fission track annealing models truly describe natural annealing in apatite? In: L. Barbero and F. Colombo (Editors), *International workshop on fission track analysis: theory and application*. Sociedad Geológica de España, El Puerto de Santa María (Cádiz), pp. 21-22.
- Beaumont, C., Jamieson, R.A., Nguyen, M.H. and Lee, B., 2001. Himalayan tectonics explained by extrusion of a low-viscosity crustal channel coupled to focused surface denudation. *Nature*, 414: 738-742.
- Beck, S.L. and Zandt, G., 2002. The nature of orogenic crust in the central Andes. *Journal of Geophysical Research*, B10(107): ESE 7-1 - ESE 7-11.
- Beck, S.L., Zandt, G., Myers, S. C., Wallace, T. C., Silver, P. G., and Drake, L., 1996. Crustal-thickness variations in the central Andes. *Geology*, 24(5): 407-410.
- Benjamin, M.T., Johnson, N.M. and Naeser, C.W., 1987. Recent rapid uplift in the Bolivian Andes: Evidence from fission-track dating. *Geology*, 15: 680-683.
- Bhandari, N., Bhat, S. G., Lal, D., Rajagopalan, G., Tamhane, A. S. J., and Venkatavaradan, V. S., 1971. Fission fragment tracks in apatite: recordable track lengths. *Earth and Planetary Science Letter*, 13: 191-199.

- Bodell, J.M. and Chapman, D.S., 1982. Heat flow in the north-central Colorado Plateau. *Journal of Geophysical Research*, 87: 2869-2884.
- Bond, G.C. and Kominz, M.A., 1984. Construction of tectonic subsidence curves for the early Paleozoic miogeocline, southern Canadian Rocky Mountains: Implications for subsidence mechanisms, age of breakup, and crustal thinning. *Geological Society of America Bulletin*, 95: 155-173.
- Brasse, H., Bhat, S. G., Lal, D., Rajagopalan, G., Tamhane, A. S. J., and Venkatavaradan, V. S., 2002. The Bolivian Altiplano conductivity anomaly. *Journal of Geophysical Research*, 107(B5): EPM 4-1 - EPM 4-15.
- Breitkreuz, C., 1986. Das Paläozoikum in den Kordilleren Nordchiles (21°-25°S). *Geotektonische Forschungen*, 70: 1-88.
- Brown, R.W., 1991. Backstacking apatite fission-track "stratigraphy": A method for resolving the erosional and isostatic rebound components of tectonic uplift histories. *Geology*, 19: 74-77.
- Brown, R.W. and Summerfield, M.A., 1997. Some uncertainties in the derivation of rates of denudation from thermochronologic data. *Earth Surface Processes and Landforms*, 22(3): 239-248.
- Burtner, R.L., Nigrini, A. and Donelick, R.A., 1994. Thermochronology of Lower Cretaceous source rocks in the Idaho-Wyoming thrust belt. *American Association of Petroleum Geologists Memoir Bulletin*, 78(10): 1613-1636.
- Cahill, T. and Isacks, B.L., 1992. Seismicity and shape of the subducted Nazca Plate. *Journal of Geophysical Research*, 97(B12): 17503-17529.
- Carlson, W.D., 1990. Mechanisms and kinetics of apatite fission-track annealing. *American Mineralogist*, 75: 1120-1139.
- Carlson, W.D., Donelick, R.A. and Ketcham, R.A., 1999. Variability of apatite fission-track annealing kinetics: I. Experimental results. *American Mineralogist*, 84(9): 1213-1223.
- Cermak, V. and Rybach, L., 1982. Thermal properties: Thermal conductivity and specific heat of minerals and rocks. In: G. Angeneister (Editor), *Landolt-Boernstein Zahlenwerte und Funktionen aus Naturwissenschaften und Technik, Neue Serie*. Springer Verlag, Berlin, pp. 305-343.
- Charrier, R. and Reutter, K.-J., 1994. The Purilactis Group of Northern Chile: Boundary Between Arc and Backarc from Late Cretaceous to Eocene. In: K.-J. Reutter, E. Scheuber and P.J. Wigger (Editors), *Tectonics of the Southern Central Andes*. Springer Verlag, Berlin, pp. 189-202.
- Clapperton, C., 1993. Quaternary geology and geomorphology of South America. Elsevier, New York, 779 pp.
- Coira, B., Davidson J, Mpodozis, C. and Ramos, V., 1982. Tectonic and magmatic evolution of the Andes of Northern Argentina and Chile. *Earth Science Review*, 18: 302-332.
- Coudert, L., Frappa, M., Viguier, C. and Arias, R., 1995. Tectonic subsidence and crustal flexure in the Neogene Chaco Basin of Bolivia. *Tectonophysics*, 243(3-4): 277-292.
- Coughlin, T.J., O'Sullivan, P.B., Kohn, B.P. and Holcombe, R.J., 1998. Apatite fission-track thermochronology of the Sierras Pampeanas, central western Argentina: implications for the mechanism of plateau uplift of the Andes. *Geology*, 26(11): 999-1002.
- Coutand, I., 1999. Tectonique cénozoïque du haut plateau de la Puna, Nord-Ouest argentin, Andes Centrales, Thèse d'Université, Collection Mém. Géosci. Rennes, v. 92, 391 pp.
- Coutand, I., Cobbold, P. R., de Urreiztieta, M., Gautier, P., Chauvin, A., Gapais, D., Rossello, E. A., and López-Gamundí, O., 2001. Style and history of Andean deformation, Puna plateau, Northwestern Argentina. *Tectonics*, 20(2): 210-234.
- Cowan, G.A. and Adler, H.H., 1976. The variability of the natural abundance of ^{235}U . *Geochim. Cosmochim. Acta*, 40: 1487-1490.
- Crough, S.T., 1983. Apatite fission-track dating of erosion in the eastern Andes, Bolivia. *Earth and Planetary Science Letters*, 64: 396-397.
- Crowley, K.D., Cameron, M. and Schaefer, R.L., 1991. Experimental studies of annealing of etched fission tracks in fluorapatite. *Geochimica et Cosmochimica Acta*, 55: 1449-1465.
- Damm, K.-W., K.-W., Pichowiak, S., Harmon, R. S., Todt, W., Kelley, S., Omarini, R., and Niemeyer, H., 1990. Pre-Mesozoic evolution of the central Andes; The basement revisited. In: S.M. Kay and C.W. Rapela (Eds.),

- tors), Plutonism from Antarctica to Alaska. Geological Society of America Special Paper, Boulder, Colorado, pp. 101-126.
- Davis, D., Suppe, J. and Dahlen, F.A., 1983. Mechanics of fold-and-thrust belts and accretionary wedges. *Journal of Geophysical Research*, 88(B2): 1153-1172.
- de Silva, S.L., 1989. Altiplano-Puna complex of the central Andes. *Geology*, 17: 1102-1106.
- DeCelles, P.G. and Horton, B.K., 2003. Early to middle Tertiary foreland basin development and the history of Andean crustal shortening in Bolivia. *Geological Society of America Bulletin*, 115(1): 58-77.
- Deming, D., Nunn, J.A., Jones, S. and Chapman, D.S., 1990. Some problems in Thermal History studies. In: V.F. Nuccio and C.E. Barker (Editors), *Applications of thermal maturity studies to energy exploration*. Rocky Mountains Section (RMS), Society of Economic Paleontologists and Mineralogists (SEPM) Monograph, pp. 61-80.
- Dodson, M.H., 1973. Closure temperature in cooling geochronological and petrological systems. *Contributions to Mineralogy and Petrology*, 40: 275-292.
- Donelick, R.A., 1991. Crystallographic orientation dependence of mean etchable fission track length in apatite; an empirical model and experimental observations. *American Mineralogist*, 76(1-2): 83-91.
- Donelick, R.A., 1993. A method of fission track analysis utilizing bulk chemical etching of apatite, U.S. Patent Number 5,267,274. Donelick, R.A., U.S.
- Donelick, R.A., Ketcham, R.A. and Carlson, W.D., 1999. Variability of apatite fission-track annealing kinetics: II. Crystallographic orientation effects. *American Mineralogist*, 84(9): 1224-1234.
- Duddy, I.R., Green, P.F. and Laslett, G.M., 1988. Thermal annealing of fission tracks in apatite, 3. Variable temperature behaviour. *Chemical Geology*, Isotope Geoscience Section, 73: 25-38.
- Düll, M., 2001. Sedimentologie der Cayara-Formation in der Camargo-Mulde und Geologische Kartierung der Umgebung von Camargo (Bolivien). Diploma Thesis, Freie Universität Berlin, Germany, 72 pp.
- Dumitru, T.A., 1993. A new computer-automated microscope stage system for fission-track analysis. *Nuclear Tracks and Radiation Measurements*, 21: 575-580.
- Dunn, J.F., Hartshorn, K.G. and Hartshorn, P.W., 1995. Structural styles and hydrocarbon potential of the Subandean thrust belt of Southern Bolivia. In: A.J. Tankard, R. Suárez-Soruco and H.J. Welsink (Editors), *Petroleum basins of South America*. American Association of Petroleum Geologists, pp. 523-543.
- Egenhoff, S., 2000. Sedimentologie und Beckenentwicklung im Ordovizium in Südbolivien. Berliner Geowissenschaftliche Abhandlungen, A207, Ph. D. Thesis, Freie Universität Berlin, Germany, 1-173.
- Egenhoff, S.O. and Lucassen, F., 2003. Chemical and isotopic composition of Lower to Upper Ordovician sedimentary rocks (Central Andes/South Bolivia): implications for their source. *Journal of Geology*, 111: 487-497.
- Elger, K., 2003. Analysis of deformation and tectonic history of the southern Altiplano Plateau (Bolivia) and their importance for plateau formation. Scientific Technical Report STR00/13, Ph. D. Thesis, Freie Universität Berlin, Potsdam, 151 pp.
- England, P.C. and Molnar, P., 1990. Surface uplift, uplift of rocks, and exhumation of rocks. *Geology*, 18(12): 1173-1177.
- Erdtmann, B.-D., Kley, J., Müller, J. and Jacobshagen, V., 1995. Ordovician basin dynamics and new graptolite data from the Tarija region, Eastern Cordillera, South Bolivia, Proceed. VII internat. Sympos. Ordovician System, Las Vegas, pp. 69-73, Fullerton.
- Farrar, E., Clark, D., Kontak, D. and Archibald, D., 1988. Zongo-San Gaban Zone: Eocene foreland boundary of the Central Andean orogen, northwest Bolivia and southeast Peru. *Geology*, 16: 55-58.
- Fiedler, K., 2002. Die kretazisch-alttertiäre Entwicklung des südlichen Potosí-Beckens (Südbolivien). Berliner Geowissenschaftliche Abhandlungen, A215, Ph. D. Thesis, Freie Universität Berlin, Germany, 162 pp.
- Fitzgerald, P.G., Sorkhabi, R.B., Redfield, T.F. and Stump, E., 1995. Uplift and denudation of the central Alaska Range: A case study in the use of apatite fission track thermochronology to determine absolute uplift parameters. *Journal of Geophysical Research*, 100(10): 20,175-20,191.
- Förster, A., Merriam, D.F. and Hoth, P., 1998. Geohistory and Thermal Maturation in the Cherokee Basin (Mid-Continent, U.S.A.): Results from Modeling. *American Association of Petroleum Geologists Bulletin*, 82(9): 1673-1693.

- Francis, P.W. and Hawkesworth, C.J., 1994. Late Cenozoic rates of magmatic activity in the Central Andes and their relationships to continental crust formation and thickening. *Journal of the Geological Society of London*, 151(845-854).
- Galbraith, R.F., 1981. On statistical models for fission track counts. *Mathematical Geology*, 13: 471-478.
- Galbraith, R.F. and Laslett, G.M., 1993. Statistical models for mixed fission track ages. *Nuclear Tracks*, 21(4): 459-470.
- Gallagher, K., 1995. Evolving temperature histories from apatite fission-track data. *Earth and Planetary Science Letters*, 136(3-4): 421-435.
- Gallagher, K., Brown, R. and Johnson, C., 1998. Fission track analysis and its applications to geological problems. *Annual Review of Earth and Planetary Sciences*, 26: 519-572.
- Giese, P., Reutter, K.-J. and Scheuber, E., in prep. The possible Impact of the Mid-Cretaceous Superplume on the Evolution of the Central Andes.
- Giese, P., Scheuber, E., Schilling, F., Schmitz, M. and Wigger, P., 1999. Crustal thickening processes in the Central Andes and the different natures of the Moho-discontinuity. *Journal of South American Earth Sciences*, 12: 201-220.
- Gleadow, A.J.W., Duddy, I.R., Green, P.F. and Lovering, J.F., 1986. Confined fission track lengths in apatite: a diagnostic tool for thermal history analysis. *Contributions to Mineralogy and Petrology*, 94: 405-415.
- Gleadow, A.J.W. and Duddy, L.R., 1981. A natural long-term track annealing experiment for apatite. *Nuclear Tracks*, 5: 169-174.
- Gleadow, A.J.W. and Fitzgerald, P.G., 1987. Uplift history and structure of the Transantarctic Mountains: New evidence from fission track dating of basement apatites in the Dry Valleys area, Southern Victoria Land. *Earth Planet. Sci. Lett.*, 82: 1-14.
- Götze, H.-J. and Kirchner, A., 1997. Interpretation of gravity and geoid in the Central Andes between 20 degrees and 29 degrees S. *Journal of South American Earth Sciences*, 10(2): 179-188.
- Götze, H.-J. and MIGRA-Group, 1996. Group updates gravity database for Central Andes, EOS-Transactions. AGU, pp. 5.
- Graeber, F.M. and Asch, G., 1999. Three dimensional models of *P* wave velocity and *P*-to-*S* velocity ratio in the southern central Andes by simultaneous inversion of local earthquake data. *Journal of Geophysical Research*, 104(B9): 20237-20256.
- Grant, J.N., Halls, C., Salinas, W.A. and Snelling, N.J., 1979. K-Ar ages of igneous rocks in mineralization in part of the Bolivian tin belt. *Economic Geology*, 74: 838-851.
- Green, P.F., 1985. Comparison of zeta calibration baselines for fission-track dating of apatite, zircon and sphene. *Chemical Geology*, 58: 1-22.
- Green, P.F., 1988. The relationship between track shortening and fission track age reduction in apatite: Combined influences of inherent instability, annealing anisotropy, length bias and system calibration. *Earth and Planetary Science Letters*, 89: 335-352.
- Green, P.F., Duddy, I.R., Gleadow, A.J.W. and Lovering, J.F., 1989a. Apatite fission-track analysis as a paleotemperature indicator for hydrocarbon exploration. In: N.D. Naeser and T.H. McCulloh (Editors), *Thermal History of Sedimentary Basins: Methods and Case Histories*. Springer Verlag, New York, pp. 181-195.
- Green, P.F., Duddy, I.R., Gleadow, A.J.W., Tingate, R.R. and Laslett, G.M., 1986. Thermal annealing of fission tracks in apatite. 1. A qualitative description. *Chemical Geology*, Isotope Geoscience Section, 59: 237-253.
- Green, P.F., Duddy, I. R., Laslett, G. M., Hegarty, K. A., Gleadow, A. J. W., and Lovering, J. F., 1989b. Thermal annealing of fission tracks in apatite, 4. Quantitative modelling techniques and extension to geological timescales. *Chemical Geology*, Isotope Geoscience Section, 79: 155-182.
- Gregory-Wodzicki, K.M., 2000. Uplift history of the Central and Northern Andes: a review. *Geological Society of America Bulletin*, 112(7): 1091-1105.
- Grier, M.E., Salfity, J.A. and Allmendinger, R.W., 1991. Andean reactivation of the Cretaceous Salta Rift, north-western Argentina. *Journal of South American Earth Sciences*, 4(4): 351-372.
- Gubbels, T.L., Isacks, B.L. and Farrar, E., 1993. High-level surfaces, plateau uplift and foreland development, Bolivian central Andes. *Geology*, 21: 695-698.

- Günther, A., 2001. Strukturgeometrie, Kinematik und Deformationsgeschichte des oberkretazisch-alttertiären magmatischen Bogens (nord-chilenische Prökordillere, 21,7-23°S). Berliner Geowissenschaftliche Abhandlungen, A213, Ph. D. Thesis, Freie Universität Berlin, Germany, 170 pp.
- Gutscher, M.-A., Spakman, W., Bijwaard, H. and Engdahl, E.R., 2000. Geodynamics of flat subduction: seismicity and tomographic constraints from the Andean margin. *Tectonics*, 19(5): 814-833.
- Hanna, G.C., Westcott, C. H., Lemmel, H. D., Leonard, B. R., Story, J. S., and Attree, P. M., 1969. Revision of values for the 2200 m/s neutron constants for four fissile nuclides. *At. Energ. Rev.*, 7(4): 3-92.
- Henry, S.G. and Pollack, H.N., 1988. Terrestrial heat flow above the Andean subduction zone in Bolivia and Peru. *Journal of Geophysical Research*, 93(B12): 15,153-15,162.
- Héral, G., Oller, J., Baby, P., Bonhomme, M. and Soler, P., 1996. Strike-slip faulting, thrusting and related basins in the Cenozoic evolution of the southern branch of the Bolivian Orocline. *Tectonophysics*, 259: 201-212.
- Héral, G., Rochat, P., Baby, P., Aranibar, O., Laveno, A., and Mascle, G., 1997. El Altiplano Norte de Bolivia, evolución geológica terciaria. In: R. Charrier, P. Aceituno, M. Castro, A. Llanos and L.A. Raggi (Editors), *El Altiplano: ciencia y conciencia en los Andes, Actas 2. Simposio Internacional Estudios Altiplánicos, Arica 1993*. Universidad de Chile, Santiago de Chile, pp. 33-44.
- Hindle, D., Kley, J., Klosko, E., Stein, S., Dixon, T., and Norabuena, E., 2002. Consistency of geologic and geodetic displacements during Andean orogenesis. *Geophysical Research Letters*, 29(8): 29-1 - 29-4.
- Hoke, L., Hilton, D.R., Lamb, S.H., Hammerschmidt, K. and Friedrichsen, H., 1994. ${}^3\text{He}$ evidence for a wide zone of active mantle melting beneath the Central Andes. *Earth and Planetary Science Letters*, 128: 341-355.
- Horton, B.K., 1998. Sediment accumulation on top of the Andean orogenic wedge: Oligocene to late Miocene basins of the Eastern Cordillera, southern Bolivia. *Geological Society of America Bulletin*, 110(9): 1174-1192.
- Horton, B.K., 1999. Erosional controls on the geometry and kinematics of thrust belt development in the central Andes. *Tectonics*, 18(6): 1292-1304.
- Horton, B.K. and DeCelles, P.G., 1997. The modern foreland basin system adjacent to the Central Andes. *Geology*, 25 (10): 895-898.
- Horton, B.K. and DeCelles, P.G., 2001. Modern and ancient fluvial megafans in the foreland basin system of the central Andes, southern Bolivia: implications for drainage network evolution in fold-thrust belts. *Basin Research*, 13: 43-63.
- Horton, B.K., Hampton, B.A., LaReau, B.N. and Baldellón, E., 2001a. Tertiary provenance history of the northern and central Altiplano (Central Andes, Bolivia): a detrital record of plateau-margin tectonics. *Journal of Sedimentary Research*, 72(5): 711-726.
- Horton, B.K., Hampton, B.A. and Waanders, 2001b. Paleogene synorogenic sedimentation in the Altiplano plateau and implications for initial mountain building in the central Andes. *Geological Society of America Bulletin*, 113(11): 1387-1400.
- Houseman, G.A., McKenzie, D.P. and Molnar, P., 1981. Convective instability of a thickened boundary layer and its relevance for the thermal evolution of continental convergent belts. *Journal of Geophysical Research*, 86: 6115-6132.
- Hurford, A.J., 1998. Zeta: the ultimate solution to fission-track analysis calibration or just an interim measure? In: P. Van den Haute and F. De Corte (Editors), *Advances in fission-track geochronology*. Solid Earth Sciences Library. Kluwer, pp. 33-46.
- Hurford, A.J. and Green, P.F., 1982. A users' guide to fission track dating calibration. *Earth and Planetary Science Letters*, 59: 343-354.
- Hurford, A.J. and Green, P.F., 1983. The zeta age calibration of fission-track dating. *Chemical Geology*, 41(4): 285-317.
- Hurford, A.J. and Hammerschmidt, K., 1985. ${}^{40}\text{Ar}/{}^{39}\text{Ar}$ and K/Ar dating of the Bishop and Fish Canyon tuffs; calibration ages for fission-track-dating standards. *Chemical Geology, Isotope Geoscience Section*, 58(1-2): 23-32.
- Husson, L. and Sempere, T., 2003. Thickening the Altiplano crust by gravity-driven crustal channel flow. *Geophysical Research Letters*, 30(5): 1243.

- IES, Gesellschaft für Integrierte Explorationssysteme mbH, 1990. IES Pre-Drilling Intelligence (PDI) Basin Modeling Software, Jülich, Germany.
- Isacks, B.L., 1988. Uplift of the Central Andean Plateau and Bending of the Bolivian Orocline. *Journal of Geophysical Research*, 93(B4): 3211-3231.
- Issler, D.R., 1996. Optimizing time step size for apatite fission track annealing models. *Computers and Geosciences*, 22(1): 67-74.
- Jacobshagen, V., Müller, J., Wemmer, K., Ahrendt, H. and Manutsoglu, E., 2002. Hercynian deformation and metamorphism in the Cordillera Oriental of Southern Bolivia, Central Andes. *Tectonophysics*, 345: 119-130.
- Jaffrey, A.H., Flynn, K.F., Glendenin, L.E., Bentley, W.C. and Essling, A.M., 1973. Precision measurements of the half-lives and specific activities of ^{235}U and ^{238}U . *Physical Review*, 4: 1889-1906.
- Jaillard, E. and Soler, P., 1996. Cretaceous to early Paleogene tectonic evolution of the northern Central Andes (0-18 degrees S) and its relations to geodynamics. *Tectonophysics*, 259: 41-53.
- James, D.E., 1971. Andean crustal and upper mantle structure. *Journal of Geophysical Research*, 76: 3246-3271.
- Jordan, T.E. and Alonso, R.N., 1987. Cenozoic stratigraphy and basin tectonics of the Andes mountains, 20°-28° South latitude. *American Association of Petroleum Geologists Bulletin*, 71(1): 49-64.
- Jordan, T.E., Isacks, B. L., Allmendinger, R. W., Brewer, J. A., Ramos, V. A., and Ando, C. J., 1983. Andean tectonics related to geometry of subducted Nazca plate. *Geological Society of America Bulletin*, 94(3): 341-361.
- Jordan, T.E., Reynolds, J.H. and Erikson, J.P., 1997. Variability in age of initial shortening and uplift in the central Andes 16-33°S. In: W.F. Ruddiman (Editor), *Tectonic uplift and climate change*. Plenum Press, New York, pp. 41-61.
- Kay, R.W. and Kay, S.M., 1993. Delamination and delamination magmatism. *Tectonophysics*, 219: 177-189.
- Kay, S.M., Coira, B. and Viramonte, J., 1994. Young mafic back arc volcanic rocks as indicators of continental lithospheric delamination beneath the Argentine Puna plateau, central Andes. *Journal of Geophysical Research*, 99 (B12): 24323-24339.
- Kennan, L., 2000. Large-scale geomorphology of the Andes: interrelationships of tectonics, magmatism and climate. In: M.A. Summerfield (Editor), *Geomorphology and Global Tectonics*. John Wiley & Sons, Chichester, pp. 167-200.
- Kennan, L., Lamb, S. and Rundle, C., 1995. K-Ar dates from the Altiplano and Cordillera Oriental of Bolivia: implications for Cenozoic stratigraphy and tectonics. *Journal of South American Earth Sciences*, 8: 163-186.
- Kennan, L., Lamb, S.H. and Hoke, L., 1997. High altitude palaeosurfaces in the Bolivian Andes: evidence for late Cenozoic surface uplift. In: M. Widdowson (Editor), *Palaeosurfaces: Recognition, Reconstruction and Interpretation*. Geological Society of London Special Publications, pp. 307-324.
- Ketcham, R.A., Donelick, R.A. and Carlson, W.D., 1999. Variability of apatite fission-track annealing kinetics: III. Extrapolation to geological time scales. *American Mineralogist*, 84(9): 1235-1255.
- Ketcham, R.A., Donelick, R.A. and Donelick, M.B., 2000. AFTSolve: A program for multi-kinetic modeling of apatite fission-track data. *Geological Materials Research*, 2(1): 1-32.
- Kley, J., 1993. Der Übergang vom Subandin zur Ostkordillere in Südbolivien (21°15' - 22°S): Geologische Struktur und Kinematik. Berliner Geowissenschaftliche Abhandlungen, A156, Ph. D. Thesis, Freie Universität Berlin, Germany, 88 pp.
- Kley, J., 1996. Transition from basement-involved to thin-skinned thrusting in the Cordillera Oriental of southern Bolivia. *Tectonics*, 15(4): 763-775.
- Kley, J., Gangui, A.H. and Krüger, D., 1996. Basement-involved blind thrusting in the eastern Cordillera Oriental, southern Bolivia: evidence from cross-sectional balancing, gravimetric and magnetotelluric data. *Tectonophysics*, 259: 171-184.
- Kley, J. and Monaldi, C.R., 1998. Tectonic shortening and crustal thickness in the Central Andes: How good is the correlation? *Geology*, 26: 723-726.

- Kley, J., Müller, J., Tawackoli, S., Jacobshagen, V. and Manutsoglu, E., 1997. Pre-Andean and Andean-age Deformation in the Eastern Cordillera of Southern Bolivia. *Journal of South American Earth Sciences*, 10(1): 1-19.
- Kley, J. and Reinhardt, M., 1994. Geothermal and tectonic evolution of the Eastern Cordillera and the Subandean Ranges of Southern Bolivia. In: K.-J. Reutter, E. Scheuber and P.J. Wigger (Editors), *Tectonics of the Southern Central Andes*. Springer, Berlin, pp. 155-168.
- Kohn, B.P., Foster, D.A. and Farley, K.A., 2002. Low temperature thermochronology of apatites with exceptional compositional variations: The Stillwater Complex, Montana revisited. In: L. Barbero and F. Colombo (Editors), *International workshop on fission track analysis: theory and application*. Sociedad Geológica de España, El Puerto de Santa María (Cádiz), pp. 103-105.
- Kontak, D.J., Farrar, E., Clark, A.H. and Archibald, D.A., 1990. Eocene tectono-thermal rejuvenation of an upper Palaeozoic-lower Mesozoic terrane in the Cordillera de Carabaya, Puno, southeastern Peru, revealed by K-Ar and 40Ar/39Ar dating. *Journal of South American Earth Sciences*, 3(4): 231-246.
- Lamb, S. and Davis, P., 2003. Cenozoic climate change as a possible cause for the rise of the Andes. *Nature*, 425: 792-797.
- Lamb, S. and Hoke, L., 1997. Origin of the high plateau in the Central Andes, Bolivia, South America. *Tectonics*, 16: 623-649.
- Lamb, S., Hoke, L., Kennan, L. and Dewey, J., 1997. Cenozoic evolution of the Central Andes in Bolivia and northern Chile. In: J.-P.B.a.M. Ford (Editor), *Orogeny Through Time*. Geological Society Special Publication, pp. 237-264.
- Laslett, G.M., Green, P.F., Duddy, I.R. and Gleadow, A.J.W., 1987. Thermal annealing of fission tracks in apatite, 2. A quantitative analysis. *Chemical Geology, Isotope Geoscience Section*, 65: 1-13.
- Laubacher, G. and Naeser, C.W., 1994. Fission-track dating of granitic rocks from the eastern Cordillera of Peru: evidence for Late Jurassic and Cenozoic cooling. *Journal of the Geological Society of London*, 151: 473-483.
- Levenhagen, J., 2001. Geologie und Tektonik im Gebiet San Cristobal-Corregidores, südlicher bolivianischer Altiplano (21°S, 67°2'W). Diploma Thesis, Freie Universität Berlin, Germany, 81 pp.
- Lucassen, F., Lewerenz, S., Franz, G., Viramonte, J. and Mezger, K., 1999. Metamorphism, isotopic ages and composition of lower crustal granulite xenoliths from the Cretaceous Salta Rift, Argentina. *Contributions to Mineralogy and Petrology*, 134: 325-341.
- Lyon-Caen, H., Molnar, P. and Suárez, G., 1985. Gravity anomalies and flexure of the Brazilian Shield beneath the Bolivian Andes. *Earth and Planetary Science Letters*, 75(1): 81-92.
- Maksaev, V., 1990. Metallogeny, geological evolution and thermochronology of the Chilean Andes between latitudes 21° and 26° South and the origin of major porphyry copper deposits. Ph. D. Thesis, Dalhousie University, Halifax, Nova Scotia, Canada, 554 pp.
- Maletz, J., Kley, J. and Reinhardt, M., 1995. New data on the palaeontology and biostratigraphy of the Ordovician in southern Bolivia. *Newsletter on Stratigraphy*, 32: 163-173.
- Mancktelow, N.S. and Grasemann, B., 1997. Time-dependent effects of heat advection and topography on cooling histories during erosion. *Tectonophysics*, 270: 167-195.
- Mareschal, J.-C., 1983. Mechanisms of uplift preceding rifting. *Tectonophysics*, 94: 51-66.
- Marocco, R., Sempére, T., Cirbian, M. and Oller, J., 1987. Mise en évidence d'une déformation paléocène en Bolivie du Sud. Sa place dans l'évolution géodynamique des Andes Centrales. *Comptes Rendues de l'Academie des Sciences de Paris Série II*, 304: 1139-1143.
- Marshall, L.G. and Sempere, T., 1991. The Eocene to Pleistocene vertebrates of Bolivia and their stratigraphic context: A review. In: R. Suarez-Soruco (Editor), *Fósiles y facies de Bolivia, Tomo 1: Vertebrados: Revista Técnica de Yacimientos Petrolíferos Fiscales Bolivianos*, pp. 631-652.
- Marshall, L.G., Sempere, T. and Butler, R.F., 1997. Chronostratigraphy of the mammal-bearing Paleocene of South America. *Journal of South American Earth Sciences*, 10(1): 49-70.
- Marshall, L.G., Sempere, T. and Gayet, M., 1993. The Petaca (late Oligocene-middle Miocene) and Yecua (late Miocene) formations of the Subandean-Chaco basin, Bolivia, and their tectonic significance. *Docum. Lab. Géol. Lyon*, 125: 291-301.

- Masek, J.G., Isacks, B.L., Gubbels, T.L. and Fielding, E.J., 1994. Erosion and tectonics at the margins of continental plateaus. *Journal of Geophysical Research*, 99: 13941-13956.
- McBride, S., Clark, D., Farrar, E. and Archibald, D., 1987. Delimitation of a cryptic Eocene tectono-thermal domain in the Eastern Cordillera of the Bolivian Andes through K-Ar dating and 40Ar-39Ar step-heating. *Journal of the Geological Society of London*, 144: 243-255.
- McDowell, F.W. and Keizer, R.P., 1977. Timing of mid-Tertiary volcanism in the Sierra Madre Occidental between Durango city and Mazatlan, Mexico. *Geological Society of America Bulletin*, 88: 1479-1487.
- McKenzie, D. 1978. Some remarks on the development of sedimentary basins. *Earth and Planetary Science Letters*, 40: 25-32.
- McQuarrie, N., 2002. The kinematic history of the central Andean fold-thrust belt, Bolivia: Implications for building a high plateau. *Geological Society of America Bulletin*, 114(8): 950-963.
- Mendoza, E.R., 1995. Bloque Capirenda - Area de exploracion seleccionada para capitalizacion, YPFB, Santa Cruz, Bolivia.
- Mertmann, D. and Fiedler, K., 1997. Sedimentary evolution of the Cretaceous to Palaeocene Potosí basin (Eastern Cordillera, Southern Bolivia), I Congreso Latinoamericano de Sedimentología. Sociedad Venezolana de Geólogos, Porlamar, Isla de Margarita, pp. 95-101.
- Molnar, P. and England, P., 1990. Late Cenozoic uplift of mountain ranges and global climate change: chicken or egg? *Nature*, 346: 29-34.
- Montgomery, D.R., Balco, G. and Willett, S.D., 2001. Climate, tectonics, and the morphology of the Andes. *Geology*, 29(7): 579-582.
- Moore, M.A. and England, P.C., 2001. On the inference of denudation rates from cooling ages of minerals. *Earth and Planetary Science Letters*, 185: 265-284.
- Moretti, I., Baby, P., Mendez, E. and Zubietta, D., 1996. Hydrocarbon generation in relation to thrusting in the Subandean zone from 18° to 22°S, South Bolivia. *Petroleum Geoscience*, 2: 17-28.
- Morgan, P., 1983. Constraints on rift thermal processes from heat flow and uplift. *Tectonophysics*, 94: 277-298.
- Mourier, T., Bengtson, P., Bonhomme, M., Buge, E., Cappetta, H., Crochet, J.-Y., Feist, M., Hirsch, K. F., Jaillard, E., Laubacher, F., Lefranc, J. P., Moullade, M., Noblet, C., Pons, D., Rey, J., Sigé, B., Tambareau, Y., and Taquet, P., 1988. The Upper Cretaceous - Lower Tertiary marine to continental transition in the Bagua basin, northern Peru: Paleontology, biostratigraphy, radiometry, correlations. *Newsletter on Stratigraphy*, 19(3): 143-177.
- Müller, J., 2000. Tektonische Entwicklung und Krustenverkürzung der Ostkordillere Südboliviens (20.7°S-21, 5°S). Ph. D. Thesis, Freie Universität Berlin, Germany, 197 pp.
- Müller, J., Maletz, J., Egenhoff, S. and Erdtmann, B.-D., 1996. Turbiditas Caradocianas-(?)Ashgillianas inferiores en la Cordillera Oriental al sur de Bolivia: Implicaciones cinemáticas (abstract), Duodécimo Congreso Geológico Boliviano, pp. 91-96.
- Müller, J.P., Kley, J. and Jacobshagen, V., 2002. Structure and Cenozoic kinematics of the Eastern Cordillera, southern Bolivia (21°S). *Tectonics*, 21(5): 1037, 1-1 - 1-24.
- Myers, S., Beck, S., Zandt, G. and Wallace, T., 1998. Lithospheric-scale structure across the Bolivian Andes from tomographic images of velocity and attenuation for *P* and *S* waves. *Journal of Geophysical Research*, 103(B9): 21233-21252.
- Norabuena, E., Leffler-Griffin, L., Mao, A., Dixon, T., Stein, S., Sacks, S., Ocola, L., and Ellis, M., 1998. Space geodetic observations of Nazca-South America convergence across the Central Andes. *Science*, 279: 358-362.
- Nunn, J.A., Sleep, N.H. and Moore, W.E., 1984. Thermal Subsidence and Generation of Hydrocarbons in Michigan Basin. *American Association of Petroleum Geologists Bulletin*, 68(3): 296-315.
- Oller, J. and Sempere, T., 1990. A fluvio-eolian sequence of probable Middle Triassic-Jurassic age in both Andean and Subandean Bolivia. In: E.d. l'ORSTOM (Editor), Symposium international "Géodynamique Andine", Résumés des communications, Paris, pp. 237-240.

- O'Sullivan, P.B. and Parrish, R.R., 1995. The importance of apatite composition and single-grain ages when interpreting fission track data from plutonic rocks: a case study from the Coast Ranges, British Columbia. *Earth and Planetary Science Letters*, 132(1-4): 213-224.
- Pardo-Casas, F. and Molnar, P., 1987. Relative motion of the Nazca (Farallon) and South American Plates since Late Cretaceous time. *Tectonics*, 6: 233-248.
- Pope, D.C. and Willett, S.D., 1998. Thermal-mechanical model for crustal thickening in the central Andes driven by ablative subduction. *Geology*, 26(6): 511-514.
- Price, P.B. and Walker, R.M., 1963. Fossil tracks of charged particles in mica and the age of minerals. *Journal of Geophysical Research*, 68(16): 4847-4862.
- Reutter, K.-J., Scheuber, E. and Guillermo, C., 1996. The Precordilleran Fault System of Chuquicamata, northern Chile: evidence for tectonic inversion along arc-parallel strike slip faults. *Tectonophysics*, 259: 213-228.
- Ritter, D.F., 1988. Landscape analysis and the search for geomorphic unity. *Geological Society of America Bulletin*, 100: 160-171.
- Riba, O., 1976. Syntectonic unconformities of the Alto Cardener, spanish Pyrenees: a genetic interpretation. *Sedimentary Geology*, 15: 213-233.
- Rivas-Venezuela, S., 1969. Estratigrafía de los sistemas Ordovícico - Cámbrico y Precámbrico en Taíta, sur de Bolivia. Sociedad Geológica Boliviana, Boletín no. 9: 27-56.
- Roeder, D., 1988. Andean-age structure of eastern Cordillera (Province of La Paz, Bolivia). *Tectonics*, 7(1): 23-39.
- Roeder, D. and Chamberlain, R.L., 1995. Structural Geology of Sub-Andean Fold and Thrust Belt in Northwestern Bolivia. In: A.J. Tankard, R. Suárez-Soruco and H.J. Welsink (Editors), *Petroleum Basins of South America*. American Association of Petroleum Geologists Memoir, pp. 459-479.
- Royden, L., 1996. Coupling and decoupling of crust and mantle in convergent orogens; implications for strain partitioning in the crust. *Journal of Geophysical Research*, 101(B8): 17679-17705.
- Royden, L., Sclater, J.G. and von Herzen, R.P., 1980. Continental Margin Subsidence and Heat Flow: Important Parameters in Formation of Petroleum Hydrocarbons. *American Association of Petroleum Geologists Bulletin*, 64(2): 173-187.
- Russo, A. and Rodrigo, L., 1965. Estratigrafía y paleogeografía del Grupo Puca en Bolivia. *Boletín IPB*, 5(3-4): 5-51.
- Safran, E.B., 2003. Geomorphic interpretation of low-temperature thermochronologic data: Insights from two-dimensional thermal modelling. *Journal of Geophysical Research*, 108(B4, 2189).
- Salfity, J.A. and Marquillas, R.A., 1994. Tectonic and sedimentary evolution of the Cretaceous-Eocene Salta group basin, Argentina. In: J.A. Salfity (Editor), *Cretaceous tectonics of the Andes*. IGCP, IUGS UNESCO 242, Braunschweig, pp. 266-315.
- Scheuber, E., Bogdanic, T., Jensen, A. and Reutter, K.-J., 1994. Tectonic development of the north Chilean Andes in relation to plate convergence and magmatism since the Jurassic. In: K.-J. Reutter, E. Scheuber and P.J. Wigger (Editors), *Tectonics of the Southern Central Andes*. Springer, Berlin, pp. 121-139.
- Scheuber, E. and Reutter, K.-J., 1992. Magmatic arc tectonics in the Central Andes between 21° and 25°S. *Tectonophysics*, 205: 127-140.
- Schmitz, M., 1994. A balanced model of the Southern Central Andes. *Tectonics*, 13: 484-492.
- Schmitz, M., Lessel, K., Giese, P., Wigger, P., Araneda, M., Bribach, J., Graeber, F., Grunewald, S., Haberland, C., Lüth, S., Röwer, P., Ryberg, T., and Schulze, A., 1999. The crustal structure beneath the Central Andean forearc and magmatic arc as derived from seismic studies - the PISCO 94 experiment in northern Chile (21°-23°S). *Journal of South American Earth Sciences*, 12(3): 237-260.
- Schneider, A. and Halls, C., 1986. Eruptive processes, mineralization and isotopic evolution of the Los Frailes Karikari region, Bolivia. In: P. Giese (Editor), 10. *Geowissenschaftliches Lateinamerika-Kolloquium*, Berlin, Germany, pp. 182-184.
- Schön, J.H., 1996. Physikal properties of rocks; Fundamentals and principles of petrophysics. *Handbook of geophysical exploration. Section 1, Seismic exploration*, Volume 18, Elsevier, Oxford, 583 pp.
- Schurr, B., 2000. Seismic structure of the central Andean subduction zone from local earthquake data. *Scientific Technical Report STR01/01, Ph. D. Thesis*, Freie Universität Berlin, Potsdam, Germany, 122 pp.

- Sclater, J.G., Parsons, B. and Jaupart, C., 1981. Oceans and continents: Similarities and differences in the mechanisms of heat loss. *Journal of Geophysical Research*, 86: 11335-11552.
- Sempere, T., 1990. Late Cambrian to Early Silurian Evolution of the Central Andean Basin (10°-26°S). In: Forschergruppe Mobilität aktiver Kontinentalränder (Editors), Final workshop: Structure and Evolution of the Central Andes in Northern Chile, Southern Bolivia and Northwestern Argentina, Berlin, Germany, pp. 56-57.
- Sempere, T., 1994. Kimmeridgian? to Paleocene tectonic evolution of Bolivia. In: J.A. Salfity (Editor), Cretaceous tectonics of the Andes. IGCP, IUGS UNESCO 242, Braunschweig, pp. 168-212.
- Sempere, T., 2001. Discussion and reply: Sediment accumulation on top of the Andean orogenic wedge: Oligocene to late Miocene basins of the Eastern Cordillera, southern Bolivia. *Geological Society of America Bulletin*, 145(1): 1752-1759.
- Sempere, T., Butler, R. F., Richards, D. R., Marshall, L. G., Sharp, W., and Swisher, C. C., 1997. Stratigraphy and chronology of Upper Cretaceous-lower Paleogene strata in Bolivia and northwest Argentina. *Geological Society of America Bulletin*, 109(6): 709-727.
- Sempere, T., Héral, G., Oller, J. and Bonhomme, M.G., 1990. Late Oligocene-Early Miocene major tectonic crisis and related basins in Bolivia. *Geology*, 18: 946-949.
- SERGEOMIN, 1991a. Hoja Carrizal, mapa geológico, 1:100,000, Servicio Nacional de Geología y Minería, La Paz.
- SERGEOMIN, 1991b. Hoja Tarija, mapa geológico, 1:100,000 Servicio Nacional de Geología y Minería, La Paz.
- SERGEOMIN, 1992. Hojas Tarija y Villazon, mapa geológico, 1:250,000. Servicio Nacional de Geología y Minería, La Paz.
- SERGEOMIN, 1998. Hoja San Pablo de Lipez, mapa geológico, 1:250,000, Servicio Nacional de Geología y Minería, La Paz.
- Sheffels, B.M., 1990. Lower bound on the amount of crustal shortening in the central Bolivian Andes. *Geology*, 18(9): 812-815.
- Sillitoe, R.H. and McKee, E.H., 1996. Age of Supergene Oxidation and Enrichement in the Chilean Porphyry Copper Province. *Economic Geology*: 164-179.
- Silva, P., in prep. Der südliche Altiplano im Tertiär: Sedimentäre Entwicklung und tektonische Implikationen. Ph. D. Thesis, Freie Universität Berlin, Germany.
- Sobel, E.R. and Strecker, M.R., in press 2003. Uplift, exhumation, and precipitation: Tectonic and climatic control of Late Cenozoic landscape evolution in the northern Sierras Pampeanas, Argentina. *Basin Research*.
- Somoza, R., 1998. Updated Nazca (Farallon)-South America relative motions during the last 40 My: Implications for mountain building in the central Andean region. *Journal of South American Earth Sciences*, 11(3): 211-215.
- Spohn, T. and Schubert, G., 1983. Convective thinning of the lithosphere: A mechanism for rifting and mid-plate volcanism on Earth, Venus and Mars. *Tectonophysics*, 94: 67-90.
- Springer, M., 1996. Die regionale Oberflächenwärmeflußdichte-Verteilung in den zentralen Anden und daraus abgeleitete Temperaturmodelle der Lithosphäre. Ph. D. Thesis, Freie Universität Berlin, Germany, 122 pp.
- Springer, M., 1999. Interpretation of heat-flow density in the Central Andes. *Tectonophysics*, 306: 377-395.
- Springer, M. and Förster, A., 1998. Heat-flow density across the Central Andean subduction zone. *Tectonophysics*, 291(1-4): 123-139.
- Stüwe, K., White, L. and Brown, R., 1994. The influence of eroding topography on steady-state isotherms. Application to fission track analysis. *Earth and Planetary Science Letters*, 124: 63-74.
- Tawackoli, S., 1999. Andine Entwicklung der Ostkordillere in der Region Tupiza (Südbolivien). *Berliner Geowissenschaftliche Abhandlungen*, A 203, Ph. D. Thesis, Freie Universität Berlin, Germany, 116.
- Tosdal, R.M., Clark, A.H. and Farrar, E., 1984. Cenozoic polyphase landscape and tectonic evolution of the Cordillera Occidental, southernmost Peru. *Geological Society of America Bulletin*, 95: 1318-1332.
- Turcotte, D.L. and Emerman, S.H., 1983. Mechanisms of active and passive rifting. *Tectonophysics*, 94: 39-50.
- Turner, J.C.M., 1960. Estratigrafía de la Sierra de Santa Victoria y adyacencias. *Bol. Acad. Cienc. Córdoba*, 41(2): 163-196.

- Vacquier, V., 1984. Oil fields - a source of heat flow data. *Tectonophysics*, 103: 81-98.
- Vanderhaeghe, O., Medvedev, S., Fullsack, P., Beaumont, C. and Jamieson, R.A., 2003. Evolution of orogenic wedges and continental plateaux: insights from crustal thermal-mechanical models overlying subducting mantle lithosphere. *International Journal of Geophysics*, 153: 27-51.
- Victor, P., 2000. Die Entwicklung der Altiplano Westflanke und ihre Bedeutung für die Plateaubildung und Krustenverdickung in N-Chile (20-21°S). Scientific Technical Report STR00/13, Ph. D. Thesis, Freie Universität Berlin, Potsdam, Germany, 100 pp.
- Vietor, T., 2001. Numerical modeling of plateau growth including some similarities to the Central Andes. In: S. Roth and A. Rüggeberg (Editors), 2001 MARGINS Meeting. Schriftenreihe der Deutschen Geologischen Gesellschaft, Christian-Albrechts-Universität, Kiel, Germany, pp. 223.
- Viramonte, J.G., Kay, S.M., Becchio, R., Escayola, M. and Novitski, I., 1999. Cretaceous rift related magmatism in central-western South America. *Journal of South American Earth Sciences*, 12: 109-121.
- Vrolijk, P., Donelick, R.A., Queng, J. and Cloos, M., 1992. Testing models of fission track annealing in apatite in a simple thermal setting: site 800, leg 129. In: R.L. Larson and Y. Lancelot (Editors), Proceedings of the Ocean Drilling Program, Scientific Results. Ocean Drilling Program, Texas A&M University, College Station, Texas, pp. 169-176.
- Wagner, G. and Van der Haute, P., 1992. Fission-Track Dating. Solid Earth Sciences Library. Kluwer Academic Publishers, Dordrecht, 285 pp.
- Watts, A.B., Lamb, S.H., Fairhead, J.D. and Dewey, J.F., 1995. Lithospheric flexure and bending of the Central Andes. *Earth and Planetary Science Letters*(134): 9-21.
- Wdowinski, S. and Bock, Y., 1994. The evolution of deformation and topography of high elevated plateaus 1. Model, numerical analysis, and general results. *Journal of Geophysical Research*, 99(B4): 7103-7119.
- Welsink, H.J., Martinez, E., Aranibar, O. and Jarandilla, J., 1995. Structural inversion of a Cretaceous rift basin, southern Altiplano, Bolivia. In: A.J. Tankard, R. Suárez-Soroco and H.J. Welsink (Editors), Petroleum Basins of South America. American Association of Petroleum Geologists Memoir, pp. 305-324.
- Whitman, D., Isacks, B.L., Chatelain, J.-L., Chiu, J.-M. and Perez, A., 1992. Attenuation of high-frequency seismic waves beneath the Central Andean plateau. *Journal of Geophysical Research*, 97 (B13): 19929-19947.
- Whitman, D., Isacks, B.L. and Kay, S.M., 1996. Lithospheric structure and along-strike segmentation of the Central Andean Plateau; seismic Q , magmatism, flexure, topography and tectonics. *Tectonophysics*, 259(1-3): 29-40.
- Wigger, P., Schmitz, M., Araneda, M., G., A., Baldzuhn, S., Giese, P., Heinsohn, W.-D., Martinez, E., Ricardi, E., Röwer, P., and Viramonte, J., 1994. Variation of the crustal structure of the southern Central Andes deduced from seismic refraction investigations. In: K.-J. Reutter, E. Scheuber and P.J. Wigger (Editors), Tectonics of the southern Central Andes. Springer, Berlin, pp. 23-48.
- Willett, S.D., 1992. Modelling thermal annealing of fission tracks in apatite. In: M. Zentilli and P.H. Reynolds (Editors), Low temperature thermochronology; short course handbook, pp. 43-72.
- Willett, S.D., 1997. Inverse modeling of annealing of fission tracks in apatite 1: A Controlled Random Search method. *American Journal of Science*, 297(10): 939-969.
- Williams, I.S., Tetley, N.W., Compston, W. and McDougall, I., 1982. A comparison of K-Ar and Rb-Sr ages of rapidly cooled igneous rocks: two points in the Palaeozoic time scale re-evaluated. *Journal of the Geological Society of London*, 139: 557-568.
- Wörner, G., Lezaun, J., Beck, A., Heber, V., Lucassen, F., Zinngrebe, E., Rossling, R., and Wilke, H.G., 2000. Precambrian and early Paleozoic evolution of the Andean basement at Belén (northern Chile) and Cerro Uyarani (western Bolivia Altiplano). *Journal of South American Earth Sciences*, 13(8): 717-737.
- Yang, Y., Liu, M. and Stein, S., 2003. A 3-D geodynamic model of lateral crustal flow during Andean mountain building. *Geophysical Research Letters*, 30(21): SDE 6-1 - 6-4.
- YPFB, 1995. Bloque San Antonio, YPFB, Santa Cruz, Bolivia.
- Yuan, X., Sobolev, S.V. and Kind, R., 2002. Moho topography in the Central Andes and its geodynamic implications. *Earth and Planetary Science Letters*, 199(3-4): 389-402.

- Yuan, X., Sobolev, S.V., Kind, R., Oncken, O. and Group, A.S., 2000. Subduction and collision processes in the Central Andes constrained by converted seismic phases. *Nature*, 408: 958-961.
- Zandt, G., Beck, S.L., Ruppert, S.R., Ammons, C.J., Rock, D., Minaya, E., Wallace, T.C., and Silver, P.G., 1996. Anomalous crust of the Bolivian Altiplano, Central Andes: Constraints from broadband regional seismic waveforms. *Geophysical Research Letters*, 23: 1159-1162.
- Zubieta Rosetti, D., Baby, P. and Mugnier, J.L., 1996. Cenozoic evolution of the Andean foreland basin between 15°30' and 22°00'S, Third International Symposium on Andean Geodynamics. ORSTOM, St. Malo, France, pp. 529-532.