

## 8 Literaturverzeichnis

Aerssens J., Boonen S., Lowet G. und Dequeker J. (1998):

"Interspecies differences in bone composition, density, and quality: potential implications for in vivo bone research."

Endocrinology 139(2): 663-670.

Alliston T. und Derynck R. (2002):

"Medicine: interfering with bone remodelling."

Nature. 416: 686-687.

Amling M. und Delling G. (1996):

"Cell biology of osteoclasts and molecular mechanisms of bone resorption."

Pathologe 17(5): 358-367.

Aro H. T. und Chao E. Y. (1993):

"Biomechanics and biology of fracture repair under external fixation."

Hand Clin 9(4): 531-542.

Augat P., Merk J., Ignatius A., Margevicius K., Bauer G., Rosenbaum D. und Claes L. (1996):

"Early, full weightbearing with flexible fixation delays fracture healing."

Clin Orthop (328): 194-202.

Augat P., Burger J., Schorlemmer S., Henke T., Peraus M. und Claes L. (2003):

"Shear movement at the fracture site delays healing in a diaphyseal fracture model."

J Orthop Res 21(6): 1011-1017.

Autefage A. (2000):

"The point of view of the veterinary surgeon: bone and fracture."

Injury 31(Suppl 3): C50-55.

Barnes G. L., Kostenuik P. J., Gerstenfeld L. C. und Einhorn T. A. (1999):  
“Growth factor regulation of fracture repair.”  
J Bone Miner Res 14(11): 1805-1815.

Braun W. und Ruter A. (1996):  
“Fracture healing. Morphologic and physiologic aspects.”  
Unfallchirurg 99(1): 59-67.

Brighton C. T. (1984):  
“The biology of fracture repair.”  
Instr Course Lect 33: 60-82.

Brunner E. und Langer F. (1999):  
"Nichtparametrische Analyse longitudinaler Daten."  
Universität Göttingen, R. Oldenbourg Verlag München Wien.

Bucher O. und Wartenberg H. (1997):  
"Zytologie, Histologie und mikroskopische Anatomie des Menschen."  
Verlag Hans Huber, Bern.

Budras K., Fricke W. und Richter R. (1996):  
"Atlas der Anatomie des Hundes: Lehrbuch für Tierärzte und Studierende."  
Schlütersche Verlagsanstalt, Hannover

Chao E. Y., Aro H. T., Lewallen D. G. und Kelly P. J. (1989):  
“The effect of rigidity on fracture healing in external fixation.”  
Clin Orthop(241): 24-35.

Chao E. Y. und Inoue N. (2003):  
“Biophysical stimulation of bone fracture repair, regeneration and remodelling.”  
Eur Cell Mater 6: 72-84; discussion 84-85.

Cheal E. J., Mansmann K. A., DiGioia A. M., 3rd, Hayes W. C. und Perren S. M. (1991):  
“Role of interfragmentary strain in fracture healing: ovine model of a healing osteotomy.”  
J Orthop Res 9(1): 131-142.

Claes L., Augat P., Suger G. und Wilke H. J. (1997):  
“Influence of size and stability of the osteotomy gap on the success of fracture healing.”  
J Orthop Res 15(4): 577-584.

Claes L., Wolf S. und Augat P. (2000):  
“Mechanical modification of callus healing.”  
Chirurg 71(9): 989-994.

Claes L., Eckert-Hubner K. und Augat P. (2002):  
“The effect of mechanical stability on local vascularization and tissue differentiation in callus healing.”  
J Orthop Res 20(5): 1099-1105.

Claes L., Eckert-Hubner K. und Augat P. (2003):  
“The fracture gap size influences the local vascularization and tissue differentiation in callus healing.”  
Langenbecks Arch Surg 388(5): 316-322.

Claes L. E., Wilke H. J., Augat P., Rubenacker S. und Margevicius K. J. (1995):  
“Effect of dynamization on gap healing of diaphyseal fractures under external fixation.”  
Clin Biomech 10(5): 227-234.

Claes L. E., Heigle C. A., Neidlinger-Wilke C., Kaspar D., Seidl W., Margevicius K. J. und Augat P. (1998):  
“Effects of mechanical factors on the fracture healing process.”  
Clin Orthop (355 Suppl): S132-147.

Duda G. N., Kirchner H., Wilke H. J. und Claes L. (1998):  
“A method to determine the 3-D stiffness of fracture fixation devices and its application to predict inter-fragmentary movement.”  
J Biomech 31(3): 247-252.

Duda G. N., Kassi J. P., Hoffmann J. E., Riedt R., Khodadadyan C. und Raschke M. (2000):  
“Mechanical behavior of Ilizarov ring fixators. Effect of frame parameters on stiffness and consequences for clinical use.”  
Unfallchirurg 103(10): 839-845.

Duda G. N., Klein P., Schell H., Heller M., Kandziora F., Haas N. P. und Claes L. (2001):  
“Analysis of mechanical boundary conditions during fracture healing.”  
J Biomech 34: S51-S52.

Duda G. N., Sollmann M., Sporrer S., Hoffmann J. E., Kassi J. P., Khodadadyan C. und Raschke M. (2002):  
“Interfragmentary motion in tibial osteotomies stabilized with ring fixators.”  
Clin Orthop 2002(396): 163-172.

Einhorn T. A. und Lee C. A. (2001):  
“Bone regeneration: new findings and potential clinical applications.”  
J Am Acad Orthop Surg 9(3): 157-165.

Eitel F., Klapp F., Jacobson W. und Schweiberer L. (1981):  
“Bone regeneration in animals and in man. A contribution to understanding the relative value of animal experiments to human pathophysiology.”  
Arch Orthop Trauma Surg 99(1): 59-64.

Eriksen E. F. A., D. W.; Melsen, F., Ed. (1994):  
"Bone histomorphometry."  
Raven Press, Ltd., New York, USA; 33-48.

Ferretti M., Muglia M. A., Remaggi F., Cane V. und Palumbo C. (1999):  
“Histomorphometric study on the osteocyte lacuno-canalicular network in animals of different species. II. Parallel-fibered and lamellar bones.”  
Ital J Anat Embryol 104(3): 121-131.

Finlay J. B., Hurtig M. B., Hardie W. R., Liggins A. B. und Batte S. W. (1995):  
“Geometrical properties of the ovine tibia: a suitable animal model to study the pin-bone interface in fracture fixation?”  
Proc Inst Mech Eng [H] 209(1): 37-50.

Frost H. M. (1989):  
“The biology of fracture healing. An overview for clinicians. Part I.”  
Clin Orthop (248): 283-293.

Goodship A. E. und Kenwright J. (1985):  
“The influence of induced micromovement upon the healing of experimental tibial fractures.”  
J Bone Joint Surg [Br] 67(4): 650-655.

Goodship A. E. (1992):  
“Mechanical stimulus to bone.”  
Ann Rheum Dis 51(1): 4-6.

Goodship A. E., Watkins P. E., Rigby H. S. und Kenwright J. (1993):  
“The role of fixator frame stiffness in the control of fracture healing. An experimental study.”  
J Biomech 26(9): 1027-1035.

Haas N. P. (2000):  
“Callus modulation-fiction or reality?”  
Chirurg 71(9): 987-988.

Hart M. B., Wu J. J., Chao E. Y. und Kelly P. J. (1985):  
“External skeletal fixation of canine tibial osteotomies. Compression compared with no compression.”  
J Bone Joint Surg Am 67(4): 598-605.

Heinegard D., Hultenby K., Oldberg A., Reinholt F. und Wendel M. (1989):

“Macromolecules in bone matrix.”

Connect Tissue Res 21(1-4): 3-11; discussion 12-14.

Hernandez C. J., Hazelwood S. J. und Martin R. B. (1999):

“The relationship between basic multicellular unit activation and origination in cancellous bone.”

Bone 25(5): 585-587.

Hock J. M., Krishnan V., Onyia J. E., Bidwell J. P., Milas J. und Stanislaus D. (2001):

“Osteoblast apoptosis and bone turnover.”

J Bone Miner Res 16(6): 975-984.

James J. und Steijn-Myagkaya G. L. (1986):

“Death of osteocytes. Electron microscopy after in vitro ischaemia.”

J Bone Joint Surg Br 68(4): 620-624.

Jilka R. L. (2003):

“Biology of the basic multicellular unit and the pathophysiology of osteoporosis.”

Med Pediatr Oncol 41(3): 182-185.

Kenwright J. und Goodship A. E. (1989):

“Controlled mechanical stimulation in the treatment of tibial fractures.”

Clin Orthop (241): 36-47.

Klein P., Schell H., Streitparth F., Bail H., Kandziora F., Bragulla H. und Duda G. N. (2002):

“Mounting plane of external fixators influences callus tissue formation.”

Trans Orthop Res Soc, Dallas.

Klein P., Schell H., Streitparth F., Heller M., Kassi J. P., Kandziora F., Bragulla H., Haas N.

P. und Duda G. N. (2003):

“The initial phase of fracture healing is specifically sensitive to mechanical conditions.”

J Orthop Res 21(4): 662-669.

Krischak G. D., Janousek A., Wolf S., Augat P., Kinzl L. und Claes L. E. (2002):  
“Effects of one-plane and two-plane external fixation on sheep osteotomy healing and complications.”  
Clin Biomech 17(6): 470-476.

Kudo O., Sabokbar A., Pocock A., Itonaga I. und Athanasou N. A. (2002):  
“Isolation of human osteoclasts formed in vitro: hormonal effects on the bone-resorbing activity of human osteoclasts.”  
Calcif Tissue Int 71(6): 539-546.

Lacroix D. und Prendergast P. J. (2002):  
“A mechano-regulation model for tissue differentiation during fracture healing: analysis of gap size and loading.”  
J Biomech 35(9): 1163-1171.

Lanyon L. E., Hampson W. G., Goodship A. E. und Shah J. S. (1975):  
“Bone deformation recorded in vivo from strain gauges attached to the human tibial shaft.”  
Acta Orthop Scand 46(2): 256-268.

Lewis D. D., Cross A. R., Carmichael S. und Anderson M. A. (2001):  
“Recent advances in external skeletal fixation.”  
J Small Anim Pract 42(3): 103-112.

Liebich H.-G. (1993):  
"Funktionelle Histologie: Farbatlas und Kurzlehrbuch der mikroskopischen Anatomie der Haussäugetiere."  
Schattauer Verlagsgesellschaft, Stuttgart; New York

Mark H., Nilsson A., Nannmark U., Rydevik (2004):  
"Effects of Fracture Fixation Stability on Ossification in Healing Fractures."  
Clin Orthop 419: 245-250.

Markel M. D., Wikenheiser M. A., Morin R. L., Lewallen D. G. und Chao E. Y. (1990):  
“Quantification of bone healing. Comparison of QCT, SPA, MRI, and DEXA in dog  
osteotomies.”  
Acta Orthop Scand 61(6): 487-498.

McKibbin B. (1978):  
“The biology of fracture healing in long bones.”  
J Bone Joint Surg Br 60-B(2): 150-162.

Menton D. N., Simmons D. J., Chang S. L. und Orr B. Y. (1984):  
“From bone lining cell to osteocyte-an SEM study.”  
Anat Rec 209(1): 29-39.

Metak G., Gomoll A., Wolter W., Barth G. und Ascherl R. (1998):  
“Interspecies comparison of healing standardized bone defects with and without autogenous  
bone transplantation.”  
Langenbecks Arch Chir Suppl Kongressbd 115(Suppl I): 25-30.

Miyamoto T. und Suda T. (2003):  
“Differentiation and function of osteoclasts.”  
Keio J Med 52(1): 1-7.

Ng K. W., Romas E., Donnan L. und Findlay D. M. (1997):  
“Bone biology.”  
Baillieres Clin Endocrinol Metab 11(1): 1-22.

Nijweide P. J. und Mulder R. J. (1986):  
“Identification of osteocytes in osteoblast-like cell cultures using a monoclonal antibody  
specifically directed against osteocytes.”  
Histochemistry 84(4-6): 342-347.

Noble B. S. und Reeve J. (2000):  
“Osteocyte function, osteocyte death and bone fracture resistance.”  
Mol Cell Endocrinol 159(1-2): 7-13.

Nunamaker D. M. (1998):  
“Experimental models of fracture repair.”  
Clin Orthop (355 Suppl): S56-65.

Ong C. T., Choon D. S., Cabrera N. P. und Maffulli N. (2002):  
“The treatment of open tibial fractures and of tibial non-union with a novel external fixator.”  
Injury 33(9): 829-834.

Owen M. (1970):  
“The origin of bone cells.”  
Int Rev Cytol 28: 213-238.

Palmer R. H., Hulse D. A., Hyman W. A. und Palmer D. R. (1992):  
“Principles of bone healing and biomechanics of external skeletal fixation.”  
Vet Clin North Am Small Anim Pract 22(1): 45-68.

Parfitt A. M. (2002):  
“Targeted and nontargeted bone remodeling: relationship to basic multicellular unit origination and progression.”  
Bone 30(1): 5-7.

Park S. H., O'Connor K., McKellop H. und Sarmiento A. (1998):  
“The influence of active shear or compressive motion on fracture-healing.”  
J Bone Joint Surg Am 80(6): 868-878.

Pennig D. (1990):  
“The biology of bones and of bone fracture healing.”  
Unfallchirurg 93(11): 488-491.

Perren S. M. und Cordey J. (1977):

“Tissue differences in fracture healing (author's transl).”

Unfallheilkunde 80(5): 161-164.

Perren S. M. (1979):

“Physical and biological aspects of fracture healing with special reference to internal fixation.”

Clin Orthop (138): 175-196.

Perren S. M. (1992):

“Biomechanical basis of fracture treatment.”

Orthopade 21(1): 3-10.

Perren S. M. (2001):

“Evolution and rationale of locked internal fixator technology. Introductory remarks.”

Injury 32(Suppl 2): S-B3-9.

Perren S. M. (2002):

“Evolution of the internal fixation of long bone fractures. The scientific basis of biological internal fixation: choosing a new balance between stability and biology.”

J Bone Joint Surg Br 84(8): 1093-1100.

Probst A. und Spiegel H. U. (1997):

“Cellular mechanisms of bone repair.”

J Invest Surg 10(3): 77-86.

Pschyrembel W. (1990):

“Pschyrembel Klinisches Wörterbuch.”

Walter de Gruyter, Berlin, New York

Radasch R. M. (1999):

“Biomechanics of bone and fractures.”

Vet Clin North Am Small Anim Pract 29(5): 1045-1082, V-VI.

Remedios A. (1999):

“Bone and bone healing.”

Vet Clin North Am Small Anim Pract 29(5): 1029-1044, V.

Roach H. I., Shearer J. R. und Archer C. (1989):

“The choice of an experimental model. A guide for research workers.”

J Bone Joint Surg Br 71(4): 549-553.

Rubinacci A., Covini M., Bisogni C., Villa I., Galli M., Palumbo C., Ferretti M., Muglia M.

A. und Marotti G. (2002):

“Bone as an ion exchange system: evidence for a link between mechanotransduction and metabolic needs.”

Am J Physiol Endocrinol Metab 282(4): E851-864.

Saris D. B., Sanyal A., An K. N., Fitzsimmons J. S. und O'Driscoll S. W. (1999):

“Periosteum responds to dynamic fluid pressure by proliferating in vitro.”

J Orthop Res 17(5): 668-677.

Sarmiento A., Schaeffer J. F., Beckerman L., Latta L. L. und Enis J. E. (1977):

“Fracture healing in rat femora as affected by functional weight-bearing.”

J Bone Joint Surg [Am] 59(3): 369-375.

Sasaki T. (2003):

“Differentiation and functions of osteoclasts and odontoclasts in mineralized tissue resorption.”

Microsc Res Tech 61(6): 483-495.

Scammell B. E. und Roach H. I. (1996):

“A new role for the chondrocyte in fracture repair: endochondral ossification includes direct bone formation by former chondrocytes.”

J Bone Miner Res 11(6): 737-745.

Schell H., Klein P., Opitz M., Kandziora F., Bragulla H., Bail H. und Duda G. N. (2002):  
"Influence of unreamed nailing and external fixation on the mechanical conditions during fracture healing."  
Trans Orthop Res Soc, Dallas.

Schell H., Epari D.R., Kassi J.P., Bragulla H., Bail H.J. und Duda G.N. (2005):  
"The course of bone healing is influenced by the initial shear fixation stability."  
J of Orthopaedic Research 23 (5):1022-8.

Schenk R. K., Muller J., Zinkernagel R. und Willenegger H. (1970):  
"Ultrastructure of normal and abnormal bone repair."  
Calcif Tissue Res: Suppl:110-111.

Schmickal T., Hochstein P. und Wentzensen A. (1999):  
"Behandlung von Unterschenkelschaftfrakturen im Fixateur externe."  
Trauma Berufskrankh (1): 240-246.

Shapiro F. (1988):  
"Cortical bone repair. The relationship of the lacunar-canicular system and intercellular gap junctions to the repair process."  
J Bone Joint Surg Am 70(7): 1067-1081.

Simon T. M., Van Sickle D. C., Kunishima D. H. und Jackson D. W. (2003):  
"Cambium cell stimulation from surgical release of the periosteum."  
J Orthop Res 21(3): 470-480.

Stürmer K. M. und Schuchardt W. (1980):  
"New aspects of closed intramedullary nailing and marrow cavity reaming in animal experiments. I. The tibia of the sheep, as a model for intramedullar nailing (author's transl)."  
Unfallheilkunde 83(7): 341-345.

Stürmer K. M. (1984):  
"Histologic finding of fracture healing using external fixation and its clinical significance."  
Unfallchirurgie 10(3): 110-122.

Stürmer K. M. (1988):

“Histologie und Biomechanik der Frakturheilung unter den Bedingungen des Fixateur externe.”

Hefte Unfallheilkd Heft 200: 233-242.

Stürmer K. M. (1996):

“Pathophysiology of disrupted bone healing.”

Orthopäde 25(5): 386-393.

Teitelbaum S. L. (2000):

“Bone resorption by osteoclasts.”

Science 289(5484): 1504-1508.

Vaananen H. K., Hentunen T., Lakkakorpi P., Parvinen E. K., Sundqvist K. und Tuukkanen J. (1988):

“Mechanism of osteoclast mediated bone resorption.”

Ann Chir Gynaecol 77(5-6): 193-196.

Wallace A. L., Draper E. R., Strachan R. K., McCarthy I. D. und Hughes S. P. (1991):

“The effect of devascularisation upon early bone healing in dynamic external fixation.”

J Bone Joint Surg [Br] 73(5): 819-825.

Webb J. C. J. und Tricker J. (2000):

“Bone biology - A review of fracture healing.”

Current Orthopaedics 14: 457-463.

White A. A., 3rd, Panjabi M. M. und Southwick W. O. (1977):

“The four biomechanical stages of fracture repair.”

J Bone Joint Surg Am 59(2): 188-192.

Willenegger H., Perren S. M. und Schenk R. (1971):

“Primary and secondary healing of bone fractures.”

Chirurg 42(6): 241-252.

Williams E. A., Rand J. A., An K. N., Chao E. Y. und Kelly P. J. (1987):  
“The early healing of tibial osteotomies stabilized by one-plane or two-plane external fixation.”  
J Bone Joint Surg Am 69(3): 355-365.

Wolf S., Janousek A., Pfeil J., Veith W., Haas F., Duda G. und Claes L. (1998):  
“The effects of external mechanical stimulation on the healing of diaphyseal osteotomies fixed by flexible external fixation.”  
Clin Biomech (Bristol, Avon) 13(4-5): 359-364.

Wu J. J., Shyr H. S., Chao E. Y. und Kelly P. J. (1984):  
“Comparison of osteotomy healing under external fixation devices with different stiffness characteristics.”  
J Bone Joint Surg Am 66(8): 1258-1264.

Yamagishi M. und Yoshimura Y. (1955):  
“The Biomechanics of Fracture Healing.”  
J Bone Joint Surg 37-A(5): 1035-1068.

Yamaji T., Ando K., Wolf S., Augat P. und Claes L. (2001):  
“The effect of micromovement on callus formation.”  
J Orthop Sci 6(6): 571-575.