

7. Literaturverzeichnis

1. Aibe T, Ito T, Yoshida T, Noguchi T, Otani T, Fuji T, Takemoto T. Endoscopic ultrasonography of lymph nodes surrounding the upper GI tract. *Scand J Gastroenterol* 1986; 21 (Suppl. 123): 164-169.
2. Baron RL, Levit RG, Sagel SS, White MJ, Roper CL, Marbarger JP. Computed tomography in the preoperative evaluation of bronchogenic carcinoma. *Radiology* 1982; 145: 727-32.
3. Boyce HW. Training in endoscopic ultrasonography. *Gastointest Endosc* 1996; 43 (2 pt 2): 12-15.
4. Bortz J, Lienert GA. Kurzgefasste Statistik für die klinische Forschung: Ein praktischer Leitfaden für die Analyse kleiner Stichproben. Berlin, Heidelberg, New York: Springer, 1998.
5. Cahan WG, Watson WL, Pool JL. Radical Pneumonectomy. *J Thorac Cardiovasc Surg* 1951; 22: 449-73.
6. Catalano MF, Sivak MV, Rice T, Gragg LA, Van Dam J. Endosonographic features predictive of lymph node metastasis. *Gastrointestinal Endoscopy* 1994; 40: 442-446.
7. Churchill ED, Sweet RH, Sutter L, et al. The surgical management of carcinoma of the lung: a study of cases treated at the Massachusetts General Hospital from 1930-50. *J Thorac Cardiovasc Surg* 1950; 20: 349-65.
8. Coy P, Kennelly GM. The role of curative radiotherapy in the treatment of lung cancer. *Cancer* 1980; 45: 698-702.
9. Gupta NC, Tamin WJ, Graeber GG, et al. Mediastinal lymph node sampling following positron emission tomography with fluorodeoxyglucose imaging in lung cancer staging. *Chest* 2001; 120: 521-527.

10. Deutsche Krebshilfe e.V. Bronchialkarzinom. Blauer Ratgeber 5/98; 5-10.
11. Dienemann H, Hoffmann H, Koebe HG. Technik und Rationale der Lymphknotendissektion bei Bronchialkarzinom. Chirurg 1998; 69: 412-147.
12. DiMagno EP, Buxton JL, Regan PT et al. Ultrasonic endoscope. Lancet i: 629-631.
13. Dittler HJ, Siewert JR. Role of endoscopic ultrasonography in oesophageal carcinoma. Endoscopy 1993; 25:156-161.
14. Doll R, Hill AB. A study of the aetiology of carcinoma of the lung. BMJ 1952; 2: 1271.
15. Doll R, Gray R, Hafner B, Peto R. Mortality in relation to smoking: 22 years' observations on female British doctors. Br Med J 1980; 280: 967-971.
16. Drings P, Wannenmacher M. Nicht-kleinzellige Bronchialkarzinome. In: Seeber S, Schütte J(Hrsg.). Therapiekonzepte Onkologie. 2. Auflage. Springer, Berlin Heidelberg New York Tokyo 1995; 448-449.
17. Feinstein AR, Sosin DM, Wells CK. The Will Rogers Phenomenon. Stage migration and new diagnostic techniques as a source of misleading statistics for survival in cancer. N Engl J Med 1985; 312: 1604.
18. Ferguson MK, MacMahon H, Little AG, Golomb HM, Hoffman PC, Skinner DB. Regional accuracy of computed tomography of the mediastinum in staging of lung cancer. J Thorac Cardiovasc Surg 1986; 91: 498-504.
19. Frazin L, Talano JV, Stephanides L, Loeb HS, Gunnar RM. Oesophageal echocardiography. Circulation 1976; 54: 102.

20. Fritscher-Ravens A, Bohuslavizki KH, Brandt L, Bobrowski C, Lund C, Knöfel T, Pforte A. Mediastinal lymph node involvement in potentially resectable lung cancer. Comparison of CT, Positron Emission Tomography and Endoscopy Ultrasonography with and without Fine-Needle Aspiration. *Chest* 2003; 123: 442-451.
21. Fritscher-Ravens A. Endoscopic ultrasound evaluation in the diagnosis and staging of lung cancer. *Lung Cancer* 2003; 41(3): 259-267.
22. Glazer GM, Orringer MB, Gross BH, Quint LE. The mediastinum in non-small cell lung cancer: CT-Surgical correlation. *AJR* 1984;142:1101-1105.
23. Graham EA, Sedal HH. Successful removal of the entire lung for carcinoma of the bronchus. *JAMA* 1933; 101: 1371-74.
24. Graves WG, Martinez MJ, Carter PL, Barry MJ, Clarke JS. The value of computed tomography in staging bronchogenic carcinoma: a changing role for mediastinoscopy. *Ann Thorac Surg* 1985; 40: 57-9.
25. Grenier PH, Dubray B, Carette MF, Frija G, Musst D, Chastang CL. Preoperative thoracic staging of lung cancer: CT and MRT evaluation. *Diagn Interv Radiol* 1989; 1: 23-28.
26. Grimm H, Hamper K, Binmoeller KF, Soehendra N. Enlarged lymph nodes, malignant or not? *Endoscopy* 1992; 24 (Suppl. 1): 320-323.
27. Gress F, Savides T, Sandler A, et al. Endoscopic ultrasonography, fine needle aspiration biopsy guided by ultrasonography, and computed tomography in the preoperative staging of non small cell lung cancer: a comparison study. *Ann Intern Med* 1997; 127: 604-612.
28. Haiderer O, Wustinger E, Lexer G, Weitensfelder W. Mediastinal lymph node dissection-anatomical basis and surgical significance in bronchial carcinoma. *WMW* 1990; 16: 422-425.

29. Hawes RH, Gress F, Kesler KA, Cummings OW, Conces DJ. Endoscopic ultrasound versus computed tomography in the evaluation of the mediastinum in patients with non-small-cell lung cancer. *Endoscopy* 1994; 26: 784-787.
30. Hermanek P. Will Rogers phenomenon - fact or fiction? *Chirurg* 1996; 67: 769-770.
31. Hoffmann E. Die Abflußwege der Lymphe und ihre Bedeutung für die Ausbreitung maligner Tumoren. *Brun's Beitr Klin Chir* 1959; 199: 451-471.
32. Hoffmann H, Dienemann H. Lymphknotendissektion beim Bronchialkarzinom: Nur Staging oder auch Therapie? *Zentralbl Chir* 1999; 124: 115-119.
33. Hünerbein M, Dohmoto M, Rau B, Schlag PM. Endosonography and endosonography guided biopsy of upper GI-tract tumors using a curved array echoendoscope. *Surg Endosc* 1996; 10: 1205-1209.
34. Ishida T, Yano T, Maeda K, Kaneko S, Tateishi M, Sugimachi K. Strategy for lymphadenectomy in lung cancer three centimeters or less in diameter. *Ann Thorac Surg* 1990; 50: 708-713.
35. Izbicki JR, Thetter O, Karg O, Kreusser T, Passlick B, Trupka A, Häussinger K, Woeckel W, Kenn W, Wilker DK, Limmer J, Schweiberer L. Accuracy of computed tomographic scan and surgical assessment for staging of bronchial carcinoma. *J Thorac Cardiovasc Surg* 1992; 104: 413-420.
36. Izbicki JR, Thetter O, Habekost M, Karg O, Passlick O, Kubuschok B, Busch C, Haeussinger K, Knoefel WT, Pantel K, Schweiberer L. Radical systematic mediastinal lymphadenectomy in non-small cell lung cancer: a randomized controlled trial. *British Journal of Surgery* 1994; 81: 229-235.
37. Izbicki JR, Passlick B, Pantel K, Pichlmeier U, Hosch SB, Karg O, Thetter O. Effectiveness of Radical Systematic Mediastinal Lymphadenectomy in Patients with Resectable Non-Small Cell Lung Cancer. Results of a Prospective Randomized Trial. *Ann. Surg.* 1998; 227 (1): 138-144.

38. Junker K, Müller KM. Metastasierungsmuster beim Bronchialkarzinom. Z Herz Thorax Gefäßchir 1989; 3: 189.
39. Kaiser D. Komplikationen der Mediastinoskopie in: Richter H (Hrsg.) Chirurgische Endoskopie. Komplikationen bei Diagnostik und Therapie. München: Urban und Schwarzenberg, 1985
40. Keller SM, Adak S, Wagner H, Johnson DH, Eastern CooperativeOncology Group. Mediastinal Lymph node dissection improves survival in patients with stages II and IIIa non-small cell lung cancer. Ann Thorac Surg. 2000 Aug; 70(2): 358-65.
41. Kernstine KH, McLaughlin KA, Menda Y, Rossi NP, Kahn DJ, Bushnell DL, Graham MM, Brown CK, Madsen MT. Can FDG-PET reduce the need for mediastinoscopy in potentially resectable nonsmall cell lung cancer? Ann Thorac Surg 2002; 73: 394-402.
42. Kirby TJ, Mack MJ, Landrenau RJ, et al. Lobectomy-videoassisted thoracic surgery versus muscle sparing thoracotomy. J Thorac Cardiovasc Surg 1995; 109: 997-1002.
43. Kondo D, Imaizumi M, Abe T, Naruke T, Suemasu K. Endoscopic ultrasound examination for mediastinal lymph node metastases of lung cancer. Chest 1990; 98: 586-593.
44. Kiyono K, Sone S, Sakai F, Imai Y, et al. The number and size of normal mediastinal lymph nodes: a postmortem study. AJR 1988; 150: 771.
45. Landrenau RJ, Pigula F, Luketich JD, et al. Acute and chronic morbidity difference between muscle-sparing and standard lateral thoracotomies. J Thorac Cardiovasc Surg 1996; 112: 1346-1350.
46. Larsen SS, Krasnik M, Vilmann P, Jacobsen GK, Pedersen JH, Faurschou P, Folke K. Endoscopic ultrasound guided biopsy of mediastinal lesions has a major impact on patient management. Thorax 2002; 57: 98-103.

47. Laurent F, Droillard J, Dorcier F, Velly JF, Barat JL, Grelet P, Martigne Ch, Tavernier J, Couraud L. Bronchiogenic carcinoma staging: CT versus MRT imaging assessment with surgery. *Eur J Cardio-thorac Surg* 1988; 2: 31-36.
48. Lee K, Inoue K, Yamamoto R, Kinoshita H. Patterns of internal echoes in lymph nodes in the diagnosis of lung cancer metastasis. *World J. Surg.* 1992;16: 986-994.
49. Lewis JW, Pearlberg JL, Beute GH, Alpern M, Kvale PA, Gross BH, Magillian DJ. Can computed tomography of the chest stage lung cancer?-yes and no. *Ann Thorac Surg* 1990; 49: 591-596.
50. Lewis, RJ. The role of video-assisted thoracic surgery for carcinoma of the lung: wedge resection to lobectomy by simultaneous individual sampling. *Ann Torac Surg* 1993; 56: 762-768.
51. Lewis RJ. Simultaneously stapled lobectomy: a safe technique for videoassisted thoracic surgery. *J Thorac Cardiovasc Surg* 1995; 109: 619-625.
52. Lewis RJ, Caccavale RJ, Sisler GE, Bocage JP, Mackenzie JW. One hundred video-assisted surgical simultaneously stapled lobectomies without rib spreading. *Ann Thorac Surg* 1997; 63: 1415-1422.
53. Libshitz HI. CT of mediastinal lymph nodes in lung cancer: is there a "state of the art"? *AJR* 1983; 141: 1081-1085.
54. Lynch HT, Kimberling WJ, Markvicka SE, Biscone KA, Lynch JF, Whorton Jr E, Maillard J. Genetics and smoking-associated cancers. *Cancer* 1986; 57: 1640-1646.
55. Mack MJ, Scruggs GR, Kelly KM, Shennib H, Landrenau RJ. Video-assisted thoracic surgery: Has technology found its place? *Ann Thorac Surg* 1994; 64: 211-215.
56. Martini N, Flehinger BJ, Zaman MB, Beattie EJ. Prospective study of 445 lung carcinomas with mediastinal lymph node metastases. *J Thorac Cardiovasc Surg* 1980; 80: 390-399.

57. Martini N, Flehinger BJ. The role of surgery in N 2 lung cancer. *Surg Clin North Am* 1987; 67: 1037.
58. Martini N, Burt M, Bains MS, McCormack P, Ginsberg J. Survival after resection in stage II non-small cell lung cancer. *Ann Thorac Surg* 1992; 54: 460.
59. McKenna RJ, Libshitz HI, Mountain CE, Mc Murtrey MJ. Roentgenographic evaluation of mediastinal nodes for preoperative assessment in lung cancer. *Chest* 1985; 88: 206-210.
60. McLoud TC, Bourgouin PM, Greenberg RW, Kosiuk JP, Templeton PA, Shepard JO, Moore EH, Wain JC, Mathisen DJ, Grillo, HC. Bronchogenic carcinoma: analysis of staging in the mediastinum with CT by correlativ lymph node mapping and sampling. *Radiology* 1992; 182: 319-323.
61. Mountain CF. Revisions in the international system for staging lung cancer. *Chest* 1997; 111: 1710-1717.
62. Murata Y, Muroi M, Yoshida M et al. Endoscopic ultrasonography in the diagnosis of oesophageal carcinoma. *Surg. Endosc.* 1987; 1: 11-16.
63. Pretreatment evaluation of non small cell lung cancer : the official statement of the American Thoracic Society and the European Respiratory Society. *Am J Respir Crit Care Med* 1997; 156: 320-332.
64. Naruke T, Suemasu K, Ishikawa S. Lymph node mapping and curability at various levels of metastasis in resected lung cancer. *J Thorac Cardiovasc Surg* 1987; 76: 832-839.
65. Naruke T, Goya T, Tsuchiya R, Suemasu K. The importance of surgery to non-small cell carcinoma of lung with mediastinal lymph node metastasis. *Ann Thorac Surg* 1988; 46: 603-610.

66. Naruke T, Goya T, Tsuchiya R, Suemasu K. Prognosis and survival in resected lung carcinoma based on the new international staging system. *J Thorac Cardiovasc Surg* 1988; 96: 440-447.
67. Naruke T. Significance of lymph node metastases in lung cancer. *Semin Thorac Cardiovasc Surg* 1993; 5: 210.
68. Naruke T. Surgical treatment for lung cancer with metastasis to mediastinal lymph nodes. *J Thorac Cardiovasc Surg* 1976; 71: 279.
69. Naruke T. Mediastinal lymph node dissection. In: Pearson FG, Deslauriers J, et al. *Thoracic surgery*. Curchill Livingstone, New York Edinburgh London 1995; 909.
70. Netter FH. *Atlas of Human Anatomy*. Thieme, Stuttgart New York 1989; 197.
71. Pantel K, Izbicki JR, Angstwurm M, et al. Immunocytological of bone marrow micrometastasis in operable non small cell lung cancer. *Cancer Res* 1993; 53: 1027-1031.
72. Passlick B, Izbicki JR, Kubuschok B, et al. Immunohistochemical assessment of individual tumor cells in lymph nodes of patients with non small cell lung cancer . *J Clin Oncol* 1994; 12: 1827-1832.
73. Passlick B, Thetter O, Pantel K, Kubuschok B, et al. Bedeutung der regionalen lymphatischen Tumorzelldisseminierung bei Patienten mit resektablem Nichtkleinzelligem Bronchialkarzinom. *Chirurg* 1995; 66: 780.
74. Passlick B, Thetter O, Pantel K, Kubuschok B, et al. Lymphknotendokumentation und Lymphadenektomie bei Bronchialkarzinomen. *Chirurg* 1997; 68: 601.
75. Pearson FG, DeLarue NC, Ilves R, Todd TJR, Cooper JD. Significance of postive superior mediastinal nodes identified at mediastinoskopy in patients with resectable cancer of the lung. *J Thorac Cardiovasc Surg* 1982; 83: 1-11.

76. Penman I, Fergusson RJ. Endoscopic ultrasound: a useful tool to assess the Mediastinum in patients with lung cancer? Thorax 2002; 57: 95-96.
77. Pennell TC, Bradshaw HH. Anatomical study of the peripheral pulmonary lymphatics. J Thorac Cardiovasc Surg 1966; 52: 629-634.
78. Pietermann RM, Van Putten JWG, Meuzelaar JJ, et al. Preoperative staging of non-small cell lung cancer with positron emission tomography. N Engl J Med 2000; 343: 254-261.
79. Prenzel KL, Mönig SP, Sinning JM, Baldus SE, Brochhagen HG, Schneider PM, Hölscher AH. Lymph node size and metastatic infiltration in Non-small cell lung cancer. Chest 2003; 123: 463-467.
80. Riquet M, Hidden G, Debesse B. Direct lymphatic drainage of lung segments to the mediastinal nodes. An anatomic study on 260 adults. J Thorac Cardiovasc Surg 1989; 97: 623.
81. Rösch T. Richtlinien für endoskopische Untersuchungen in der Gastroenterologie. Z Gastroenterol 1992; 30 (7): 167-170 .
82. Rösch T. Endosonographie des Gastrointestinaltraktes: eine Bestandsaufnahme. Bildgebung 1993; 60: 169-175.
83. Sachs L. Angewandte Statistik. 8. Auflage. Springer, Berlin Heidelberg New York Tokyo 1997; 472.
84. Schinkel C, Dienemann H, Reinmiedl J, Hoffmann, H, Müller C, Schildberg FW. Verteilungsmuster und Befall regionärer Lymphknoten bei nicht-kleinzeligem Bronchialkarzinom. Chirurg 1999; 70: 179-183.
85. Schirren J, Trainer S, Schneider P, Hendricks H, Müller KM. Sind videoassssistierte thorakoskopische Resektionsverfahren in der onkologischen Chirurgie vertretbar? Chirurg 1994; 65: 664-670.

86. Schirren J, Richter W, Schneider P, Vogt-Moykopf I. Principles and results of systematic lymph node dissection in resected bronchial carcinoma. Chirurg 1996; 67: 869-876.
87. Schüder G, Istringhaus H, Kubale B, Seitz G, Sybrecht W. Endoscopic ultrasonography of the mediastinum in the diagnosis of bronchial carcinoma. Thorac, cardiovasc. Surgeon 1991; 39: 299-303.
88. Silvestri GA, Tanoue LT, Margolis ML, Barker J, Detterbeck F. The Noninvasive Staging of Non-smal Cell Lung Cacer. The Guidelines. Chest 2003; 123: 147 S-156 S.
89. Staples CA, Müller NL, Miller RR, Evans KG, Nelems B. Mediastinal nodes in bronchogenic carcinoma:comparison between CT and mediastinoskopy. Radiology 1988; 167: 367-372.
90. Thomas PA; Piantadosi S, Mountain CF. Should subcarinal lymph nodes routinely examined in patients with non-small cell lung cancer? J Thorac Cardiovasc Surg 1988; 95: 883-887.
91. Turlbeck WM. Bronchogenic carcinoma. In: Thurlbeck WM (ed) Pathology of the lung. Thieme, Stuttgart New York 1988; 356.
92. Tio TL, Tytgat GNJ. Endoscopic ultrasonography in analysing peri-intestinal lymph node abnormality. Scand J Gastroenterol 1986; 21 (Suppl. 123): 158-163.
93. Tio TL, Coeni PP, Schouwink MH, Tytgat GN. Oesophagogastric carcinoma: pre-operative TNM classification with endosonography. Radiology 1989; 155: 411-417.
94. Tobin CE. Human pulmonic lymphatics. An anatomic study. Anat Rec 1957; 127: 611-634.
95. Toloza EM, Harpole L, McCrory DC. Noninvasive staging of non-small cell lung cancer. A revive of current evidence. Chest 2003; 123: 137-146.

96. Vestring T, Achatzy R, Wahlers B, Macha HN, Peters PE. Mediastinal staging of non-small-cell bronchial carcinoma. The value of computed tomography and mediastinoskopy. *Radiology* 1990; 30: 178-184.
97. Vogel P, Daschner H, Lenz J, Schäfer R. Correlation of lymph node size and their infiltration by metastases in lung cancer. *Langenbecks Arch Chir* 1990; 375: 141-144.
98. Watanabe Y, Shimuzu J, Tsubota M, Iwa T. Mediastinal spread of metastatic lymph nodes in bronchogenic carcinoma. *Chest* 1990; 97: 1959-65.
99. Watanabe Y, Shimizu J, Oda M, Hayashi Y, et al. Improved survival in left non-small-cell N2 lung cancer after more extensive operative procedure. *Thorac Cardiovasc Surg* 1991; 39: 89.
100. Weng E, Tran L, Rege S, et al. Accuracy and clinical impact of mediastinal lymph node staging with FDG-PET imaging in potentially resectable lung cancer. *Am J Clin Oncol* 2000; 23: 47-52.
101. Webb WR, Gatsonis C, Zerhouni EA, Heelan RT, Glazer GM, Francis IR, Mc Neil BJ. CT and MR imaging in staging non-small cell bronchogenic carcinoma: report of the radiologic diagnostic oncology group. *Radiology* 1991; 178: 705-713.
102. Whittlesey D. Prospective computed tomographic scanning in the staging of bronchogenic cancer. *J Thorac Cardiovasc Surg* 1988; 95: 876-882.
103. WHO. Histological typing of lung tumors, 2nd ed. WHO 1981, Geneva
104. Wiersema MJ, Hassig WM, Hawes RH, Wonn MJ. Mediastinal lymph node detection with endosonography. *Gastrointestinal Endoscopy* 1993; 39(6): 788-793.
105. Yano T, Yokohama H, Inoue T, Asoh H, Tayama K, Ichinose Y. Surgical results and prognostic factors of pathologic N1 disease in non-small-cell carcinoma of the lung. Significance of N1 level: lobar or hilar nodes. *J Thorac Cardiovasc Surg* 1994; 107(6): 1398-1402.

106. Zöchbauer S, Krajnik G, Huber H. Lung cancer-development, diagnosis, therapy, prognosis. Wien Klin Wochenschr 1994; 106/14: 431-447.
107. Laudanski J, Kozlowski M, Niklinski J, et al. The preoperative Study of mediastinal lymph node metastasis in lung cancer by endoscopic ultrasonography and helical computer tomography. Lung Cancer 2001; 34: (Suppl 2): 123-126.
108. Fritscher Ravens A, Soehendra N, Schirrow L, et al. Role of transoesophageal endosonography guided fine needle aspiration in the diagnosis of lung cancer. Chest 2000; 117: 339-345.
109. Silvestri GA, Hoffmann BJ, Butani MS, et al. Endoscopic ultrasound with fine needle aspiration in the diagnosis and staging of lung cancer. Ann Thorac Surgery 1996; 61: 1441-1446.
110. Kolop KB, Rhodes CG, Brudin LH, et al. Glucose utilisation *in vivo* by human pulmonary neoplasms. Cancer 1987; 60: 2682-2689.
111. Wahl RI, Hitchins GD, Buchsbaum DJ, et al. ¹⁸F-2 deoxyglucose studies to cancer with positron-emission tomography. Cancer 1991; 67:1544-1550.

Erklärung

„Ich, Andrea Blüsche, erkläre, dass ich die vorgelegte Dissertationsschrift mit dem Thema:
„Wertigkeit der Endosonographie bei der Beurteilung des Lymphknotenbefalls im
Mediastinum für das Nicht-kleinzellige Bronchialkarzinom-Vergleichende Untersuchung
zwischen Endosonographie und Computertomographie“ selbst verfasst und keine anderen als
die angegebenen Quellen und Hilfsmittel benutzt, ohne die (unzulässige) Hilfe Dritter verfasst
und auch in Teilen keine Kopien anderer Arbeiten dargestellt habe.“

18.10.2005

Andrea Blüsche

In großer Dankbarkeit
meinen Eltern gewidmet

An dieser Stelle ist es mir eine angenehme Pflicht, Prof. Dr. med. K. Gellert für die Überlassung dieses Themas und das mir dadurch entgegengebrachte Vertrauen herzlich zu danken. Mein besonderer Dank gilt Dr. med. F. Noack für die wertvollen Anregungen zur Durchführung dieser Arbeit. Außerdem bin ich Priv.-Doz. Dr. med. J.-C. Rückert insbesondere für die Unterstützung in der Endphase dankbar. Ebenso danke ich Dr. rer. Nat. I. Küchler, Dr. med. P. Rogalla, Dr. med. E. Zenev und allen anderen, die mich unterstützt haben.

Mein Lebenslauf wird aus Datenschutzgründen in der elektronischen Version meiner Arbeit nicht mit veröffentlicht.