

## VI. Veröffentlichungen

Felk A., Kretschmar M., **Albrecht A.**, Schaller M., Beinhauer S., Nichterlein T., Sanglard D., Korting H. C., Schäfer W., Hube B.

Candida albicans hyphal formation and the expression of the Efg1-regulated proteinases Sap4 to Sap6 are required for the invasion of parenchymal organs.

Infect Immun. 2002 Jul;70(7):3689-700.

Korting H. C., Hube B., Oberbauer S., Januschke E., Hamm G., **Albrecht A.**, Borelli C., Schaller M.

Reduced expression of the hyphal-independent Candida albicans proteinase genes SAP1 and SAP3 in the efg1 mutant is associated with attenuated virulence during infection of oral epithelium.

J Med Microbiol. 2003 Aug;52(Pt 8):623-32.

Naglik J., **Albrecht A.**, Bader O., Hube B.

Candida albicans proteinases and host/pathogen interactions.

Cell Microbiol. 2004 Oct;6(10):915-26. Review.

d' Enfert C., Goyard S., Rodriguez-Arnaveilhe S., Frangeul L., Jones L., Tekaia F., Bader O., **Albrecht A.**, Castillo L., Dominguez A., Ernst J. F., Fradin C., Gaillardin C., Garcia-Sanchez S., de Groot P., Hube B., Klis F.M., Krishnamurthy S., Kunze D., Lopez M. C., Mavor A., Martin N., Moszer I., Onesime D., Perez Martin J., Sentandreu R., Valentin E., Brown A. J.

CandidaDB: a genome database for Candida albicans pathogenomics.

Nucleic Acids Res. 2005 Jan 1;33 (Database issue):D353-7.

**Albrecht A.**, Felk A., Pichova I., Naglik J. R., Schaller M., de Groot P., MacCallum D., Odds F. C., Schäfer W., Klis F., Monod M., Hube B.

Glycosylphosphatidylinositol-anchored proteases of Candida albicans target proteins necessary for both cellular processes and host-pathogen interactions.

J Biol Chem. 2006 Jan 13;281(2):688-94.