

## 8 Literaturverzeichnis

- Allwork, S. P. (1987). "The applied anatomy of the arterial blood supply to the heart in man." *J Anat*, 153, 1-16.
- Alpert, J. S., and Thygesen, K. (2000). "Myocardial infarction redefined--a consensus document of The Joint European Society of Cardiology/American College of Cardiology Committee for the redefinition of myocardial infarction." *Eur Heart J*, 21(18), 1502-13.
- Al-Saadi, N., Nagel, E., Gross, M., Bornstedt, A., Schnackenburg, B., Klein, C., Klimek, W., Oswald, H., and Fleck, E. (2000). "Noninvasive detection of myocardial ischemia from perfusion reserve based on cardiovascular magnetic resonance." *Circulation*, 101(12), 1379-83.
- Ambrosio, G., Weisman, H. F., Mannisi, J. A., and Becker, L. C. (1989). "Progressive impairment of regional myocardial perfusion after initial restoration of postischemic blood flow." *Circulation*, 80(6), 1846-61.
- Antmann, E. M., and Braunwald, E. (2001). "Acute Myocardial Infarction." Heart Disease, A Textbook of Cardiovascular Medicine, E. Braunwald, ed., Saunders, Philadelphia, 1184-207.
- Baer, F. M., Theissen, P., Schneider, C. A., Voth, E., Schicha, H., and Sechtem, U. (1994). "[Magnetic resonance tomography imaging techniques for diagnosing myocardial vitality]." *Herz*, 19(1), 51-64.
- Bax, J. J., de Roos, A., and van der Wall, E. E. (1999). "Assessment of myocardial viability by MRI." *J. Magn. Reson. Imaging*(10), 418-422.
- Bjerner, T., Ericsson, A., Wikstrom, G., Johansson, L., Nilsson, S., Ahlstrom, H., and Hemmingsson, A. (2000). "Evaluation of nonperfused myocardial ischemia with MRI and an intravascular USPIO contrast agent in an ex vivo pig model." *J Magn Reson Imaging*, 12(6), 866-72.
- Bland, J. M., and Altman, D. G. (1986). "Statistical methods for assessing agreement between two methods of clinical measurement." *Lancet*, 1(8476), 307-10.
- Bloor, C. M., White, F. C., and Roth, D. M. (1992). "The Pig as a Model of Myocardial Ischemia and Gradual Coronary Artery Occlusion." Swine as Models in Biomedical Research, M. M. Swindle, ed., Iowa State University Press, Ames, 163-175.
- Boersma, E., Mercado, N., Poldermans, D., Gardien, M., Vos, J., and Simoons, M. L. (2003). "Acute myocardial infarction." *Lancet*, 361(9360), 847-58.
- Botnar, R. M., Stuber, M., Kissinger, K. V., Kim, W. Y., Spuentrup, E., and Manning, W. J. (2000). "Noninvasive coronary vessel wall and plaque imaging with magnetic resonance imaging." *Circulation*, 102(21), 2582-7.

- Brasch, R. C. (1991). "Rationale and applications for macromolecular Gd-based contrast agents." *Magn Reson Med*, 22(2), 282-7; discussion 300-3.
- Brunner, E., and Munzel, U. (2002). *Nichtparametrische Datenanalyse*, Springer-Verlag.
- Buchwald, A. B., Unterberg, C., Nebendahl, K., Grone, H. J., and Wiegand, V. (1992). "Low-molecular-weight heparin reduces neointimal proliferation after coronary stent implantation in hypercholesterolemic minipigs." *Circulation*, 86(2), 531-7.
- Canet, E. P., Janier, M. F., and Revel, D. (1999). "Magnetic resonance perfusion imaging in ischemic heart disease." *J Magn Reson Imaging*, 10(3), 423-33.
- Corot, C., Violas, X., Robert, P., Gagneur, G., and Port, M. (2003). "Comparison of different types of blood pool agents (P792, MS325, USPIO) in a rabbit MR angiography-like protocol." *Invest Radiol*, 38(6), 311-9.
- Dahme, E. (1999). "Blutgefäße." Grundriß der speziellen pathologischen Anatomie der Haustiere, E. Dahme and E. Weiss, eds., Ferdinand Enke Verlag, Stuttgart, 34-35.
- Dämmrich, K., and Loppnow, H. (1990). "Stoffwechselstörungen." Allgemeine Pathologie für Tierärzte und Studierende der Tiermedizin, H. Stünzi and W. E., eds., Verlag Paul Parey, Berlin, Hamburg, 128-130.
- Davies, M. J., and Thomas, A. C. (1985). "Plaque fissuring--the cause of acute myocardial infarction, sudden ischaemic death, and crescendo angina." *Br Heart J*, 53(4), 363-73.
- Delzescaux, T., Frouin, F., de Cesare, A., Philipp-Foliguet, S., Todd-Pokropek, A., Herment, A., and Janier, M. (2003). "Using an adaptive semiautomated self-evaluated registration technique to analyze MRI data for myocardial perfusion assessment." *J Magn Reson Imaging*, 18(6), 681-90.
- Dewey, M., Kaufels, N., Laule, M., Schnorr, J., Raynaud, J. S., Hamm, B., and Taupitz, M. (2004b). "Magnetic resonance imaging of myocardial perfusion and viability using a blood pool contrast agent." *Invest Radiol*, 39(8), 498-505.
- Dewey, M., Kaufels, N., Laule, M., Schnorr, J., Wagner, S., Kivelitz, D., Raynaud, J. S., Robert, P., Hamm, B., and Taupitz, M. (2004). "Assessment of myocardial infarction in pigs using a rapid clearance blood pool contrast medium." *Magn Reson Med*, 51(4), 703-9.
- Dewey, M., Laule, M., Taupitz, M., Kaufels, N., Hamm, B., and Kivelitz, D. (2005). "Myocardial Viability: Assessment with 3D Inversion-Recovery Balanced Steady-State Free Precession MR Imaging." *Radiology*(in press).
- Dirksen, M. S., Lamb, H. J., Kunz, P., Robert, P., Corot, C., and de Roos, A. (2003). "Improved MR coronary angiography with use of a new rapid clearance blood pool contrast agent in pigs." *Radiology*, 227(3), 802-8.
- Drommer, W. (1991). "Kreislauforgane." Pathologie der Haustiere, L. C. Schulz, ed., Gustav Fischer Verlag, Jena, 67-73.

- Duroux, M. (1995). "[Overview of MRI contrast media. The case of endorem]." *Radiologe*, 35(11 Suppl 2), S247-8.
- Espinola-Klein, C., Rupprecht, H. J., Blankenberg, S., Bickel, C., Peth, S., Kopp, H., Victor, A., Hafner, G., and Meyer, J. (2002). "[Manifestations of atherosclerosis in various vascular regions. Similarities and differences regarding epidemiology, etiology and prognosis]." *Med Klin (Munich)*, 97(4), 221-8.
- Fallon, J. T. (1996). "Pathology of Myocardial Infarction and Reperfusion." *Atherosclerosis and Coronary Artery Disease*, V. Fuster, R. Ross, and E. J. Topol, eds., Lippincott-Raven Publishers, Philadelphia, New York, 791-796.
- Fayad, Z. A., Fuster, V., Nikolaou, K., and Becker, C. (2002). "Computed tomography and magnetic resonance imaging for noninvasive coronary angiography and plaque imaging: current and potential future concepts." *Circulation*, 106(15), 2026-34.
- Fieno, D. S., Kim, R. J., Chen, E. L., Lomasney, J. W., Klocke, F. J., and Judd, R. M. (2000). "Contrast-enhanced magnetic resonance imaging of myocardium at risk: distinction between reversible and irreversible injury throughout infarct healing." *J Am Coll Cardiol*, 36(6), 1985-91.
- Flacke, S., Allen, J. S., Chia, J. M., Wible, J. H., Periasamy, M. P., Adams, M. D., Adzhami, I. K., and Lorenz, C. H. (2003). "Characterization of viable and nonviable myocardium at MR imaging: comparison of gadolinium-based extracellular and blood pool contrast materials versus manganese-based contrast materials in a rat myocardial infarction model." *Radiology*, 226(3), 731-8.
- Frahm, J., Haase, A., and Matthaei, D. (1986). "Rapid NMR imaging of dynamic processes using the FLASH technique." *Magn Reson Med*, 3(2), 321-7.
- Friedrich, M. G., Niendorf, T., Schulz-Menger, J., Gross, C. M., and Dietz, R. (2003). "Blood oxygen level-dependent magnetic resonance imaging in patients with stress-induced angina." *Circulation*, 108(18), 2219-23.
- Gaillard, S., Kubiak, C., Stolz, C., Bonnemain, B., and Chassard, D. (2002). "Safety and pharmacokinetics of p792, a new blood-pool agent: results of clinical testing in nonpatient volunteers." *Invest Radiol*, 37(4), 161-6.
- Gerber, B. L., Bluemke, D. A., Chin, B. B., Boston, R. C., Heldman, A. W., Lima, J. A., and Kraitchman, D. L. (2002a). "Single-vessel coronary artery stenosis: myocardial perfusion imaging with Gadomer-17 first-pass MR imaging in a swine model of comparison with gadopentetate dimeglumine." *Radiology*, 225(1), 104-12.
- Gerber, B. L., Garot, J., Bluemke, D. A., Wu, K. C., and Lima, J. A. (2002b). "Accuracy of contrast-enhanced magnetic resonance imaging in predicting improvement of regional myocardial function in patients after acute myocardial infarction." *Circulation*, 106(9), 1083-9.
- Giannitsis, E., Muller-Bardorff, M., and Katus, H. A. (2001). "[Acute heart infarct--new definition and diagnostic techniques]." *Internist (Berl)*, 42(5), 641-2, 645-8.

- Gorge, G., Erbel, R., Haude, M., Straub, U., and Meyer, J. (1991). "[Collaterals do not prevent infarcts in subacute vascular stenosis following initially successful vascular stent implantation]." *Z Kardiol*, 80(12), 727-31.
- Gross, D. R. (1994). "Iatrogenic models for studying heart disease." *Animal models in cardiovascular research*, D. R. Gross, ed., Kluwer Academic Publisher, Dordrecht, Boston, London, 421-461.
- Gutberlet, M., Spors, B., Grothoff, M., Freyhardt, P., Schwinge, K., Plotkin, M., Amthauer, H., Noeske, R., and Felix, R. (2004). "Comparison of different cardiac MRI sequences at 1.5 T/3.0 T with respect to signal-to-noise and contrast-to-noise ratios - initial experience." *Rofo*, 176(6), 801-8.
- Gutstein, D. E., and Fuster, V. (1999). "Pathophysiology and clinical significance of atherosclerotic plaque rupture." *Cardiovasc Res*, 41(2), 323-33.
- Hahn, D., Beer, M., and Sandstede, J. (2000). "[MR tomography of the heart]." *Radiologe*, 40(10), 888-96.
- Hausmann, D., Mügge, A., and Daniel, W. D. (1999). "Koronare Herzkrankheit." *Thiemes Innere Medizin*, Georg Thieme Verlag, Stuttgart, 1096-1122.
- Hearse, D. J. (1983). "Models and problems in the study of myocardial ischemia and tissue protection." *Eur Heart J*, 4 Suppl C, 43-8.
- Horstick, G., Petersen, S. E., Voigtlander, T., Mohrs, O. K., and Schreiber, W. G. (2004). "[Cardio-MRT: the multimodal functional analysis of the future]." *Z Kardiol*, 93 Suppl 4, IV36-47.
- Hort, W. (2001). "[Pathology of acute myocardial infarction]." *Internist (Berl)*, 42(5), 631-40.
- Huber, A., Schoenberg, S. O., Spannagl, B., Rieber, J., Klauss, V., and Reiser, M. F. (2004). "Bestimmung der Vitalität beim Myokardinfarkt." *Radiologe*(44), 146-151.
- Inoue, S., Murakami, Y., Ochiai, K., Kitamura, J., Ishibashi, Y., Kawamitsu, H., Sugimura, K., and Shimada, T. (1999). "The contributory role of interstitial water in Gd-DTPA-enhanced MRI in myocardial infarction." *J Magn Reson Imaging*, 9(2), 215-9
- Jerosch-Herold, M., Wilke, N., and Stillman, A. E. (1998). "Magnetic resonance quantification of the myocardial perfusion reserve with a Fermi function model for constrained deconvolution." *Med Phys*, 25(1), 73-84.
- Kim, R. J., Chen, E. L., Lima, J. A., and Judd, R. M. (1996). "Myocardial Gd-DTPA kinetics determine MRI contrast enhancement and reflect the extent and severity of myocardial injury after acute reperfused infarction." *Circulation*, 94(12), 3318-26.
- Kim, R. J., Fieno, D. S., Parrish, T. B., Harris, K., Chen, E. L., Simonetti, O., Bundy, J., Finn, J. P., Klocke, F. J., and Judd, R. M. (1999). "Relationship of MRI delayed contrast enhancement to irreversible injury, infarct age, and contractile function." *Circulation*, 100(19), 1992-2002.

- Kim, R. J., Wu, E., Rafael, A., Chen, E. L., Parker, M. A., Simonetti, O., Klocke, F. J., Bonow, R. O., and Judd, R. M. (2000). "The use of contrast-enhanced magnetic resonance imaging to identify reversible myocardial dysfunction." *N Engl J Med*, 343(20), 1445-53.
- Kivelitz, D. E., Taupitz, M., and Hamm, B. (1999). "[Diagnostic assessment after myocardial infarction: What is the role of magnetic resonance imaging?]." *Rofo Fortschr Geb Rontgenstr Neuen Bildgeb Verfahr*, 171(5), 349-58.
- Klein, C., Nekolla, S. G., Bengel, F. M., Momose, M., Sammer, A., Haas, F., Schnackenburg, B., Delius, W., Mudra, H., Wolfram, D., and Schwaiger, M. (2002). "Assessment of myocardial viability with contrast-enhanced magnetic resonance imaging: comparison with positron emission tomography." *Circulation*, 105(2), 162-7.
- Klinge, R. (1992). "Herzinfarkt." *Das Elektrokardiogramm*, R. Klinge, ed., Georg Thieme Verlag, Stuttgart, New York, 219-257.
- Kloner, R. A., Darsee, J. R., DeBoer, L. W., and Carlson, N. (1981). "Early pathologic detection of acute myocardial infarction." *Arch Pathol Lab Med*, 105(8), 403-6.
- Kloner, R. A., Ganote, C. E., and Jennings, R. B. (1974). "The "no-reflow" phenomenon after temporary coronary occlusion in the dog." *J Clin Invest*, 54(6), 1496-508.
- Köchli, V. D., and Marincek, B. (1998a). "Bildkontrast." *Wie funktioniert MRI? Eine Einführung in Physik und funktionsweise der Magnetresonanzbildgebung*, B. Marincek, ed., Springer Verlag, Berlin, u.a., 8-13.
- Köchli, V. D., and Marincek, B. (1998b). "Relaxation." *Wie funktioniert MRI? Eine Einführung in Physik und Funktionsweise der Magnetresonanzbildgebung*, B. Marincek, ed., Springer Verlag, Berlin, u.a., 5-7.
- Köchli, V. D., and Marincek, B. (1998c). "Schichtwahl und Ortskodierung." *Wie funktioniert MRI?*, B. Marincek, ed., Springer-Verlag, Berlin u.a., 16-20.
- Köchli, V. D., and Marincek, B. (1998d). "Sequenzen." *Wie funktioniert MRI?*, B. Marincek, ed., Springer-Verlag, Berlin u.a., 24-35.
- Köchli, V. D., and Marincek, B. (1998e). "Spins und das MR-Phänomen." *Wie funktioniert MRI? Eine Einführung in Physik und Funktionsweise der Magnetresonanzbildgebung*, B. Marincek, ed., Springer Verlag, Berlin, u.a., 1-5.
- Köchli, V. D., and Marincek, B. (1998a). "MR-Kontrastmittel." *Wie funktioniert MRI? Eine Einführung in Physik und Funktionsweise der Magnetresonanzbildgebung*, Springer Verlag, Berlin, Heidelberg, New York, 42-46.
- Kraitchman, D. L., Chin, B. B., Heldman, A. W., Solaiyappan, M., and Bluemke, D. A. (2002). "MRI detection of myocardial perfusion defects due to coronary artery stenosis with MS-325." *J Magn Reson Imaging*, 15(2), 149-58.

- Kraitchman, D. L., Wilke, N., Hexeberg, E., Jerosch-Herold, M., Wang, Y., Parrish, T. B., Chang, C. N., Zhang, Y., Bache, R. J., and Axel, L. (1996). "Myocardial perfusion and function in dogs with moderate coronary stenosis." *Magn Reson Med*, 35(5), 771-80
- Kramer, U., Miller, S., Helber, U., Schick, F., Nagele, T., Brechtel, K., Huppert, P., and Claussen, C. D. (2000). "[Variability in the MR tomographic determination of myocardial function and perfusion parameters in health subjects]." *Rofo Fortschr Geb Rontgenstr Neuen Bildgeb Verfahr*, 172(7), 609-14.
- Kroft, L. J., and de Roos, A. (1999c). "Blood pool contrast agents for cardiovascular MR imaging." *J Magn Reson Imaging*, 10(3), 395-403.
- Kroft, L. J., Doornbos, J., van der Geest, R. J., Benderbous, S., and de Roos, A. (1999a). "Infarcted myocardium in pigs: MR imaging enhanced with slow- interstitial-diffusion gadolinium compound P760." *Radiology*, 212(2), 467-73.
- Kroft, L. J., Doornbos, J., van der Geest, R. J., and de Roos, A. (1999b). "Blood pool contrast agent CMD-A2-Gd-DOTA-enhanced MR imaging of infarcted myocardium in pigs." *J Magn Reson Imaging*, 10(2), 170-7.
- Krombach, G. A., Higgins, C. B., Chujo, M., and Saeed, M. (2002a). "Blood pool contrast-enhanced MRI detects suppression of microvascular permeability in early postinfarction reperfusion after nicorandil therapy." *Magn Reson Med*, 47(5), 896-902.
- Krombach, G. A., Higgins, C. B., Gunther, R. W., Kuhne, T., and Saeed, M. (2002). "[MR contrast media for cardiovascular imaging]." *Rofo Fortschr Geb Rontgenstr Neuen Bildgeb Verfahr*, 174(7), 819-29.
- Krombach, G. A., Higgins, C. B., Gunther, R. W., Kuhne, T., and Saeed, M. (2002b). "[MR contrast media for cardiovascular imaging]." *Rofo Fortschr Geb Rontgenstr Neuen Bildgeb Verfahr*, 174(7), 819-29.
- Krombach, G. A., Wendland, M. F., Higgins, C. B., and Saeed, M. (2002c). "MR imaging of spatial extent of microvascular injury in reperfused ischemically injured rat myocardium: value of blood pool ultrasmall superparamagnetic particles of iron oxide." *Radiology*, 225(2), 479-86.
- Kwong, R. Y., Schussheim, A. E., Rekhraj, S., Aletras, A. H., Geller, N., Davis, J., Christian, T. F., Balaban, R. S., and Arai, A. E. (2003). "Detecting acute coronary syndrome in the emergency department with cardiac magnetic resonance imaging." *Circulation*, 107(4), 531-7.
- Laniado, M., and Kopp, A. F. (1997). "[Current status of the clinical development of MR contrast media]." *Rofo Fortschr Geb Rontgenstr Neuen Bildgeb Verfahr*, 167(6), 541-50.
- Laubenberger, T., and Laubenberger, J. (1999). "Gradientensysteme." Technik der medizinischen Radiologie, T. Laubenberger and J. Laubenberger, eds., Deutscher Ärzte-Verlag, Köln, 363-364.

- Lauterbur; P. C., (1973). "Image formation by induced local interactions: examples employing nuclear magnetic resonance." *Nature*, 242, 190-1
- Lee, S. S., Goo, H. W., Park, S. B., Lim, C. H., Gong, G., Seo, J. B., and Lim, T. H. (2003). "MR imaging of reperfused myocardial infarction: comparison of necrosis-specific and intravascular contrast agents in a cat model." *Radiology*, 226(3), 739-47.
- Libby, P. (1998). "Atherosclerosis." Harrison's principles of internal medicine, Fauci, Braunwalder, Isselbacher, Wilson, Martin, Kasper, Hauser, eds., Mc Graw-Hill Health Professions Division
- Linß, W., and Fanghänel, J. (1998). "Herz, Herzbeutel." Histologie: Zytologie, Allgemeine Histologie, Mikroskopische Anatomie, de Gruyter, Berlin, 95-96.
- Luginbühl, H. (1966). "Spontaneous atherosclerosis in swine." Swine in biomedical research, L. M. Bustad and R. O. McClellan, eds., Frayn Printing Co., Seattle, USA, 347-363.
- Mahrholdt, H., Wagner, A., Judd, R. M., and Sechtem, U. (2002). "Assessment of myocardial viability by cardiovascular magnetic resonance imaging." *Eur Heart J*, 23(8), 602-19.
- Mankad, S., Khalil, R., and Kramer, C. M. (2003). "MRI for the diagnosis of myocardial ischemia and viability." *Curr Opin Cardiol*, 18(5), 351-6.
- Marques-Vidal, P., Ferrieres, J., Metzger, M. H., Cambou, J. P., Filipiak, B., Lowel, H., and Keil, U. (1997). "Trends in coronary heart disease morbidity and mortality and acute coronary care and case fatality from 1985-1989 in southern Germany and southwestern France." *Eur Heart J*, 18(5), 816-21.
- McNamara, M. T., Tscholakoff, D., Revel, D., Soulen, R., Schechtmann, N., Botvinick, E., and Higgins, C. B. (1986). "Differentiation of reversible and irreversible myocardial injury by MR imaging with and without gadolinium-DTPA." *Radiology*, 158(3), 765-9.
- Meyer, J., Bokisch, A., Darius, H., Heusch, G., Hort, W., Mohr-Kahaly, S., Rupprecht, H. J., and Voigtländer, T. (2000). "Anatomie und Pathologie des Koronargefäßsystems, Physiologie und Pathophysiologie der Koronardurchblutung, Pathogenese der Atherosklerose." Klinische Kardiologie, E. Erdmann, ed., Springer-Verlag, Berlin, Heidelberg, 295-325.
- Meyer, J., and Erdmann, E. (1996). Klinische Kardiologie, G. Riecker, ed., Springer Verlag, Berlin, Heidelberg, New York, 421.
- Miller, S., Helber, U., Brechtel, K., Nagele, T., Hahn, U., Kramer, U., Hoffmeister, H. M., and Claussen, C. D. (2003). "MR imaging at rest early after myocardial infarction: detection of preserved function in regions with evidence for ischemic injury and non-transmural myocardial infarction." *Eur Radiol*, 13(3), 498-506.
- Müller, D. (1986). "Ischämische Nekrose." Allgemeine Pathologie, W. Sandritter, ed., Schattauer Verlag, Stuttgart, New York, 391-401.

- Muller, D. W., Ellis, S. G., and Topol, E. J. (1992). "Experimental models of coronary artery restenosis." *J Am Coll Cardiol*, 19(2), 418-32.
- Niendorf, H. P., and Balzer, T. (1997). "Kontrastmittel." *Magnetresonanztomographie*, Reimser and W. Semmler, eds., Springer Verlag, Berlin, Heidelberg, New York, 95-112.
- Nishimura, T., Yamada, Y., Hayashi, M., Kozuka, T., Nakatani, T., Noda, H., and Takano, H. (1989). "Determination of infarct size of acute myocardial infarction in dogs by magnetic resonance imaging and gadolinium-DTPA: comparison with indium-111 antimyosin imaging." *Am J Physiol Imaging*, 4(3), 83-8.
- Nitz, W. (1996). "Bildgebende Sequenzen in der Kernspintomographie und ihre klinische Anwendung." *electromedica*, 23-29.
- Oppelt, A., Graumann, R., Barfuss, H., Fischer, H., Harlt, W., and Schajor, W. (1986). "FISP - a new fast MRI sequence." *Electromedica*, 54, 15-18.
- Pearlman, J. D., Laham, R. J., and Simons, M. (2000). "Coronary angiogenesis: detection in vivo with MR imaging sensitive to collateral neocirculation--preliminary study in pigs." *Radiology*, 214(3), 801-7.
- Penzkofer, H., Wintersperger, B., Smekal, A., Stehling, M. K., Knez, A., Weber, J., and Reiser, M. (1997). "[Qualitative and quantitative determination of regional myocardial perfusion with magnetic resonance tomography]." *Radiologe*, 37(5), 372-7.
- Plein, S., Ridgway, J. P., Jones, T. R., Bloomer, T. N., and Sivananthan, M. U. (2002). "Coronary artery disease: assessment with a comprehensive MR imaging protocol--initial results." *Radiology*, 225(1), 300-7.
- Port, M., Corot, C., Raynal, I., Idee, J. M., Dencausse, A., Lancelot, E., Meyer, D., Bonnemain, B., and Lautrou, J. (2001a). "Physicochemical and biological evaluation of P792, a rapid-clearance blood-pool agent for magnetic resonance imaging." *Invest Radiol*, 36(8), 445-54.
- Port, M., Corot, C., Rousseaux, O., Raynal, I., Devoldere, L., Idee, J. M., Dencausse, A., Le Greneur, S., Simonot, C., and Meyer, D. (2001). "P792: a rapid clearance blood pool agent for magnetic resonance imaging: preliminary results." *MAGMA*, 12(2-3), 121-7.
- Port, M., Corot, C., Rousseaux, O., Raynal, I., Devoldere, L., Idee, J. M., Dencausse, A., Le Greneur, S., Simonot, C., and Meyer, D. (2001b). "P792: a rapid clearance blood pool agent for magnetic resonance imaging: preliminary results." *MAGMA*, 12(2-3), 121-7.
- Ramm, B., Semmler, W., and Lanadio, M. (1986a). "Physikalische und mathematische Grundlagen in der MR-Tomographie." *Einführung in die MR-Tomographie*, M. Lanadio, ed., Ferdinand Enke Verlag, Stuttgart, 8-24.
- Ramm, B., Semmler, W., and Lanadio, M. (1986b). "Relaxationszeiten." *Einführung in die MR-Tomographie*, M. Lanadio, ed., Ferdinand Enke Verlag, Stuttgart, 28-35.



- Ramm, B., Semmler, W., and Lanadio, M. (1986a). "Kontrastmittel für die MR-Tomographie." Einführung in die MR-Tomographie, Lochner, ed., Ferdinand Enke Verlag, Stuttgart, 73-82.
- Rauber, A., and Kopsch. (1987). "Gefäße und Nerven des Herzens." Anatomie des Menschen: Lehrbuch und Atlas; Innere Organe, H. Leonhardt, B. Tillmann, G. Töndury, and K. Zilles, eds., Thieme, Stuttgart, 52-58.
- Reimer, P., and Vosshenrich, R. (2004). "[Contrast agents in magnetic resonance imaging]." *Radiologe*.
- Riede, U.-N., and Schäfer, H.-E. (1993). Lehrbuch der allgemeinen und speziellen Pathologie, U.-N. Riede and H.-E. Schäfer, eds., Georg Thieme Verlag, Stuttgart, New York, 485.
- Rochitte, C. E., Lima, J. A., Bluemke, D. A., Reeder, S. B., McVeigh, E. R., Furuta, T., Becker, L. C., and Melin, J. A. (1998). "Magnitude and time course of microvascular obstruction and tissue injury after acute myocardial infarction." *Circulation*, 98(10), 1006-14.
- Roessner, A., Schneider, J., C.J., K., and Böcker, W. (1997). "Myokardinfarkt." Pathologie, W. Böcker, H. Denk, and P. U. Heitz, eds., Urban & Schwarzenberg, München, Wien, Baltimore, 425-429.
- Rudolph, R., and Dahme, E. (1999). "Herz und Herzbeutel." Grundriß der speziellen pathologischen Anatomie der Haustiere, E. Dahme and E. Weiss, eds., Ferdinand Enke Verlag, Stuttgart, 1-26.
- Saeed, M. (2001a). "New concepts in characterization of ischemically injured myocardium by MRI." *Exp Biol Med (Maywood)*, 226(5), 367-76.
- Saeed, M., Lund, G., Wendland, M. F., Bremerich, J., Weinmann, H., and Higgins, C. B. (2001b). "Magnetic resonance characterization of the peri-infarction zone of reperfused myocardial infarction with necrosis-specific and extracellular nonspecific contrast media." *Circulation*, 103(6), 871-6
- Saeed, M., Wendland, M. F., Watzinger, N., Akbari, H., and Higgins, C. B. (2000). "MR contrast media for myocardial viability, microvascular integrity and perfusion." *Eur J Radiol*, 34(3), 179-95.
- Sandstede, J., Lipke, C., Beer, M., Kenn, W., Pabst, T., Neubauer, S., and Hahn, D. (2000). "[Evaluating signal intensity of movement-impaired myocardial segments in MR delayed images after administration of Gd-DTPA. Correlation of regional increase in contraction after revascularization]." *Radiologe*, 40(2), 150-4.
- Sandstede, J., Machann, H., Machann, W., Beer, M., Johnson, T., Harre, K., Pabst, T., Kenn, W., and Hahn, D. (2002). "[Interindividual-variability of the analysis of regional myocardial wall function after myocardial infarction and revascularization]." *Rofo Fortschr Geb Rontgenstr Neuen Bildgeb Verfahr*, 174(9), 1147-53.
- Schaper, W. (1995). "Control of coronary angiogenesis." *Eur Heart J*, 16 Suppl C, 66-8.

- Schild, H. H. (1997). *MRI made easy*, Schering Aktiengesellschaft 1990, Berlin.
- Schmidt, H. (1987). "Kontrastmittel." *Klinische Kernspintomographie*, J. Lissner and M. Seiderer, eds., Ferdinand Enke Verlag, Stuttgart, 95-105.
- Schmitt, M., Mohrs, O. K., Petersen, S. E., Kreitner, K. F., Voigtlander, T., Wittlinger, T., Horstick, G., Ziegler, S., Meyer, J., Thelen, M., and Schreiber, W. G. (2002). "[Evaluation of myocardial perfusion reserve in patients with CAD using contrast-enhanced MRI: a comparison between semiquantitative and quantitative methods]." *Rofo Fortschr Geb Rontgenstr Neuen Bildgeb Verfahr*, 174(2), 187-95.
- Schnorr, J. (2004). "persönliche Mitteilung." Berlin.
- Schulz, L. C. (1990). "Kreislaufstörungen." *Lehrbuch der allgemeinen Pathologie*, T. Kitt, ed., Enke-Verlag, Stuttgart, 214-273.
- Schummer, A., and Habermehl, K.-H. (1996). "Herz." *Lehrbuch der Anatomie der Haustiere*, R. Nickel, A. Schummer, and E. Seiferle, eds., Verlag Paul Parey, Berlin, Hamburg, 17-44, 53-57.
- Schwartz, J. S., Cohn, J. N., and Bache, R. J. (1983). "Effects of coronary occlusion on flow in the distribution of a neighboring stenotic coronary artery in the dog." *Am J Cardiol*, 52(1), 189-95.
- Schwitzer, J., Nanz, D., Kneifel, S., Bertschinger, K., Buchi, M., Knusel, P. R., Marincek, B., Luscher, T. F., and von Schulthess, G. K. (2001). "Assessment of myocardial perfusion in coronary artery disease by magnetic resonance: a comparison with positron emission tomography and coronary angiography." *Circulation*, 103(18), 2230-5.
- Seiderer, M. (1987). "Grundlagen und Technik." *Klinische Kernspintomographie*, J. Lissner and M. Seiderer, eds., Ferdinand Enke Verlag, Stuttgart, 4-17.
- Speck, U. (1999). *Kontrastmittel*, Springer Verlag, Berlin, Heidelberg, New York.
- Speck, U. (2003). "Kontrastmittel in der Radiologie - Röntgen und MRT." *Radiologie up2date*(1), 81-94.
- Stary, H. C., Chandler, A. B., Glagov, S., Guyton, J. R., Insull, W., Jr., Rosenfeld, M. E., Schaffer, S. A., Schwartz, C. J., Wagner, W. D., and Wissler, R. W. (1994). "A definition of initial, fatty streak, and intermediate lesions of atherosclerosis. A report from the Committee on Vascular Lesions of the Council on Arteriosclerosis, American Heart Association." *Circulation*, 89(5), 2462-78.
- Statistisches Bundesamt (2003). "Themenbereich Gesundheit." [www.statistik-bund.de](http://www.statistik-bund.de).
- Strauer, B. E. (1991a). "Koronare Herzkrankheit." *Klinische Kardiologie*, G. Riecker, ed., Springer-Verlag, Berlin, Heidelberg, New York, 357-433.

- Strauer, B. E. (1991b). "Koronare Herzkrankheit - Angina pectoris und Koronarinsuffizienz." *Klinische Kardiologie*, G. Riecker, ed., Springer Verlag, Berlin, Heidelberg, New York, 357-433.
- Taupitz, M., Schnorr, J., Wagner, S., Kivelitz, D., Rogalla, P., Claassen, G., Dewey, M., Robert, P., Corot, C., and Hamm, B. (2001). "Coronary magnetic resonance angiography: experimental evaluation of the new rapid clearance blood pool contrast medium P792." *Magn Reson Med*, 46(5), 932-8.
- Thomas, C. (1992). *Histopathologie*, Schattauer Verlag, Stuttgart, New York.
- Vivaldi, M. T., Kloner, R. A., and Schoen, F. J. (1985). "Triphenyltetrazolium staining of irreversible ischemic injury following coronary artery occlusion in rats." *Am J Pathol*, 121(3), 522-30.
- Vogl, T. J., Hoffmann, Y., Muhler, A., and Felix, R. (1994). "[Contrast medium enhanced MR angiography]." *Radiologe*, 34(8), 423-9.
- von Schulthess, G. K., Davis, C. P., Debatin, J. F., and McKinnon, G. C. (1995a). "[Fast and ultra-fast MRI imaging of the heart]." *Radiologe*, 35(12), 952-63.
- von Schulthess, G. K., Davis, C. P., Debatin, J. F., and McKinnon, G. C. (1995b). "Schnelle und ultraschnelle MR-Bildgebung des Herzens." *Radiologe*, 35, 952-963.
- Wacker, C. M., Fidler, F., Dueren, C., Hirn, S., Jakob, P. M., Ertl, G., Haase, A., and Bauer, W. R. (2003). "Quantitative assessment of myocardial perfusion with a spin-labeling technique: preliminary results in patients with coronary artery disease." *J Magn Reson Imaging*, 18(5), 555-60.
- Wagner, A., Mahrholdt, H., Holly, T. A., Elliott, M. D., Regenfus, M., Parker, M., Klocke, F. J., Bonow, R. O., Kim, R. J., and Judd, R. M. (2003). "Contrast-enhanced MRI and routine single photon emission computed tomography (SPECT) perfusion imaging for detection of subendocardial myocardial infarcts: an imaging study." *Lancet*, 361(9355), 374-9.
- Wagner, J. (1991). "Koronare Herzkrankheit." *Praktische Kardiologie*, J. Wagner, ed., de Gruyter, Berlin, 242-267.
- Waldeyer, A., and Mayet, A. (1993). "Die Kranzgefäße." *Anatomie des Menschen 2*, A. Waldeyer and A. Mayet, eds., de Gruyter, Berlin, 580-584.
- Weaver, M. E., Pantely, G. A., Bristow, J. D., and Ladley, H. D. (1986). "A quantitative study of the anatomy and distribution of coronary arteries in swine in comparison with other animals and man." *Cardiovasc Res*, 20(12), 907-17.
- Wiesner, G., Grimm, J., and Bittner, E. (1999). "[Incidence of myocardial infarct in Germany: prevalence, incidence trends, East-West comparison]." *Gesundheitswesen*, 61 Spec No, S72-8.
- Wilke, N., Jerosch-Herold, M., Wang, Y., Huang, Y., Christensen, B. V., Stillman, A. E., Ugurbil, K., McDonald, K., and Wilson, R. F. (1997). "Myocardial perfusion reserve:

- assessment with multisection, quantitative, first-pass MR imaging." *Radiology*, 204(2), 373-84.
- Wilke, N., Kroll, K., Merkle, H., Wang, Y., Ishibashi, Y., Xu, Y., Zhang, J., Jerosch-Herold, M., Muhler, A., Stillman, A. E., and et al. (1995). "Regional myocardial blood volume and flow: first-pass MR imaging with polylysine-Gd-DTPA." *J Magn Reson Imaging*, 5(2), 227-37.
- Wilke, N. M., Jerosch-Herold, M., Zenovich, A., and Stillman, A. E. (1999). "Magnetic resonance first-pass myocardial perfusion imaging: clinical validation and future applications." *J Magn Reson Imaging*, 10(5), 676-85.
- Wintersperger, B. J., Penzkofer, H. V., Knez, A., Huber, A., Kerner, M., Meininger, M., Knesewitsch, P., Scheidler, J., Haberl, R., and Reiser, M. (2000). "[Myocardial perfusion at rest and during stress. MR signal characteristics of persistent and reversible myocardial ischemia]." *Radiologe*, 40(2), 155-61.
- Wu, E., Judd, R. M., Vargas, J. D., Klocke, F. J., Bonow, R. O., and Kim, R. J. (2001). "Visualisation of presence, location, and transmural extent of healed Q-wave and non-Q-wave myocardial infarction." *Lancet*, 357(9249), 21-8.
- Wu, K. C., Kim, R. J., Bluemke, D. A., Rochitte, C. E., Zerhouni, E. A., Becker, L. C., and Lima, J. A. (1998a) "Quantification and time course of microvascular obstruction by contrast-enhanced echocardiography and magnetic resonance imaging following acute myocardial infarction and reperfusion." *J Am Coll Cardiol*, 32(6), 1756-64
- Wu, K. C., Zerhouni, E. A., Judd, R. M., Lugo-Olivieri, C. H., Barouch, L. A., Schulman, S. P., Blumenthal, R. S., and Lima, J. A. (1998b). "Prognostic significance of microvascular obstruction by magnetic resonance imaging in patients with acute myocardial infarction." *Circulation*, 97(8), 765-72.