

- [1] Friedrich, W., (1987) Urban und Schwarzenberg Verlag, München, Wien, Baltimore, *Handbuch der Vitamine*
- [2] Bender, D. A., (1994) in Marino, G., Sannia G., Bossa, F. (eds.): Biochemistry of vitamin B6 and PQQ, Birkhäuser Verlag, Basel, Boston, Berlin, pp. 305-309, Nutritional aspects of vitamin B6: requirements, recommendations and intake
- [3] Bässler, K. H., (1989) 3. Aufl., Steinkopff Verlag, Darmstadt, Vitamine
- [4] Coburn, S. P., Lewis, D. L. N., Fink, W. J., Mahuren, W. J., Costill, D. L., (1988) *Am. J. Clin. Nutr.* **48**, 291-294, Human vitamin B6 pools estimated through muscle biopsies
- [5] Coburn, S. P., (1990), *Ann. N. Y. Acad. Sci.* **585**, 76-85, Location and turnover of vitamin B6 requires of humans
- [6] Leklem, J. E., (1992) *Ann. NY Acad. Sci.* **669**, 34-41, Vitamin B6. Reservoirs, receptors and red cell actions
- [7] Leklem, J. E., (1988) in: Leklem, J. E., Reynolds, R. D. (eds.): Clinical and physiological applications of vitamin B6, Liss. New York, pp. 3-28, Vitamin B6 metabolism and function in humans
- [8] Trakatellis, A., Dimitriadou, A., Trakatellis, M., (1997) *Postgrad. Med. J.* **73**, 617-622, Pyridoxine deficiency : New approaches in immunosuppression and chemotherapy
- [9] Trakatellis, A., Dimitriadou, A., Exindari, M., Scountzou, J., Koliakos, G., Christodoulou, D., Malissiovas, N., Antoniadis, A., Polyzoni, T., (1992) *Postgrad. Med. J.* **68**, 70-77, Effect of pyridoxine deficiency on immunological phenomena
- [10] Meydani, S. N., Ribaya-Mercado, J. D., Russel, R. M., Sahyoun, N., Morrow, F. D., Gershoff, S. N., (1991) *Am. J. Clin. Nutr.* **53**, 1275-1280, Vitamin B6-deficiency impairs interleukin 2 production and lymphocyte proliferation in elderly adults

- [11] Jenkins, W. T., Sizer, I. W., (1957) *J. Am. Chem. Soc.* **79**, 2655-2656, Glutamic aspartic transaminase
- [12] Hayashi, H., (1995) *J. Biochem.* **118**, 463-473, Pyridoxal enzymes: Mechanistic diversity and uniformity
- [13] Evans, R. M., (1988) *Science* **240**, 889-895, The steroid and thyroid hormone receptor superfamily
- [14] Symes, E. K., Bender, D. A., Bowden, J.-F., Coulson, W. F., (1984) *J. Steroid Biochem.* **20**, 1089-1093, Increased target tissue uptake of, and sensitivity to, testosterone in the vitamin B6 deficient rat
- [15] Bunce, G. E., Vessal, M., (1987) *J. Steroid Biochem.* **26**, 303-308, Effect of zinc and/or pyridoxine deficiency upon oestrogen retention and oestrogen receptor distribution in the rat uterus
- [16] DiSorbo, D. M., Phelps, D. S., Ohl, V. S., Litwack, G., (1980) *J. Biol. Chem.* **255**, 3866-3870, Pyridoxine deficiency influences the behaviour of the glucocorticoid receptor complex
- [17] Majumder, P. K., Joshi, J. B., Banerjee, M. R., (1983) *J. Biol. Chem.* **258**, 6793-6798, Correlation between nuclear glucocorticoid receptor levels and casein gene expression in murine mammary gland in vitro
- [18] Compton, M. M., Cidlowski, J. A., (1986) *Endocr. Rev.* **7**, 140-148, Vitamin B6 and glucocorticoid action
- [19] Holley, J., Bender, D. A., Coulson, W. F., Symes, E. K., (1983) *J. Steroid Biochem.* **18**, 161-165, Effects of vitamin B6 nutritional status on the uptake of oestradiol into the uterus, liver and hypothalamus of the rat
- [20] Cidlowski, J. A., Thanassi, J. W., (1981) *J. Steroid Biochem.* **15**, 11-16, Pyridoxal phosphate, a possible cofactor role in steroid hormone action

- [21] Allgood, V. E., Powell-Oliver, F. E., Cidlowski, J. A. (1990) *J. Biol. Chem.* **265**, 12424-12433, Vitamin B6 influences glucocorticoid-receptor-dependent gene expression
- [22] Allgood, V. E. and Cidlowski, J. A. (1992) *J. Biol. Chem.* **267**, 3819-3824, Vitamin B6 modulates transkriptional activation by multiple members of the steroid hormone receptor superfamily
- [23] Allgood, V. E., Oakley, R. H., Cidlowski, J. A. (1993) *J. Biol. Chem.* **268**, 20870-20876, Modulation by vitamin B6 of glucocorticoid receptor-mediated gene expression requires transcription factors in addition to the glucocorticoid receptor
- [24] Tully, D. B., Allgood, V. E., Cidlowski, J. A. (1994) *FASEB J.* **8**, 343-349, Modulation of steroid receptor-mediated gene expression by vitamin B6
- [25] Oka, T., Komori, M., Kuwahata, M., Hiroi, Y., Shimoda, T., Okada, M., Natori, Y., (1995) *J. Nutr. Sci. Vitaminol.* **41**, 363-375, Pyridoxal 5'-Phosphate modulates expression of cytosolic aspartate aminotransferase gene by inactivation of glucocorticoid receptor
- [26] Cidlowski, J. A., Thanassi, J. W., (1978) *Biochem. Biophys. Res. Commun.* **82**, 1140-1146, Extraction of nuclear glucocorticoid receptor complexes with pyridoxal phosphate
- [27] Oka, T., Komori, N., Kuwahata, M., Sassa, T., Suzuki, I., Okada, M., Natori, Y., (1993) *FEBS Lett.* **331**, 162-164, Vitamin B6 deficiency causes activation of RNA-polymerase and general enhancement of gene expression in rat liver
- [28] Martial, J., Zaldivar, J., Bull, P., Venegas, A., Valenzuela, P., (1975) *Biochemistry* **14**, 4907-4911, Inactivation of rat liver RNA polymerases I and II and yeast RNA polymerase I by pyridoxal 5'-phosphate
- [29] Oka, T., Komori, M., Kuwahata, M., Hiroi, Y., Okada, M., Natori, Y., (1995) *Biochem J.* **309**, 243-248, Vitamin B6 modulates expression of albumin gene by inactivating tissue-specific DNA-binding protein in rat liver

- [30] Molina, A., Oka, T., Munoz, M., Chikamori-Aoyama, M., Kuwahata, M., Natori, Y., (1997) *Nutr. Cancer* **28**, 206-211, Vitamin B6 suppresses growth and expression of albumin gene in a human hepatoma cell line HepG2
- [31] Oka, T., Komori, M., Kuwahata, M., Suzuki, I., Natori, Y., (1994) *Experientia* **50**, 127-129, Effect of vitamin B6-deficiency on the expression of glycogen phosphorylase mRNA in rat liver and skeletal muscle
- [32] Biehl, J. P., Vilter, R. W., (1954) *Proc. Soc. Exp. Biol. Med.* **85**, 389-392, Effect of isoniazid on vitamin B6-metabolism: its possible significance in producing isoniazid neuritis
- [33] Bayer, W., Schmidt, K., (1991) Hippokrates Verlag, Stuttgart, Vitamine in Prävention und Therapie
- [34] Mydlik, M., Derzsiova, K., Zemberova, E., (1997) *Kidney intern.* **52**, 56-59, Metabolism of vitamin B6 and its requirement in chronic renal failure
- [35] Labadarios, D., Rossouw, J. E., McConnell, J. B., Davis, M., Williams, R., (1977) *Gut* **18**, 23-27, Vitamin B6-deficiency in chronic liver disease-evidence for increased degradation of pyridoxal-5'-phosphate
- [36] Schnyder, G., Roffi, M., Pin, R., Flammer, Y., Lange, H., Eberli, F. R., Meier, B., Turi, Z. G., Hess, O. M., (2001) *N. Engl. J. Med.* **345**, 1593-1600, Decreased rate of coronary restenosis after lowering of plasma homocysteine levels
- [37] Snell, E. E., (1994) in: Marino, G., Sanna, G., Bossa, F. (eds.): Biochemistry of vitamin B6 and PQQ. Birkhäuser Verlag, Basel, Boston, Berlin, pp. 1-5, History of vitamin B6
- [38] Gerster, H., (1996), *Z. Ernährungswiss.* **35**, 309-317, Die Bedeutung von Vitamin B6 für die Entwicklung des Säuglings. Humanmedizinische und tierexperimentelle Studien

- [39] Feldmann, A. M., Guilarte, T. R., Baughmann, K. L., Gerstenblith, G., (1987), *Proc. Soc. Exp. Biol. Med.* **184**, 31-39, Functional and metabolic consequences of vitamin B6 deficiency in the rat heart
- [40] Robinson, F. A., (1966) Pergamon Press, Oxford, London, Edinburgh, New York, Toronto, Paris, Braunschweig, pp. 352-367, The vitamin co-factors of enzyme systems
- [41] Renner, A., (2002) Vitamin B6-Mangel induzierter Anstieg der Konzentrationen von UDP-Zuckern und anderen Uracilnucleotiden in der Rattenleber, Dissertationsschrift am Fachbereich Humanmedizin der Freien Universität Berlin
- [42] Pels Rijcken, R., Overdijk, B., Van den Eijnden, D., Ferwerda, W. (1995) *Biochem.J.* **305**, 865-870, The effect of increasing nucleotide-sugar concentrations on the incorporation of sugars into glycoconjugates in rat hepatocytes
- [43] Grammatikos, S., Valley, U., Nimitz, M., Conradt, H., Wagner, R. (1998) *Biotechnol. Prog.* **14**, 410-419, Intracellular UDP-N-acetylhexosamine pool affects N-glycan complexity: A mechanism of ammonium action on protein glycosylation
- [44] Gawlizek, M., Valley, U., Wagner, R., (1998), *Biotechnol. Bioeng.* **57**, 518-528, Ammonium ion and glucosamine dependent increases of oligosaccharide complexity in recombinant glycoproteins secreted from cultivated BHK-21 cells
- [45] Traut, T. W., Jones, M. E., (1996) in: Cohn, W. E., Moldave, K. (eds.): *Nucleic Acid Research and Molecular Biology*. Vol. 53, Academic Press, San Diego, New York, Boston, London, Sydney, Tokio, Toronto, pp. 2-78, Enzymes and their cDNAs in uracil metabolism
- [46] Jones, M. E., (1980) *Ann. Rev. Biochem.* **49**, 253-279, Pyrimidine nucleotide biosynthesis in animals: Genes, enzymes and regulation of UMP biosynthesis

- [47] Cappiello, M., Mascia, L., Scolozzi, C., Giorgelli, F., Ipata, P. I., (1998) *Biochim. Biophys. Acta* **1425**, 273-281, In vitro assessment of salvage pathways for pyrimidine bases in rat liver and brain
- [48] Pels Rijcken, R., Overdijk, B., Van den Eijnden, D., Ferwerda, W. (1993) *Biochem. J.* **293**, 207-213, Pyrimidine nucleotide metabolism in rat hepatocytes: evidence for compartmentation of nucleotide pools
- [49] Schachter, H. (1984) *Clin. Biochem.* **17**, 3-14, Glycoproteins: The structure, biosynthesis and possible clinical implications
- [50] Schachter, H., Brockhausen, I., (1989) *Symp. Soc. Exp. Biol.* **23**, 1-26, The biosynthesis of branched O-glycans
- [51] Wang, C., Eufemi, M., Turano, C., Giartosio, G., (1996) *Biochemistry* **35**, 1-5, Influence of the carbohydrate moiety on the stability of glycoproteins
- [52] Ashwell, G., Harford, J., (1982) *Annu. Rev. Biochem.* **51**, 531-554, Carbohydrate-specific receptors of the liver
- [53] Lucore, C. L., Fry, E. T., Nachowiak, B. A., Sobel, B. E., (1988) *Circulation* **77**, 906-914, Biochemical determinants of clearance of tissue-type plasminogen activator from the circulation
- [54] Drickamer, K., (1991) *Cell* **67**, 1029-1032, Clearing up glycoprotein hormones
- [55] Meri, S., Pangburn, M. K., (1990) *Proc. Natl. Acad. Sci. USA* **87**, 3982-3986, Discrimination between activators and nonactivators of the alternative pathway of complement: regulation via a sialic acid/ polyanionic binding site on factor H
- [56] Dhume, S. T., Stears, R. L., Lennarz, W. J. (1996) *Glycobiology* **6**, 59-64, Sea urchin egg receptor for sperm: the oligosaccharide chains stabilize sperm binding
- [57] McEver, R. P., Moore, K. L., Cummings, R. D. (1995) *J. Biol. Chem.* **270**, 11025-11028, Leukocyte trafficking mediated by selectin-carbohydrate interactions

- [58] Bevilacqua, M. P., Nelson, R. M. (1993) *J. Clin. Invest.* **91**, 379-387, Selectines
- [59] Martersteck, C. M., Kerdersha, N. L., Drapp, D. A., Tsui, T. G., Colley, K. J., (1996) *Glycobiology* **6**, 289-301, Unique  $\alpha$ 2-8-polysialylated glycoproteins in breast cancer and leukemia cells
- [60] Varki, A., (1992) *Glycobiology* **2**, 25-40, Diversity in sialic acids
- [61] Schauer, R., (1985) *Trends Biochem. Sci.* **10**, 357-360, Sialic acids and their role as biological masks
- [62] Rogers, G. N., Herrler, G., Paulson, J. C., Klenk, H.-D., (1986) *J. Biol. Chem.* **261**, 5947-5951, Influenza C virus uses 9-O-acetyl-N-acetylneuraminic acid as a high affinity receptor determinant for attachment to cells
- [63] Keppler, O. T., Herrmann, M., von der Lieth, C. W., Stehling, P., Reutter, W., Pawlita, M., (1998) *Biochem. Biophys. Res. Commun.* **253**, 437-442, Elongation of the N-acyl side chain of sialic acids in MDCK cells inhibits influenza A virus infection
- [64] Kornfeld, R., Kornfeld, S., (1985) *Annu. Rev. Biochem.* **54**, 631-664, Assembly of asparagine-linked oligosaccharides
- [65] Feizi, T., Childs, R. A., (1987) *Biochem. J.* **245**, 1-11, Carbohydrates as antigenic determinants of glycoproteins
- [66] Snider, M. D. (1984) *Biology of Carbohydrates* **2**, 164-198, Biosynthesis of glycoproteins: formation of N-linked oligosaccharides
- [67] Yet, M., Shao, M., Wold, F., (1988) *FASEB J.* **2**, 22-31, Effects of the protein matrix on glycan processing in glycoproteins
- [68] Paulson, J. C., Colley K. J., (1989) *J. Biol. Chem.* **264**, 17615-17618, Glycosyltransferases: Structure, localization and control of cell type-specific glycosylation

- [69] Bendiak, B., Schachter, H., (1987) *J. Biol. Chem.* **262**, 5784-5790, Control of glycoprotein synthesis. Kinetic mechanism, substrate specificity, and inhibition characteristics of UDP-GlcNAc:  $\alpha$ -D-mannoside  $\beta$  1-2 GlcNAc-transferase II from rat liver
- [70] Schachter, H., (1991) *Glycobiology* **1**, 453-461, The "yellow brick road" to branched complex N-glycans
- [71] Brockhausen, I., Narasimhan, S., Schachter, H., (1988) *Biochimie* **70**, 1521-1533, The biosynthesis of high branched N-glycans: Studies on the sequential pathway and functional role of N-acetylglucosaminyltransferases I, II, III, IV, V and VI
- [72] Rothman, J. E., Orci, L., (1990) *FASEB J.* **4**, 1460-1468, Movement of proteins through the Golgi stack: A molecular dissection of vesicular transport
- [73] Goud, B., Salminen, A., Walworth, N. C., Novick, P. J., (1988) *Cell* **53**, 753-768, A GTP-binding protein required for secretion rapidly associates with secretory vesicles and the plasma membrane in yeast
- [74] Tauber, R., Schenk, I., Josic, D., Gross, V., Heinrich, P. C., Gerok, W., Reutter, W., (1986) *EMBO J.* **5**, 2109-2114, Different oligosaccharide processing of the membrane-integrated and the secretory form of gp 80 in rat liver
- [75] Svennerholm, L., Fredmann, P. (1980) *Biochem. Biophys. Acta* **617**, 97-109, A procedure for the quantitative isolation of brain gangliosides
- [76] Nuck, R., Zimmermann, M., Sauvageot, D., Josic, D., Reutter, W. (1990) *Glycoconjugate J.* **7**, 279-286, Optimized deglycosylation of glycoproteins by peptide-N4-(N-acetyl- $\beta$ -glucosaminyI)-asparagine amidase from *Flavobacterium meningosepticum*
- [77] Tarentino, A. L., Gomez, C. A., Plummer, T. H., (1985) *Biochemistry* **24**, 4665-4671, Deglycosylation of asparagine-linked glycans by peptide-N-glycanase F

- [78] Nuck, R., Gohlke, M. (1997) *Techniques in Glycobiology* **31**, 491-508, Characterization of subnanomolar amounts of N-glycans by 2-aminobenzamide labelling, MALDI-TOF-MS and Computer Assisted Sequence Analysis
- [79] Smith, P. K., Krohn, R. I., Hermanson, G. T., Malla, A. K., Gartner, F. H., Provenzano, M. D., Fujimoto, N. K., Goeke, N. M., Olson, B. J., Klenk, D. C. (1985) *Anal. Biochem.* **150**, 76-85, Measurement of protein using bicinchonic acid
- [80] Hardy, M.R., Townsend, R. R., Lee, Y. C. (1988) *Anal. Biochem.* **170**, 54-62, Monosaccharide analysis of glycoconjugates by anion-exchange chromatography with pulsed amperometric detection
- [81] Huberty, C. M., Vath, J. E., Yu, W., Martin, S. A. (1993) *Anal. Chem.* **65**, 2791-2800, Site-specific carbohydrate identification in recombinant proteins using MALDI-TOF-MS
- [82] Jackson, R. C., Lui, M. S., Boritzki, T. J., Morris, H. P., Weber, G., (1980) *Cancer Res.* **40**, 1286-1291, Purine and pyrimidine nucleotide patterns of normal, differentiating and regenerating liver and of hepatomas in rats
- [83] Keppler, D., Gawehn, K., Decker, K., (1974) in: Bergmeyer, H. U. (Hrsg.): *Methoden der enzymatischen Analyse*, 3. Aufl. Bd. II, Verlag Chemie GmbH, Weinheim, pp. 2222-2227, Uridin-5'-triphosphat, Uridin-5'-diphosphat, Uridin-5'-monophosphat
- [84] Pels Rijcken, W., Hooghwinkel, G. J. M., Ferwerda, W. (1990) *Biochem. J.* **266**, 777-783, Pyrimidine metabolism and sugar nucleotide synthesis in rat liver
- [85] Keppler, D., Rudigier, J., Decker, K., (1970) *Anal. Biochem.* **38**, 105-114, Enzymic determination of uracil nucleotides in tissues
- [86] Traut, T. W., (1994) *Mol. Cell. Biochem.* **140**, 1-22, Physiological concentrations of purines and pyrimidines

- [87] Okada, M., Ishikawa, K., Watanabe, K., (1991) *J. Nutr. Sci. Vitaminol.* **37**, 349-357, Effect of vitamin B6 deficiency on glycogen metabolism in the skeletal muscle, heart and liver of rats
- [88] Bossuyt, X., Blanckaert, N., (1995) *Biochem.J.* **305**, 321-328, Mechanism of stimulation of microsomal UDP-glucuronosyltransferase by UDP-N-acetylglucosamine
- [89] Bhagavan, H. N. and Coursin, D. B., (1971) *Internat. J. Vit. Nutr. Res.* **41**, 419-423, Effect of pyridoxine deficiency on nucleic acid and protein contents of brain and liver in rats
- [90] Cacan, R., Cecchelli, R., Hoflack, B., Verbert, A., (1984) *Biochem. J.* **224**, 277-284, Intraluminal pools and transport of CMP-N-acetylneuraminic acid, GDP-fucose and UDP-galactose
- [91] Carey, D. J., Sommers, L. W., Hirschberg, C. B., (1980) *Cell* **19**, 597-605, CMP-N-acetylneuraminic acid: Isolation from and penetration into mouse liver microsomes
- [92] Gawlizek, M., Ryll, M., Lofgren, J., Sliwkowski, M. B., (2000), *Biotechnol. Bioeng.* **68**, 637-646, Ammonium alters N-glycan structures of recombinant TNFR-IgG: Degradative versus biosynthetic mechanisms
- [93] Ryll, T., Valley, U., Wagner, R., (1994) *Biotechnol. Bioeng.* **44**, 184-193, Biochemistry of growth inhibition by ammonium ions in mammalian cells
- [94] Gawlitzek, M., Papac, D. I., Sliwkowski, M. B., Ryll, T., (1999), *Glycobiology* **9**, 125-131, Incorporation of <sup>15</sup>N from ammonium into the N-linked oligosaccharides of an immunoadhesin glycoprotein expressed in Chinese hamster ovary cells
- [95] Valley, U., Nimtz, M., Conradt, H. S., Wagner, R., (1999), *Biotechnol. Bioeng.* **64**, 401-417, Incorporation of ammonium into intracellular UDP-activated N-acetylhexosamines and into carbohydrate structures in glycoproteins

- [96] Berninsone, P., Hirschberg, C. B., (1998), *Ann. N. Y. Acad. Sci.* **842**, 91-99, Nucleotide sugars, nucleotide sulfate, and ATP transporters of the endoplasmatic reticulum and Golgi apparatus
- [97] Lopez-Avalos, M. D., Uccelletti, D., Abeijon, C., Hirschberg, C. B., (2001), *Glycobiology* **11**, 413-422, The UDPase activity of *Kluyveromyces lactis* Golgi GDPase has a role in uridine nucleotide sugar transport into Golgi vesicles
- [98] Milla, M. E., Clairmont, C. A., Hirschberg, C. B., (1992), *J. Biol. Chem.* **267**, 103-107, Reconstitution into proteoliposomes and partial purification of the Golgi apparatus membrane UDP-galactose, UDP-xylose, and UDP-glucuronic acid transport activities
- [99] Bernard, N., Engler, R., Strecker, G., Montreuil, J., van Halbeek, H., Vliegenthart, J. F., (1984), *Glycoconjugate J.* **1**, 123-140, The structure of a trisialyl diantennary N-type glycopeptide obtained from rat plasma hemopexin
- [100] Spik, G., Coddeville, B., Strecker, G., Montreuil, J., Regoeczi, E., Chindemi, P. A., Rudolph, J. R., (1991), *Eur. J. Biochem.* **195**, 397-405, Carbohydrate microheterogeneity of rat serotransferrin. Determination of glycan primary structures and characterization of a new type of trisialylated diantennary glycan
- [101] Baussant, T., Alonso, C., Wieruszkeski, J. M., Strecker, G., Montreuil, G., Alhenc-Gelas, F., Michalski, J. C., (1992), *Biochem. J.* **283**, 531-535, Comparative study of asparagine-linked glycans of plasma T-kininogen in normal rats and during acute inflammation
- [102] Goulut-Chassaing, C., Bourrillon, R., (1995), *Biochim. Biophys. Acta* **1244**, 30-40, Structural differences between complex-type Asn-linked glycan chains of glycoproteins in rat hepatocytes and Zajdela hepatoma cells
- [103] Mizuochi, T., Yamashita, K., Fujikawa, K., Titani, K., Kobata, A., (1980), *J. Biol. Chem.* **255**, 3526-3531, The structure of the carbohydrate moieties of bovine blood coagulation factor X

- [104] Mizuochi, T., Yamashita, K., Fujikawa, K., Isiel, W., Kobata, A., (1979), *J. Biol. Chem.* **254**, 6419-6425, The carbohydrate of bovine prothrombin. Occurrence of Gal 1-3 GlcNAc grouping in asparagine-linked sugar chains
- [105] Kannicht, Ch., Lucka, L., Nuck, R., Gohlke, M., Reutter, W., (1999) *Glycobiology* **9**, 897-906, N-Glycosylation of the carcinoembryonic antigen related cell adhesion molecule, C-CAM, from rat liver: detection of oversialylated bi- and triantennary structures
- [106] Cumming, D. A., Hellerqvist, C. G., Harris-Brandts, M., Michnick, S. W., Carver, J. P., Bendiak, B., (1989), *Biochemistry* **28**, 6500-6512, Structures of asparagine-linked oligosaccharides of glycoprotein fetuin having sialic acid linked to N-acetylglucosamine
- [107] Yamashita, K., Hitoi, A., Taniguchi, N., Yokosawa, N., Tsukada, Y., Kobata, A., (1983), *Cancer Res.* **43**, 5059-5063, Comparative study of the sugar chains of gamma-glutamyltranspeptidases purified from rat liver and rat AH-66 hepatoma cells