

9. References

1. Adams, M.D., Soares, M.B., Kerlavage, A.R., Fields, C., and Venter, J.C. (1993). Rapid cDNA sequencing (expressed sequence tags) from a directionally cloned human infant brain cDNA library. *Nature Genet.* **4**(4), 373-80.
2. Weinstock, K.G., Kirkness, E.F., Lee, N.H., Earle-Hughes, J.A., and Venter, J.C. (1994). cDNA sequencing: a means of understanding cellular physiology. *Curr. Opin. Biotechnol.* **5**(6), 599-603.
3. Wolfsberg, T.G. and Landsman, D. (1997). A comparison of expressed sequence tags (ESTs) to human genomic sequences. *Nucleic Acids Res.* **25**(8), 1626-1632.
4. Strachan, T., Abitbol, M., Davidson, D., and Beckmann, J.S. (1997). A new dimension for the human genome project - towards comprehensive expression maps. *Nature Genet.* **16**(2), 126-132.
5. Capecchi, M.R. (1989). The new mouse genetics: altering the genome by gene targeting. *Trends Genet.* **5**(3), 70-6.
6. Doetschman, T., Gregg, R.G., Maeda, N., Hooper, M.L., Melton, D.W., Thompson, S., and Smithies, O. (1987). Targetted correction of a mutant HPRT gene in mouse embryonic stem cells. *Nature* **330**(6148), 576-8.
7. Velculescu, V.E., Zhang, L., Vogelstein, B., and Kinzler, K.W. (1995). Serial analysis of gene expression. *Science* **270**(5235), 484-487.
8. Zhang, L., Zhou, W., Velculescu, V.E., Kern, S.E., Hruban, R.H., Hamilton, S.R., Vogelstein, B., and Kinzler, K.W. (1997). Gene expression profiles in normal and cancer cells. *Science* **276**(5316), 1268-1272.
9. Maier, E., Meier-Ewert, S., Bancroft, D., and Lehrach, H. (1997). Automated array technologies for gene expression profiling. *Drug Discovery Today* **2**(8), 315-324.
10. Bernard, K., Auphan, N., Granjeaud, S., Victorero, G., Schmitt-Verhulst, A.-M., Jordan, B.R., and Nguyen, C. (1997). Multiplex Messenger Assay: simultaneous, quantitative measurement of expression for many genes in the context of T cell activation. *Nucleic Acids Res.* **24**(8), 1435-1442.
11. DeRisi, J., Penland, L., Brown, P.O., Bittner, M.L., Meltzer, P.S., Ray, M., Chen, Y., Su, Y.A., and Trent, J.M. (1996). Use of a cDNA microarray to analyse gene expression patterns in human cancer. *Nature Genet.* **14**(4), 457-460.
12. Wodicka, L., Dong, H.L., Mittmann, M., Ho, M.H., and Lockhart, D.J. (1997). Genome-wide expression monitoring in *Saccharomyces cerevisiae*. *Nature Biotechnol.* **15**(13), 1359-1367.
13. Meier-Ewert, S., Maier, E., Ahmadi, A., Curtis, J., and Lehrach, H. (1993). An automated approach to generating expressed sequence catalogues. *Nature* **361**, 375-376.
14. Drmanac, S., Stavropoulos, N.A., Labat, I., Vonau, J., Hauser, B., Soares, M.B., and Drmanac, R. (1996). Gene-representing cDNA clusters defined by hybridization of 57,419 clones from infant brain libraries with short oligonucleotide probes. *Genomics* **37**(1), 29-40.
15. Hoheisel, J.D., Maier, E., Mott, R., McCarthy, L., Grigoriev, A.V., Schalwyk, L.C., Nizetic, D., Francis, F., and Lehrach, H. (1993). High resolution cosmid and P1 maps spanning the 14 Mb genome of the fission yeast *S. pombe*. *Cell* **73**, 109-20.
16. Meier-Ewert, S., Lange, J., Gerst, H., Herwig, R., Schmitt, A., Freund, J., Elge, T., Mott, R., Herrmann, B., and Lehrach, H. (1998). Comparative gene expression profiling by oligonucleotide fingerprinting. *Nucleic Acids Res.* **26**(9), 2216-2223.
17. Klose, J. and Kobalz, U. (1995). 2-dimensional electrophoresis of proteins - an updated protocol and implications for a functional-analysis of the genome. *Electrophoresis* **16**(N6), 1034-1059.
18. Clauser, K.R., Hall, S.C., Smith, D.M., Webb, J.W., Andrews, L.E., Tran, H.M., Epstein, L.B., and Burlingame, A.L. (1995). Rapid mass spectrometric peptide sequencing and mass matching for characterization of human melanoma proteins isolated by two-dimensional PAGE. *Proc. Natl. Acad. Sci. U.S.A.* **92**(11), 5072-5076.
19. Smith, D.B. and Johnson, K.S. (1988). Single-step purification of polypeptides expressed in *Escherichia coli* as fusions with Glutathione S-transferase. *Gene* **67**(1), 31-40.
20. di Guan, C., Li, P., Riggs, P.D., and Inouye, H. (1988). Vectors that facilitate the expression and purification of foreign peptides in *Escherichia coli* by fusion to maltose-binding protein. *Gene* **67**(1), 21-30.
21. Evan, G.I., Lewis, G.K., Ramsay, G., and Bishop, J.M. (1985). Isolation of monoclonal antibodies specific for human c-myc proto-oncogene product. *Mol. Cell. Biol.* **5**(12), 3610-3616.
22. Wilson, I.A., Niman, H.L., Houghten, R.A., Cherenon, A.R., Connolly, M.L., and Lerner, R.A. (1984). The structure of an antigenic determinant in a protein. *Cell* **37**(3), 767-78.

23. Kreis, T.E. (1986). Microinjected antibodies against the cytoplasmic domain of vesicular stomatitis virus glycoprotein block its transport to the cell surface. *EMBO J.* **5**(5), 931-41.
24. Stearns, D.J., Kurosawa, S., Sims, P.J., Esmon, N.L., and Esmon, C.T. (1988). The interaction of a Ca²⁺-dependent monoclonal antibody with the protein C activation peptide region. Evidence for obligatory Ca²⁺ binding to both antigen and antibody. *J. Biol. Chem.* **263**(2), 826-32.
25. Schmidt, T.G.M., Koepke, J., Frank, R., and Skerra, A. (1996). Molecular interaction between the Strep-tag affinity peptide and its cognate target, streptavidin. *J. Mol. Biol.* **255**(5), 753-766.
26. Voss, S. and Skerra, A. (1997). Mutagenesis of a flexible loop in streptavidin leads to higher affinity for the Strep-tag II peptide and improved performance in recombinant protein purification. *Protein Eng.* **10**(8), 975-982.
27. Porath, J., Carlsson, J., Olsson, I., and Belfrage, G. (1975). Metal chelate affinity chromatography, a new approach to protein fractionation. *Nature* **258**(5536), 598-9.
28. Hochuli, E., Dobeli, H., and Schacher, A. (1987). New metal chelate adsorbent selective for proteins and peptides containing neighboring histidine residues. *J. Chromatogr.* **411**, 177-184.
29. Hockney, R.C. (1994). Recent developments in heterologous protein production in *Escherichia coli*. *Trends Biotechnol.* **12**(11), 456-63.
30. Hannig, G. and Makrides, S.C. (1998). Strategies for optimizing heterologous protein expression in *Escherichia coli*. *Trends Biotechnol.* **16**, 54-60.
31. Shatzman, A.R. and Rosenberg, M. (1987). Expression, identification, and characterisation of recombinant gene products in *Escherichia coli*. *Meth. Enzymol.* **152**, 661-673.
32. Rose, A.H. and Harrison, J.D. (1989). *The Yeasts*, 2nd Edition, Volume 1-3 (San Diego, CA: Academic Press).
33. Broach, J.R., Jones, E.W., and Pringle, J.R. (1991). *The molecular biology of the yeast Saccharomyces*, 2nd Edition (Cold Spring Harbor, NY: Cold Spring Harbor Laboratory Press).
34. Goffeau, A., Barrell, B.G., Bussey, H., Davis, R.W., Dujon, B., Feldmann, H., Galibert, F., Hoheisel, J.D., Jacq, C., Johnston, M., Louis, E.J., Mewes, H.W., Murakami, Y., Philippsen, P., Tettelin, H., and Oliver, S.G. (1996). Life with 6000 genes. *Science* **274**(5287), 546 ff.
35. Romanos, M.A., Scorer, C.A., and Clare, J.J. (1992). Foreign gene expression in yeast: a review. *Yeast* **8**(6), 423-88.
36. Faber, K.N., Harder, W., Ab, G., and Veenhuis, M. (1995). Review: methylotropic yeasts as factories for the production of foreign proteins. *Yeast* **11**(14), 1331-1344.
37. Miller, L.K. (1993). Baculoviruses: high-level expression in insect cell. *Curr. Opin. Genet. Dev.* **3**(1), 97-101.
38. O'Reilly, D.R., Miller, L.K., and Luckow, V.A. (1992). *Baculovirus Expression Vectors: A Laboratory Manual* (New York: W. H. Freeman and Company).
39. Possee, R.D. (1997). Baculoviruses as expression vectors. *Curr. Opin. Biotechnol.* **8**(5), 569-72.
40. Patel, G., Nasmyth, K., and Jones, N. (1991). A new method for the isolation of recombinant baculovirus. *Nucleic Acids Res.* **20**(1), 97-104.
41. Kitts, P.A. and Possee, R.D. (1993). A method for producing recombinant baculovirus expression vectors at high frequency. *BioTechniques* **14**, 810-7.
42. Luckow, V.A., Lee, S.C., Barry, G.F., and Olins, P.O. (1993). Efficient generation of infectious recombinant baculoviruses by site-specific transposon-mediated insertion of foreign genes into a baculovirus genome propagated in *Escherichia coli*. *J. Virol.* **67**(8), 4566-79.
43. Ernst, W.J., Grabherr, R.M., and Katinger, H.W.D. (1994). Direct cloning into the *Autographa californica* nuclear polyhedrosis virus for generation of recombinant baculoviruses. *Nucleic Acids Res.* **22**(14), 2855-6.
44. Lu, A. and Miller, L.K. (1996). Generation of recombinant baculoviruses by direct cloning. *Biotechniques* **21**(1), 63-66.
45. Gluzman, Y. (1981). SV40-transformed simian cells support the replication of early SV40 mutants. *Cell* **23**(1), 175-82.
46. Aruffo, A. (1997). Transient expression of proteins using COS cells. In *Current Protocols in Molecular Biology*, F.M. Ausubel, *et al.*, eds. (New York: John Wiley & Sons), pp. 16.13.1-16.13.7.
47. Kingston, R.E., Kaufman, R.J., and Rolfe, C.R.B.a.M.R. (1997). Amplification Using CHO Cell Expression Vectors. In *Current Protocols in Molecular Biology*, F.M. Ausubel, *et al.*, eds. (New York: John Wiley & Sons), pp. 16.14.1.
48. Krieg, P.A. and Melton, D.A. (1984). Functional messenger RNAs are produced by SP6 in vitro transcription of cloned cDNAs. *Nucleic Acids Res.* **12**, 7057-70.
49. Anderson, C.W., Straus, J.W., and Dudock, B.S. (1983). Preparation of a cell-free protein-synthesizing system from wheat germ. *Meth. Enzymol.* **101**, 635-44.

50. Woodward, W.R., Ivey, J.L., and Herbert, E. (1974). Protein synthesis with rabbit reticulocyte preparations. *Meth. Enzymol.* **30**, 724-31.
51. Kurzchalia, T.V., Wiedmann, M., Breter, H., Zimmermann, W., Bauschke, E., and Rapoport, T.A. (1988). tRNA-mediated labelling of proteins with biotin. A nonradioactive method for the detection of cell-free translation products. *Eur. J. Biochem.* **172**(3), 663-8.
52. Zubay, G. (1973). In vitro synthesis of protein in microbial systems. *Annu Rev Genet* **7**, 267-87.
53. Baranov, V.I. and Spirin, A.S. (1993). Gene expression in cell-free system on preparative scale. *Meth. Enzymol.* **217**, 123-42.
54. Stiege, W. and Erdmann, V.A. (1995). The potentials of the in vitro protein biosynthesis system. *J. Biotechnol.* **41**(2-3), 81-90.
55. Fields, S. and Song, O. (1989). A novel genetic system to detect protein-protein interactions. *Nature* **340**(6230), 245-6.
56. Ma, J. and Ptashne, M. (1988). Converting a eukaryotic transcriptional inhibitor into an activator. *Cell* **55**(3), 443-6.
57. Singh, H., Lebowitz, J.H., Baldwin, A.S., Jr., and Sharp, P.A. (1988). Molecular cloning of an enhancer binding protein isolation by screening of an expression library with a recognition site DNA. *Cell* **52**(3), 415-424.
58. Vinson, C.R., LaMarco, K.L., Johnson, P.F., Landschulz, W.H., and McKnight, S.L. (1988). In situ detection of sequence-specific DNA binding activity specified by a recombinant bacteriophage. *Genes Dev.* **2**(7), 801-6.
59. Young, R.A. and Davis, R.W. (1983). Efficient isolation of genes by using antibody probes. *Proc. Natl. Acad. Sci. U.S.A.* **80**, 1194-8.
60. Young, R.A. and Davis, R.W. (1983). Yeast RNA polymerase II genes: isolation with antibody probes. *Science* **222**(4625), 778-82.
61. Sikela, J.M. and Hahn, W.E. (1987). Screening an expression library with a ligand probe: isolation and sequence of a cDNA corresponding to a brain calmodulin-binding protein. *Proc. Natl. Acad. Sci. U.S.A.* **84**(9), 3038-42.
62. Sparks, A.B., Hoffman, N.G., McConnell, S.J., Fowlkes, D.M., and Kay, B.K. (1996). Cloning of ligand targets - systematic isolation of SH3 domain-containing proteins. *Nature Biotechnol.* **14**(6), 741-744.
63. Gromov, P.S., Madsen, P., Tomerup, N., and Celis, J.E. (1995). A novel approach for expression cloning of small GTPases: Identification, tissue distribution and chromosome mapping of the human homology of rheb. *FEBS Lett.* **377**(2), 221-226.
64. Andres, D.A., Shao, H., Crick, D.C., and Finlin, B.S. (1997). Expression cloning of a novel farnesylated protein, RDJ2, encoding a DnaJ protein homologue. *Arch. Biochem. Biophys.* **346**(1), 113-124.
65. Kadono-Okuda, K. and Andres, D.A. (1997). An expression cloning method to identify monomeric GTP-binding proteins by GTP overlay. *Anal. Biochem.* **254**(2), 187-191.
66. Helfman, D.M., Feramisco, J.R., Fiddes, J.C., Thomas, G.P., and Hughes, S.H. (1983). Identification of clones that encode chicken tropomyosin by direct immunological screening of a cDNA expression library. *Proc. Natl. Acad. Sci. U.S.A.* **80**(1), 31-5.
67. Wagner, L.A., Weiss, R.B., Driscoll, R., Dunn, D.S., and Gesteland, R.F. (1990). Transcriptional slippage occurs during elongation at runs of adenine or thymine in Escherichia coli. *Nucleic Acids Res.* **18**(12), 3529-35.
68. Seed, B. and Aruffo, A. (1987). Molecular cloning of the CD2 antigen, the T-cell erythrocyte receptor, by a rapid immunoselection procedure. *Proc. Natl. Acad. Sci. U.S.A.* **84**(10), 3365-9.
69. Itoh, N., Yonehara, S., Schreurs, J., Gorman, D.M., Maruyama, K., Ishii, A., Yahara, I., Arai, K., and Miyajima, A. (1990). Cloning of an interleukin-3 receptor gene: a member of a distinct receptor gene family. *Science* **247**(4940), 324-7.
70. Yamasaki, K., Taga, T., Hirata, Y., Yawata, H., Kawanishi, Y., Seed, B., Taniguchi, T., Hirano, T., and Kishimoto, T. (1988). Cloning and expression of the human interleukin-6 (BSF-2/IFN beta 2) receptor. *Science* **241**(4867), 825-8.
71. Kitamura, T., Sato, N., Arai, K., and Miyajima, A. (1991). Expression cloning of the human IL-3 receptor cDNA reveals a shared beta subunit for the human IL-3 and GM-CSF receptors. *Cell* **66**(6), 1165-74.
72. Fukunaga, R., Ishizaka-Ikeda, E., Seto, Y., and Nagata, S. (1990). Expression cloning of a receptor for murine granulocyte colony-stimulating factor. *Cell* **61**(2), 341-50.
73. D'Andrea, A.D., Lodish, H.F., and Wong, G.G. (1989). Expression cloning of the murine erythropoietin receptor. *Cell* **57**(2), 277-85.
74. Lennon, G.G. and Lehrach, H. (1991). Hybridization analyses of arrayed cDNA libraries. *Trends Genet.* **7**(10), 314-317.

75. Nizetic, D., Zehetner, G., Monaco, A.P., Gellen, L., Young, B.D., and Lehrach, H. (1991). Construction, arraying, and high-density screening of large insert libraries of human chromosomes X and 21: their potential use as reference libraries. *Proc. Natl. Acad. Sci. U.S.A.* **88**(8), 3233-7.
76. Maier, E., Meier-Ewert, S., Ahmadi, A.R., Curtis, J., and Lehrach, H. (1994). Application of robotic technology to automated sequence fingerprint analysis by oligonucleotide hybridisation. *J. Biotechnol.* **35**, 191-203.
77. Maier, E., Hoheisel, J.D., McCarthy, L., Mott, R., Grigoriev, A.V., Monaco, A.P., Larin, Z., and Lehrach, H. (1992). Complete coverage of the *Schizosaccharomyces pombe* genome in yeast artificial chromosomes. *Nature Genet.* **1**, 273-7.
78. Lennon, G., Auffray, C., Polymeropoulos, M., and Soares, M.B. (1996). The I.M.A.G.E. consortium: an integrated molecular analysis of genomes and their expression. *Genomics* **33**, 151-152.
79. Zehetner, G. and Lehrach, H. (1994). The Reference Library System - sharing biological material and experimental data. *Nature* **367**(6462), 489-91.
80. Leffers, H., Dejgaard, K., Honore, B., Madsen, P., Nielsen, M.S., and Celis, J.E. (1996). cDNA expression and human two-dimensional gel protein databases - towards integrating DNA and protein information. *Electrophoresis* **17**(11), 1713-1719.
81. Lefkovits, I., Frey, J.R., Kuhn, L., Kettman, J.R., Behar, G., Auffray, C., Hoffmann, J.P., and Coleclough, C. (1995). Human lymphocyte cDNA ordered library analyzed by 2D gel electrophoresis. 1. Pooling strategy and matching of gel patterns. *Appl. Theor. Electrophor.* **5**(1), 35-42.
82. Behar, G., Coleclough, C., Houlgatte, R., Auffray, C., and Lefkovits, I. (1995). Human lymphocyte cDNA ordered library analyzed by 2D gel electrophoresis. 3. Analysis of individual clones. *Appl. Theor. Electrophor.* **5**(2), 99-105.
83. Lefkovits, I., Frey, J.R., and Coleclough, C. (1995). Human lymphocyte cDNA ordered library analyzed by 2D gel electrophoresis. 2. Frequency distribution of mRNA populations. *Appl. Theor. Electrophor.* **5**(1), 43-7.
84. Anon. (1997). Protocol 3. Colony blot procedure. In *The QIAexpressionist* (Hilden, Germany: Qiagen), pp. 31-35.
85. Gottesman, S. (1996). Proteases and their targets in *Escherichia coli*. *Annu. Rev. Genet.* **30**, 465-506.
86. Hillenkamp, F., Karas, M., Beavis, R.C., and Chait, B.T. (1991). Matrix-assisted laser desorption/ionization mass spectrometry of biopolymers. *Anal. Chem.* **63**(24), 1193A-1203A.
87. Pappin, D.J.C., Hojrup, P., and Bleasby, A.J. (1993). Rapid identification of proteins by peptide-mass fingerprinting. *Curr. Biol.* **3**(6), 327-332.
88. Freund, J., Casals, J., and Hismer, E.P. (1937). Sensitization and antibody formation after injection of tubercle bacilli and paraffin oil. *Proceedings of the Society of Experimental Biology and Medicine* **37**, 509-513.
89. Kohler, G. and Milstein, C. (1975). Continuous cultures of fused cells secreting antibody of predefined specificity. *Nature* **256**(5517), 495-7.
90. Winter, G., Griffiths, A.D., Hawkins, R.E., and Hoogenboom, H.R. (1994). Making antibodies by phage display technology. *Annu. Rev. Immunol.* **12**, 433-55.
91. Hoogenboom, H.R. (1997). Designing and optimizing library selection strategies for generating high-affinity antibodies. *Trends Biotechnol.* **15**(2), 62-70.
92. Schenk, P.M., Baumann, S., Mattes, R., and Steinbiß, H.H. (1995). Improved high-level expression system for eukaryotic genes in *Escherichia coli* using T7 RNA polymerase and rare (Arg)tRNAs. *BioTechniques* **19**(2), 196-198.
93. Haring, V., Scholz, P., Scherzinger, E., Frey, J., Derbyshire, K., Hatfull, G., Willets, N.S., and Bagdasarian, M. (1985). Protein RepC is involved in copy number control of the broad host range plasmid RSF1010. *Proc. Natl. Acad. Sci. U.S.A.* **82**(18), 6090-6094.
94. Saiki, R.K., Gelfand, D.H., Stoffel, S., Scharf, S.J., Higuchi, R., Horn, G.T., Mullis, K.B., and Erlich, H.A. (1988). Primer-directed enzymatic amplification of DNA with a thermostable DNA polymerase. *Science* **239**(4839), 487-91.
95. Murray, V. (1989). Improved double-stranded DNA sequencing using the linear polymerase chain reaction. *Nucleic Acids Res.* **17**(21), 8889.
96. Sanger, F., Nicklen, S., and Coulson, A.R. (1977). DNA sequencing with chain-terminating inhibitors. *Proc. Natl. Acad. Sci. U.S.A.* **74**(12), 5463-7.
97. Smith, L.M., Sanders, J.Z., Kaiser, R.J., Hughes, P., Dodd, C., Connell, C.R., Heiner, C., Kent, S.B., and Hood, L.E. (1986). Fluorescence detection in automated DNA sequence analysis. *Nature* **321**(6071), 674-9.

98. Prober, J.M., Trainor, G.L., Dam, R.J., Hobbs, F.W., Robertson, C.W., Zagursky, R.J., Cocuzza, A.J., Jensen, M.A., and Baumeister, K. (1987). A system for rapid DNA sequencing with fluorescent chain-terminating dideoxynucleotides. *Science* **238**(4825), 336-41.
99. Gu, J., Stephenson, C.G., and Iadarola, M.J. (1994). Recombinant proteins attached to a nickel-NTA column: use in affinity purification of antibodies. *BioTechniques* **17**(2), 257-262.
100. Chomczynski, P. and Sacchi, N. (1987). Single-step method of RNA isolation by acid guanidinium thiocyanate-phenol-chloroform extraction. *Anal. Biochem.* **162**(1), 156-9.
101. Gubler, U. and Hoffman, B.J. (1983). A simple and very efficient method for generating cDNA libraries. *Gene* **25**, 263-9.
102. Kotewicz, M.L., Sampson, C.M., D'Alessio, J.M., and Gerard, G.F. (1988). Isolation of cloned Maloney murine leukemia virus reverse transcriptase lacking ribonuclease H activity. *Nucleic Acids Res.* **16**, 265-77.
103. Dower, W.J., Miller, J.F., and Ragsdale, C.W. (1988). High efficiency transformation of E. coli by high voltage electroporation. *Nucleic Acids Res.* **16**(13), 6127-45.
104. Calvin, N.M. and Hanawalt, P.C. (1988). High-efficiency transformation of bacterial cells by electroporation. *J. Bacteriol.* **170**(6), 2796-801.
105. Lehrach, H., Bancroft, D., and Maier, E. (1997). Robotics, computing, and biology. *Interdisciplinary Science Rev.* **22**(1), 37-44.
106. Hoheisel, J.D., Lennon, G., Zehetner, G., and Lehrach, H. (1991). Use of high coverage reference libraries of *Drosophila melanogaster* for relational data analysis - a step towards mapping and sequencing of the genome. *J. Mol. Biol.* **220**, 903-914.
107. Maier, E., Crollius, H.R., and Lehrach, H. (1994). Hybridisation techniques on gridded high density DNA and in situ colony filters based on fluorescence detection. *Nucleic Acids Res.* **22**(16), 3423-3424.
108. Laemmli, U.K. (1970). Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature* **227**, 680-5.
109. Frangioni, J.V. and Neel, B.G. (1993). Solubilization and purification of enzymatically active glutathione S-transferase (pGEX) fusion proteins. *Anal. Biochem.* **210**, 179-187.
110. Heinz, F. and Freimüller, B. (1982). Glyceraldehyd-3-phosphate dehydrogenase from human tissues. *Meth. Enzymol.* **89**, 301-5.
111. Chock, S.P. and Huang, C.Y. (1984). An optimized continuous assay for cAMP phosphodiesterase and calmodulin. *Anal. Biochem.* **138**(1), 34-43.
112. Bradford, M.M. (1976). A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. *Anal. Biochem.* **72**, 248-254.
113. Bairoch, A. and Apweiler, R. (1998). The SWISS-PROT protein sequence data bank and its supplement TrEMBL in 1998. *Nucleic Acids Res.* **26**(1), 38-42.
114. Altschul, S.F., Gish, W., Miller, W., Myers, E.W., and Lipman, D.J. (1990). Basic local alignment search tool. *J. Mol. Biol.* **215**, 403-10.
115. Soares, M.B., Bonaldo, M.F., Jelene, P., and Su, L. (1994). Construction and characterisation of a normalized cDNA library. *Proc. Natl. Acad. Sci. U.S.A.* **91**, 9228-32.
116. Hahm, K., Ernst, P., Lo, K., Kim, G.S., Turck, C., and Smale, S.T. (1994). The lymphoid transcription factor LyF-1 is encoded by specific, alternatively spliced mRNAs derived from the Ikaros gene. *Mol. Cell. Biol.* **14**(11), 7111-23.
117. Fields, C., Adams, M.D., White, O., and Venter, J.C. (1994). How many genes in the human genome? *Nature Genet.* **7**(3), 345-6.
118. Brilliant, M.H., Sueoka, N., and Chikaraishi, D.M. (1984). Cloning of DNA corresponding to rare transcripts of rat brain: evidence of transcriptional and post-transcriptional control and of the existence of nonpolyadenylated transcripts. *Mol. Cell. Biol.* **4**(10), 2187-97.
119. Milosavljevic, A., Zeremski, M., Strezoska, Z., Grujic, D., Dyanov, H., Batus, S., Salbego, D., Paunesku, T., Soares, M.B., and Crkvenjakov, R. (1996). Discovering distinct genes represented in 29,570 clones from infant brain cDNA libraries by applying sequencing by hybridization methodology. *Genome Research* **6**(2), 132-141.
120. Rudolph, R. and Lilie, H. (1996). In vitro folding of inclusion body proteins. *FASEB Journal* **10**(1), 49-56.
121. Weber, K. and Osborn, M. (1969). The reliability of molecular weight determinations by dodecyl sulfate-polyacrylamide gel electrophoresis. *J. Biol. Chem.* **244**(16), 4406-12.
122. Dolnik, V. (1997). Capillary zone electrophoresis of proteins. *Electrophoresis* **18**(12-13), 2353-61.
123. Rodriguez-Diaz, R., Wehr, T., and Zhu, M. (1997). Capillary isoelectric focusing. *Electrophoresis* **18**, 2134.

124. Guttman, A. (1996). Capillary sodium dodecyl sulfate-gel electrophoresis of proteins. *Electrophoresis* **17**(8), 1333-1341.
125. Whitehouse, C.M., Dreyer, R.N., Yamashita, M., and Fenn, J.B. (1985). Electrospray interface for liquid chromatographs and mass spectrometers. *Anal. Chem.* **57**(3), 675-9.
126. Rost, B. (1998). Marrying structure and genomics. *Structure* **6**(3), 259-263.
127. Gaasterland, T. (1998). Structural genomics: bioinformatics in the driver's seat. *Nature Biotechnol.* **16**, 625-627.
128. Yahyawi, M. (1997). Konstruktion von Vektoren für die Translations-gekoppelte Expression von cDNS-Klonen in *E. coli*. Diplomarbeit, Fachbereich Biologie, Freie Universität Berlin
129. Büssow, K., Nietfeld, W., Cahill, D., Lehrach, H., and Walter, G. (1997). An automated approach to the construction of gene product-antibody catalogues. *Journal of Molecular Medicine* **75**, B134.
130. Büssow, K., Cahill, D., Nietfeld, W., Bancroft, D., Scherzinger, E., Lehrach, H., and Walter, G. (1998). A method for global protein expression and antibody screening on high-density filters of an arrayed cDNA library. *Nucleic Acids Res.* **26**(21), 5007-5008.
131. Application for United States Patent. Novel method for the identification of clones conferring a desired biological property from an expression library. Date filed: 30th April 1998. Serial No.: 09/070,590. Inventors: Cahill, D., Büssow, K., Walter, G., and Lehrach, H.