

Literatur

- 1 Burmester G., Ullrichs T., Rheumatologie aus erster Hand, Novartis Pharma GmbH 1999
- 2 Arnett FC, Rheumatoid Arthritis, in Cecil Textbook of medicine, 21st ed., Golgmann and Benett, Saunders London 2000, 1492-1498
- 3 Burmester G.R., Krause A., Bewegungsapparat, rheumatische Erkrankungen in Immunologie, Thieme Verlag, Stuttgart 1997
- 4 Gething, M.J., Role and regulation of the ER chaperone BiP. Semin Cell Dev Biol., 1999;10(5): p. 465-72.
- 5 Lee Y.K., Brewer W., Hellmann, R., Hendershot L.M., BiP and Immunglobuline Light Chain Cooperate to Control the folding of Heavy Chain and Ensure the Fidelity of Immunglobuline Assembly, Molecular Biology of the Cell 1999 Vol. 10, 2209-2219
- 6 Flynn GC, Chappell TG, Rothman JE., Peptide binding and release by proteins implicated as catalysts of protein assembly., Science. 1989 Jul, 28;245(4916):385-90
- 7 Knarr G, Kies U, Bell S, Mayer M, Buchner J., Interaction of the chaperone BiP Interaction of the chaperone BiP with an antibody domain: implications for the chaperone cycle. J Mol Biol. 2002 May 3;318(3):611-20. Erratum in: Mol Biol 2002 Oct;323(2):407
- 8 Pearce A, Farrell WE, Jenkins HA., Characterisation of the isoforms of GRP78 using two-dimensional electrophoresis, Biochem Soc Trans. 1995 Feb;23(1):79S.
- 9 Delpino A, Piselli P, Vismara D, Vendetti S, Colizzi V., Cell surface localization of the 78kD glucose regulated protein (Grp78) induced by thapsigargin. Mol Membr Biol 1998; 15: 21-26
- 10 Haas, I.G. and M. Wabl., Immunoglobulin heavy chain binding protein. Nature, 1983 306(5941): p. 387-9.
- 11 Mayer M, Kies U., Kammermeier R., Buchner J., Oxidative Folding of Antibodies in Vitro, The Journal of Biological Chemistry 2000 (No38)
- 12 Blond-Eküindi S, Fourie M., sambrook J.F., Gething MJ, Peptide-dependent Stimulation of the ATP-ase Activity of the Molecular Chaperone BiP is the result of Conversion of Oligomers to Active Monomers, The Journal of Biological Chemistry 1993 (vol. 268, No.17)
- 13 Freiden PJ, Gaut JR, Hendershot LM., Interconversion of three differentially modified and assembled forms of BiP. EMBO J. 1992 Jan;11(1):63-70.
- 14 Moseley P., Stress proteins and the immune response. Immunopharmacology. 2000 Jul 25;48(3):299-302.
- 15 Roigas J, Wallen ES, Loening SA, Moseley PL., Heat shock protein (HSP72) surface expression enhances the lysis of a human renal cell carcinoma by IL-2 stimulated NK cells. Adv Exp Med Biol. 1998;451:225-9.
- 16 Pearce A, Farell W.E., Jenkins H.A., Characterisation of the isoforms of grp78 using two-dimensional electrophoresis, Biochemical Society Transactions 1995 (23)
- 17 Ledford B.E., Leno G.H., ADP-ribosylation of the molecular chaperone GRP78/BiP, Mol Cell Biochem Sep;1994 138(1-2):141-8
- 18 Goronzy J, Weyand CM, Fathman CG., Shared T cell recognition sites on human histocompatibility leukocyte antigen class II molecules of patients with seropositive rheumatoid arthritis, J Clin Invest 1986; 77: 1042-9

- 19 Paulsson K., Wang p., Chaperones and folding of MHC class I molecules in the endoplasmatic reticulum, *Biochim. Biophys. Acta* 2003 Jun 17; 164(1):1-12
- 20 Vabulas RM, Wagner H., Schild H., Heat Shock Proteins as Ligands of Toll-Like Receptors, *Curr Top Microbiol Immunol.* 2002;270:169-84. Review.
- 21 Koczis J., veres A., Vatay A., Duba J., Karadi I., Fust G., Prohaszka Z., Antibodies against the human heat shock protein hsp70 in patients with severe coronary disease, *Immunol Invest.* 2002 Aug- Nov;31(3-4):219-31.
- 22 Xiao C., Chen S., Yuan M., Ding F., Yang D., Wang R., Li J., Tanguay R.M., Wu T., Expression of the 60 kDa and 71 kDa heat shock proteins and presence of antibodies against the 71 kDa heat shock protein in pediatric patients with immune thrombocytopenic purpura, *BMC Blood Disorder* 2004 Mar 2;4(1):1
- 23 Corrigall VM, Bodman-Smith MD, Fife MS, Canas B, Myers LK, Wooley P, Soh C, Staines NA, Pappin DJ, Berlo SE, van Eden W, van Der Zee R, Lanchbury JS, Panayi GS., The Human Endoplasmatic Reticulum Molecular Chaperone BiP is an Autoantigen for Rheumatoid Arthritis and Prevents the Induction of Experimental Arthritis Anti-heat shock protein 70 kDa and 90 kDa antibodies in serum of patients with rheumatoid arthritis., *J Immunol.* 2001 Feb 1;166(3):1492-8.
- 24 Hayem G, De Bandt M, Palazzo E, Roux S, Combe B, Eliaou JF, Sany J, Kahn MF, Meyer O., Anti-heat shock protein 70 kDa and 90 kDa antibodies in serum of patients with rheumatoid arthritis., *Ann Rheum Dis.* 1999 May;58(5):291-6.
- 25 Life P, Hassell A, Williams K, Young S, Bacon P, Southwood T, Gaston JS., Responses to gram negative enteric bacterial antigens by synovial T cells from patients with juvenile chronic arthritis: recognition of heat shock protein HSP60. *J Rheumatol.* 1993 Aug;20(8):1388-96.
- 26 Watanabe S., Takubo N., Hirai I., Hitsumoto Y., IgG and IgA antibody titers against human heat shock protein (hsp60) in sera of rheumatoid arthritis and osteoarthritis, *Mod. Rheumatol.* (2003) 13:22-26
- 27 Danieli MG, Markovits D, Gabrielli A, Corvetta A, Giorgi PL, van der Zee R, van Embden JD, Danieli G, Cohen IR., Juvenile rheumatoid arthritis patients manifest immune reactivity to the mycobacterial 65-kDa heat shock protein, to its 180-188 peptide, and to a partially homologous peptide of the proteoglycan link protein. *Clin Immunol Immunopathol.* 1992 Aug;64(2):121-8.
- 28 Biamonti G, Ruggiu M, Saccone S, Della Valle G, Riva S., Two homologous genes, originated by duplication, encode the human hnRNP proteins A2 and A1. *Nucleic Acids Res.* 1994 June 11; 22(11): 1996–2002.
- 29 Matunis EL, Matunis MJ, Dreyfuss G., Association of individual hnRNP proteins and snRNPs with nascent transcripts. *J Cell Biol.* 1993 Apr;121(2):219-28.
- 30 Bennett M, Pinol-Roma S, Staknis D, Dreyfuss G, Reed R., Differential binding of heterogeneous nuclear ribonucleoproteins to mRNA precursors prior to spliceosome assembly in vitro., *Mol Cell Biol.* 1992 Jul;12(7):3165-75.
- 31 Mayeda A, Helfman DM, Krainer AR, Modulation of exon skipping and inclusion by heterogeneous nuclear ribonucleoprotein A1 and pre-mRNA splicing factor SF2/ASF. *Mol Cell Biol.* 1993 May;13(5):2993-3001. Erratum in: *Mol Cell Biol* 1993 Jul;13(7):4458.
- 32 Ishikawa F, Matunis MJ, Dreyfuss G, Cech TR., Nuclear proteins that bind the pre-mRNA 3' splice site sequence r(UUAG/G) and the human telomeric DNA sequence d(TTAGGG)n. *Mol Cell Biol.* 1993 Jul;13(7):4301-10.
- 33 Mayeda A, Munroe SH, Xu RM, Krainer AR, Distinct functions of the closely related tandem RNA-recognition motifs of hnRNP A1. *RNA.* 1998 Sep;4(9):1111-23

- 34 Thiede B, Dimmler C, Siejak F, Rudel T., Predominant identification of RNA-binding proteins in Fas-induced apoptosis by proteome analysis. *J Biol Chem.* 2001 Jul 13;276(28):26044-50. Epub 2001 May 14.
- 35 Ma AS, Moran-Jones K, Shan J, Munro TP, Snee MJ, Hoek KS, Smith R., Heterogeneous nuclear ribonucleoprotein A3, a novel RNA trafficking response element-binding protein. *J Biol Chem.* 2002 May 17;277(20):18010-20. Epub 2002 Mar 8.
- 36 Makeyev AV, Kim CB, Ruddle FH, Enkhmandakh B, Erdenechimeg L, Bayarsaihan D., HnRNP A3 Genes and Pseudogenes in the Vertebrate Genomes, *J Exp Zoolog A Comp Exp Biol.* 2005 Apr 1;303(4):259-71.
- 37 Buzas EI, Brennan FR, Mikecz K, Garzo M, Negriou G, Hollo K, Cs-Szabo G, Pintye E, Glant TT., A proteoglycan (aggrecan-) specific T cell hybridoma induces arthritis in BALB/c mice, *J Immunol.* 155 (1995) 2679 2687
- 38 Wakisaka S, Suzuki N, Nagafuchi H, Takeba Y, Nagafuchi H, Takeba Y., Characterization of tissue outgrowth developed in vitro in patients with rheumatoid arthritis: Involvement of T cells in the development of tissue outgrowth, *Int. Arch. Allergy Immunol.* 121 (2000) 68-79
- 39 Kamma H., Horiguchi H., Wan, L., Matsui M., Fujiwara m., Fujimoto M., Yazawa T., Dreyfuss G., Molecular Characterization of he hnRNP A2/B1 Proteins: Tissue- Specific Expression and Novel Isoforms, *Experimental Cell Research* 246, 399-411 (1999)
- 40 Ford LP, Wright WE, Shay JW, A model for heterogeneous nuclear ribonucleoproteins in telomere and telomerase regulation. *Oncogene.* 2002 Jan 21;21(4):580-3
- 41 Liu Q, Dreyfuss G, In vivo and in vitro arginine methylation of RNA-binding proteins. *Mol Cell Biol.* 1995 May;15(5):2800-8.
- 42 Zhou J, Mulshine JL, Unsworth EJ, Scott FM, Avis IM, Vos MD, Treston AM., Purification and characterization of a protein that permits early detection of lung cancer. Identification of heterogeneous nuclear ribonucleoprotein-A2/B1 as the antigen for monoclonal antibody 703D4. *J Biol Chem.* 1996 May 3;271(18):10760-6
- 43 Shi ST, Yu GY, Lai MM., Multiple type A/B heterogeneous nuclear ribonucleoproteins (hnRNPs) can replace hnRNP A1 in mouse hepatitis virus RNA synthesis. *J Virol.* 2003 Oct;77(19):10584-93.
- 44 van der Houven van Oordt W., Diaz-Meco M.T., Lozano J., Krainer A.R., Moscat J., Cáceres J.F. The MKK3/p38-signaling Cascade Alters the Subcellular Distribution of hnRNPA1 and Modulates Alternative Splicing Regulation *The Journal of Cell Biology*, Volume 149, Number 2, April 17, 2000 307–316