

V. LITERATURVERZEICHNIS

- 1 Angus D C, Linde-Zwirble W T, Clermont G, Griffin M F, Clark R H: Epidemiology of neonatal respiratory failure in the United States. *Am J Respir Crit Care Med* 2001;164:1154-1160.
- 2 Anthony P, Lowe K C, Davey M R, Power J B: Enhanced post-thaw viability of cryopreserved cells by oxygenated perfluorocarbon or Pluoronic F-68. *Artif Cells Blood Substit Immobil Biotechnol* 1998;26:27-33.
- 3 Arnold J H: Partial liquid breathing: More questions than answers. *Crit Care Med* 1999;27:2058-2059.
- 4 Avery M E, Mead J: Surface properties in relation to atelectasis and hyaline membran disease. *Am J Dis Child* 1959;97:517-523.
- 5 Azzopardi D, Robertson N J, Cowan F M, Rutherford M A, Rampling M, Edwards A D: Pilot study of treatment with whole body hypothermia for neonatal encephalopathy. *Pediatrics* 2000;106:684-694.
- 6 Baba A, Kim Y, Zhang H, Liu M, Slutsky A S: Perfluorocarbon blocks tumor necosis factor-a-induced interleukin-8 release from alveolar epithelial cells in vitro. *Crit Care Med* 2000;28:1113-1118.
- 7 Bachofen H, Schürch S, Possmayer F: Disturbance of alveolar lining layer: effects on alveolar microstructure. *J Appl Physiol* 1994;76:1983-1992.
- 8 Battin M R, Dezoete A, Gunn T R, Gluckman P D, Gunn A J: Neurodevelopmental outcome of infants treated with head cooling and mild hypothermia after perinatal asphyxia. *Pediatrics* 2001;107:480-484.
- 9 Battin M R, Penrice J, Gunn T R, Gunn A J: Treatment of term infants with head cooling and mild systemic hypothermia (35.0°C and 34.5°C) after perinatal asphyxia. *Pediatrics* 2003;111:244-251.
- 10 Baumgart S, Shaffer T H: Liquid perfluorochemical priming before surfactant therapy: This time the egg really does precede the chicken. *Crit Care Med* 1999;27:2053-2054.
- 11 Bennhagen R G, Weintraub R G, Lundström N R, Svennningsen N W: Hypoxic-ischemic encephalopathy is associated with regional changes in cerebral blood flow velocity and alterations in cardiovascular function. *Biol Neonate* 1998;73:275-286.
- 12 Bleyl J U, Ragaller M, Tscho U, Regner M, Kanzow M, Hübler M, Rasche S, Albrecht M: Vaporized perfluorocarbon improves oxygenation and pulmonary function in an ovine model of acute respiratory distress syndrome. *Anesthesiology* 1999;91:461-469.
- 13 Bohn D: Congenital diaphragmatic hernia - clinical commentary. *Am J Respir Crit Care Med* 2002;166:911-915.
- 14 Branca D, Chiarelli S M, Vincenti E, Tortorella C, Scutari G: Alteration of mitochondrial bioenergetics due to intravenous injection of a perfluorocarbon emulsion. *Experientia* 1994;50:660-663.
- 15 Brun-Buisson C, Lemaire F: Administration of antibiotics for pneumonia during respiratory failure: reaching the target. *Am J Respir Crit Care Med* 2001;164:1554-1555.
- 16 Bruneton J N, Falewée M N, Francois E, Cambon P, Philip C, Riess J G, Balu-Maestro C, Rogopoulos A: Liver, spleen, and vessels: Preliminary clinical results of CT with perfluoroctylbromide. *Radiology* 1989;170:179-183.
- 17 Bucala R, Kawakami M, Cerami A: Cytotoxicity of a perfluorocarbon blood substitute to macrophages in vitro. *Science* 1983;220:965-967.
- 18 Burkhardt W, Clausen K, Koehne P, Proquitté H, Wauer R R, Rüdiger M: Intraperitoneal perfluorocarbons (PFC) influences LPS induced pulmonary TNF-ALPHA expression. *Pediatr Res* 2003;54:587 (abstract)
- 19 Burkhardt W, Gregor T, Graf S, Koehne P, Proquitté H, Wauer R R, Rüdiger M: Intratracheal PFC application reduces LPS induced systemic TNF-a response in rats. *Pediatr Res* 2002;52:803 (abstract)
- 20 Burkhardt W, Gregor T, Koehne P, Graf S, Gropp E, Proquitté H, Wauer R R, Rüdiger M: Anti-inflammatory properties of PFC in LPS-induced lung injury in rats. *Biol Neonate* 2001;80:319 (abstract)
- 21 Burkhardt W, Proquitté H, Krause S, Wauer R R, Rüdiger M: Cerebral oxygenation is affected by filling mode and perfluorochemical volume in partial liquid ventilation of healthy piglets. *Biol Neonate* 2002;82:250-256.
- 22 Burkhardt W, Proquitté H, Krause S, Wauer R R, Rüdiger M: Changes in FiO₂ affect PaO₂ with minor alterations in cerebral concentration of oxygenated hemoglobin during liquid ventilation in healthy piglets. *Intensive Care Med* 2004;30:315-320.
- 23 Calderwood H W, Modell J H, Ruiz B C: Pulmonary lavage with liquid fluorocarbon in a model of pulmonary edema. *Anesthesiology* 1973;38:141-141.
- 24 Calderwood H W, Ruiz B C, Tham M K, Modell J H, Saga S, Hood C I: Residual levels and biochemical changes after ventilation with perfluorinated liquid. *J Appl Physiol* 1975;39:603-607.
- 25 Cannon M L, Cheifetz I M, Craig D M, Hubble C L, Quick G, Ungerleider R M, Smith P K, Meliones J N: Optimizing liquid ventilation as a lung protection strategy for neonatal cardiopulmonary bypass: Full functional residual capacity dosing is more effective than half functional residual capacity dosing. *Crit Care Med* 1999;27:1140-1146.
- 26 Ceeschlin C, Malet-Martino M C, Michel G, Lattes A: Optimization of anaerobes growth with a perfluorinated oil. *ComptesRendusAcad Sci* 1985;300:669-672.

- 27 Charafeddine L, D'Angio C T, Phelps D L: Atypical chronic lung disease patterns in neonates. *Pediatrics* 1999;103:759-765.
- 28 Clark L C, Gollan F: Survival of mammals breathing organic liquids equilibrated with oxygen at atmospheric pressure. *Science* 1966;152:1755-1756.
- 29 Clark M C, Weiman D C, Pate J W, Gir S: Perfluorocarbons: Future clinical possibilities. *J Investig Surg* 1997;10:357-365.
- 30 Cleary G M, Wiswell T E: Meconium-stained amniotic fluid and the meconium aspiration syndrome - an update. *Pediatr Clin North Am* 1998;45:511-529.
- 31 Clements J A, Hustead R F, Johnson R P, Gribetz I: Pulmonary surface tension and alveolar stability. *J Appl Physiol* 1961;16:444-450.
- 32 Coley B D, Mattrey R F, Roberts A B, Keane S: Potential role of PFOB enhanced sonography of the kidney. II.Detection of partial infarction. *Kidney International* 1991;39:740-745.
- 33 Colton D M, Hirschl R B, Johnson K J, Till G O, Dean S B, Bartlett R H: Neutrophil infiltration is reduced during partial perfluorocarbon liquid ventilation in the setting of lung injury. *Surg Forum* 1994;1055:668-670.
- 34 Colton D M, Till G O, Johnson K J, Dean S B, Bartlett R H, Hirschl R B: Neutrophil accumulation is reduced during partial liquid ventilation. *Crit Care Med* 1998;17:16-1724.
- 35 Colton D M, Till G O, Johnson K J, Gater J J, Hirschl R B: Partial liquid ventilation decreases albumin leak in the setting of acute lung injury. *J Crit Care* 1998;13:136-139.
- 36 Compagnoni G, Pogliani L, Lista G, Castoldi F, Fontana P, Mosca F: Hypothermia reduces neurological damage in asphyxiated newborn infants. *Biol Neonate* 2002;82:222-227.
- 37 Croce M A, Fabian T C, Patton J H, Melton S M, Moore M, Trenthem L L: Partial liquid ventilation decreases the inflammatory response in the alveolar environment of trauma patients. *J Trauma* 1998;45:273-282.
- 38 Curtis S E, Fuhrman B P, Howland D F, de Francisis M, Motoyama E K: Cardiac output during liquid (perfluorocarbon) breathing in newborn piglets. *Crit Care Med* 1991;19:225-230.
- 39 Davidson A, Heckmann J L, Donner R M, Miller T F, Shaffer T H, Wolfson M R: Cardiopulmonary interaction during partial liquid ventilation in surfactant treated preterm lambs. *Eur J Pediatr* 1998;157:138-145.
- 40 Davis S L, Furman D P, Costarino A T: Adult respiratory distress syndrome in children: associated disease, clinical course, and predictors of death. *J Pediatr* 1993;123:35-45.
- 41 Deoras K S, Coppola D, Wolfson M R, Greenspan J S, Rubenstein S D, Shaffer T H: Liquid ventilation of neonates: Tissue histology and morphometry. *Pediatr Res* 1990;27:37 (abstract)
- 42 Dickson E W, Heard S O, Chu B, Fraire A, Brueggemann A, Doern G V: Partial liquid ventilation with perfluorocarbon in the treatment of rats with lethal pneumococcal pneumonia. *Anesthesiology* 1998;88:218-223.
- 43 Dixon D D, Holland D G: Fluorocarbons: properties and synthesis. *Fed Proc* 1975;34:1444-1448.
- 44 Duarte A G, Fink J B, Dhand R: Inhalation therapy during mechanical ventilation. *Respir Care Clin Am* 2001;7:233-260.
- 45 Ebbecke K, Jorch G: Surfactanttherapie bei schwerer neonataler Ateminsuffizienz. I.Surfactanttherapie bei 264 Frühgeborenen <34 SSW mit IRDS unter besonderer Berücksichtigung der "Non-responder". *Klin Pädiatr* 1993;205:71-75.
- 46 Eber E, Zach M S: Long term sequelae of bronchopulmonary dysplasia (chronic lung disease of infancy). *Thorax* 2001;56:317-323.
- 47 Edwards A D, McCormick D C, Roth S C, Elwell C E, Peebles D M, Cope M, Wyatt J S, Delpy D T, Reynolds E O: Cerebral hemodynamic effect of treatment with modified natural surfactant investigated by near infrared spectroscopy. *Pediatr Res* 1992;32:532-536.
- 48 Edwards A D, Wyatt J S, Richardson C, Potter A, Cope M, Delpy D T, Reynolds E O: Effects of indomethacin on cerebral hemodynamics in very preterm infants. *Lancet* 1990;335:1491-1495.
- 49 Egreteteau L, Pauchard J Y, Semama D S, Matis J, Liska A, Romeo B, Cneude F, Hamon I, Truffert P: Chronic oxygen dependency in infants born at less than 32 weeks gestation: Incidence and risk factors. *Pediatrics* 2001;108:e26-e31.
- 50 Fink J B, Dhand R, Duarte A G, Jenne J W, Tobin M J: Aerosol delivery from a metered-dose inhaler during mechanical ventilation. An in vitro model. *Am J Respir Crit Care Med* 1996;154:382-387.
- 51 Fink J B, Dhand R, Grychowski J, Fahey P J, Tobin M J: Reconciling in vitro and in vivo measurements of aerosol delivery from a metered-dose inhaler during mechanical ventilation and defining efficiency-enhancing factors. *Am J Respir Crit Care Med* 1999;159:63-68.
- 52 Forman M B, Bingham S, Kopelman H A, Wehr C, Sandler M P, Kolodgie F, Vaughn W K, Friesinger G C, Virmani R: Reduction of infarct size with intracoronary perfluorochemical in a canine preparation of reperfusion. *Circulation* 1985;71:1060-1068.

- 53 Franz A, Röhlke W, Franke R P, Ebsen M, Pohlandt F, Hummler H D: Pulmonary administration of perfluorodecaline-gentamicin and perfluorodecaline-vancomycin emulsions. *Am J Respir Crit Care Med* 2001;164:1595-1660.
- 54 Freund A, Jorch G: Kindliche Besonderheiten des ARDS: eine Metaanalyse. *Klin Pädiatr* 1993;205:411-415.
- 55 Fuhrman B P: Partial liquid ventilation - The abyss between lab and clinic. *Pediatr Crit Care Med* 2001;2:351-353.
- 56 Fuhrman B P, Paczan P R, de Francisis M: Perfluorocarbon-associated gas exchange. *Crit Care Med* 1991;19:712-722.
- 57 Fujiwara T, Maeta H, Chida S, Morita T, Watabe Y, Abe T: Artificial surfactant therapy in hyaline-membrane disease. *Lancet* 1980;1:55-59.
- 58 Gauger P G, Pranikoff T, Schreiner R J, Moler F W, Hirschl R B: Initial experience with partial liquid ventilation in pediatric patients with the acute respiratory distress syndrome. *Crit Care Med* 1996;24:16-22.
- 59 Geyer R P, Monroe R G, Taylor K: Survival of rats having red cells totally replaced by emulsified fluorocarbon. *Fed Proc* 1968;27:384-387.
- 60 Geyer R P, Taylor K, Duffet E: Successful complete replacement of the blood of living rats with artificial substitutes. *Fed Proc* 1973;32:927
- 61 Gladstone I M, Ray A O, Salafia C M, Pérez-Fontán J, Mercurio M R, Jacobs H C: Effect of artificial surfactant on pulmonary function in preterm and full-term lambs. *J Appl Physiol* 1990;69:465-472.
- 62 Godinez R I, Godinez M H: Partial liquid ventilation enhances surfactant phospholipid synthesis (letter). *Crit Care Med* 1997;25:1255-1255.
- 63 Gollan F, Clark L C: Prevention of bends by breathing an organic liquid. *Trans Assoc Amer Physicians* 1967;80:102-110.
- 64 Gomez R, Romero R, Ghezzi F, Yoon B H, Mazor M, Berry S M: The fetal inflammatory response syndrome. *Am J Obstet Gynecol* 1998;179:194-202.
- 65 Göthberg S, Parker T A, Abman S H, Kinsella J E: High-frequency oscillatory ventilation and partial liquid ventilation after acute lung injury in premature lambs with respiratory distress syndrome. *Crit Care Med* 2000;28:2450-2456.
- 66 Greenough A: Surfactant replacement therapy for non-respiratory distress syndrome neonatal respiratory disease--research or clinical application? *Eur J Pediatr* 1995;154:S2-4.
- 67 Greenspan J S, Wolfson M R, Rubenstein S D: Liquid ventilation of preterm baby. *Lancet* 1989;2(8671):1095-1095.
- 68 Greenspan J S, Wolfson M R, Rubenstein S D, Shaffer T H: Liquid ventilation of human preterm neonates. *J Pediatr* 1990;117:106-111.
- 69 Gregor T, Schmalisch G, Burkhardt W, Proquitté H, Wauer R R, Rüdiger M: Aerosolization of perfluorocarbons during mechanical ventilation: an in vitro study. *Intensive Care Med* 2003;29:1354-1360.
- 70 Gregory T J, Steinberg K P, Spragg R, Gadek J E: Bovine surfactant therapy for patients with acute respiratory distress syndrome. *Am J Respir Crit Care Med* 1997;155:1309-1315.
- 71 Grönlund J U, Korvenranta H, Kero P, Jalonen J, Välimäki I: Elevated arterial blood pressure is associated with peri-intraventricular haemorrhage. *Eur J Pediatr* 1994;153:836-841.
- 72 Haeberle H A, Nesti F, Dietrich H J, Gatalica Z, Garofalo R P: Perflubron reduces lung inflammation in respiratory syncytial virus infection by inhibiting chemokine expression and nuclear factor-kB activation. *Am J Respir Crit Care Med* 2002;165:1433-1438.
- 73 Hallman M, Gluck L: Formation of acidic phospholipids in rabbit lung during perinatal development. *Pediatr Res* 1980;14:1250-1259.
- 74 Harris S B, Darwin M G, Russell S R, O'Farrell J M, Fletcher M, Wowk B: Rapid (0.5°C/min) minimally invasive induction of hypothermia using cold perfluorochemical lung lavage in dogs. *Resuscitation* 2001;50:189-204.
- 75 Hartog A, Vazquez de Anda G F, Gommers D, Kaisers U, Verbrugge S J, Schnabel R, Lachmann B: Comparison of exogenous surfactant therapy, mechanical ventilation with high end-expiratory pressure and partial liquid ventilation in a model of acute lung injury. *Br J Anaesth* 1999;82:81-86.
- 76 Hernan L J, Fuhrman B P, Papo M C, Steinhorn D M, Leach C L, Salman N, Paczan P R, Kahn B A: Cardiorespiratory effects of perfluorocarbon-associated gas exchange at reduced oxygen concentrations. *Crit Care Med* 1995;23:553-559.
- 77 Hirschl R B, Conrad S, Kaiser R, Zwischenberger J, Bartlett R H, Booth F, Cardenas V: Partial liquid ventilation in adult patients with ARDS: a multicenter phase I-II trial. *Ann Surg* 1998;228:692-700.
- 78 Hirschl R B, Croce M A, Gore D, Wiedemann H P, Davis K S, Zwischenberger J, Bartlett R H: Prospective, randomized, controlled pilot study of partial liquid ventilation in adult acute respiratory distress syndrome. *Am J Respir Crit Care Med* 2002;165:781-787.
- 79 Hirschl R B, Grover B, McCracken M, Wolfson M R, Shaffer T H, Bartlett R H: Oxygen consumption and carbon dioxide production during liquid ventilation. *J Ped Surg* 1993;28:513-519.

- 80 Hirschl R B, Overbeck M C, Parent A, Hernandez J, Schwartz S, Dosanjh A, Johnson K, Bartlett R H: Liquid ventilation provides uniform distribution of perfluorocarbon in the setting of respiratory failure. *Surgery* 1994;116:159-167.
- 81 Hirschl R B, Pranikoff T, Gauger P G, Schreiner R J, Dechert R, Bartlett R H: Liquid ventilation in adults, children and full-term neonates. *Lancet* 1995;346:1201-1202.
- 82 Hirschl R B, Tooley R, Parent A, Johnson K, Bartlett R H: Improvement of gas exchange, pulmonary function, and lung injury with partial liquid ventilation: a study model in a setting of severe respiratory failure. *Chest* 1995;108:500-508.
- 83 Hong S B, Koh Y, Shim T S, Lee S D, Kim W S, Kim D S, Kim W D, Lim C M: Physiologic characteristics of cold perfluorocarbon-induced hypothermia during partial liquid ventilation in normal rabbits. *Anesth Analg* 2002;94:157-162.
- 84 Horbar J D, Badger G J, Carpenter J H, Fanaroff A A, Kilpatrick S, LaCorte M, Phibbs R, Soll R F: Trends in mortality and morbidity for very low birth weight infants, 1991-1999. *Pediatrics* 2002;110:143-151.
- 85 Houmes R J, Hartog A, Verbrugge S J, Böhm S, Lachmann B: Combining partial liquid ventilation with nitric oxide to improve gas exchange in acute lung injury. *Intensive Care Med* 1997;23:163-169.
- 86 Hoyert D L, Freedman M A, Strobino D M, Guyer B: Annual summary of vital statistics: 2000. *Pediatrics* 2001;108:1241-1255.
- 87 Hübler M, Souders J E, Shade E D, Polissar N L, Bleyl J U, Hlastala M P: Effects of perfluorohexane vapor on relative blood flow distribution in an animal model of surfactant-depleted lung injury. *Crit Care Med* 2002;30:422-427.
- 88 Ingram D A, Forman M B, Murray J J: Activation of complement by Fluosol attributable to the pluronic detergent micelle structure. *J Cardiovasc Pharmacol* 1993;22:456-461.
- 89 Jeng M J, Yang S S, Wolfson M R, Shaffer T H: Perfluorochemical (PFC) combinations for acute lung injury: An in vitro and in vivo study in juvenile rabbits. *Pediatr Res* 2003;53:81-88.
- 90 Jobe A: The new BPD: An arrest of lung development. *Pediatr Res* 1999;46:641-643.
- 91 Jorch, G. Optimierung der Surfactantanwendung in der klinischen Praxis. Wauer, R. R. Surfactanttherapie: Grundlagen, Diagnostik, Therapie. 90-98. 1997. Stuttgart, New York, Thieme.
- 92 Kacmarek R M: Partial liquid ventilation: Is there a niche? *Intensive Care Med* 2001;27:1-2.
- 93 Kandler M A, von der Hardt K, Schoof E, Dötsch J, Rascher W: Persistent improvement of gas exchange and lung mechanics by aerosolized perfluorocarbon. *Am J Respir Crit Care Med* 2001;164:31-35.
- 94 Kelly K P, Stenson B J, Drummond G B: Randomised comparison of partial liquid ventilation, nebulised perfluorocarbon, porcine surfactant, artificial surfactant, and combined treatment on oxygenation, lung mechanics, and survival in rabbits after saline lung lavage. *Intensive Care Med* 2000;26:1523-1530.
- 95 Kemming G I, Kreyling W, Habler O, Merkel M, Kleen M, Welte M, Messmer K, Zwissler B: Aerosol production and aerosol droplet size distribution during mechanical ventilation (IPPV) with a new ultrasonic nebulizer. *Eur J Med Res* 1996;18:321-327.
- 96 King, A. T., Mulligan, B. J., and Lowe, K. C. Perfluorochemicals for gas transport and improvement of cell cultures. Oxygen transport to tissue XII. 283-290. 1990. New York, Plenum Press.
- 97 Koch T, Ragaller M, Haufe M, Hofer A, Grosser M, Albrecht D M, Kotzsch M, Luther T: Perfluorohexane attenuates proinflammatory and procoagulatory response of activated monocytes and alveolar macrophages. *Anesthesiology* 2001;94:101-109.
- 98 Köpke U: Entwicklung stabiler Surfactant-Perfluorocarbon-Emulsionen (Persurf) und Überprüfung des Einflusses von Perfluorocarbonen und Persurf auf das Proliferationsverhalten von B-Streptokokken und Escherichia coli. Promotionsarbeit an der Humboldt Universität zu Berlin 2001;
- 99 Kradjan W A, Lakshminarayan S: Efficiency of air compressor driven nebulizers. *Chest* 1985;87:12-16.
- 100 Kylstra J A, Paganelli C V, Lanphier E H: Pulmonary gas exchange in dogs ventilated with hyperbarically oxygenated liquid. *J Appl Physiol* 1966;21:177-184.
- 101 Kylstra J A, Schoenfisch W H: Alveolar surface tension in fluorocarbon filled lungs. *J Appl Physiol* 1972;33:32-35.
- 102 Kylstra J A, Tissing M O, van der Maën A: Of mice as fish. *Trans Amer Soc Artif Intern Organs* 1962;8:378-383.
- 103 Leach C, Holm B, Morin F C, Fuhrmann B P, Papo M C, Steinhorn D, Hernan L J: Partial liquid ventilation in premature lambs with respiratory distress syndrome: efficacy and compatibility with exogenous surfactant. *J Pediatr* 1995;126:412-420.
- 104 Leach C L, Greenspan J S, Rubenstein S D, Shaffer T H, Wolfson M R, Jackson J C, deLemos R A, Fuhrman B P: Partial liquid ventilation with perflubron in premature infants with severe respiratory distress syndrome. *N Engl J Med* 1996;335:761-767.
- 105 Lemons J A, Bauer C R, Oh W, Korones S B, Papile L A, Stoll B J, Verter J, Temprosa M, Wright L L and others: Very low birth weight outcomes of the national institute of child health and human development neonatal research network, january 1995 through december 1996. *Pediatrics* 2001;107 e1:1-8.
- 106 Lewis J F, Jobe A: Surfactant and the adult respiratory distress syndrome. *Am Rev Respir Dis* 1993;147:218-233.

- 107 Loer S A, Tarnow J: Partial liquid ventilation reduces fluid filtration of isolated rabbit lungs with acute hydrochloric acid induced edema. *Anesthesiology* 2001;94:1045-1049.
- 108 Long D M, Liu M S, Szanto P S, Alrenga D P, Patel M M, Rios M V, Nyhus L M: Efficacy and toxicity study with radiopaque perfluorocarbons. *Diagn Radiol* 1972;105:323-332.
- 109 Lowe C A, Shaffer T H: Pulmonary vascular resistance in the fluorocarbon-filled lung. *J Appl Physiol* 1986;60:154-159.
- 110 Lowe K C, Davey M R, Power J B: Perfluorochemicals: their applications and benefits to cell culture. *Trends Biotechnol* 1998;16:272-277.
- 111 Major D, Cadenas M, Cloutier R, Fournier L, Wolfson M R, Shaffer T H: Combined gas ventilation and perfluorochemical tracheal instillation as an alternative treatment for lethal congenital diaphragmatic hernia in lambs. *J Ped Surg* 1995;30:1178-1182.
- 112 Manktelow B N, Draper E S, Annamalai S, Field D J: Factors affecting the incidence of chronic lung disease of prematurity in 1987, 1992, and 1997. *Arch Dis Child Fetal Neonatal Ed* 2001;85:F33-F35.
- 113 Mantell L L, Shaffer T H, Horowitz S, Foust R, Wolfson M R, Cox C, Khullar P, Zakeri Z, Lin L and others: Distinct pattern of apoptosis in the lung during liquid ventilation compared with gas ventilation. *Am J Physiol Lung Cell Mol Physiol* 2002;283:L31-L41.
- 114 Marshall D D, Kotelchuck M, Young T E, Bose C L, Kruyer L, O'Shea T M: Risk factors for chronic lung disease in the surfactant era: A north Carolina population-based study of very low birth weight infants. *Pediatrics* 1999;104:1345-1350.
- 115 Mates van Löbels E, Anderson T, Hildebrandt J, Hlastala M P: Modeling diffusion limitation of gas exchange in lungs containing perfluorocarbon. *J Appl Physiol* 1999;86:273-284.
- 116 Mates E A, Hildebrandt J, Jackson J C, Tarczy-Hornoch P, Hlastala M P: Shunt and ventilation-perfusion distribution during partial liquid ventilation in healthy piglets. *J Appl Physiol* 1997;82:933-942.
- 117 Mates E A, Jackson J C, Hildebrandt J, Truog W E, Standaert T A, Hlastala M P: Respiratory gas exchange and inert gas retention during partial liquid ventilation. *Adv Exp Med Biol* 1994;361:427-435.
- 118 Mattrey R F: Perfluoroctylbromide: A new contrast agent for CT, sonography and MR imaging. *Am J Radiol* 1989;152:247-252.
- 119 McCallion O N M, Taylor K M G, Thomas M, Taylor A J: Ultrasonic nebulisation of fluids with different viscosities and surface tension. *J Aerosol Med* 1995;8:281-284.
- 120 McLaughlin G E, Kulatunga S, Kuluz J W, Gelman B, Schleien C L: Cerebral blood flow during partial liquid ventilation in surfactant-deficient lungs under varying ventilation strategies. *Pediatr Crit Care Med* 2001;2:88-92.
- 121 Mercurio M R, Fiascone J M, Lima D M, Jacobs H C: Surface tension and pulmonary compliance in premature rabbits. *J Appl Physiol* 1989;66:2039-2044.
- 122 Merz U, Klosterhalfen B, Häusler M, Kellinghaus M, Peschgens T, Hörnchen H: Partial liquid ventilation reduces release of leukotriene B₄ and interleukin-6 in bronchoalveolar lavage in surfactant-depleted newborn pigs. *Pediatr Res* 2002;51:183-189.
- 123 Mitsuno T, Ohyanagi H, Naito R: Clinical studies of a perfluorochemical whole blood substitute (Fluosol-DA). *Ann Surg* 1982;195:60-69.
- 124 Modell J H, Gollan F, Giannona S T: Effect of fluorocarbon liquid on surface tension properties of pulmonary surfactant. *Chest* 1970;57:263-265.
- 125 Moskowitz G D: A mechanical respirator for control of liquid breathing. *Fed Proc* 1970;29:1751-1752.
- 126 Moskowitz G D, Shaffer T H, Dubin S E: Liquid breathing trials and animal studies with a demand-regulated liquid breathing system. *Med Instrum* 1973;9:28-33.
- 127 Möller J C: Predictive factors for death in pediatric acute respiratory failure. *Eur Respir J* 1995;8:1436-1437.
- 128 Mrozek J D, Smith K M, Bing D R, Meyers P A, Simonton S C, Connell J E, Mammel M C: Exogenous surfactant and partial liquid ventilation, physiologic and pathologic effects. *Am J Respir Crit Care Med* 1997;156:1058-1065.
- 129 Mrozek J D, Smith K M, Simonton S C, Bing D R, Meyers P A, Connell J E, Mammel M C: Perfluorocarbon priming and surfactant. Physiologic and pathologic effects. *Crit Care Med* 1999;27:1916-1922.
- 130 Nader N D, Knight P R, Davidson B A, Safaei S S, Steinhorn D M: Systemic perfluorocarbons suppress the acute lung inflammation after gastric acid aspiration. *Anesth Analg* 2000;90:356-361.
- 131 Nekvasil R, Zabrodsky V, Penkova Z, Piler P, BobulaA., Vasek V: Partial liquid ventilation (Perfluorocarbon associated gas exchange-PAGE) in newborns. The first European clinical experience. *Dev Physiopathol and Clin* 1995;6:5-15.
- 132 Nerbrink O, Dahlback M: Basic nebuliser function. *J Aerosol Med* 1994;7:S7-S11.
- 133 Newman S P, Pellow P G D, Clarke S W: Drop sizes from medical atomisers for drug solutions of different viscosities and surface tension. *Atomisation Spray Tech* 1987;3:1-11.
- 134 Newman S P, Pellow P G D, CLay M M, Clarke S W: Evaluation of jet nebulisers for use with gentamicin solution. *Thorax* 1985;40:671-676.

- 135 Nobuhara K K, Ferretti M L, Siddiqui A M, Kim S S, Treves S T, Wilson J M: Long-term effect of perfluorocarbon distension on the lung. *J Ped Surg* 1998;33:1024-1029.
- 136 O'Callaghan C, Barry P W: The science of nebulised drug delivery. *Thorax* 1997;52:S31-S44.
- 137 Obraztsov V V, Neslund G, Kornbrust E, Flaim S, Woods C M: In vitro cellular effects of perfluorochemicals correlate with their lipid solubility. *Am J Physiol* 2000;278:L1018-L1024.
- 138 Ogawa Y, Takasaki J, Itakura Y, Shimizu H: Epidemiology and classification of chronic lung disease. *Ped Pulmonology* 1997;Suppl.16:25-26.
- 139 Parhami P, Fung B M: Fluorine-19 relaxation study of perfluorochemicals as oxygen carriers. *J Phys Chem* 1987;87:1928-1931.
- 140 Parker R A, Lindstrom D P, Cotton R B: Improved survival accounts for most, but not all, of the increase in bronchopulmonary dysplasia. *Pediatrics* 1992;90:663-668.
- 141 Paulsen T E, Spear R M, Peterson B M: New concepts in the treatment of children with acute respiratory distress syndrome. *J Pediatr* 1995;127:163-175.
- 142 Petty T L, Reiss O K, Paul G W, Silvers G W, Elkins N D: Characteristics of pulmonary surfactant in adult respiratory syndrome associated with trauma and shock. *Am Rev Respir Dis* 1977;115:531-536.
- 143 Philip A G: Oxygen plus pressure plus time: The etiology of bronchopulmonary dysplasia. *Pediatrics* 1975;55:44-52.
- 144 Philip A G: The changing face of neonatal infection: experience at a regional medical center. *Pediatr Infect Dis* 1994;13:1098-1102.
- 145 Police A M, Waxman D H, Tominaga G: Pulmonary complications after Fluosol administration to patients with life threatening blood loss. *Crit Care Med* 1985;13:96-98.
- 146 Pranikoff T, Gauger P G, Hirschl R B: Partial liquid ventilation in newborn patients with congenital diaphragmatic hernia. *J Ped Surg* 1996;31:621-618.
- 147 Quintel M, Waschke K F, Meinhardt J: Flüssigkeitsventilation mit Perfluorcarbonen. *Anästhesiol Intensivmed Notfallmed Schmerzther* 1996;31:461-469.
- 148 Redding G J: Current concepts in adult respiratory distress syndrome in children. *Curr Opin Pediatr* 2001;13:261-266.
- 149 Rezaiguia-Delclaux S, Yang K, Stephan F, Lemaire F, Meignan M, Harf A, Duvaldestin P, Delclaux C: Effect of partial liquid ventilation on bacterial clearance during *Pseudomonas aeruginosa*-induced lung injury in rats. *Intensive Care Med* 2003;29:1151-1156.
- 150 Robertson B: New targets for surfactant replacement therapy: experimental and clinical aspects. *Arch Dis Child Fetal Neonatal Ed* 1996;75:F1-F3.
- 151 Rojas M A, Gonzales A, Bancalari E, Claure N, Poole C, Silva-Neto G: Changing trends in the epidemiology and pathogenesis of neonatal chronic lung disease. *J Pediatr* 1995;126:605-610.
- 152 Rossman J E, Caty M G, Karamanoukian H L, Azizkhan R G: Neutrophil activation and chemotaxis after in vitro treatment with perfluorocarbon. *J Ped Surg* 1996;31:1147-1151.
- 153 Rotta A T, Gunnarsson B, Hernan L J, Fuhrman B P, Steinhorn D M: Partial liquid ventilation influences pulmonary histopathology in an animal model of acute lung injury. *J Crit Care* 1999;14:84-92.
- 154 Rotta A T, Steinhorn D M: Partial liquid ventilation reduces pulmonary neutrophil accumulation in an experimental model of systemic endotoxemia and acute lung injury. *Crit Care Med* 1998;26:1707-1715.
- 155 Royall J A, Levin D L: Adult respiratory distress syndrome in pediatric patients: Clinical aspects, pathophysiology, pathology, and mechanisms of lung injury. *J Pediatr* 1988;112:169-181.
- 156 Ruefer R: Surfactant and alveolar surface forces after breathing of an inert fluorinated liquid. *Fed Proc* 1970;29:1813-1815.
- 157 Ruefer R, Spitzer H L: Liquid ventilation in the respiratory distress syndrome. *Chest* 1974;66:29S-30S.
- 158 Rüdiger, M. Mekoniumaspirationssyndrom. Bassler, D., Forster, J., and Antes, G. Evidenz-basierte Pädiatrie. [EG 1], 1-16. 2001. Stuttgart, Thieme.
- 159 Rüdiger M, Burkhardt W, Kraft S, Proquitté H, Köpke U, Wauer R R: Persurf - A new method for surfactant delivery. *Biol Neonate* 2003;83:78 (abstract)
- 160 Rüdiger M, Burkhardt W, Wissel H, Wauer R R, Proquitté H, Rüstow B: Intratracheal perfluorcarbons prevent LPS-induced increase in systemic TNF-a. *Biol Neonate* 2003;83:79 (abstract)
- 161 Rüdiger M, Friedrich W, Rüstow B, Schmalisch G, Wauer R R: Disturbed surface properties in preterm infants with pneumonia. *Biol Neonate* 2001;79:73-78.
- 162 Rüdiger M, Friedrich W, Wauer R R: Einfluss der Liquid Ventilation auf die Oberflächenspannung von Curosurf. *PerinatalMedizin* 1997;9:112 (abstract)
- 163 Rüdiger M, Gregor T, Burkhardt W, Proquitté H, Wauer R R, Schmalisch G: Perfluorocarbon (PFC) species and nebulizer type influence aerosolization rate and particle size of PFC aerosol. *J Crit Care* 2004;in press:
- 164 Rüdiger M, Gregor T, Burkhardt W, Proquitté H, Zapfe J, Kölsch U, Hartenstein S, Wauer R R: Pulmonary application of nebulized perfluorocarbons in rats. *Pediatr Res* 2001;50:302 (abstract)

- 165 Rüdiger, M., Koehne, P., Herting, E., Robertson, B., and Wauer, R. R. Anti-inflammatory properties of perfluorocarbons (PFC) - A new chance for clinical application of PFC? *Eur J Pediatr* 2002;2:161 (abstract).
- 166 Rüdiger M, Köpke U, Prösch S, Rauprich P, Wauer R R, Herting E: Effects of perfluorocarbons and perfluorocarbons/surfactant-emulsions on growth and viability of group B streptococci and Escherichia coli. *Crit Care Med* 2001;29:1786-1791.
- 167 Rüdiger M, Some M, Jarstrand C, Calkovska A, Linderholm B, Robertson B, Herting E: Influence of partial liquid ventilation on bacterial growth and alveolar expansion in newborn rabbits with group B - streptococcal pneumonia. *Pediatr Res* 2003;54:808-813.
- 168 Rüdiger M, Wendt S, Köthe L, Burkhardt W, Wauer R R, Rüstow B, Ochs M: Effect of perflurocarbon on pulmonary surfactant. An electron microscopical and stereological study. *Crit Care Med* 2004;submitted:
- 169 Rüdiger M, Wissel H, Ochs M, Burkhardt W, Proquitté H, Wauer R R, Stevens P, Rüstow B: Perfluorocarbons are taken up by isolated type II pneumocytes and influence its lipid synthesis and secretion. *Crit Care Med* 2003;31:1190-1196.
- 170 Saga S, Modell J H, Calderwood H W: Pulmonary function after ventilation with fluorocarbon liquid P-12F (Caroxin-F). *J Appl Physiol* 1973;34:160-160.
- 171 Sajan I, Scannapieco F A, Fuhrman B P, Steinhorn D M: The risk of nosocomial pneumonia is not increased during partial liquid ventilation. *Crit Care Med* 1999;27:2741-2747.
- 172 Salman N, Fuhrman B P, Steinhorn D M, Papo M C, Hernan L J, Leach C L, Fisher J E: Prolonged studies of perfluorocarbon associated gas exchange and of the resumption of conventional mechanical ventilation [see comments]. *Crit Care Med* 1995;23:919-924.
- 173 Sargent J W, Sefel R J: Properties of perfluorinated liquids. *Fed Proc* 1970;29:1699-1708.
- 174 Schlösser R L, Veldman A, Fischer D, Funk B, Brand J, von Löwenich V: Comparison of effects of perflubron and surfactant lung lavage on pulmonary gas exchange in a piglet model of meconium aspiration. *Biol Neonate* 2002;81:126-131.
- 175 Schürch S, Amato M, Valls-i-Soler A: Surface properties of surfactant perfluorocarbon combinations studied in a modified captive bubble system. *Biol Neonate* 1999;76(suppl.1):49 (abstract)
- 176 Sekins K M, Coalson J J, deLemos R A, Fields T K, Flaim S F, Guerra J M, Hopkins R M, Jackson J C, Null D M and others: Long-term partial liquid ventilation (PLV) with perflubron in the near-term baboon neonate. *Artif Cells Blood Substit Immobil Biotechnol* 1994;22:1318-1387.
- 177 Shaffer T H, Douglas P R, Lowe C A: The effects of liquid ventilation on cardiopulmonary function in preterm lambs. *Pediatr Res* 1983;17:303-303.
- 178 Shaffer T H, Forman D L, Wolfson M R: Physiological effects of ventilation with liquid fluorocarbon at controlled temperatures. *Undersea Biomed Res* 1984;11:287-298.
- 179 Shaffer T H, Foust R, Wolfson M R, Miller T F: Analysis of perfluorochemical elimination from the respiratory system. *J Appl Physiol* 1997;83:1033-1040.
- 180 Shaffer T H, Lowe C A, Bhutani V K: Liquid ventilation: Effects of pulmonary function in distressed meconium-stained lambs. *Pediatr Res* 1984;18:47-52.
- 181 Shaffer T H, Moskowitz G D: Demand controlled liquid ventilation of the lungs. *J Appl Physiol* 1974;36:208-213.
- 182 Shaffer T H, Tran N, Bhutani V K: Cardiopulmonary function in very preterm lambs during liquid ventilation. *Pediatr Res* 1983;17:680-684.
- 183 Shaffer T H, Wolfson M R: Liquid ventilation: an alternative ventilation strategy for management of neonatal respiratory distress. *Eur J Pediatr* 1996;155:S30-S34.
- 184 Shaffer T H, Wolfson M R, Greenspan J S, Hoffman R E, Davis S L, Clark L C, Jr.: Liquid ventilation in premature lambs: uptake, biodistribution and elimination of perfluorodecalin liquid. *Reprod Fertil Dev* 1996;8:409-416.
- 185 Shah N, Mehra A: Modeling of oxygen uptake in perfluorocarbon emulsions. *ASAIO J* 1996;42:181-189.
- 186 Smith T M, Steinhorn D M, Thusu K, Fuhrman B P, Dandona P: A liquid perfluorochemical decreases the in vitro production of reactive oxygen species by alveolar macrophages. *Crit Care Med* 1995;23:1533-1539.
- 187 Stalhofen W, Gebbert J, Heyder J: Experimental determination of the regional deposition of aerosol particles in the human respiratory tract. *Am Ind Hyg Assoc J* 1980;41:385-399.
- 188 Steinhorn D M, Leach C L, Fuhrman B P, Holm B: Partial liquid ventilation enhances surfactant phospholipid production. *Crit Care Med* 1996;24:1252-1256.
- 189 Steinhorn D M, Papo M C, Rotta A T, Aljada A, Fuhrman B P, Dandona P: Liquid ventilation attenuates pulmonary oxidative damage. *J Crit Care* 1999;14:20-28.
- 190 Stern R, Wolfson M R, McGuckin J F, Forge J.A., Shaffer T H: High-resolution computed tomographic bronchiography using perfluorooctylbromide (PFOB): An experimental model. *J Thorac Imaging* 1993;8:300-304.
- 191 Sun B: Use of surfactant in pulmonary disorders in full-term infants. *Curr Opin Pediatr* 1996;8:113-117.

- 192 Sutherland G R, Farrar J K, Peerless S J: The effect of Fluosol-DA on oxygen availability in focal cerebral ischemia. *Stroke* 1984;15:829-835.
- 193 Sydorak R M, Harrison M R: Congenital diaphragmatic hernia: advances in prenatal therapy. *Clin Perinatol* 2004;30:465-479.
- 194 Tarczy-Hornoch P, Hildebrandt J, Mates E A, Standaert T A, Lamm W J, Jackson J C: Effects of exogenous surfactant on lung pressure-volume characteristics during liquid ventilation. *J Appl Physiol* 1996;80:1764-1771.
- 195 Tarczy-Hornoch P, Hildebrandt J, Standaert T A, Jackson J C: Surfactant replacement increases compliance in premature lamb lungs during partial liquid ventilation *in situ*. *J Appl Physiol* 1998;84:1316-1322.
- 196 Thomas S R, Gradon L, Pratsinis S E, Pratt R G, Fotou G P, McGoron A J, Podgorski A L, Millard R W: Perfluorocarbon compound aerosols for delivery to the lung as potential 19F magnetic resonance reporters of regional pulmonary PO₂. *Invest Radiol* 1997;32:29-38.
- 197 Thomas S R, Millard R W, Pratt R G, Shiferaw Y, Samaratunga R C: Quantitative pO₂ imaging *in vivo* with perfluorocarbon F-19 NMR: tracking oxygen from the airway through the blood to organ tissues. *Artif Cells Blood Substit Immobil Biotechnol* 1994;22:1029-1042.
- 198 Thomassen M J, Buhrow L T, Wiedemann H P: Perflubron decreases inflammatory cytokine production by human alveolar macrophages. *Crit Care Med* 1997;25:2045-2047.
- 199 Thomsen G E, Morris A H: Incidence of the adult respiratory distress syndrome in the state of Utah. *Am J Respir Crit Care Med* 1995;152:965-971.
- 200 Tooley R, Hirschl R B, Parent A, Bartlett R H: Total liquid ventilation with perfluorocarbons increases pulmonary end-expiratory volume and compliance in the setting of lung atelectasis. *Crit Care Med* 1996;24:268-273.
- 201 Toro-Figuera L O, Meliones J N, Curtis S E, et al: Perflubron partial liquid ventilation (PLV) in children with ARDS: a safety and efficacy pilot study. *Crit Care Med* 1996;24:A150 (abstract).
- 202 Tremper K K, Friedman A E, Levine E M, Lapin R, Camarillo D: The preoperative treatment of severely anemic patients with a perfluorochemical oxygen-transport fluid, Fluosol-DA. *N Engl J Med* 1982;307:277-283.
- 203 Tremper K K, Vercelotti G M, Hammerschmidt D E: Hemodynamic profile of adverse clinical reactions to Fluosol-DA 20%. *Crit Care Med* 1984;12:428-431.
- 204 Tütüncü A S, Houmes R J, Boss J A, Wollmer P, Lachmann B: Evaluation of lung function after intratracheal perfluorocarbon administration in healthy animals. *Crit Care Med* 1996;24:274-279.
- 205 Valls-i-Soler A, Wolfson M R, Kechner N, Foust R, Shaffer R: Comparison of natural surfactant and brief liquid ventilation rescue treatment in very immature lambs. *Biol Neonate* 1996;69:275-283.
- 206 van Eeden S F, Klut M E, Leal M A, Alexander J, Zonis Z, Skippen P: Partial liquid ventilation with perfluorocarbon in acute lung injury. Light and transmission electron microscopy studies. *Am J Respir Cell Mol Biol* 2000;22:441-450.
- 207 Varani J, Hirschl R B, Dame M, Johnson K: Perfluorocarbon protects lung epithelial cells from neutrophil-mediated injury in an *in vitro* model of liquid ventilation therapy. *Shock* 1996;6:339-344.
- 208 Villar J, Slutsky A S: The incidence of the adult respiratory distress syndrome. *Am Rev Respir Dis* 1989;140:814-816.
- 209 von der Hardt K, Schoof E, Kandler M A, Dötsch J, Rascher W: Aerosolized perfluorocarbon suppresses early pulmonary inflammatory response in a surfactant-depleted piglet model. *Pediatr Res* 2002;51:177-182.
- 210 von Neergaard K: Neue Auffassungen über einen Grundbegriff der Atemmechanik. Die Retraktionskraft der Lunge, abhängig von der Oberflächenspannung in den Alveolen. *Z Gesamt Exp Med* 1929;66:373-394.
- 211 Walsh-Sukys M C, Bauer R E, Cornell D J, Friedman H G, Stork E K, Hack M: Severe respiratory failure in neonates: mortality and morbidity rates and neurodevelopmental outcomes. *J Pediatr* 1994;125:104-110.
- 212 Watterberg K L, Demers L M, Scott S M, Murphy S: Chorioamnionitis and early lung inflammation in infants in whom bronchopulmonary dysplasia develops. *Pediatrics* 1996;97:210-215.
- 213 Waxman K, Tremper K K, Cullen B F, Mason G R: Perfluorocarbon infusion in bleeding patients refusing blood transfusions. *Arch Surg* 1984;119:721-724.
- 214 Weiss D J, Strandjord T P, Jackson J C, Clark J G, Liggitt D: Perfluorochemical liquid-enhanced adenoviral vector distribution and expression in lungs of spontaneously breathing rodents. *Exp Lung Res* 1999;25:317-333.
- 215 Weiss D J, Strandjord T P, Liggitt D, Clark J G: Perflubron enhances adenovirus-mediated gene expression in lungs of transgenic mice with chronic alveolar filling. *Hum Gene Ther* 1999;10:2287-2293.
- 216 Wilcox D T, Glick P L, Karamanoukian H L, Leach C, Morin F C, Fuhrmann B D: Perfluorocarbon-associated gas exchange improves pulmonary mechanics, oxygenation, ventilation, and allows nitric oxide delivery in the hypoplastic lung congenital diaphragmatic hernia lamb model. *Crit Care Med* 1995;23:1858-1863.

- 217 Williams E A, Welty S E, Geske R S, Hubble C L, Craig D M, Quick G, Meliones J N, Cheifetz I M: Liquid lung ventilation reduces neutrophil sequestration in a neonatal swine model of cardiopulmonary bypass. *Crit Care Med* 2001;29:789-795.
- 218 Wiswell T E, Tuggle J M, Turner B S: Meconium aspiration syndrom: have we made a difference? *Pediatrics* 1990;85:715-721.
- 219 Wolf S, Lohbrunner H, Busch T, Sterner-Kock A, Deja M, Sarrafzadeh A, Neumann U, Kaisers U: Small dose of exogenous surfactant combined with partial liquid ventilation in experimental acute lung injury: effects on gas exchange, haemodynamics, lung mechanics, and lung pathology. *Br J Anaesth* 2001;87:593-601.
- 220 Wolfson M R, Greenspan J S, Deoras K S, Rubenstein S D, Shaffer T H: Comparison of gas and liquid ventilation: Clinical, physiological, and histological correlates. *J Appl Physiol* 1992;72:1024-1031.
- 221 Wolfson M R, Greenspan J S, Shaffer T H: Pulmonary administration of vasoactive substances by perfluorochemical ventilation. *Pediatrics* 1996;97:449-455.
- 222 Wolfson M R, Kechner N, Roache R F, DeChadarevian J P, Friss H E, Rubenstein S D, Shaffer T H: Perfluorochemical rescue after surfactant treatment: effect of perflubron dose and ventilatory frequency. *J Appl Physiol* 1998;84:624-640.
- 223 Wolfson M R, Stern R G, Kechner N, Sekins K M, Shaffer T H: Utility of a perfluorochemical liquid for pulmonary diagnostic imaging. *Artif Cells Blood Substit Immobil Biotechnol* 1994;22:1409-1420.
- 224 Yoon B H, Romero R, Jun J K, Park K H, Park J D, Ghezzi F, Kim B I: Amniotic fluid cytokines (interleukin-6, tumor necrosis factor alpha, interleukin-1 beta, and interleukin-8) and the risk for the development of bronchopulmonary dysplasia. *Am J Obstet Gynecol* 1997;177:825-830.
- 225 Younger J G, Taqi A S, Till G O, Hirschl R B: Partial liquid ventilation protects lung during resuscitation from shock. *J Appl Physiol* 1997;83:1666-1670.
- 226 Zelinka M A, Wolfson M R, Calligaro I, Rubenstein S D, Greenspan J S, Shaffer T H: A comparison of intratracheal and intravenous administration of gentamicin during liquid ventilation. *Eur J Pediatr* 1997;156:401-404.