

## **9 Literaturverzeichnis**

Aalseth (2005)

Fresh Cow Management; What is important, what does it cost, and what does it return?

In: Western Dairy Management Conference.

Reno, USA; 7. S. 1-12.

Adams, F. (1972)

Genuine works of Hippocrates. Krieger PubCo. -.

Bender, R. und Lange, S. (2001)

Die Vierfeldertafel.

Deutsche Medizinische Wochenschrift 126: S. T36-T38

Bircher, J. (2005)

Towards a dynamic definition of health and disease.

Med Health Care Philos 8: S. 335-41

Bradley, A. und Green, M. (2005)

Use and interpretation of somatic cell count data in dairy cows.

In Practice 27: S. 310-315

Broom, D. M. (1988)

The Scientific Assessment of Animal Welfare.

Applied Animal Behaviour Science 20: S. 5-19

Broom, D. M. (1991)

Animal welfare: concepts and measurement.

J Anim Sci 69: S. 4167-75

Carrier, J.; Stewart, S.; Godden, S.; Fetrow, J. und Rapnicki, P. (2004)  
Evaluation and use of three cowside tests for detection of subclinical ketosis in early postpartum cows.  
J Dairy Sci 87: S. 3725-35

Clarke, S. F.; Parris, R. J. und Reynard, K. (2005)  
Core-peripheral temperature gradient as a diagnostic test in dyspnoea.  
Emerg Med J 22: S. 633-5

Collick, D. W.; Ward, W. R. und Dobson, H. (1989)  
Associations between types of lameness and fertility.  
Vet Rec 125: S. 103-6

Contreras, L. L.; Ryan, C. M. und Overton, T. R. (2004)  
Effects of dry cow grouping strategy and prepartum body condition score on performance and health of transition dairy cows.  
J Dairy Sci 87: S. 517-23

Cook, N. B.; Bennett, T. B. und Nordlund, K. V. (2004)  
Using indices of cow comfort to predict stall use and lameness.  
In: 13th International Ruminant Lameness Symposium.  
Maribor, Slovenia.

Dann, H. M.; Morin, D. E.; Bollero, G. A.; Murphy, M. R. und Drackley, J. K. (2005)  
Prepartum intake, postpartum induction of ketosis, and periparturient disorders affect the metabolic status of dairy cows.  
J Dairy Sci 88: S. 3249-64

Dechow, C. D.; Rogers, G. W.; Sander-Nielsen, U.; Klei, L.; Lawlor, T. J.; Clay, J. S.; Freeman, A. E.; Abdel-Azim, G.; Kuck, A. und Schnell, S. (2004)  
Correlations among body condition scores from various sources, dairy farm, and cow health from the United States and Denmark.  
J Dairy Sci 87: S. 3526-33

Deluyker, H. A.; Gay, J. M.; Weaver, L. D. und Azari, A. S. (1991)  
Change of milk yield with clinical diseases for a high producing dairy herd.  
J Dairy Sci 74: S. 436-45

Dirksen, G.; Gründer, H.-D. und Stöber, M. (2002)  
Innere Medizin und Chirurgie des Rindes. - 4.  
Berlin: Parey. -.

Domecq, J. J.; Skidmore, A. L.; Lloyd, J. W. und Kaneene, J. B. (1997)  
Relationship between body condition scores and conception at first artificial insemination in a  
large dairy herd of high yielding Holstein cows.  
J Dairy Sci 80: S. 113-20

Drackley, J. K. (1999)  
ADSA Foundation Scholar Award. Biology of dairy cows during the transition period: the  
final frontier?  
J Dairy Sci 82: S. 2259-73

Drillich, M.; Mahlstedt, M.; Reichert, U.; Tenhagen, B. A. und Heuwieser, W. (2006a)  
Strategies to improve the therapy of retained fetal membranes in dairy cows.  
J Dairy Sci 89: S. 627-35

Drillich, M.; Pfutzner, A.; Sabin, H. J.; Sabin, M. und Heuwieser, W. (2003)  
Comparison of two protocols for the treatment of retained fetal membranes in dairy cattle.  
Theriogenology 59: S. 951-60

Drillich, M.; Reichert, U.; Mahlstedt, M. und Heuwieser, W. (2006b)  
Comparison of two strategies for systemic antibiotic treatment of dairy cows with retained  
fetal membranes: preventive vs. selective treatment.  
J Dairy Sci 89: S. 1502-8

DVG (2002)  
Leitlinien zur Bekämpfung der Mastitis des Rindes als Herdenproblem.

DWD (2005). Ausgabe der Klimadaten: Tageswerte, Deutscher Wetterdienst.

[http://www.dwd.de/de/FundE/Klima/KLIS/daten/online/nat/ausgabe\\_tageswerte.htm](http://www.dwd.de/de/FundE/Klima/KLIS/daten/online/nat/ausgabe_tageswerte.htm)

Edmonson, A. J.; Lean, J.; Weaver, L. D.; Farver, T. und Webster, G. (1989)

A body condition scoring chart

for Holstein dairy cows.

J. Dairy Sci. 72: S. 68

Edwards, J. L. und Tozer, P. R. (2004)

Using activity and milk yield as predictors of fresh cow disorders.

J Dairy Sci 87: S. 524-31

Ellis, K. A.; McLean, W. G.; Grove-White, D. H.; Cripps, P. J.; Howard, C. V. und Mihm, M. (2005)

Studies comparing the composition of milk produced on organic and conventional dairy farms in the UK.

In: 4th SAFO Workshop.

Frick, Switzerland. S. 41-45.

Engelhardt, W. v. und Breves, G. (1999)

Physiologie der Haustiere.

Stuttgart: Enke-Verlag. -.

Erb, H. N. und Grohn, Y. T. (1988)

Epidemiology of metabolic disorders in the periparturient dairy cow.

J Dairy Sci 71: S. 2557-71

Faye, B. und Barnoin, J. (1985)

Objectivation de la propreté des vaches laitières et des stabulations - L'indice de propreté.

Bull. Techn. C.R.Z.V. Theix I.N.R.A. 59: S. 61-67

Fisher, D. S. (2002)

A Review of a Few Factors Regulating voluntary Feed Intake in Ruminants.

Crop Science 42: S. 1651-1655

Fleischer, P.; Metzner, M.; Beyerbach, M.; Hoedemaker, M. und Klee, W. (2001)

The relationship between milk yield and the incidence of some diseases in dairy cows.

J Dairy Sci 84: S. 2025-35

Folk, G. E. (1966)

Introduction to environmental physiology. Lea & Febiger. -.

Forbes, J. M. (1995)

Physical limitation of feed intake in ruminants and its interactions with other factors affecting intake.

In: Ruminant Physiology: Digestion, Metabolism, Growth and Reproduction. / W. v.

Engelhardt, S. L. Marek, G. Breves, und D. Gisecke (Hrsg.).

Stuttgart: Enke. - ISBN: 3-432-26851-3. - S. 217-232.

Formigoni, A. und Trevisi, E. (2003)

Transition cow: interaction with fertility.

Vet Res Commun 27 Suppl 1: S. 143-52

Fregonesi, J. A. und Leaver, J. D. (2001)

Behaviour, performance and health indicators of welfare for dairy cows housed in straw yard or cubicle systems.

Livestock Production Science 68: S. 205-216

Fregonesi, J. A. und Leaver, J. D. (2002)

Influence of space allowance and milk yield level on behaviour, performance and health of dairy cows housed in straw yard and cubicle systems.

Livestock Production Science 78: S. 245-257

Gearhart, M. A.; Curtis, C. R.; Erb, H. N.; Smith, R. D.; Sniffen, C. J.; Chase, L. E. und Cooper, M. D. (1990)

Relationship of changes in condition score to cow health in Holsteins.

J Dairy Sci 73: S. 3132-40

Gillund, P.; Reksen, O.; Grohn, Y. T. und Karlberg, K. (2001)

Body condition related to ketosis and reproductive performance in Norwegian dairy cows.

J Dairy Sci 84: S. 1390-6

Goff, J. P. und Horst, R. L. (1997)

Physiological changes at parturition and their relationship to metabolic disorders.

J Dairy Sci 80: S. 1260-8

Grant, R. J. und Albright, J. L. (1995)

Feeding behavior and management factors during the transition period in dairy cattle.

J Anim Sci 73: S. 2791-803

Grohn, Y. T.; Wilson, D. J.; Gonzalez, R. N.; Hertl, J. A.; Schulte, H.; Bennett, G. und Schukken, Y. H. (2004)

Effect of pathogen-specific clinical mastitis on milk yield in dairy cows.

J Dairy Sci 87: S. 3358-74

Grove-White, D. (2004)

Rumen healthcare in the dairy cow.

In Practice 26: S. 88-95

Grummer, R. R.; Mashek, D. G. und Hayirli, A. (2004)

Dry matter intake and energy balance in the transition period.

Vet Clin North Am Food Anim Pract 20: S. 447-70

Gundersen, Y.; Vaagenes, P.; Pharo, A.; Valo, E. T. und Opstad, P. K. (2001)  
Moderate hypothermia blunts the inflammatory response and reduces organ injury after acute haemorrhage.  
Acta Anaesthesiol Scand 45: S. 994-1001

Gustafson, G. M. (1993)  
Effects of daily exercise on the health of tied dairy cows.  
Preventive Veterinary Medicine 17: S. 209-223

Guterbock, W. M. (2004)  
Diagnosis and treatment programs for fresh cows.  
Vet Clin North Am Food Anim Pract 20: S. 605-26, vii

Han, Y.-K. und Kim, I.-H. (2005)  
Risk factors for retained placenta and the effect of retained placenta on the occurrence of postpartum diseases and subsequent reproductive performance in dairy cows.  
Journal of veterinary science 6: S. 53-59

Hauptman, J. G.; Walshaw, R. und Olivier, N. B. (1997)  
Evaluation of the sensitivity and specificity of diagnostic criteria for sepsis in dogs.  
Vet Surg 26: S. 393-7

Hayirli, A.; Grummer, R. R.; Nordheim, E. V. und Crump, P. M. (2002)  
Animal and dietary factors affecting feed intake during the prefresh transition period in Holsteins.  
J Dairy Sci 85: S. 3430-43

Hegelund, L. und Soerensen, J. T., Johansen, N.F. (2003)  
Developing a welfare assessment system for use in commercial organic egg production.  
Animal Welfare 12: S. 649-653

Heuer, C.; Schukken, Y. H. und Dobbelaar, P. (1999)  
Postpartum body condition score and results from the first test day milk as predictors of disease, fertility, yield, and culling in commercial dairy herds.  
J Dairy Sci 82: S. 295-304

Hirt, A.; Maisack, C. und Moritz, J. (2003)  
Tierschutzgesetz, Kommentar.  
München: Verlag Franz Vahlens.

Hörnicke, H. (1987)  
Thermophysiologie.  
In: Lehrbuch der Veterinärphysiologie. / A. Scheunert, und A. Trautmann (Hrsg.). Paul Parey.  
- ISBN: 3-489-66216-4. - S. 142-158.

Hughes, J. (2001)  
A system for assessing cow cleanliness.  
In Practice 23: S. 517-524

Hultgren, J. und Bergsten, C. (2001)  
Effects of a rubber-slatted flooring system on cleanliness and foot health in tied dairy cows.  
Prev Vet Med 52: S. 75-89

Huzzey, J. M.; von Keyserlingk, M. A. und Weary, D. M. (2005)  
Changes in feeding, drinking, and standing behavior of dairy cows during the transition period.  
J Dairy Sci 88: S. 2454-61

Ingvartsen, K. L. und Andersen, J. B. (2000)  
Integration of metabolism and intake regulation: a review focusing on periparturient animals.  
J Dairy Sci 83: S. 1573-97

Kidd, B. L. und Urban, L. A. (2001)

Mechanisms of inflammatory pain.

Br J Anaesth 87: S. 3-11

Knizkova, I.; Kunc, P.; Koubkova, M.; Flusser, J. und Dolezal, O. (2002)

Evaluation of naturally ventilated dairy barn management by a thermographic method.

Livestock Production Science 77: S. 349-353

Kotler, D. P. (2000)

Cachexia.

Ann Intern Med 133: S. 622-34

Kraft, W. und Dürr, U. M. (2005)

Klinische Labordiagnostik. - 6. Schattauer. -.

Kristula, M.; Smith, B. und Simeone, A. (2001)

The Use of Daily Postpartum Rectal Temperatures to Select Dairy Cows for Treatment with Systemic Antibiotics.

The Bovine Practitioner 35: S. 117-125

Lammoglia, M. A.; Bellows, R. A.; Short, R. E.; Bellows, S. E.; Bighorn, E. G.; Stevenson, J. S. und Randel, R. D. (1997)

Body temperature and endocrine interactions before and after calving in beef cows.

J. Anim. Sci. 75: S. 2526-2534

Lewis, G. S. (1997)

Uterine health and disorders.

J Dairy Sci 80: S. 984-94

Loeffler, S. H.; de Vries, M. J. und Schukken, Y. H. (1999)

The effects of time of disease occurrence, milk yield, and body condition on fertility of dairy cows.

J Dairy Sci 82: S. 2589-604

Markusfeld, O.; Galon, N. und Ezra, E. (1997)

Body condition score, health, yield and fertility in dairy cows.

Vet Rec 141: S. 67-72

Mee, J. F. (2004)

Managing the dairy cow at calving time.

Vet Clin North Am Food Anim Pract 20: S. 521-46

Molony, V. und Kent, J. E. (1997)

Assessment of acute pain in farm animals using behavioral and physiological measurements.

J Anim Sci 75: S. 266-72

Nielsen, N. I.; Friggins, N. C.; Chagunda, M. G. und Ingvartsen, K. L. (2005)

Predicting risk of ketosis in dairy cows using in-line measurements of beta-hydroxybutyrate: a biological model.

J Dairy Sci 88: S. 2441-53

Noordhuizen, J. P. (2004)

Dairy herd health and production management practice in Europe: state of the art.

In: 23th World Buiatrics Congress.

Quebec, Canada.

Noordhuizen, J. P. und Wentink, G. H. (2001)

Developments in veterinary herd health programmes on dairy farms: a review.

Vet Q 23: S. 162-9

O'Callaghan, K. A.; Murray, R. D. und Cripps, P. J. (2002)

Behavioral indicators of pain associated with lameness in dairy cattle.

In: 12th Intnl. Symp. on Lameness in Ruminants.

Orlando, Florida. S. 309.

Oetzel, G. R. (2004)

Monitoring and testing dairy herds for metabolic disease.

Vet Clin North Am Food Anim Pract 20: S. 651-74

Ofner, E.; Amon, T.; Lins, M. und Amon, B. (2003)

Correlations between the results of animal welfare assessments by the TGI 35 L Austrian Animal needs index and the health and behavioural parameters in cattle.

Animal Welfare 12: S. 571-578

Ostergaard, S. und Grohn, Y. T. (1999)

Effects of diseases on test day milk yield and body weight of dairy cows from Danish research herds.

J Dairy Sci 82: S. 1188-201

Piccione, G.; Caola, G. und Refinetti, R. (2003)

Daily and estrous rhythmicity of body temperature in domestic cattle.

BMC Physiol 3: S. 7

Rackow, E. C. und Weil, M. H. (1990)

Physiology of blood flow and oxygen utilization by peripheral tissue in circulatory shock.

Clin Chem 36: S. 1544-6

Radostitis, O. M.; Leslie und Fetrow (1994)

Herd Health - Food Animal Production Medicine. - 2. W.B.Saunders Company. -.

Rajala-Schultz, P. J.; Grohn, Y. T. und McCulloch, C. E. (1999)

Effects of milk fever, ketosis, and lameness on milk yield in dairy cows.

J Dairy Sci 82: S. 288-94

Redden, K. D.; Kennedy, A. D.; Ingalls, J. R. und Gilson, T. L. (1993)

Detection of estrus by radiotelemetric monitoring of vaginal and ear skin temperature and pedometer measurements of activity.

J Dairy Sci 76: S. 713-21

Refinetti, R. (1999)

Relationship between the daily rhythms of locomotor activity and body temperature in eight mammalian species.

Am J Physiol 277: S. R1493-500

Reist, M.; Erdin, D. K.; von Euw, D.; Tschumperlin, K. M.; Leuenberger, H.; Hammon, H.

M.; Kunzi, N. und Blum, J. W. (2003)

Use of threshold serum and milk ketone concentrations to identify risk for ketosis and endometritis in high-yielding dairy cows.

Am J Vet Res 64: S. 188-94

Reynolds, C. K.; Durst, B.; Lupoli, B.; Humphries, D. J. und Beever, D. E. (2004)

Visceral tissue mass and rumen volume in dairy cows during the transition from late gestation to early lactation.

J Dairy Sci 87: S. 961-71

Rohn, M.; Tenhagen, B. A. und Hofmann, W. (2004)

Survival of dairy cows after surgery to correct abomasal displacement: 2. Association of clinical and laboratory parameters with survival in cows with left abomasal displacement.

J Vet Med A Physiol Pathol Clin Med 51: S. 300-5

Rosenberger (1990)

Die Klinische Untersuchung des Rindes. - 3. Parey. -.

Rousing, T. (2003)

Welfare assessment in dairy cattle herds with loose-housing cubicle systems - Developement and evaluation of welfare indicators. Danish Institute of Agricultural Sciences. -.

Sandoe, P.; Christiansen, S. B. und Appleby, M. C. (2003)

Farm animal welfare: The interaction of ethical questions and animal welfare science.

Animal Welfare 12: S. 469-478

Schneider, A.; Dinant, G. J. und Szecsenyi, J. (2006)  
Stepwise diagnostic workup in general practice as a consequence of the Bayesian reasoning.  
Z Arztl Fortbild Qualitatssich 100: S. 121-7

Schreiner, D. A. und Ruegg, P. L. (2003)  
Relationship between udder and leg hygiene scores and subclinical mastitis.  
J Dairy Sci 86: S. 3460-5

Schukken, Y. H.; Dobbelaar, P. und Heuer, C. (1999)  
Postpartum body condition score and results from the first test day milk as predictors of disease, fertility, yield, and culling in commercial dairy herds.  
J Dairy Sci 82: S. 295-304

Shaw, C. (2001)  
External assessment of health care.  
Bmj 322: S. 851-4

Sheldon, I. M.; Rycroft, A. N. und Zhou, C. (2004)  
Association between postpartum pyrexia and uterine bacterial infection in dairy cattle.  
Vet Rec 154: S. 289-93

Sherwood, O. D. (2004)  
Relaxin's physiological roles and other diverse actions.  
Endocr Rev 25: S. 205-34

Soerensen, J. T.; Hindhede, J.; Rousing, T. und Fossing, C. (2002)  
Assessing Animal Welfare In A Dairy Cattle Herd With An Automatic Milking System.  
In: The First American Conference on Robot Milking.  
Toronto, Canada, Department of Animal Health and Welfare, Danish Institute of Agricultural Sciences. -. S. VI-54 - VI-59.

Sprecher (1997)

A lameness scoring system that uses posture and gait to predict dairy cattle reproductive performance.

Theriogenology 47: S. 1179-1187

Steiner, M. J.; DeWalt, D. A. und Byerley, J. S. (2004)

Is this child dehydrated?

Jama 291: S. 2746-54

Stünzi, H. und Weiss, E. (1990)

Allgemeine Pathologie für Tierärzte und Studierende der Tiermedizin. - 8.

Berlin, Hamburg: Paul Parey. -.

Swan, H. (1974)

Hypothermie.

In: Thermoregulation and bioenergetics. / (Hrsg.).

New York: Elsevier. - ISBN: 0-444-00144-1. -.

Taniguchi, T.; Kanakura, H.; Takemoto, Y. und Yamamoto, K. (2003)

Effects of hypothermia on mortality and inflammatory responses to endotoxin-induced shock in rats.

Clin Diagn Lab Immunol 10: S. 940-3

Thomsen, P. T. und Baadsgaard, N. P. (2006)

Intra- and inter-observer agreement of a protocol for clinical examination of dairy cows.

Prev Vet Med 75: S. 133-9

Umphrey, J. E.; Moss, B. R.; Wilcox, C. J. und Van Horn, H. H. (2001)

Interrelationships in lactating Holsteins of rectal and skin temperatures, milk yield and composition, dry matter intake, body weight, and feed efficiency in summer in Alabama.

J Dairy Sci 84: S. 2680-5

Van Winden, S. C.; Jorritsma, R.; Muller, K. E. und Noordhuizen, J. P. (2003)  
Feed intake, milk yield, and metabolic parameters prior to left displaced abomasum in dairy cows.  
J Dairy Sci 86: S. 1465-71

Von-Borell, E.; Bockisch, F.-J.; Büscher, W.; Hoy, S.; Krieter, J.; Müller, C.; Parvizi, N.; Richter, T.; Rudovsky, A.; Sundrum, A. und Van den Weghe, H. (2001)  
Critical control points for on-farm assessment of pig housing.  
Livestock Production Science 72: S. 177-184

Ward, W. R.; Hughes, J. W.; Faull, W. B.; Cripps, P. J.; Sutherland, J. P. und Sutherst, J. E. (2002)  
Observational study of temperature, moisture, pH and bacteria in straw bedding, and faecal consistency, cleanliness and mastitis in cows in four dairy herds.  
Vet Rec 151: S. 199-206

Warn, P. A.; Brampton, M. W.; Sharp, A.; Morrissey, G.; Steel, N.; Denning, D. W. und Priest, T. (2003)  
Infrared body temperature measurement of mice as an early predictor of death in experimental fungal infections.  
Lab Anim 37: S. 126-31

Weber, R., E. und Zarate, A. V. (2005)  
Welfare in farm animal husbandry - Current definitions and concepts as basis for practical oriented research with focus on fattening pig husbandry.  
Arch. Tierz. 48: S. 475-489

Webster, A. J. (2001)  
Farm animal welfare: the five freedoms and the free market.  
Vet J 161: S. 229-37

Wechsler, B.; Schaub, J.; Friedli, K. und Hauser, R. (2000)  
Behaviour and leg injuries in dairy cows kept in cubicle systems with straw bedding or soft lying mats.  
Appl Anim Behav Sci 69: S. 189-197

Wendt, M.; Eickhoff, K. und Koch, R. (1997)  
Measurement of skin temperature as a method of detecting febrile diseases in swine.  
Dtsch Tierarztl Wochenschr 104: S. 29-33

West, J. W.; Mullinix, B. G. und Bernard, J. K. (2003)  
Effects of hot, humid weather on milk temperature, dry matter intake, and milk yield of lactating dairy cows.  
J Dairy Sci 86: S. 232-42

Whay, H. R.; Main, D. C.; Green, L. E. und Webster, A. J. (2003)  
Assessment of the welfare of dairy cattle using animal-based measurements: direct observations and investigation of farm records.  
Vet Rec 153: S. 197-202

Whay, H. R.; Main, D. C. J.; Green, L. E. und Webster, A. J. F. (2002)  
Farmer perception of lameness prevalence.  
In: 12th Int. Symp. Lameness in Ruminants.  
Orlando; 12. S. 355-358.

Willmann, H. (2005)  
Langenscheidt Taschenwörterbuch: Englisch. Langenscheidt. -.

Zaaijer, D. und Noordhuizen, J. P. T. M. (2003)  
A novel scoring system for monitoring the relationship between nutritional efficiency and fertility in dairy cows.  
Irish Veterinary Journal 56: S. 145-156

Zähner, M.; Schrader, L.; Hauser, R.; Keck, M.; Langhans, W. und Wechsler, B. (2004)  
The influence of climatic conditions on physiological and  
behavioural parameters in dairy cows kept in open stables.  
Animal Science 78: S. 139-147

Zurbrigg, K.; Kelton, D.; Anderson, N. und Millman, S. (2005)  
Stall dimensions and the prevalence of lameness, injury, and cleanliness on 317 tie-stall dairy  
farms in Ontario.  
Can Vet J 46: S. 902-9