

5 LITERATUR

1. Asahara T, Chen D, Tsurumi Y, Kearney M, Rossow S, Passeri J, Symes JF, Isner JM. Accelerated restitution of endothelial integrity and endothelium-dependent function after phVEGF165 gene transfer. *Circulation* 1996; **94**: 3291–3302.
2. Bach O, Friedel R, Donicke T, Nestmann H, Markgraf E. Microvascular complications following replantations and revascularisations. *Handchir Mikrochir Plast Chir* 2002; **34**: 363-368.
3. Baldwin KM. Effect of spaceflight on the functional, biochemical and metabolic properties of skeletal muscle. *Med Sci Sports Exerc* 1996; **28**: 983–987.
4. Barleon B, Sozzani S, Zhou D, Weich HA, Mantovani A, Marme D. Migration of human monocytes in response to vascular endothelial growth factor is mediated via the VEGF receptor flt-1. *Blood* 1996; **87**: 3336-3343.
5. Bates DO and Harper SJ. Regulation of vascular permeability by vascular endothelial growth factors. *Vascul Pharmacol* 2003; **39**: 225-237.
6. Baumgartner I, Rauh G, Pieczek A, Wuensch D, Magner M, Kearney M, Schainfeld R, Isner JM. Lower-extremity edema associated with gene transfer of naked DNA encoding vascular endothelial growth factor. *Ann Intern Med* 2000; **132**: 880-884.
7. Borges E, Jan Y, Ruoslahti E. Plateled-derived growth factor receptor beta and vascular endothelial growth factor receptor 2 bind to the beta 3 integrin through its extracellular domain. *J Biol Chem* 2000; **275**: 39867-39873.
8. Brauchle M, Funk JO, Kind P, Werner S. Ultraviolet B and H₂O₂ are potent inducers of vascular endothelial growth factor expression in cultured keratinocytes. *J Biol Chem* 1996; **271**: 21793-21797.
9. Bunone G, Vigneri P, Mariani L, Buto S, Collini P, Pilotti S, Pierotti MA, Bongarzone I. Expression of angiogenesis stimulators and inhibitors in human thyroid tumors and correlation with clinical pathological features. *Am J Pathol* 1999; **155**: 1967-1976.
10. Burke PA, Lehmann-Bruinsma K, Powell JS. Vascular endothelial growth factor causes endothelial proliferation after vascular injury. *Biochem Biophys Res Commun* 1995; **207**: 348–354.
11. Carmeliet P, Lampugnani MG, Moons L, Breviario F, Compernolle V, Bono F, Balconi G, Spagnuolo R, Oostuyse B, Dewerchin M, Zanetti A, Angellilo A, Mattot V,

- Nuyens D, Lutgens E, Clotman F, de Ruiter MC, Gittenberger-de Groot A, Poelmann R, Lupu F, Herbert JM, Collen D, Dejana E. Targeted deficiency or cytosolic truncation of the VE-cadherin gene in mice impairs VEGF mediated endothelial survival and angiogenesis. *Cell* 1999; **98**: 147-157.
12. Carvajal HF, Linares HA, Brouhard BH. Relationship of burn size to vascular permeability changes in rats. *Surg Gynecol Obstet* 1979; **149**:193–203.
 13. Cohen T, Nahari D, Cerem LW, Neufeld G, Levi BZ. Interleukin-6 induces the expression of vascular endothelial growth factor. *J Biol Chem* 1996; **271**: 736-741.
 14. Cole LK, Ross LS. Apoptosis in the developing Zebrafish embryo. *Dev Biol* 2001; **240**: 123-142.
 15. Conway EM, Collen D, Carmeliet P. Molecular mechanisms of blood vessel growth. *Cardiovas Res* 2001; **49**: 507-521.
 16. Deroanne CF, Hajitou A, Calberg-Bacq CM, Nusgens BV, Lapierre CM. Angiogenesis by fibroblast growth factor 4 is mediated through an autocrine up-regulation of vascular endothelial growth factor expression. *Cancer Res* 1997; **57**: 5590-5597.
 17. de Vries C, Escobedo JA, Ueno H, Houck K, Ferrara N, Williams LT. The fms-like tyrosine kinase, a receptor for vascular endothelial growth factor. *Science* 1992; **255**: 989-991.
 18. Dvorak HF, Nagy JA, Feng D, Brown LF. Vascular permeability factor/vascular endothelial growth factor and the significance of microvascular hyperpermeability in angiogenesis. *Curr Top Microbiol Immunol* 1999; **237**: 97-132.
 19. Farquharson C, Robins SP. Immunolocalization of collagens type I and III in the arterial wall of the rat. *Histochem J* 1989; **21**: 172–178.
 20. Ferrara N, Henzel WJ. Pituary follicular cells secrete a novel heparin-binding growth factor specific for vascular endothelial cells. *Biochem Biophys Res commun* 1989; **161**: 851-8518.
 21. Ferrara N. VEGF: an update on biological and therapeutic aspects. Review. *Curr Opin Biotechnol* 2000; **11**: 617-24.
 22. Ferrara N. Vascular Endothelial Growth Factor: Basic Science and Clinical Progress. *Endocr Rev* 2004; **25**: 581-611.
 23. Finkenzeller G, Sparacio A, Technau A, Marme D, Siemeister G. Sp 1 recognition sites

- in the proximal promoter of the human vascular endothelial growth factor gene are essential for platelet-derived growth factor-induced gene expression. *Oncogene* 1997; **15**: 669-676.
24. Fournier E, Birnbaum D, Borg JP. Receptors for factors of the VEGF family. *Bull Cancer* 1997; **84**: 397-403.
 25. Frank S, Hubner G, Breier G, Longaker MT, Greenhalgh DG, Werner S. Regulation of vascular endothelial growth factor expression in cultured keratinocytes- implication for normal and impaired wound healing. *J Biol Chem* 1995; **270**: 12607-12613.
 26. Friedrich RE, Bartel-Friedrich S, Plambeck K. The presence of collagen III and IV in experimental microsurgical anastomoses of arteries. *J Oral Maxillofac Surg* 2000; **58**: 1125-1128.
 27. Fritsch-Yelle JM, Leuenberger UA, D'Aunno DS, Rossum AC, Brown TE, Wood ML, Josephson ME, Goldberger AL. An episode of ventricular tachycardia during long-duration spaceflight. *Am J Cardiol* 1998; **81**: 1391-1392.
 28. Gennaro G, Menard C, Michaud SE, Rivard A. Age-dependent impairment of reendothelialization after arterial injury: Role of vascular endothelial growth factor. *Circulation* 2003; **107**: 230-233.
 29. Gerber HP, Dixit V, Ferrara N. Vascular endothelial growth factor induces expression of the antiapoptotic proteins Bcl-2 and A1 in vascular endothelial cells. *J Biol Chem* 1998; **273**: 13313-13316.
 30. Gerber HP, Condorelli F, Park J, Ferrara N. Differential transcriptional regulation of the two VEGF Receptor genes. Flt-1, but not Flk-1/ KDR, is upregulated by hypoxia. *J Biol Chem* 1997; **272**: 23659-23667.
 31. Gerber HP, McMurtrey A, Kowalski J, Yan M, Keyt BA, Dixit V, Ferrara N. Vascular endothelial growth factor regulates endothelial cell survival through the phosphatidylinositol 3'-kinase Akt/signal transductions pathway: requirement for Flk- 1/KDR activation. *J Biol Chem* 1998; **273**: 30336-30343.
 32. Gitay-Goren H, Cohen T, Tessler S, Soker S, Gengrinovitch S, Rockwell P, Klagsburn M, Levi B, Neufeld G. Selective binding of VEGF 121 to one of the three VEGF receptors of vascular endothelial cells. *J Biol Chem* 1996; **271**: 5519-5523.

33. Goad DL, Rubin J, Wang H, Tashjian AH, Patterson C. Enhanced expression of vascular endothelial growth factor in human SaOS-2 osteoblast-like cells and murine osteoblasts induced by insulin-like growth factor 1. *Endocrinology* 1996; **137**: 2262-2268.
34. Grad S, Ertel W, Keel M, Infanger M, Vonderschmitt DJ, Maly FE. Strongly enhanced serum levels of vascular endothelial growth factor (VEGF) after polytrauma and burn. *Clin Chem Lab Med* 1998; **36**: 379-83.
35. Grimm D, Bauer J, Kossmehl P, Shakibaei M, Schonberger J, Pickenhahn H, Schulze-Tanzil G, Vetter R, Eilles C, Paul M, Cogoli A. Simulated microgravity alters differentiation and increases apoptosis in human follicular thyroid carcinoma cells. *FASEB J* 2002; **16**: 55-81.
36. Grimm D, Cameron D, Griese DP, Rieger GA, Kromer EP. Differential effects of growth hormone on cardiomyocyte and extracellular matrix protein remodeling following experimental myocardial infarction. *Cardiovasc Res* 1998; **40**: 297-306.
37. Grimm D, Huber M, Jabusch HC, Shakibaei M, Fredersdorf S, Paul M, Rieger GA, Kromer EP. Extracellular matrix proteins in cardiac fibroblasts derived from rat hearts with chronic pressure overload: effects of beta-receptor blockade. *J Mol Cell Cardiol* 2001; **33**: 487-501.
38. Grimm D, Bauer J, Infanger M, Cogoli A. The use of the random positioning machine for the study of gravitational effects on signal transduction in mammalian cells. *Signal transduction* 2006; **6**: 388-396.
39. Guerrin M, Moukadiri H, Chollet P, Moro F, Dutt K, Malecaze F, Plouet J. Vasculotropin/vascular endothelial growth factor is an autocrine growth factor for human retinal pigment epithelial cells cultured in vitro. *J Cell Physiol* 1995; **164**: 386-394.
40. Hamdan AD, Aiello LP, Misare BD, Contreras MA, King GL, LoGerfo FW, Quist WC. Vascular endothelial growth factor expression in canine peripheral vein bypass grafts. *J Vasc Surg* 1997; **26**: 79-86.
41. Hammond TG, Benes E, O'Reilly KC, Wolf DA, Linnehan RM, Taher A, Kaysen JH, Allen PL, Goodwin TJ. Mechanical culture conditions effect gene expression: gravity-induced changes on the space shuttle. *Physiol Genomics* 2000; **3**: 163-173.
42. Hay E (Hrsg.). Cell biology of Extracellular Matrix. New York and London 1951. Plenum Press.

43. Hippenstiel S, Krüll M, Ikemann A, Risau, W, Clauss, M, Suttorp N. VEGF induces hyperpermeability by a direct action on endothelial cells. *Am J Physiol* 1998; **274**: 678 – 684.
44. Houck KA, Ferrara N, Winer J, Cachianes G, Li B, Leung DW. The vascular endothelial growth factor family: identification of a fourth molecular species and characterization of alternative splicing of RNA. *Mol Endocrinol* 1991; **5**:1806-1814.
45. Hiratsuka S, Maru Y, Okada A, Seiki M, Noda T, Shibuya M. Involvement of Flt-1 tyrosine kinase (VEGFR-1) in pathological angiogenesis. *Cancer Res* 2001; **61**:1207-1213.
46. Hiratsuka S, Nakamura K, Iwai S, Murakami M, Itoh T, Kijima H, Shipley JM, Senior RM, Shibuya M. MMP-9 induction by vascular endothelial growth factor receptor-1 is involved in lung specific metastasis. *Cancer Cell* 2002; **2**: 289-300.
47. Howdieshell TR, Callaway D, Webb WL, Gaines MD, Procter CD Jr, Sathyaranayana, Pollock JS, Brock TL, McNeil PL. Antibody neutralization of vascular endothelial growth factor inhibits wound granulation tissue formation. *J Surg Res* 2001; **96**: 173-82.
48. Infanger M, Künzi W, Ertel W, Meyer VE. Stark erhöhte VEGF (Vaskuloendothelialer Wachstumsfaktor) im Serumspiegel von brandverletzten Patienten, besteht ein Zusammenhang mit der Wundheilung? *Swiss Surgery Suppl* 1998; **1**, 84.
49. Infanger M, Schmidt O, Kossmehl P, Grad S, Ertel W, Grimm D. Vascular endothelial growth factor serum level is strongly enhanced after burn injury and correlated with local and general tissue edema. *Burns* 2004; **30**: 305-311.
50. Infanger M, Shakibaei M, Kossmehl P, Hollenberg SM, Grosse J, Faramarzi S, Schulze-Tanzil G, Paul M, Grimm D. Intraluminal application of vascular endothelial growth factor enhances healing of microvascular anastomosis in a rat model. *J Vasc Res* 2005; **42**: 202-213.
51. Infanger M, Kossmehl P, Shakibaei M, Bauer J, Zorn S, Curcio F, Oksche A, Wehland M, Dreutz R, Paul M, Grimm D. Simulated weightlessness changes the cytoskeleton and extracellular matrix proteins in papillary thyroid carcinoma cells. *Cell Tissue Res* 2006; **324**: 267-277.
52. Infanger M, Kossmehl P, Shakibaei M, Baatout S, Witzing A, Grosse J, Bauer J, Cogoli A, Faramarzi S, Derradji H, Neefs M, Paul M, Grimm D. Induction of three-dimensional assembly and increase in apoptosis of human endothelial cells by

- simulated microgravity: impact of vascular endothelial growth factor. *Apoptosis* 2006; **11**: 749-764.
53. Infanger M, Ulbrich C, Baatout S, Wehland M, Kreutz R, Bauer J, Grosse J, Vadrucci S, Cogoli A, Derradji H, Neefs M, Küsters S, Spain M, Grimm D. Modeled gravitational unloading induced downregulation of Endothelin-1 in human endothelial cells. *J Cell Biochem* 2007 (in press).
 54. Isoda K, Nishikawa K, Kamezawa Y, Yoshida M, Kusuhara M, Moroi M, Tada N, Ohsuzu F. Osteopontin plays an important role in the development of medial thickening and neointimal formation. *Circ Res* 2002; **91**: 77-82.
 55. Ito A, Hirota S, Mizuno H, Kawasaki Y, Takemura T, Nishiura T, Kanakura Y, Katayama Y, Nomura S, Kitamura Y. Expression of vascular permeability factor (VPF/VEGF) messenger RNA by plasma cells: possible involvement in the development of edema in chronic inflammation. *Pathol Int* 1995; **45**: 715-20.
 56. Kendall RL, Thomas KA. Inhibition of vascular endothelial growth factor activity by an endogenously encoded soluble receptor. *Proc Natl Acad Sci USA* 1993; **90**:10705-10709.
 57. Komatsu S, Tamai S. Successful replantation of a completely cut-off thumb. *Plast Reconstr Surg* 1968; **42**: 374.
 58. Kossmehl P, Kurth E, Faramarzi S, Habighorst B, Shakibaei M, Wehland M, Kreutz R, Infanger M, J Danser AH, Grosse J, Paul M, Grimm D. Mechanisms of apoptosis after ischemia and reperfusion: role of the renin-angiotensin system. *Apoptosis* 2006; **11**: 347-358.
 59. Kossmehl P, Schoenberger J, Shakibaei M, Faramarzi S, Kurth E, Habighorst B, von Bauer R, Wehland M, Kreutz R, Infanger M, Schulze-Tanzil G, Paul M, Grimm D. Increase of fibronectin and osteopontin in porcine hearts following ischemia and reperfusion. *J Mol Med* 2005; **83**: 626-637.
 60. Kossmehl P, Shakibaei M, Cogoli A, Infanger M, Pickenhahn H, Paul M, Grimm D. Weightlessness induced apoptosis in normal thyroid cells and papillary thyroid carcinoma cells via extrinsic and intrinsic pathways. *Endocrinology* 2003; **144**: 4172-4179.
 61. Kucharcz E. The Collagens: Biochemistry and Pathophysiology. New York, Springer, 1992, p 10.
 62. Kuhn K, Mayne R, Burgeson RE (eds). The classical collagens: Types I, II and III;

- Structure and Function of Collagen Types. Orlando, *Academic Press* 1987, 1–42.
- 63. Larcher F, Murillas R, Bolontrade M, Conti CJ, Jorcano JL. VEGF/VPF overexpression in skin of transgenic mice induces angiogenesis, vascular hyperpermeability and accelerated tumor development. *Oncogene* 1998; **23**: 303-11.
 - 64. Lauber K, Bohn E, Krober SM, Xiao YJ, Blumenthal SG, Lindemann RK, Marini P, Wiedig C, Zobywalski A, Baksh S, Xu Y, Autenrieth IB, Schulze-Osthoff K, Belka C, Stuhler G, Wesselborg S. Apoptotic cells induce migration of phagocytes via caspase-3-mediated release of a lipid attraction signal. *Cell* 2003; **113**: 717-730.
 - 65. Leali D, Dell'Era P, Stabile H, Sennino B, Chambers AF, Naldini A, Sozzani S, Nico B, Ribatti D, Presta M. Osteopontin (Eta-1) and fibroblast growth factor-2 crosstalk in angiogenesis. *J Immunol* 2003; **171**: 1085–1093.
 - 66. Lennard CM, Patel A, Wilson J, Reinhardt B, Tuman C, Fenton C, Blair E, Francis GL, Tuttle RM. Intensity of vascular endothelial growth factor expression is associated with increased risk of recurrence and decreased disease-free survival in papillary thyroid cancer. *Surgery* 2001; **129**: 552-558.
 - 67. Leung DW, Cachianes G, Kuang WJ, Goeddel DV, Ferrara N. Vascular endothelial growth factor (VEGF) is a secreted angiogenic mitogen. *Science* 1989; **246**: 1306-1309.
 - 68. Lewis ML, Reynolds JL, Cubano LA, Hatton JP, Lawless BD, Piepmeier EH. Spaceflight alters microtubules and increases apoptosis in human lymphocytes (Jurkat). *FASEB* 1998; **12**: 1007-1018.
 - 69. Li J, Perrella MA, Tsai JC, Yet SF, Hsieh CM, Yoshizumi M, Patterson C, Endege WO, Zhou F, Lee ME. Induction of vascular endothelial growth factor gene expression by interleukin 1 beta in rat aortic smooth muscle cells. *J Biol Chem* 1995; **270**, 308-312.
 - 70. Li J, Zhang YP, Kirsner RS. Angiogenesis in wound repair: angiogenetic growth factors ant the extracellular matrix. *Microsc Res Tech* 2003; **60**: 107-114.
 - 71. Lindner V, Reidy MA. Expression of VEGF receptors in arteries after endothelial injury and lack of increased endothelial regrowth in response to VEGF. *Arterioscler Thromb Vasc Biol* 1996; **16**: 1399–1405.
 - 72. Luo Z, Asahara T, Tsurumi Y, Isner JM, Symes JF. Reduction of vein graft intimal hyperplasia and preservation of endothelium dependent relaxation by topical vascular endothelial growth factor. *J Vasc Surg* 1998; **27**: 167–173.

73. Matsumoto K, Ohi H, Kanmatsuse K. Interleukin -10 and interleukin – 13 synergize to inhibit vascular permeability factor release by peripheral blood mononuclear cells from patients with lipoid nephrosis. *Nephron* 1997; **77**: 212-218.
74. Matsumoto K, Yoshitomi H, Rossant J, Zaret KS. Liver organogenesis promoted by endothelial cells prior to vascular function. *Science* 2001; **294**:559-563.
75. Matsumoto T, Claesson-Welsh L. VEGF receptor signal transduction. *Sci STKE* 2001; **112**:1-17.
76. Miano JM, Vlasic N, Tota RR, Stemerman MB. Smooth muscle cell immediate-early gene and growth factor activation follows vascular injury. A putative in vivo mechanism for autocrine growth. *Arterioscler Thromb* 1993; **13**: 211–219.
77. Morales-Ruiz M, Fulton D, Sowa G, Languino LR, Fujio Y, Walsh K, Sessa WC. Vascular endothelial growth factor-stimulated actin reorganization and migration of endothelial cells is regulated via serine/threonine Kinase Akt. *Circ Res* 2000; **86**: 892-896.
78. Murohara T, Horowitz JR, Silver M, Tsurumi Y, Chen D, Sullivan A, Isner JM. Vascular endothelial growth factor vascular permeability vector enhances vascular permeability via nitric oxide and prostacyclin. *Circulation* 1998; **97**, 99-107.
79. Nagata S. Apoptosis by death factor. *Cell* 1997; **88**: 355-365.
80. Oberg-Welsh C, Sandler S, Andersson A, Welsh M. Effects of vascular endothelial growth factor on pancreatic duct cell replication and the insulin production of fetal islet-like cell clusters in vitro. *Mol Cell Endocrinol* 1997; **126**: 125-132.
81. Olofsson B, Korpelainen E, Pepper MS, Mandriota SJ, Aase K, Kumar V, Gunji Y, Jeltsch MM, Shibuya M, Alitalo K, Eriksson U. Vascular endothelial growth factor B binds to VEGF receptor – 1 and regulates plasminogen activator activity in endothelial cells. *Proc Natl Acad Sci USA* 1998; **95**:11709-11714.
82. Orlinick JR, Vaishnav A, Elkorn KB, Chao MV. Requirement of cyteine-rich repeats of the fas receptor for binding by the fas ligand. *J Biol Chem* 1997; **272**: 28889-28894.
83. Park JE, Chen HH, Winer J, Houck KA, Ferrara N. Placenta growth factor. Potentiation of vascular endothelial growth factor bioactivity in vitro and in vivo, and high affinity binding to Flk-1 but not to Flk/KDR. *J Biol Chem* 1994; **269**: 25646-25654.
84. Pertovaara L, Kaipainen A, Mustonen T, Orpana A, Ferrara N, Saksela O, Alitalo K. Vascular endothelial growth factor is induced in response to transforming growth

- factor-b in fibroblastic and epithelial cells. *J Biol Chem* 1995; **269**: 6271-6274.
85. Ploüet J, Schilling J Gospodarowicz D. Isolation and characterization of a newly identified endothelial cell mitogen produced by AtT-20 cells. *EMBO J* 1989; **8**: 3801-3808.
86. Poliakova L, Kovesdi I, Wang X, Capogrossi MC, Talan M. Vascular permeability effect of adenovirus-mediated vascular endothelial growth factor gene transfer to the rabbit and rat skeletal muscle. *J Thorac Cardiovasc Surg* 1999; **118**: 339–347.
87. Roberts WG, Palade GE. Increased microvascular permeability and endothelial fenestration induced by vascular endothelial growth factor. *J Cell Sci* 1995; **108**, 2369-2379.
88. Ryuto M, Ono M, Izumi H, Yoshida S, Weich HA, Kohno K, Kuwano M. Induction of vascular endothelial growth factor alpha in human glioma cells. Possible roles of SP-1. *J Biol Chem* 1996; **271**: 28220-28228.
89. Schatten H, Lewis ML, Chakrabarti A. Spaceflight and clinorotation cause cytoskeleton and mitochondria changes and increases in apoptosis in cultured cells. *Acta Astronaut* 2001; **49**: 399–418.
90. Schoenberger J, Grimm D, Kossmehl P, Infanger M, Kurth E, Eilles C. Effects of PTK787/ZK222584, a tyrosine kinase inhibitor, on the growth of a poorly differentiated thyroid carcinoma: An animal study. *Endocrinology* 2004; **145**: 1031–1038.
91. Schwartz MA. Integrin signaling revisited. *Trends Cell Biol* 2001; **11**: 466-470.
92. Schwartz SM, Benditt EP. Cell replication in the aortic endothelium: A new method for study of the problem. *Lab Invest* 1973; **28**: 699–707.
93. Senger DR, Galli SJ, Dvorak AM, Perruzzi CA, Harvey VS, Dvorak HF. Tumor cells secrete a vascular permeability factor that promotes accumulation of ascites fluid. *Science* 1983; **219**: 983-985.
94. Shalaby F, Rossant J, Yamaguchi TP, Gertsenstein M, Wu XF, Breitman ML, Schuh AC. Failure of blood-island formation and vascularogenesis in Flk-1-deficient mice. *Nature* 1995; **376**: 62-66.
95. Sharma K, Wang RX, Zhang LY, Yin DL, Luo XY, Solomom JC, Jiang RF, Markos K, Davidson W, Scott DW, Shi YF. Death the fas way: regulation and pathophysiology of CD95 and its ligand. *Pharmacol Ther* 2000; **88**: 333-347.

96. Shweiki D, Itin A, Soffer D, Keshet E. Vascular endothelial growth factor induced by hypoxia may mediate hypoxia-initiated angiogenesis. *Nature(London)* 1992; **359**: 843-845.
97. Soker S, Takashima S, Miao HQ, Neufeld G, Klagsbrun M. Neuropilin-1 is expressed by endothelial and tumor cells as an isoform-specific receptor for vascular endothelial growth factor. *Cell* 1998; **92**: 735-745.
98. Sondell M, Lundborg G, Kanje M. Vascular endothelial growth factor has neurotrophic activity and stimulates axonal outgrowth, enhancing cell survival and Schwann cell proliferation in the peripheral nervous system. *J Neurosci* 1999; **19**: 5731-5740.
99. Terman BI, Dougher-Vermazen M, Carrion ME, Dimitrov D, Armellino DC, Gospodarowicz D, Bohlen P. Identification of the KDR tyrosine kinase as a receptor for vascular endothelial cell growth factor. *Biochem Biophys Res Commun* 1992; **187**: 1579-1586.
100. Thakahashi T, Shirasawa T, Miyake K, Yahagi Y, Maruyama N, Kasahara N, Kawamura T, Matsumura O, Mitarai T, Sakai O. Protein tyrosine kinase expressed in glomeruli and cultured glomerular cells: Flt-1 and VEGF expression in renal mesangial cells. *Biochem Biophys Res Commun* 1995; **209**: 218-226.
101. Thickett DR, Armstrong L, Christie SJ, Millar AB. Vascular endothelial growth factor may contribute to increased vascular permeability in acute respiratory distress syndrome. *Am J Respir Crit Care Med* 2001; **164**: 1601-1605.
102. van Bruggen N, Thibodeaux H, Palmer JT, Lee WP, Fu L, Caems B, Tumas D, Gerlai R, Williams SP, van Lookeren Campagne M, Ferrara N. VEGF antagonism reduces edema formation and tissue damage after ischemia/reperfusion injury in the mouse brain. *J Clin Invest* 1999; **104**: 1613-1620.
103. Van Royen N, Piek JJ, Buschmann I, Hoefer I, Voskuil M, Schaper W. Stimulation of arteriogenesis; a new concept for the treatment of arterial occlusive disease. *Cardiovasc Res* 2001; **49**:543-553.
104. Vaquero J, Zurita M, de Oya S, Coca S. Vascular endothelial growth/permeability factor in spinal cord injury. *J Neurosurg* 1999; **90**: 4 Suppl, 220-223.
105. Verheul HM, Hoekman K, Luykx-de Bakker S, Eekman CA, Folman CC, Broxterman HJ, Pinedo HM. Platelet: transporter of vascular endothelial growth

- factor. *Clin Cancer Res* 1997; **3**: 2187–2190.
106. Vincenti V, Cassano C, Rocchi M, Persico G. Assignment of the vascular endothelial growth factor gene to human chromosome 6p21.3. *Circulation* 1996; **93**: 1493-1495.
107. Werner S, Smola H, Liao X, Longaker MT, Krieg T, Hofschneider PH, Williams LT. The function of KGF in morphogenesis of epithelium and reepithelialization of wounds. *Science* 1994; **266**: 819-822.
108. White RJ, Averner M. Humans in space. *Nature* 2001; **409**: 1115–1118.
109. Whittles CE, Pocock TM, Wedge SR, Kendrew J, Hennequin LF, Harper SJ, Bates DO. ZM323881, a novel and potent inhibitor of vascular endothelial growth factor-receptor-2 tyrosine kinase activity. *Microcirculation* 2002; **9**: 513-522.
110. Yamada Y, Endo S, Inada K. Plasma cytokine levels in patients with severe burn injury - with reference to the relationship between infection and prognosis. *Burns* 1996; **22**, 587-593.
111. Yuan L, Moyon D, Pardanaud L, Breant C, Karkkainen MJ, Alitalo K, Eichmann A. Abnormal lymphatic vessel development in neuropilin 2 mutant mice. *Development* 2002; **129**: 4797-4806.