

Aus der Klinik für Frauenheilkunde und Geburtshilfe
der Medizinischen Fakultät der Charité – Universitätsmedizin Berlin

DISSERTATION

Fruchtwasserkonzentrationen der proinflammatorischen Zytokine
IL-6, IL-8, TNF α und LBP im zweiten Trimenon: eine prospektive
Studie bei unauffälligen Schwangerschaften

zur Erlangung des akademischen Grades
Doctor medicinae (Dr. med.)

vorgelegt der Medizinischen Fakultät der Charité – Universitätsmedizin Berlin

von
Mattea Linder
aus Frankfurt am Main

Gutachter: 1. Priv.-Doz. Dr. med. K. D. Kalache
2. Priv.-Doz. Dr. med. M. Entezami
3. Priv.-Doz. Dr. med. M. Tchirikov

Datum der Promotion: 22. Juni 2007

Abkürzungsverzeichnis

β -HCG	Humanes Choriogonadotropin
\leq	Kleiner oder gleich
\geq	Größer oder gleich
ACTH	Adenocorticotropin
APGAR	Punkteschema für die Zustandsdiagnostik des Neugeborenen unmittelbar nach der Geburt
ASD	Atriumseptum-Defekt
AZ	Amniozentese
BEL	Beckenendlage
COX-2	Cyclooxygenase-2
CRH	Corticotropin-Releasing-Hormon
CTG	Kardiotokographie
DHEAS	Dehydroepiandrosteronsulfat
FA	Familienanamnese
GA	Gestationsalter
GM-CSF	Granulozyten-Makrophagen koloniestimulierender Faktor
HELLP	<i>engl.</i> : Haemolysis, elevated liver enzymes, low platelets
HPA	Hypothalamus-Hypophysen-Nebennieren-Achse (<i>engl.</i> : hypothalamic-pituitary-adrenal axis)
IL-1ra	Interleukin-1-Rezeptor-Antagonist
IL-6	Interleukin-6
IL-8	Interleukin-8
IR	Interruptio
IUGR	Intrauterine Wachstumsrestriktion (<i>engl.</i> : intrauterine growth restriction)
kDA	Kilo-Dalton (Maßeinheit)
LBP	Lipopolysaccharid bindendes Protein
LVCS	Persistierende linke Hohlvene
max	Maximum
mean	<i>engl.</i> : Mittelwert
min	Minimum

Min	Minute
n	Fallzahl
<i>p</i>	Signifikanzniveau
p.m.	Post menstruationem
PCR	Polymerasen Kettenreaktion (<i>engl.</i> : polymerase chain reaction)
PDGF	<i>engl.</i> : Platelet derived growth factor
PGE	Prostaglandin
pos.	Positiv
PROM	Vorzeitiger Blasensprung (<i>engl.</i> : preterm rupture of the membranes)
rpm	Umdrehung pro Minute (<i>engl.</i> : rounds per minute)
sCD14	Lösliches CD14 Protein (<i>engl.</i> : soluble)
SD	Standardabweichung (<i>engl.</i> : standard deviation)
SGA	Zu klein für das Gestationsalter (<i>engl.</i> : Small for gestational age)
SSW	Schwangerschaftswoche
TNF α	Tumor-Nekrose-Faktor alpha
V.d.	Verdacht auf
VK	Variationskoeffizient
VSD	Vorhofseptum-Defekt
WHO	Weltgesundheitsorganisation (<i>engl.</i> : world health organisation)
Z.n.	Zustand nach

Inhaltsverzeichnis

1	Einleitung und Zielstellung	1
2	Grundlagen	6
2.1	Zytokine	6
2.1.1	Interleukin-6	6
2.1.2	Interleukin-8	9
2.1.3	Tumor-Nekrose-Faktor α	11
2.1.4	Lipopolysaccharid-bindendes Protein	12
2.2	Frühgeburt	12
2.2.1	Definition	12
2.2.2	Hauptsymptome	13
2.2.3	Ursachen	13
3	Material und Methoden	19
3.1	Studiendesign	19
3.2	Einschlusskriterien	20
3.3	Ausschlußkriterien	20
3.4	Materialgewinnung	21
3.5	Zytokinbestimmung	21
3.6	Eichung, Intraassay, Interassay und Besonderheiten des Immulite-Systems	22
3.7	Statistische Auswertung	24
4	Ergebnisse	25
4.1	Indikationen der Amniozentese	25
4.2	Anamnestische Daten des Studienkollektives	26
4.3	Schwangerschaftswoche zur Fruchtwasserpunktion	27
4.4	Auffällige Schwangerschaften	28
4.4.1	Aborte innerhalb von 30 Tage nach der Amniozentese	29
4.4.2	Zervixinsuffizienz, Frühgeburt und Frühgeburtsbestrebung	29
4.4.3	Chromosomale und strukturelle Anomalien	32

4.4.4	Plazentainsuffizienz, Präeklampsie und Gestationsdiabetes	34
4.4.5	Neonatalogie	34
4.5	Unauffällige Schwangerschaften	35
4.5.1	Entbindungsmodus und Entbindungsklinik	36
4.5.2	Daten zur geburtshilfliche Anamnese	37
4.6	Zytokinkonzentrationen	38
4.6.1	Interleukin-6	38
4.6.2	Interleukin-8	40
4.6.3	Tumor-Nekrose-Faktor α	41
4.6.4	Lipopolysaccharid-bindendes Protein	43
4.7	Korrelation: Zytokinkonzentrationen in Abhängigkeit zur Parität	45
4.7.1	Interleukin-6	45
4.7.2	Interleukin-8	46
4.7.3	Tumor-Nekrose-Faktor α	47
4.7.4	Lipopolysaccharid-bindendes Protein	48
4.8	Korrelation: Zytokinkonzentrationen in Abhängigkeit zum Geschlecht	49
4.8.1	Interleukin-6	49
4.8.2	Interleukin-8	50
4.8.3	Tumor-Nekrose-Faktor α	51
4.8.4	Lipopolysaccharid-bindendes Protein	52
5	Diskussion	53
6	Zusammenfassung	65
7	Literaturverzeichnis	67
8	Danksagung	77
9	Erklärung	78
	Lebenslauf	79

7 Literaturverzeichnis

- Andrews WW, Hauth JC, Goldenberg RL. 2000. Infection and preterm birth. *Am J Perinatol* 17:357-365.
- Arias F. 1994. Risikoschwangerschaften und -geburt. Berlin, Wiesbaden: Hackelöer BJ (Hrsg), Ullstein Mosby.
- Athayde N, Edwin SS, Romero R, Gomez R, Maymon E, Pacora P, Menon R. 1998. A role for matrix metalloproteinase-9 in spontaneous rupture of the fetal membranes. *Am J Obstet Gynecol* 179:1248-1253.
- Athayde N, Romero R, Maymon E, Gomez R, Pacora P, Yoon BH, Edwin SS. 2000. Interleukin 16 in pregnancy, parturition, rupture of fetal membranes, and microbial invasion of the amniotic cavity. *Am J Obstet Gynecol* 182:135-141.
- Bahar AM, Ghalib HW, Moosa RA, Zaki ZM, Thomas C, Nabri OA. 2003. Maternal serum interleukin-6, interleukin-8, tumor necrosis factor-alpha and interferon-gamma in preterm labor. *Acta Obstet Gynecol Scand* 82:543-549.
- Baud O, Emilie D, Pelletier E, Lacaze-Masmonteil T, Zupan V, Fernandez H, Dehan M, Frydman R, Ville Y. 1999. Amniotic fluid concentrations of interleukin-1beta, interleukin-6 and TNF-alpha in chorioamnionitis before 32 weeks of gestation: histological associations and neonatal outcome. *Br J Obstet Gynaecol* 106:72-77.
- Baumann P, Romero R. 1995. [Intra-amniotic infection, cytokines and premature labor]. *Wien Klin Wochenschr* 107:598-607.
- Biggio JR, Jr., Ramsey PS, Cliver SP, Lyon MD, Goldenberg RL, Wenstrom KD. 2005. Midtrimester amniotic fluid matrix metalloproteinase-8 (MMP-8) levels above the 90th percentile are a marker for subsequent preterm premature rupture of membranes. *Am J Obstet Gynecol* 192:109-113.
- Casey ML, Cox SM, Beutler B, Milewich L, MacDonald PC. 1989. Cachectin/tumor necrosis factor-alpha formation in human decidua. Potential role of cytokines in infection-induced preterm labor. *J Clin Invest* 83:430-436.
- Di Naro E, Ghezzi F, Raio L, Romano F, Mueller MD, McDougall J, Cicinelli E. 2003. C-reactive protein in vaginal fluid of patients with preterm premature rupture of membranes. *Acta Obstet Gynecol Scand* 82:1072-1079.

- Diedrich, Holzgreve W, Jonat W, Schneider K-TM. 2000. Gynäkologie und Geburtshilfe. Heidelberg: Springer Verlag.
- Dijkstra K, Janssen HC, Kuczynski E, Lockwood CJ. 1999. Cervical length in uncomplicated pregnancy: A study of sociodemographic predictors of cervical changes across gestation. *Am J Obstet Gynecol* 180:639-644.
- Diodato MD, Knoferl MW, Schwacha MG, Bland KI, Chaudry IH. 2001. Gender differences in the inflammatory response and survival following haemorrhage and subsequent sepsis. *Cytokine* 14:162-169.
- el Maradny E, Kanayama N, Maehara K, Kobayashi T, Terao T. 1996. Expression of interleukin-8 receptors in the gestational tissues before and after initiation of labor: immunohistochemical study. *Acta Obstet Gynecol Scand* 75:790-796.
- Espinoza J, Chaiworapongsa T, Romero R, Gomez R, Kim JC, Yoshimatsu J, Edwin S, Rathnasabapathy C, Yoon BH. 2002. Evidence of participation of soluble CD14 in the host response to microbial invasion of the amniotic cavity and intra-amniotic inflammation in term and preterm gestations. *J Matern Fetal Neonatal Med* 12:304-312.
- Fortunato SJ, Menon R, Lombardi SJ. 2002. Role of tumor necrosis factor-alpha in the premature rupture of membranes and preterm labor pathways. *Am J Obstet Gynecol* 187:1159-1162.
- Fortunato SJ, Menon RP, Swan KF, Menon R. 1996. Inflammatory cytokine (interleukins 1, 6 and 8 and tumor necrosis factor-alpha) release from cultured human fetal membranes in response to endotoxic lipopolysaccharide mirrors amniotic fluid concentrations. *Am J Obstet Gynecol* 174:1855-1861; discussion 1861-1852.
- Foulon W, Van Liedekerke D, Demanet C, Decatte L, Dewaele M, Naessens A. 1995. Markers of infection and their relationship to preterm delivery. *Am J Perinatol* 12:208-211.
- Fukuda H, Masuzaki H, Ishimaru T. 2002. Interleukin-6 and interleukin-1 receptor antagonist in amniotic fluid and cord blood in patients with pre-term, premature rupture of the membranes. *Int J Gynaecol Obstet* 77:123-129.
- Gardella C, Hitti J, Martin TR, Ruzinski JT, Eschenbach D. 2001. Amniotic fluid lipopolysaccharide-binding protein and soluble CD14 as mediators of the inflammatory response in preterm labor. *Am J Obstet Gynecol* 184:1241-1248.
- Gauldie J, Richards C, Harnish D, Lansdorp P, Baumann H. 1987. Interferon beta 2/B-cell stimulatory factor type 2 shares identity with monocyte-derived hepatocyte-stimulating

- factor and regulates the major acute phase protein response in liver cells. *Proc Natl Acad Sci U S A* 84:7251-7255.
- Gerdes JS. 1991. Clinicopathologic approach to the diagnosis of neonatal sepsis. *Clin Perinatol* 18:361-381.
- Ghezzi F, Franchi M, Raio L, Di Naro E, Bossi G, D'Eril GV, Bolis P. 2002. Elevated amniotic fluid C-reactive protein at the time of genetic amniocentesis is a marker for preterm delivery. *Am J Obstet Gynecol* 186:268-273.
- Ghidini A, Jenkins CB, Spong CY, Pezzullo JC, Salafia CM, Eglinton GS. 1997. Elevated amniotic fluid interleukin-6 levels during the early second trimester are associated with greater risk of subsequent preterm delivery. *Am J Reprod Immunol* 37:227-231.
- Gibbs RS, Romero R, Hillier SL, Eschenbach DA, Sweet RL. 1992. A review of premature birth and subclinical infection. *Am J Obstet Gynecol* 166:1515-1528.
- Goepfert AR, Goldenberg RL, Andrews WW, Hauth JC, Mercer B, Iams J, Meis P, Moawad A, Thom E, VanDorsten JP, Caritis SN, Thurnau G, Miodovnik M, Dombrowski M, Roberts J, McNellis D. 2001. The Preterm Prediction Study: association between cervical interleukin 6 concentration and spontaneous preterm birth. National Institute of Child Health and Human Development Maternal-Fetal Medicine Units Network. *Am J Obstet Gynecol* 184:483-488.
- Goldenberg RL, Hauth JC, Andrews WW. 2000. Intrauterine infection and preterm delivery. *N Engl J Med* 342:1500-1507.
- Gomez R, Romero R, Edwin SS, David C. 1997. Pathogenesis of preterm labor and preterm premature rupture of membranes associated with intraamniotic infection. *Infect Dis Clin North Am* 11:135-176.
- Goncalves LF, Chaiworapongsa T, Romero R. 2002. Intrauterine infection and prematurity. *Ment Retard Dev Disabil Res Rev* 8:3-13.
- Greig PC, Ernest JM, Teot L, Erikson M, Talley R. 1993. Amniotic fluid interleukin-6 levels correlate with histologic chorioamnionitis and amniotic fluid cultures in patients in premature labor with intact membranes. *Am J Obstet Gynecol* 169:1035-1044.
- Hack M, Fanaroff AA. 1993. Outcomes of extremely immature infants--a perinatal dilemma. *N Engl J Med* 329:1649-1650.
- Hack M, Fanaroff AA. 1999. Outcomes of children of extremely low birthweight and gestational age in the 1990's. *Early Hum Dev* 53:193-218.

- Hack M, Taylor HG, Klein N, Eiben R, Schatschneider C, Mercuri-Minich N. 1994. School-age outcomes in children with birth weights under 750 g. *N Engl J Med* 331:753-759.
- Hampl M, Friese K, Pracht I, Zieger W, Weigel M, Gallati H. 1995. [Determination of cytokines and cytokine receptors in premature labor]. *Geburtshilfe Frauenheilkd* 55:483-489.
- Heikkinen J, Mottonen M, Pulkki K, Lassila O, Alanen A. 2001. Cytokine levels in midtrimester amniotic fluid in normal pregnancy and in the prediction of pre-eclampsia. *Scand J Immunol* 53:310-314.
- Holst RM, Mattsby-Baltzer I, Wennerholm UB, Hagberg H, Jacobsson B. 2005. Interleukin-6 and interleukin-8 in cervical fluid in a population of Swedish women in preterm labor: relationship to microbial invasion of the amniotic fluid, intra-amniotic inflammation, and preterm delivery. *Acta Obstet Gynecol Scand* 84:551-557.
- Hsu CD, Meaddough E, Hong SF, Aversa K, Lu LC, Copel JA. 1998. Elevated amniotic fluid nitric oxide metabolites and interleukin-6 in intra-amniotic infection. *J Soc Gynecol Investig* 5:21-24.
- Husslein P, Egarter C. 1994. [Control of labor onset in the human]. *Z Geburtshilfe Perinatol* 198:163-169.
- Ibelgaufts H. 1992. *Lexikon der Zytokine*. München: Medikon Verlag München.
- Jun JK, Yoon BH, Romero R, Kim M, Moon JB, Ki SH, Park JS. 2000. Interleukin 6 determinations in cervical fluid have diagnostic and prognostic value in preterm premature rupture of membranes. *Am J Obstet Gynecol* 183:868-873.
- Kirchner H, Kruse A, Neustock P, Rink L. 1993. *Zytokine und Interferone*. Heidelberg, Berlin, Oxford: Spectrum Akademischer Verlag.
- Kishimoto T, Akira S, Narazaki M, Taniuchi T. 1995. Interleukin-6 family of cytokines and gp130. *Blood* 86:1243-1254.
- Künzel. 2004. In: www.saling-institut.de.
- Laham N, Brennecke SP, Bendtzen K, Rice GE. 1994. Tumour necrosis factor alpha during human pregnancy and labour: maternal plasma and amniotic fluid concentrations and release from intrauterine tissues. *Eur J Endocrinol* 131:607-614.
- Laham N, Brennecke SP, Bendtzen K, Rice GE. 1996. Differential release of interleukin-6 from human gestational tissues in association with labour and in vitro endotoxin treatment. *J Endocrinol* 149:431-439.

- Lamont RF, Taylor-Robinson D, Newman M, Wigglesworth J, Elder MG. 1986. Spontaneous early preterm labour associated with abnormal genital bacterial colonization. *Br J Obstet Gynaecol* 93:804-810.
- Leitich H, Brunbauer M, Bodner-Adler B, Kaidler A, Egarter C, Husslein P. 2003. Antibiotic treatment of bacterial vaginosis in pregnancy: a meta-analysis. *Am J Obstet Gynecol* 188:752-758.
- Lockwood CJ. 1994. Recent advances in elucidating the pathogenesis of preterm delivery, the detection of patients at risk, and preventative therapies. *Curr Opin Obstet Gynecol* 6:7-18.
- Lockwood CJ, Kuczynski E. 1999. Markers of risk for preterm delivery. *J Perinat Med* 27:5-20.
- Madazli R, Atis A, Uzun H, Aksu F. 2003. Mid-trimester amniotic fluid angiogenin, lactate dehydrogenase and fibronectin in the prediction of preterm delivery. *Eur J Obstet Gynecol Reprod Biol* 106:160-164.
- Martin TR, Mathison JC, Tobias PS, Leturcq DJ, Moriarty AM, Maunder RJ, Ulevitch RJ. 1992. Lipopolysaccharide binding protein enhances the responsiveness of alveolar macrophages to bacterial lipopolysaccharide. Implications for cytokine production in normal and injured lungs. *J Clin Invest* 90:2209-2219.
- May LT, Ghayeb J, Santhanam U, Tatter SB, Sthoeger Z, Helfgott DC, Chiorazzi N, Grieninger G, Sehgal PB. 1988. Synthesis and secretion of multiple forms of beta 2-interferon/B-cell differentiation factor 2/hepatocyte-stimulating factor by human fibroblasts and monocytes. *J Biol Chem* 263:7760-7766.
- Maymon E, Romero R, Chaiworapongsa T, Kim JC, Berman S, Gomez R, Edwin S. 2001. Value of amniotic fluid neutrophil collagenase concentrations in preterm premature rupture of membranes. *Am J Obstet Gynecol* 185:1143-1148.
- Mazor M, Chaim W, Maymon E, Hershkowitz R, Romero R. 1998. The role of antibiotic therapy in the prevention of prematurity. *Clin Perinatol* 25:659-685, x.
- McCormick MC. 1985. The contribution of low birth weight to infant mortality and childhood morbidity. *N Engl J Med* 312:82-90.
- Menon R, Lombardi SJ, Fortunato SJ. 2002. TNF-alpha promotes caspase activation and apoptosis in human fetal membranes. *J Assist Reprod Genet* 19:201-204.
- Mitchell MD, Branch DW, Lundin-Schiller S, Romero RJ, Daynes RA, Dudley DJ. 1991a. Immunologic aspects of preterm labor. *Semin Perinatol* 15:210-224.

- Mitchell MD, Romero RJ, Avila C, Foster JT, Edwin SS. 1991b. Prostaglandin production by amnion and decidual cells in response to bacterial products. *Prostaglandins Leukot Essent Fatty Acids* 42:167-169.
- Nathanielsz PW. 1998. Comparative studies on the initiation of labor. *Eur J Obstet Gynecol Reprod Biol* 78:127-132.
- Norwitz ER, Robinson JN, Challis JR. 1999. The control of labor. *N Engl J Med* 26:660-666.
- Ohlsson A, Vearncombe M. 1987. Congenital and nosocomial sepsis in infants born in a regional perinatal unit: cause, outcome, and white blood cell response. *Am J Obstet Gynecol* 156:407-413.
- Opsjln SL, Wathen NC, Tingulstad S, Wiedswang G, Sundan A, Waage A, Austgulen R. 1993. Tumor necrosis factor, interleukin-1, and interleukin-6 in normal human pregnancy. *Am J Obstet Gynecol* 169:397-404.
- Park CW, Yoon BH, Romero R, Moon JB. 2001. The relationship between oligohydramnions and the onset of preterm rupture of the membranes. *Am J Obstet Gynecol*.
- Perni SC, Vardhana S, Korneeva I, Tuttle SL, Paraskevas LR, Chasen ST, Kalish RB, Witkin SS. 2004. *Mycoplasma hominis* and *Ureaplasma urealyticum* in midtrimester amniotic fluid: association with amniotic fluid cytokine levels and pregnancy outcome. *Am J Obstet Gynecol* 191:1382-1386.
- Petraglia F, Florio P, Nappi C, Genazzani AR. 1996. Peptide signaling in human placenta and membranes: autocrine, paracrine, and endocrine mechanisms. *Endocr Rev* 17:156-186.
- Placzek M, Whitelaw A, Want S, Sahathevan M, Darrell J. 1983. Piperacillin in early neonatal infection. *Arch Dis Child* 58:1006-1009.
- Placzek MM, Whitelaw A. 1983. Early and late neonatal septicaemia. *Arch Dis Child* 58:728-731.
- Poggi SH, Spong CY, Ghidini A, Ossandon M. 2004. Gender differences in amniotic fluid cytokine levels. *J Matern Fetal Neonatal Med* 15:367-371.
- Porter AE, Auth J, Prince M, Ghidini A, Brenneman DE, Spong CY. 2001. Optimization of cytokine stability in stored amniotic fluid. *Am J Obstet Gynecol* 185:459-462.
- Puchner T, Egarter C, Wimmer C, Lederhilger F, Weichselbraun I. 1993. Amniotic fluid interleukin-8 as a marker for intraamniotic infection. *Arch Gynecol Obstet* 253:9-14.
- Putz I, Lohbreyer M, Winkler M, Rath W. 1998. [Appearance of inflammatory cytokines interleukin-1 beta and interleukin-6 in amniotic fluid during labor and in intrauterine pathogen colonization]. *Z Geburtshilfe Neonatol* 202:14-18.

- Romero R, Avila C, Santhanam U, Sehgal PB. 1990. Amniotic fluid interleukin 6 in preterm labor. Association with infection. *J Clin Invest* 85:1392-1400.
- Romero R, Ceska M, Avila C, Mazor M, Behnke E, Lindley I. 1991. Neutrophil attractant/activating peptide-1/interleukin-8 in term and preterm parturition. *Am J Obstet Gynecol* 165:813-820.
- Romero R, Chaiworapongsa T, Espinoza J, Gomez R, Yoon BH, Edwin S, Mazor M, Maymon E, Berry S. 2002a. Fetal plasma MMP-9 concentrations are elevated in preterm premature rupture of the membranes. *Am J Obstet Gynecol* 187:1125-1130.
- Romero R, Chaiworapongsa T, Kuivaniemi H, Tromp G. 2004. Bacterial vaginosis, the inflammatory response and the risk of preterm birth: a role for genetic epidemiology in the prevention of preterm birth. *Am J Obstet Gynecol* 190:1509-1519.
- Romero R, Espinoza J, Chaiworapongsa T, Kalache K. 2002b. Infection and prematurity and the role of preventive strategies. *Semin Neonatol* 7:259-274.
- Romero R, Gomez R, Galasso M, Mazor M, Berry SM, Quintero RA, Cotton DB. 1994a. The natural interleukin-1 receptor antagonist in the fetal, maternal, and amniotic fluid compartments: the effect of gestational age, fetal gender, and intrauterine infection. *Am J Obstet Gynecol* 171:912-921.
- Romero R, Gomez R, Ghezzi F, Yoon BH, Mazor M, Edwin SS, Berry SM. 1998. A fetal systemic inflammatory response is followed by the spontaneous onset of preterm parturition. *Am J Obstet Gynecol* 179:186-193.
- Romero R, Hobbins JC, Mitchell MD. 1988a. Endotoxin stimulates prostaglandin E2 production by human amnion. *Obstet Gynecol* 71:227-228.
- Romero R, Mazor M. 1988. Infection and preterm labor. *Clin Obstet Gynecol* 31:553-584.
- Romero R, Mazor M, Munoz H, Gomez R, Galasso M, Sherer DM. 1994b. The preterm labor syndrome. *Ann N Y Acad Sci* 734:414-429.
- Romero R, Mazor M, Wu YK, Avila C, Oyarzun E, Mitchell MD. 1989a. Bacterial endotoxin and tumor necrosis factor stimulate prostaglandin production by human decidua. *Prostaglandins Leukot Essent Fatty Acids* 37:183-186.
- Romero R, Sirtori M, Oyarzun E, Avila C, Mazor M, Callahan R, Sabo V, Athanassiadis AP, Hobbins JC. 1989b. Infection and labor. V. Prevalence, microbiology, and clinical significance of intraamniotic infection in women with preterm labor and intact membranes. *Am J Obstet Gynecol* 161:817-824.

- Romero R, Tinnakorn, Chaiworapongsa T. 2002c. Intrauterine Infection and the inflammatory response syndrome. *Neo Review* Vol. 3.
- Romero R, Wu YK, Mazor M, Hobbins JC, Mitchell MD. 1988b. Amniotic fluid prostaglandin E2 in preterm labor. *Prostaglandins Leukot Essent Fatty Acids* 34:141-145.
- Romero R, Yoon BH, Kenney JS, Gomez R, Allison AC, Sehgal PB. 1993a. Amniotic fluid interleukin-6 determinations are of diagnostic and prognostic value in preterm labor. *Am J Reprod Immunol* 30:167-183.
- Romero R, Yoon BH, Mazor M, Gomez R, Diamond MP, Kenney JS, Ramirez M, Fidel PL, Sorokin Y, Cotton D, et al. 1993b. The diagnostic and prognostic value of amniotic fluid white blood cell count, glucose, interleukin-6, and gram stain in patients with preterm labor and intact membranes. *Am J Obstet Gynecol* 169:805-816.
- Romero R, Yoon BH, Mazor M, Gomez R, Gonzalez R, Diamond MP, Baumann P, Araneda H, Kenney JS, Cotton DB, et al. 1993c. A comparative study of the diagnostic performance of amniotic fluid glucose, white blood cell count, interleukin-6, and gram stain in the detection of microbial invasion in patients with preterm premature rupture of membranes. *Am J Obstet Gynecol* 169:839-851.
- Ross, Martin EL, Ruzinski JT. 1997. Lipopolysaccharid binding protein and soluble CD14 receptor protein in amniotic fluid and preterm labor. *Am J Obstet Gynecol*.
- Saji F, Samejima Y, Kamiura S, Sawai K, Shimoya K, Kimura T. 2000. Cytokine production in chorioamnionitis. *J Reprod Immunol* 47:185-196.
- Saling E. 2000. [A new method for self assessment of the pH value of vaginal secretions using an indicator-coated panty liner--initial preliminary report]. *Z Geburtshilfe Neonatol* 204:82-84.
- Santhanam U, Avila C, Romero R, Viguier H, Ida N, Sakurai S, Sehgal PB. 1991. Cytokines in normal and abnormal parturition: elevated amniotic fluid interleukin-6 levels in women with premature rupture of membranes associated with intrauterine infection. *Cytokine* 3:155-163.
- Schneider EP. 2000. Vorzeitige Wehen, Zervixreifung und Blasensprung. *Gynäkologie*.
- Schumann RR, Zweigner J. 1999. A novel acute-phase marker: lipopolysaccharide binding protein (LBP). *Clin Chem Lab Med* 37:271-274.
- Shim SS, Romero R, Hong JS, Park CW, Jun JK, Kim BI, Yoon BH. 2004. Clinical significance of intra-amniotic inflammation in patients with preterm premature rupture of membranes. *Am J Obstet Gynecol* 191:1339-1345.

- Shimoya K, Matsuzaki N, Taniguchi T, Kameda T, Koyama M, Neki R, Saji F, Tanizawa O. 1992. Human placenta constitutively produces interleukin-8 during pregnancy and enhances its production in intrauterine infection. *Biol Reprod* 47:220-226.
- Spong CY, Ghidini A, Ossandon M, Walker CN, Pezzullo JC. 1998. Are the cytokines interleukin-6 and angiogenin stable in frozen amniotic fluid? *Am J Obstet Gynecol* 178:783-786.
- Spong CY, Ghidini A, Sherer DM, Pezzullo JC, Ossandon M, Eglinton GS. 1997. Angiogenin: a marker for preterm delivery in midtrimester amniotic fluid. *Am J Obstet Gynecol* 176:415-418.
- Stallmach T, Hebisch G, Joller H, Kolditz P, Engelmann M. 1995. Expression pattern of cytokines in the different compartments of the feto-maternal unit under various conditions. *Reprod Fertil Dev* 7:1573-1580.
- Steinborn A, Gatje R, Kramer P, Kuhnert M, Halberstadt E. 1994. [Cytokines in the diagnosis of amniotic infection syndrome]. *Z Geburtshilfe Perinatol* 198:1-5.
- Steinborn A, Gunes H, Roddiger S, Halberstadt E. 1996. Elevated placental cytokine release, a process associated with preterm labor in the absence of intrauterine infection. *Obstet Gynecol* 88:534-539.
- Steinborn A, von Gall C, Hildenbrand R, Stutte HJ, Kaufmann M. 1998. Identification of placental cytokine-producing cells in term and preterm labor. *Obstet Gynecol* 91:329-335.
- Tucker JM, Goldenberg RL, Davis RO, Copper RL, Winkler CL, Hauth JC. 1991. Etiologies of preterm birth in an indigent population: is prevention a logical expectation? *Obstet Gynecol* 77:343-347.
- Turhan NO, Karabulut A, Adam B. 2000. Maternal serum interleukin 6 levels in preterm labor: prediction of admission-to-delivery interval. *J Perinat Med* 28:133-139.
- Watts DH, Krohn MA, Hillier SL, Wener MH, Kiviat NB, Eschenbach DA. 1993. Characteristics of women in preterm labor associated with elevated C-reactive protein levels. *Obstet Gynecol* 82:509-514.
- Wenstrom KD, Andrews WW, Hauth JC, Goldenberg RL, DuBard MB, Cliver SP. 1998. Elevated second-trimester amniotic fluid interleukin-6 levels predict preterm delivery. *Am J Obstet Gynecol* 178:546-550.

- Wenstrom KD, Andrews WW, Tamura T, DuBard MB, Johnston KE, Hemstreet GP. 1996. Elevated amniotic fluid interleukin-6 levels at genetic amniocentesis predict subsequent pregnancy loss. *Am J Obstet Gynecol* 175:830-833.
- Whitelaw A, Placzek M, Dubowitz L, Lary S, Levene M. 1983. Phenobarbitone for prevention of periventricular haemorrhage in very low birth-weight infants. A randomised double-blind trial. *Lancet* 2:1168-1170.
- Wright SD, Ramos RA, Tobias PS, Ulevitch RJ, Mathison JC. 1990. CD14, a receptor for complexes of lipopolysaccharide (LPS) and LPS binding protein. *Science* 249:1431-1433.
- Yoon BH, Romero R, Kim CJ, Jun JK, Gomez R, Choi JH, Syn HC. 1995. Amniotic fluid interleukin-6: a sensitive test for antenatal diagnosis of acute inflammatory lesions of preterm placenta and prediction of perinatal morbidity. *Am J Obstet Gynecol* 172:960-970.
- Yoon BH, Romero R, Moon JB, Oh SY, Han SY, Kim JC, Shim SS. 2001a. The frequency and clinical significance of intra-amniotic inflammation in patients with a positive cervical fetal fibronectin. *Am J Obstet Gynecol* 185:1137-1142.
- Yoon BH, Romero R, Moon JB, Shim SS, Kim M, Kim G, Jun JK. 2001b. Clinical significance of intra-amniotic inflammation in patients with preterm labor and intact membranes. *Am J Obstet Gynecol* 185:1130-1136.

8 Danksagung

In erster Linie möchte ich mich bei Herrn Privatdozent Dr. med. Karim. D. Kalache bedanken, für die Überlassung des Themas und für die intensive und unermüdliche Unterstützung bei der Ausfertigung der Arbeit, sowie für seine freundliche und geduldige Begleitung über den Zeitraum der Studie.

Ich möchte mich bei Dr. Christian Bamberg für die Unterstützung bei der Arbeit an dem klinischen Teil der Studie, sowie für seine kritischen Hinweise bei der Anfertigung dieser Arbeit bedanken.

Ebenfalls möchte ich mich bei Frau Susanne Korlach, Mitarbeiterin des Forschungslabors der Klinik für Frauenheilkunde und Geburtshilfe bedanken, für ihre fachkundige Bestimmung der Fruchtwasserwerte.

Zusätzlich gilt mein besonderer Dank den Schwestern der Abteilung für Pränatale Diagnostik und Therapie, Klinik für Frauenheilkunde und Geburtshilfe, die mir beim Sammeln der Fruchtwasserproben sehr geholfen haben und ohne deren Mithilfe die vorliegende Studie nicht hätte durchgeführt werden können.

9 Erklärung

„Ich, Mattea Linder, erkläre, dass ich die vorgelegte Dissertationsschrift mit dem Thema: „Fruchtwasserkonzentrationen der proinflammatorischen Zytokine IL-6, IL-8, TNF α und LBP im zweiten Trimenon: eine prospektive Studie bei unauffälligen Schwangerschaften“ selbst verfasst und keine anderen als die angegebenen Quellen und Hilfsmittel benutzt, ohne die (unzulässige) Hilfe Dritter verfasst und auch in Teilen keine Kopien anderer Arbeiten dargestellt habe.“

Datum

Unterschrift

Lebenslauf

Mein Lebenslauf wird aus Datenschutzgründen in der elektronischen Version meiner Arbeit nicht mit veröffentlicht.