

## 8 Literaturverzeichnis

Abbott D. H., Dumesic D. A., Franks S. (2002)

Developmental origin of polycystic ovary syndrome, a hypothesis.

J. Endocrinol. **174**: 1-5

Abel M. H., Wootton A. N., Wilkins V., Huhtaniemi I., Knight P. G., Charlton H. M. (2000)

The effect of a null mutation in the follicle-stimulating hormone receptor gene on mouse reproduction.

Endocrinology **141**: 1795-1803

Abulafia O., Sherer D. M. (2000)

Angiogenesis of the ovary.

Am. J. Obstet. Gynecol. **182**: 240-246

Acosta T. J., Miyamoto A., Ozawa T., Wijayagunawardane M. P. B., Sato K. (1998)

Local release of steroid hormones, prostaglandin E2, and endothelin-1 from bovine mature follicles in vitro: Effects of luteinizing hormone, endothelin-1 and cytokines.

Biol. Reprod. **59**: 437-443

Acosta T. J., Yoshizawa N., Ohtani M., Miyamoto A. (2002)

Local changes in blood flow within the early and midcycle corpus luteum after Prostaglandin 2 alpha injection in the cow.

Biol. Reprod. **66**: 651-658

Adams J. M., Cory S. (1998)

The Bcl-2 protein-family: arbiters of cell survival.

Sci. **281**: 1322-1326

Albert C., Garrido N., Rao C. V., Remohi J., Simon C., Pellicer A. (2002)

The role of endothelium in the pathogenesis of ovarian hyperstimulation syndrome.

Mol. Hum. Reprod. **8**: 409-418

- Allen R. T., Hunter W. J., Agrawal D. K. (1997)  
Morphological and biochemical characterization and analysis of apoptosis.  
*J. Pharmacol. Toxicol. Methods* **37**: 215-228
- Al-zi`abi M. O., Fraser H. M., Watson E. D. (2002)  
Cell death during natural and induced luteal regression in mares.  
*Reproduction* **123**: 67-77
- Armstrong J. S. (2006)  
Mitochondrial membrane permeabilization: the sine qua non for cell death.  
*Bioessays* **28**: 253-60
- Arosh J. A., Banu S. K., Chapdelaine P., Madore E., Sirois J., Fortier M. A. (2004)  
Prostaglandin biosynthesis, transport, and signaling in corpus luteum: a basis for autoregulation of luteal function.  
*Endocrinology* **145**: 2551-2560
- Augustin H. G. (2000)  
Vascular morphogenesis in the ovary.  
*Clin. Obstet. Gynaecol.* **14**: 867-882
- Aust G., Brylla E., Lehmann I., Kiessling S., Spanel-Borowski K. (1999)  
Cloning of bovine RANTES mRNA and its expression and regulation in ovaries in the periovulatory period.  
*FEBS Lett.* **463**: 160-164
- Bahrami M. (2003)  
Quantifizierung der Angiogenese und Anti-Angiogenese in vitro.  
Dissertation. Tierärztliche Fakultät der Freien Universität Berlin.
- Barker R. N., Erwig L. P., Pearce W. P., Devine A., Rees A. J. (1999)  
Differential effects of necrotic or apoptotic cell uptake on antigen presentation by macrophages.  
*Pathobiology* **67**: 302-305

Bates D. O., Harper S. J. (2002)

Regulation of vascular permeability by vascular endothelial growth factors.

Vasc. Pharmacol. **39**: 225-37

Bauer M., Schilling N., Spanel-Borowski K. (2003)

Development and regression of non-capillary vessels in the bovine corpus luteum.

Cell. Tis. Res. **311**: 199-205

Bellin R., Capila I., Linecum J., Park P. W., Reizes O., Bernfield M. R. (2002)

Unlocking the secrets of syndecans: transgenic organisms as a potential key.

Glycoconj. J. **19**: 295-304

Benjamin L. E., Hemo I., Keshet E. (1998)

A plasticity window for blood vessel remodelling is defined by pericyte coverage of the preformed endothelial network and is regulated by PDGF-B and VEGF.

Development **125**: 1591-1598

Berisha B., Schams D., Kosman M., Amselgruber W., Einspanier R. (2000)

Expression and tissue concentration of vascular endothelial growth factor, its receptors, and localization in the bovine corpus luteum during estrous cycle and pregnancy.

Biol. Reprod. **63**: 1106-1114

Berisha B., Sinowatz F., Schams D. (2004)

Expression and localization of fibroblast growth factor (FGF) family members during the final growth of bovine ovarian follicles.

Mol. Reprod. Dev. **67**: 162-171

Bikfalvi A. (2004)

Platelet factor 4: an inhibitor of angiogenesis.

Semin. Thromb. Hemost. **30**: 379-85

Bikfalvi A., Gimenez-Gallego G. (2004)

The control of angiogenesis and tumor invasion by platelet factor-4 and platelet factor-4 derived molecules.

Semin. Thromb. Hemost. **30**: 137-44

Bloomston M., Shafii A., Zervos E. E., Rosemurgy A. S. (2002)

TIMP-1 overexpression in pancreatic cancer attenuates tumor growth, decreases implantation and metastasis and inhibits angiogenesis.

J. Surg. Res. **102**: 39-44

Boenisch T. (1989)

Handbuch II immunhistochemischer Färbemethoden.

4. überarbeitete Auflage, Dako Corporation, Hamburg

Boiti C., Guelfi G., Brecchia G., Dall'Aglio C., Ceccarelli P., Maranesi M., Mariottini C., Zampini D., Gobbetti A., Zerani M. (2005)

Role of Endothelin-1 system in the luteolytic process of pseudopregnant rabbits.

Endocrinology **146**: 1293-1300

Boone D. L., Yan W., Tsang B. K. (1995)

Identification of a desoxyribonuclease-like endonuclease in rat granulosa and luteal cell nuclei.

Biol. Reprod. **53**: 1057-1065

Boonyaprakob U., Gadsby J. E., Hedgpeth V., Routh P., Almond G. W. (2003)

Expression and localization of vascular endothelial growth factor and its receptors in pig corpora lutea during the oestrous cycle.

Reproduction **126**: 393-405

Bornstein P., Armstrong L. C., Hankenson K. D., Kyriakides T., Yang Z. (2000)

Thrombospondin-2, a matricellular protein with diverse functions.

Matrix Biol. **19**: 557-568

- Brown L. F., Detmar M., Tognazzi K., Abu-Jawdeh G., Iruela-Arispe M. L. (1997)  
Uterine smooth muscle cells express functional receptors (flt-1 and KDR) for vascular permeability factor/vascular endothelial growth factor.  
Lab. Invest. **76**: 245-255
- Brown M. R., Blanchette J. O., Kohn E. C. (2000)  
Angiogenesis in ovarian cancer.  
Clin. Obstet. Gynaecol. **14**: 901-18
- Bukulmez O., Arici A. (2000)  
Leukocytes in ovarian function.  
Hum. Reprod. **1**: 1-15
- Carmeliet P. (2000)  
Mechanisms of angiogenesis and arteriogenesis.  
Nat. Med. **6**: 389
- Carmeliet P. (2003)  
Angiogenesis in health and disease.  
Nat. Med. **9**: 653-660
- Celik-Ozenci C., Akkoyunlu G., Kayisli U. A., Arici A., Demir R. (2003)  
Localization of vascular endothelial growth factor in the zona pellucida of developing ovarian follicles in the rat: a possible role in destiny of follicles.  
Histochem. Cell. Biol. **120**: 383-90
- Chen H., Herndon M. E., Lawler J. (2000)  
The cell biology of thrombospondin-1.  
Matrix Biol. **19**: 557-561

Choudhary E., Sen A., Inskeep E. K., Flores J. A. (2005)

Developmental sensitivity of a bovine corpus luteum to prostaglandin F 2 alpha (PGF 2 alpha) and endothelin-1 (ET-1). Is ET-1 a mediator of the luteolytic actions of PGF 2 alpha or a tonic inhibitor of progesterone secretion?

Biol. Reprod. **72**: 633-42

Chura-Chambi R. M., Tornieri P. H., Spencer P. J., Nascimento P. A., Mathor M. B., Morganti L. (2004)

High-level synthesis of recombinant murine endostatin in Chinese hamster ovary cells.  
Protein Expr. Purif. **35**: 11-6

Colgin D. C., Murdoch W. J. (1997)

Evidence for a role of the ovarian surface epithelium in the ovulatory mechanism of the sheep: secretion of urokinase-type plasminogen activator.  
Anim. Reprod. Sci. **47**: 197-204

Cuevas P., Carceller F., Reimers D., Gimenez-Gallego G. (2000)

Fibroblast growth factor-1 inhibits medial smooth muscle cell apoptosis after balloon injury.

Neurol. Res. **22**: 185-188

Davis J. S. Rueda B. R. (2002)

The corpus luteum: an ovarian structure with maternal instincts and suicidal tendencies.

Front. Biosci. **7**: 1949-1978

Davis J. S., Rueda B. R., Spanel-Borowski K. (2003)

Microvascular endothelial cells of the corpus luteum.

Reprod. Biol. Endocrinol. **1**: 89

Debbage P. L., Solder E., Seidl S., Hutzler P., Hugl B., Ofner D., Kreczy A. (2001)

Intravital lectin perfusion analysis of vascular permeability in human micro- and macro-blood vessels.

Histochem. Cell. Biol. **116**: 349-359

Denschlag D., Keck C. (2002)

Der Gelbkörper.

Ther. Umsch. **59**: 159-62

Dhanabal M., Ramchandran R., Waterman M. J., Lu H., Knebelmann B., Segal M., Sukhatme V. P. (1999)

Endostatin induces endothelial cell apoptosis.

J. Biol. Chem. **274**: 11721-6

Dickson S. E., Fraser H. M. (2000)

Inhibition of early luteal angiogenesis by gonadotropin-releasing hormone antagonist treatment in the primate.

J. Clin. Endocrinol. Metab. **85**: 2339-2344

Dixelius J., Farsson H., Sasaki T., Holmquist K., Lu L., Engstrom A., Timpl R., Welsh M., Claesson-Welsh L. (2000)

Inhibition of early luteal angiogenesis by gonadotropin-releasing hormone antagonist treatment in the primate.

J. Clin. Endocrinol. Metab. **85**: 2339-2344

Dow M. P. D., Bakke J., Cassar C. A., Peters M. W., Pursley J. R., Smith G. W. (2002)

Gonadotropin surge-induced up-regulation of the Plasminogen Activators (Tissue Plasminogen Activator and Urokinase Plasminogen Activator) and the Urokinase Plasminogen Activator Receptor within bovine ovulatory follicular and luteal tissue.

Biol. Reprod. **66**: 1413-1421

Duffy D. M., Stouffer R. L. (2003)

Luteinizing hormone acts directly at granulosa cells to stimulate periovulatory processes: modulation of luteinizing hormone effects by prostaglandin.

Endocrinology **22**: 249-56

Duncan W. C. (2000)

The human corpus luteum: remodelling during luteolysis and maternal recognition of pregnancy.

Rev. Reprod. **5**: 12-17

Earnshaw W., Martins L., Kaufmann S. (1999)

Mammalian caspases: structure, activation, substrates and functions during apoptosis.

Annu. Rev. Biochem. **68**: 838-424

Einspanier R., Schönfelder M., Müller K., Stojkovic M., Kosman M., Wolf E., Schams D. (2002)

Expression of the vascular endothelial growth factor and its receptors and effects of VEGF during in vitro maturation of bovine cumulus-oocyte complexes (COC).

Mol. Reprod. Dev. **62**: 29-36

Enari M., Hug H., Nagata S. (1995)

Involvement of an ICE-like protease in Fas-mediated apoptosis.

Nature **375**: 78-81

Enomoto H., Inoki J., Komiya K., Shiomi T., Ikeda E., Obata K.-J., Matsumoto H., Toyama Y., Obada Y. (2003)

Vascular endothelial growth factor isoforms and their receptors are expressed in human osteoarthritic cartilage.

Am. J. Pathol. **162**: 171-181

Fahrmeir L., Künstler R., Pigeot I., Tutz G. (1997)

Statistik: Der Weg zur Analyse, Springer Verlag, Berlin, Heidelberg

Favaloro E. J., Moraitis N., Koutts J., Exner T., Bradstock K. F. (1989)

Endothelial cell and normal circulating haemopoietic cells share a number of surface antigens.

Thromb. Hemost. **61**: 217-224

Fernandez C. A., Butterfield C., Jackson G., Moses M. A. (2003)

Structural and functional uncoupling of the enzymatic and angiogenic inhibitory activities of TIMP-2: Loop 6 is a novel angiogenesis inhibitor.

J. Biol. Chem. **278**: 40989-95

Ferrara N., Davis-Smyth T. (1997)

The biology of vascular endothelial growth factor.

Endocrine Rev. **18**: 4-25

Ferrara N. (1999)

Role of vascular endothelial growth factor in the regulation of angiogenesis.

Kidney Int. **56**: 794-814

Ferrara N., Frantz G., LeCouter J., Dillard-Telm L., Pham T., Draksharapu A., Giordano T., Peale F. (2003)

Differential expression of the angiogenic factor genes vascular endothelial growth factor (VEGF) and endocrine gland-derived VEGF in normal and polycystic ovaries.  
Am. J. Pathol. **6**: 1881-1893

Ferri K. F., Kroemer G. (2001)

Organelle-specific initiation of cell death pathways.

Nature **3**: 255-263

Fowkes R. C., Chandras C., Chin E. C., Okolo S., Abayasekara D. R., Michael A. E. (2001)

Relationship between the production of prostaglandins and progesterone by luteinizing human granulosa cells.

Endocrinology **171**: 455-62

Fraser H. M., Lunn S. F., Harrison D. J., Kerr J. B. (1999)

Luteal regression in the primate: different forms of cell death during natural and gonadotropin-releasing hormone antagonist or prostaglandin analogue-induced luteolysis.

Biol. Reprod. **61**: 1468-1479

Fraser H. M., Dickson S. E., Lunn S. F., Wulff C., Morris K. D., Carroll V. A., Bicknell R. (2000)

Suppression of luteal angiogenesis in the primate after neutralization of vascular endothelial growth factor.

Endocrinology **41**: 995-1000

Friedman C. L., Danforth D. R., Herbosa-Encarnacion C., Arbogast L., Alak B. M., Seifer D. B. (1997)

Follicular fluid vascular endothelial growth factor concentrations are elevated in women of advanced reproductive age undergoing ovulation induction.

Fertil. Steril. **68**: 607-612

Friedman A., Weiss S., Levy N., Meidan R. (2000)

Role of Tumor Necrosis Factor  $\alpha$  and its type I receptor in luteal regression : induction of programmed cell death in bovine corpus luteum-derived endothelial cells.

Biol. Reprod. **63**: 1905-1912

Gale N. W., Thurstan G., Hackett S. F., Renard R., Wang Q., McClain J., Martin C., Witte C., Witte M. H., Jackson D., Suri C., Campochiaro P. A., Wiegand S. J., Yancopoulus G. D. (2002)

Angiopoietin-2 is required for postnatal angiogenesis and lymphatic patterning, and only the latter role is rescued by angiopoietin-1.

Cell **3**: 411-423

Garcia A., Salaheddine M. (2000)

Ultrasonic morphology of the corpora lutea and central luteal cavities during selection of recipients for embryo transfer.

Reprod. Dom. Anim. **35**: 113-118

Garcia-Iglesias M. J., Bravo-Moral A. M., Perez-Martinez C., Ferreras-Estrada M. C., Martinez-Rodriguez J. M., Escudero-Diez A. (1995)

Incidence and pathomorphology of uterine tumours in the cow.

Zentralbl. Veterinarmed. A. **42**: 421-9

Gavrieli Y., Sherman Y., Ben-Sasson S. A. (1992)

Identification of programmed cell death *in situ* via specific labeling of nuclear DNA fragmentation.

J. Cell. Biol. **119**: 493-501

Gaytan F., Morales C., Garcia-Pardo L. (1999)

A quantitative study of changes in the human corpus luteum microvasculature during menstrual cycle.

Biol. Reprod. **60**: 914-919

Geva E., Jaffe R. B. (2000)

Role of vascular endothelial growth factor in ovarian physiology and pathology.

Fertil. Steril. **74**: 429-38

Girsh E., Dekel N. (2002)

Involvement of Endothelin-1 and its receptors in PGF<sub>2α</sub>-induced luteolysis in the rat.

Mol. Reprod. Dev. **63**: 71-78

Goede V., Schmidt T., Kimmma S., Kozain D., Augustin H. G. (1998)

Analysis of blood vessel maturation process during cyclic ovarian angiogenesis.

Lab. Invest. **78**: 1385-1394

Goerdt S., Orfanos C. E. (1999)

Other functions, other genes: alternative activation of antigen presenting cells.

Immunity **10**: 137-142

Gomez R., Simon C., Remohi J., Pellicer A. (2002)

Vascular endothelial growth factor receptor-2 activation induces vascular permeability in hyperstimulated rats and this effect is prevented by receptor blockade.

Endocrinology **143**: 4339-4348

Gomez R., Simon C., Remohi J., Pellicer A. (2003)

Administration of moderate and high doses of gonadotropins to female rats increases ovarian vascular endothelial growth factor (VEGF) and VEGF Receptor-2 expression that is associated to vascular hyperpermeability.

Biol. Reprod. **68**: 2164-2171

Goth M. I., Hubina E., Raptis S., Nagy G. M., Toth B. E. (2003)

Physiological and pathological angiogenesis in the endocrine system.

Microsc. Res. Tech. **60**: 98-106

Grazul-Bilska A. T., Redmer D. A., Reynolds L. P. (1991)

Secretion of angiogenic activity and progesterone by ovine luteal cell types in vitro.

J. Anim. Sci. **69**: 2099

Green D. R., Reed J. C. (1998)

Mitochondria and apoptosis.

Science **281**: 1309-1312

Greenaway J., Connor K., Pedersen H. G., Coomber B. L., Lamarre J., Petrik J. (2004)

Vascular Endothelial Growth Factor and its Receptor Flk-1/KDR, are cytoprotective in the extravascular compartment of the ovarian follicle.

Endocrinology **145**: 2896- 2905

Greenaway J., Gentry P. A., Feige J. J., Lamarre J., Petrik J. J. (2005)

Thrombospondin and vascular endothelial growth factor are cyclically expressed in an inverse pattern during bovine ovarian follicle development.

Biol. Reprod. **72**: 1071-8

Greenwald G. S. (1989)

Temporal and topographic changes in DNA synthesis after induced follicular atresia.

Biol. Reprod. **41**: 175-181

Gröhn Y. T., Hertl J. A., Harman J. L. (1994)

Effect of early lactation milk yield on reproductive disorders in dairy cows.

Am. J. Vet. Res. **55**: 1521-1528

Grunert E. (1999)

Die gynäkologische Untersuchung. Rektale Untersuchung in: E.Grunert und A. De Kruif. (Hrsg.) Grunert/Berchtold. Fertilitätsstörungen beim weiblichen Rind.

3. Auflage, Parey Verlag, Berlin, Wien, 35-50

Guedez L., McMarlin A. J., Kingma D. W., Bennett T. A., Stetler-Stevenson M., Stetler-Stevenson W.G. (2001)

Tissue inhibitor of metalloproteinase-1 alters the tumorigenicity of Burkitt's lymphoma via divergent effects on tumor growth and angiogenesis.

Am. J. Pathol. **158**: 1207-1215

Gupta R. A., Tejada L. V., Tong B. J., Das S. K., Morrow J. D., Dey S. K., DuBois R. N. (2003)

Cyclooxygenase-1 is overexpressed and promotes angiogenic growth factor production in ovarian cancer.

Cancer Res. **63**: 906-911

Hajitou A., Sounni N. E., Devy L., Grignet-Debrus C., Lewalle J. M., Li H., Deroanne C. F., Lu H., Colige A., Nusgens B. V., Frankenne F., Maron A., Yeh P., Perricaudet M., Chang Y., Soria C., Calberg-Bacq C. M., Foidart J. M., Noel A. (2001)

Down-regulation of vascular endothelial growth factor by tissue inhibitor of metalloproteinase-2: effect on in vivo mammary tumor growth and angiogenesis.

Cancer Res. **61**: 3450-3457

Hanahan D., Folkman J. (1996)

Patterns and emerging mechanism of the angiogenic switch during tumorigenesis.

Cell **86**: 353-64

Hanahan D. (1997)

Signaling vascular morphogenesis and maintenance.

Science **277**: 48-50

Hansel W. (1996)

Special topics in theriogenology, No.2: The ovine corpus luteum.

Theriogenology **45**: 1265-1428

Hata K., Udagawa J., Fujiwaki R., Nakayama K., Otani H., Miyazaki K. (2002)

Expression of Angiopoietin-1, Angiopoietin-2, and Tie-2 Genes in Normal Ovary with Corpus luteum and in Ovarian Cancer.

Oncology **62**: 340-348

Hayashi K., Miyamoto A. (1999)

Angiotensin II interacts with prostaglandin F 2 alpha and endothelin-1 as a local luteolytic factor in the bovine corpus luteum in vitro.

Biol. Reprod. **60**: 1104-1109

Hayashi K., Miyamoto A., Berisha B., Kosman M. R., Okuda K., Schams D. (2000)

Regulation of angiotensin II production and angiotensin II receptors in microvascular endothelial cells from bovine corpus luteum.

Biol. Reprod. **62**: 162-167

Hayashi K. G., Acosta T. J., Tetsuka M., Berisha B., Matsui M., Schams D., Ohtani M., Miyamoto A. (2003)

Involvement of Angiopoietin-Tie System in bovine follicular development and atresia: Messenger RNA expression in theca interna and effect on steroid secretion.

Biol. Reprod. **69**: 2078-2084

Hazzard T. M., Stouffer R. L. (2000)

Angiogenesis in ovarian follicular and luteal development.

Clin. Obstet. Gynaecol. **14**: 883-900

Herzog A. (2001)

Pareys Lexikon der Syndrome. Erb- und Zuchtkrankheiten der Haustiere.

Parey Verlag, Berlin, Wien, 353-355

Hinckley S. T., Milvae R. A. (2001)

Endothelin-1 mediates prostaglandin F<sub>2α</sub> induced luteal regression in the ewe.

Biol. Reprod. **64**: 1619-1623

Holash J., Maisonpierre P. C., Compton D. (1999)

Vessel cooption, regression and growth in tumors mediated by angiopoietins and VEGF.

Science **284**: 1994-8

Horak E. R., Leek R., Kelnk N., LeJeune S., Smith K., Stuart N., Greenall M., Stepniewska K., Harris L. (1992)

Angiogenesis, assessed by platelet/endothelial adhesion molecule antibodies, as indicator node metastases and survival in breast cancer.

Lancet **340**: 1120-1124

Hsu H., Xiong J., Goeddel D. V. (1995)

The TNF-receptor-1-associated protein TRADD signals cell death and NF-B activation.

Cell **81**: 495-504

Ikegami H., Kajikawa S., Ito K., Nii A., Okamiya H., Nakayama H., Doi K. (2002)

Immunhistochemical study on inducible type of nitric oxide (iNOS), basic fibroblast growth factor (bFGF) and tumor growth factor-beta 1 (TGF-beta 1) in arteritis induced in rats by fenoldopam and theophylline, vasodilatator.

Exp. Toxicol. Pathol. **54**: 1-7

Jiang J. Y., Macchiarelli G., Miyabayashi K., Sato E. (2002)

Follicular microvasculature in the porcine ovary.

Cell Tissue Res. **310**: 93-101

- Jiang J. Y., Macchiarelli G., Tsang B. K., Sato E. (2003)  
Capillary angiogenesis and degeneration in bovine ovarian antral follicles.  
*Reproduction* **125**: 211-223
- Jilani S. M., Murphy T. J., Thai S. N. M., Eichmann A., Alva J. A., Iruela-Arispe M. L. (2003)  
Selective Binding of Lectins to Embryonic Chicken Vasculature.  
*J. Histochem. Cytochem.* **51**: 597-604
- Jung S. P., Siegrist B., Hornick C. A., Wang Y. Z., Wade M. R., Anthony C. T., Woltering E. A. (2002)  
Effect of human recombinant Endostatin protein on human angiogenesis.  
*Angiogenesis* **5**: 111-118
- Kader K. N., Moore L. F., Saul J. M., Zborowski M., Ziats N. P., Bellamkonda R. V. (2001)  
Isolation and purification of canine adipose microvascular endothelial cells.  
*Microvasc. Res.* **61**: 220-226
- Käßmeyer S., Plendl J. (2005)  
Stammzellen und Progenitorzellen im adulten Rind. Bericht des 26. Kongresses der Deutschen Veterinärmedizinischen Gesellschaft. Schwerpunktthema: "Tierschutz, Leistung und Gesundheit" Verlag der Deutschen Veterinärmedizinischen Gesellschaft, Gießen: 102, ISBN 3-938026-24-3
- Kaipainen A., Vlaykova T., Hatva E., Bohling T., Jekunen A., Pyrhonen S., Alitalo K. (1994)  
Enhanced expression of the tie receptor tyrosine kinase messenger RNA in the vascular endothelium of metastatic melanomas.  
*Cancer Res.* **54**: 6571-6577
- Kerr J. F., Wyllie A. H., Currie A. R. (1972)  
Apoptosis: a basic biological phenomenon with wide-ranging implications in tissue kinetics.  
*Br. J. Cancer* **26**: 239-257

Kerr J. F. R., Winterford C. M., Harmon B. V. (1994)

Morphological criteria for identifying apoptosis. In Cell Biology. A laboratory Handbook. (Hrsg.): J. E. CELIS.  
2.Aufl. Verlag; Academic Press, San Diego. S. 319-329

Kim Y. M., Jang J. W., Lee O. H., Yeon J., Choi E. Y., Kim K. W., Lee S. T., Kwon Y. G. (2000)

Endostatin inhibits endothelial and tumor cellular invasion by blocking the activation and catalytic activity of matrix metalloproteinase.  
Cancer Res. **60**: 5410-5413

Kim Y.-M., Hwang S., Kim Y.-M., Pyun B.-J., Kim T.-Y., Lee S.-T., Cho Y. S., Kwon Y.-G. (2002)

Endostatin blocks vascular endothelial growth factor-mediated signaling via direct interaction with KDR/Flk-1.  
J. Biol. Chem. **31**: 27872-27879

Kisliouk T., Podlovni H., Meidan R. (2005)

Unique expression and regulatory mechanisms of EG-VEGF/prokineticin-1 and its receptors in the corpus luteum.

Ann. Anat. **187**: 529-537

Kobayashi S., Berisha B., Amselgruber W. M., Schams D., Miyamoto A. (2001)

Production and localisation of angiotensin II in the bovine early corpus luteum: A possible interaction with luteal angiogenic factors and prostaglandin F 2 alpha.  
J. Endocrinol. **170**: 369-380

Koblizek T. I., Weiss C., Yancopoulos G. D., Deutsch U., Risau W. (1998)

Angiopoietin-1 induces sprouting angiogenesis in vitro.  
Curr. Biol. **8**: 529-532

König H. E., Amselgruber W. (1987)

Zur Gefäßversorgung des Corpus luteum im Stadium der Rückbildung beim Rind.  
Verh. Anat. Ges. **81**: 799-800

Kohn E. C., Libutti S. K. (2001)

Angiogenesis, vascular imaging, and therapeutic approaches in ovarian tumors. In Vascular morphogenesis in the female reproductive system. (Hrsg.): H. G. Augustin, M. L. Iruela-Arispe, P. A. W. Rogers und S. K. Smith. Boston: Birkhauser: 187-205

Kotwica J., Skarzynski D., Mlynarczuk J., Rekawiecki R. (2003)

Role of prostaglandin E2 in basal and noradrenaline-induced progesterone secretion by the bovine corpus luteum.

Prostaglandins Other Lipid Mediat. **70**: 351-359

Knickerbocker J. J., Wiltbank M. C., Niswender G. D. (1988)

Mechanisms of luteolysis in domestic live stock.

Domest. Anim. Endocrinol. **5**: 91-107

LeCouter J., Kowalski J., Foster J., Hass P., Zhang Z., Dillard-Telm L., Frantz G., Rangell L., De Guzman L., Keller G. A., Peale F., Gurney A., Hillan K. J., Ferrara N. (2001)

Identification of an angiogenic mitogen selective for endocrine gland endothelium.

Nature **412**: 877-84

Lehmann I., Brylla E., Sittig D., Spanel-Borowski K., Aust G. (2000)

Microvascular endothelial cells differ in their basal and tumour necrosis factor-alpha regulated expression of adhesion molecules and cytokines.

J. Vasc. Res. **37**: 408-416

Lei Z. M., Chegini N., Rao C. H. V. (1991)

Quantitative cell composition of human and bovine corpora lutea from various reproductive states.

Biol. Reprod. **44**: 1148-1156

Levy N., Gordin M., Mamluk R., Yanagisawa M., Smith M. F., Hampton J. H., Meidan R. (2001)

Distinct cellular localization and regulation of endothelin-1 and Endothelin-Converting Enzyme-1 expression in the bovine corpus luteum: implications for luteolysis.

Endocrinology **142**: 5254-5260

Li H., Lindenmeyer F., Grenet C., Opolon P., Menashi S., Soria C., Yeh P., Perricaudet M., Lu H. (2001)

AdTIMP-2 inhibits tumor growth, angiogenesis and metastasis and prolongs survival in mice.

Hum. Gene Ther. **12**: 515-526

Liebich H. G. (2004)

Funktionelle Histologie der Haussäugetiere, Lehrbuch und Farbatlas für Studium und Praxis, 4. Auflage, Verlag Schattauer, Stuttgart, New York

Löffler G., Petrides P. E. (1997)

Biochemie und Pathobiochemie, 5. Auflage, Springer Verlag, Berlin, Heidelberg

Lynch K., Fernandez G., Pappalardo A., Peluso J. J. (2000)

Basic Fibroblast Growth Factor inhibits apoptosis of spontaneously immortalized granulosa cells by regulating intracellular free calcium levels through a protein kinase C $\delta$ -dependent pathway.

Endocrinology **11**: 4209-4217

Maisonpierre P. C., Suri C., Jones P. F., Bartunkova S., Wiegand S. J., Radziejewski C., Compton D., McClain J., Aldrich T., Papadopoulos N., Daly T. J., Davis S., Sato T. N., Yancopoulos G. D. (1997)

Angiopoietin 2, a natural antagonist for Tie 2 that disrupts in vivo angiogenesis.

Science **277**: 55-60

Makowski G. S., Ramsby M. L. (1998)

Binding of latent matrix metalloproteinase 9 to fibrin: activation via plasmin-dependent pathway.

Inflammation **22**: 287-305

Mall J.W. (2003)

In-vitro, in-vivo und klinische Untersuchungen zur Wirksamkeit des Angiogenesehemmers Thalidomid.

Habilitationsschrift. Medizinische Fakultät der Humboldt-Universität Berlin

Martinou J. C., Green D. R. (2001)

Breaking the mitochondrial barrier.

Nat. Rev. Mol. Cell Biol. **2**: 63-67

Massova I., Kotra L. P., Fridman R., Mobashery S. (1998)

Matrix metalloproteinases: structures, evolution and diversification.

FASEB **12**: 1075-1095

Mattioli M., Baroni B., Turriani M., Galeati G., Zannoni A., Castellani G., Berardinelli P., Scapopolo P. A. (2001)

Follicle activation involves vascular endothelial growth factor production and increased blood vessel extension.

Biol. Reprod. **65**: 1014-1019

Maybin J. A., Duncan W. C. (2004)

The human corpus luteum: which cells have progesterone receptors?

Reproduction **128**: 423-431

Mazzali M., Kipari T., Ophascharoensuk V., Wesson J. A., Johnson R., Hughes J. (2002)

Osteopontin-a molecule for all seasons.

QJM **95**: 3-13

McGee E. A., Hsueh A. J. (2000)

Initial and cyclic recruitment of ovarian follicles.

Endocrine Rev. **21**: 200-214

McMichael A. J. (1987)

White Cell differentiation Antigens. Oxford University Press, Oxford pp. 834-836

McRae R. S., Johnston H. M., Mihm M., O'Shaughnessy P. J. (2005)

Changes in mouse granulosa cell gene expression during early luteinization.

Endocrinology **146**: 309-317

Meidan R., Milvae R. A., Weiss S., Levy N., Friedman A. (1999)

Intraovarian regulation of luteolysis.

J. Reprod. Fertil. Suppl. **54**: 217-228

Meidan R., Levy N. (2002)

Endothelin-1 receptors and biosynthesis in the corpus luteum: molecular and physiological implications.

Dom. Anim. Endocrinol. **23**: 287-98

Miramar M. D., Costantini P., Ravagnan L, Saraiva L. M., Haouzi D., Brothers G., Penninger J. M., Peleato M. L., Kroemer G., Susin S. A. (2001)

NADH oxidase activity of mitochondrial apoptosis-inducing factor.

J. Biol. Chem. **276**: 16391-8

Modlich U., Kaup F. J., Augustin H. G. (1996)

Cyclic angiogenesis and blood vessel regression in the ovary: blood vessel regression during luteolysis involves endothelial cell detachment and vessel occlusion.

Lab. Invest. **74**: 771-80

Modlich U. (1997)

Charakterisierung von Endothelzellen im zyklischen Corpus luteum: Untersuchung regressiver Endothelzellen und initiale Analyse eines neuen endothelzellspezifischen Oberflächenmoleküls.

Dissertation. Tierärztliche Fakultät der Freien Universität Berlin.

Morales C., Garcia-Pardo L., Reymundo C., Bellido C., Sanchez-Criado J. E., Gaytan F. (2000)

Different patterns of structural luteolysis in the human corpus luteum of menstruation.  
Hum. Reprod. **15**: 2119-28

Motta P. M., Heyn R., Makabe S. (2000)

Three-dimensional microanatomical dynamics of the ovary in postreproductive aged women.

Fertil. Steril. **78**: 360-70

Murdoch W. J. (1987)

Treatment of sheep with prostaglandin 2 alpha enhances production of luteal chemoattractants for eosinophils.

Am. J. Reprod. Immunol. Microbiol. **15**: 52-56

Murdoch W. J., Gottsch M. L. (2003)

Proteolytic Mechanisms in the Ovulators Folliculo-Luteal Transformation.  
Connect. Tissue Res. **44**: 50-57

Murphy G., Stanton H., Cowell S., Butler G., Knauper V., Atkinson S., Gavrilovic J. (1999)

Mechanisms for pro matrix metalloproteinase activation.  
APMIS **107**: 38-44

Neocleous P. (2000)

Histologische Untersuchungen über die Kapillarisierung des Myokards beim Rind unter besonderer Berücksichtigung des Geschlechts.

Dissertation. Tierärztliche Fakultät der Freien Universität Berlin.

Neogoescu A., Lorimier P., Labat-Moleur F., Drouet C., Robert C., Guillermet C., Brambilla C., Brambilla E. (1996)

In situ apoptotic cell labeling by the TUNEL method: improvement and evaluation on cell preparations.

J. Histochem. Cytochem. **44**: 959-968

Neuvians T. P., Schams D., Berisha B., Pfaffl M. W. (2004)

Involvement of Pro-Inflammatory Cytokines, mediators of Inflammation, and Basic Fibroblast Growth Factor in Prostaglandin F<sub>2α</sub>-induced luteolysis in bovine corpus luteum.

Biol. Reprod. **70**: 473-480

Nicholson D. W., Thornberry N. A., Vaillancourt J. P., Ding C. K., Gallant Y., Griffin P. R., Labelle M., Lazebnik Y. A. (1995)

Identification and inhibition of ICE/CED-3 protease necessary for mammalian apoptosis.

Nature **376**: 37-43

Nickel R., Schummer A., Seiferle E. (2004)

Lehrbuch der Anatomie der Haustiere, Band II, Eingeweide, 9. Auflage,  
Parey Verlag, Berlin

Niswender G. D., Juengel J. L., Silva P. J., Rollyson M. K., McIntush E. W. (2000)

Mechanisms controlling the function and life span of the corpus luteum.

Physiol. Rev. **80**: 1-29

Nör J. E., Christensen J., Mooney D. J., Polverini P. J. (1999)

Vascular Endothelial Growth Factor (VEGF)-mediated angiogenesis is associated with enhanced endothelial cell survival and induction of Bcl-2 expression.

Am. J. Pathol. **154**: 375-384

- Nor J. E., Mitra R. S., Sutorik M. M., Mooney D. J., Castle V. P., Polverini P. J. (2000)  
Thrombospondin-1 induces endothelial cell apoptosis and inhibits angiogenesis by activating the caspase death pathway.  
*J. Vasc. Res.* **37**: 209-18
- Norman P. (2001)  
Obesity, polycystic ovary syndrome and anovulation - how are they interrelated?  
*Curr. Opin. Obstet. Gynecol.* **13**: 323-327
- Oh H., Takagi H., Suzuma K., Otani A., Matsumura M., Honda Y. (1999)  
Hypoxia and vascular endothelial growth factor selectively up-regulate angiopoietin 2 in bovine microvascular endothelial cells.  
*J. Biol. Chem.* **274**: 15732-15739
- Ohtani M., Kobayashi S., Miyamoto A., Hayashi K., Fukui Y. (1998)  
Real time relationships between intraluteal and plasma concentrations of endothelin, oxytocin, and progesterone during prostaglandin F<sub>2α</sub>-induced luteolysis in the cow.  
*Biol. Reprod.* **58**: 102-108
- O'Reilly M. S., Boehm T., Shing Y., Fukai N., Vasios G., Lane W. S., Flynn E., Birkhead J. R., Olsen B. R., Folkman J. (1997)  
Endostatin: an endogenous inhibitor of angiogenesis and tumor growth.  
*Cell* **88**: 277-85
- Ottander U., Solensten N. G., Berg A., Olofsson J. I. (2004)  
Intraovarian blood flow measured with color Doppler ultrasonography inversely correlates with vascular density in the human corpus luteum of the menstrual cycle.  
*Fertil. Steril.* **81**: 154-9
- Paley P. J., Staskus K. A., Gebhard K., Mohanraj D., Twiggs L. B., Carson L. F., Ramakrishnan S (1997)  
Vascular endothelial growth factor expression in early stage ovarian carcinoma.  
*Cancer* **80**: 98-106

- Pan H. A., Wu M. H., Cheng Y. C., Li C. H., Chang F. M. (2002)  
Quantification of Doppler signal in polycystic ovary syndrome using three-dimensional power Doppler Ultrasonography: a possible new marker for diagnosis.  
*Hum. Reprod.* **17**: 201-206
- Papapetropoulos A., Garcia-Cardena G., Dengler T. J. (1999)  
Direct actions of angiopoietin-1 on human endothelium: evidence for network stabilization, cell survival, and interaction with other angiogenic growth factors.  
*Lab. Invest.* **79**: 213-223
- Paranezhad M. E., Bagheri H., Alborzi S., Schmidt E. H. (2003)  
Ovarian stromal blood flow changes after laparoscopic ovarian cauterisation in women with polycystic ovary syndrome.  
*Hum. Reprod.* **18**: 1432-1437
- Parborelli F., Dain L., Tesone M. (2001)  
Gonadotropin-Releasing Hormone agonists affects rat ovarian follicle development by interfering with FSH and Growth Factors on the prevention of apoptosis.  
*Mol. Reprod. Dev.* **60**: 241-247
- Pate J. L., Landis K. P. (2001)  
Immune cells in the corpus luteum: Friends or foes?  
*Reproduction* **122**: 665-676
- Penny L. A., Armstrong D. G., Baxter G., Hogg C., Kindahl H., Barmley T., Watson E. D., Webb R. (1998)  
Expression of monocyte chemoattractant protein-1 in the bovine corpus luteum around the time of natural luteolysis.  
*Biol. Reprod.* **59**: 1464-1469
- Penny L. A. (2000)  
Monocyte Chemoattractant Protein I in luteolysis.  
*Rev. Reprod.* **5**: 63-66

Pepper M. S., Mandriota S. J. (1998)

Regulation of vascular endothelial growth factor receptor-2 (Flk-1) expression in vascular endothelial cells.

Exp. Cell. Res. **241**: 414-425

Perollet C., Han Z. C., Savona C., Caen J. P., Bikfalvi A. (1998)

Platelet Factor-4 modulates fibroblast growth factor 2 (FGF-2) activity and inhibits FGF-2 dimerization.

Blood **9**: 3289-3299

Petrik J. J., Gentry P. A., Feige J.-J., LaMarre J. (2002)

Expression and localization of thrombospondin-1 and -2 and their cell-surface receptor, CD 36, during rat follicular development and formation of the corpus luteum.  
Biol. Reprod. **67**: 1522-1531

Pintucci G., Yu P.-J., Saponara F., Kadian-Dodov D. L., Galloway A. C., Mignatti P. (2005)

PDGF-BB induces vascular smooth muscle cell expression of high molecular weight FGF-2, which accumulates in the nucleus.

J. Cell. Biochem. **95**: 1292-1300

Plendl J. (2000)

Angiogenesis and Vascular Regression in the ovary.

Anat. Histol. Embryol. **29**: 257-266

Plendl J., Hirschberg R. M., Hünigen H. (2002)

Mechanismen der vaskulären Entwicklung und Regression.

Tierärztl. Praxis **30**: 243-53

Poltorak Z., Cohen T., Sivan R., Kandelis Y., Spira G., Vlodavsky I., Keshet E., Neufeld G (1997)

VEGF<sub>145</sub>, a secreted vascular endothelial growth factor isoform that binds to extracellular matrix.

J. Biol. Chem. **272**: 7151-7158

Pru J. K., Lynch M. O., Davis S. J., Rueda B. R. (2003)

Signaling mechanisms in tumor necrosis factor alpha-induced death of microvascular endothelial cells of the corpus luteum.

Reprod. Biol. Endocrinol. **1**:17

Rajamahendran R., Taylor C. (1988)

The use of a real time ultrasound scanner in the study of ovarian activity in postpartum dairy cattle.

J. Dairy Sci. **71**: 135

Redmer D. A., Kirsch J. D., Reynolds L. P. (1991)

Production of mitogenic factors by cell types of estrogen-active and estrogen-inactive preovulatory bovine follicles.

J. Anim. Sci. **69**: 237-245

Redmer D. A., Dai Y., Li J., Charnock-Jones D. S., Smith S. K., Reynolds L. P., Moor R. M. (1996)

Characterization and expression of vascular endothelial growth factor (VEGF) in the ovine corpus luteum.

J. Reprod. Fertil. **108**: 157-165

Reibiger I, Spanel-Borowski K (2000)

Difference in localization of eosinophils and mast cells in the bovine ovary

J. Reprod. Fertil. **118**: 243-249

Reynolds L. P., Redmer D. A. (1998)

Expression of the angiogenic factors, basic fibroblast growth factor and vascular endothelial growth factor in the ovary.

J. Anim. Sci. **76**: 1671-1681

Reynolds L. P., Redmer D. A. (1999)

Growth and development of the corpus luteum.

J. Reprod. Fertil. Suppl. **54**: 18

Reynolds L. P., Grazul-Bilska A. T., Redmer D. A. (2000)

Angiogenesis in the corpus luteum.

Endocrine **12**: 1-9

Reynolds L. P., Grazul-Bilska A. T., Redmer D. A. (2002)

Angiogenesis in the female reproductive organs: pathological implications.

Int. J. Exp. Pathol. **83**: 151-163

Rodriguez-Manzaneque J. C., Lane T. F., Ortega M. A., Hynes R. O., Lawler J., Iruela-Arispe M. L. (2001)

Thrombospondin-1 suppresses tumor growth by a novel mechanism that includes blockade of matrix metalloproteinase-9 activation.

Proc. Natl. Acad. Sci. U S A **98**: 12485-12490

Romeis B. (1989)

Mikroskopische Technik, 17. Neubearbeitete Auflage, Verlag Urban und Schwarzenberg, München

Rueda B. R., Botros I. W., Pierce K. L., Regan J. W., Hoyer P. B. (1995)

Analysis of FP mRNA receptor levels during luteolysis and early pregnancy in the ovine corpus luteum.

Endocrinology **2**: 781-787

Sabourin L. A., Seale P., Wagner J., Rudnicki M. A. (2000)

Caspase 3 cleavage of Ste20-related kinase SLK releases and activates an apoptosis-inducing kinase domain and an actin-disassembling region.

Mol. Cell. Biol. **20**: 684-696

Sahara S., Aoto M., Eguchi Y., Imamoto N., Yoneda Y., Tsujimoto Y. (1999)

Acinus is a caspase-3 activated protein required for apoptotic chromatin condensation.

Nature **401**: 168-173

Saharinen P., Kerkela K., Ekman N., Marron M., Brindle N., Lee G. M., Augustin H., Koh G. Y., Alitalo K. (2005)

Multiple angiopoietin recombinant proteins activate the Tie1 receptor tyrosine kinase and promote its interaction with Tie2.

J. Cell Biol. **169**: 239-243

Schams D., Kosmann M., Berisha B., Amselgruber W. M., Miyamoto A. (2001)

Stimulatory and synergistic effects of luteinising hormone and insulin like growth factor 1 on the secretion of vascular endothelial growth factor and progesterone of cultured bovine granulosa cells.

Exp. Clin. Endocrinol. Diabetes **109**: 155-6

Schams D., Berisha B., Neuvians T., Amselgruber W., Kraetzl W. D. (2003)

Real-time changes of the local vasoactive peptide systems (angiotensin, endothelin) in the bovine corpus luteum after induced luteal regression.

Mol. Reprod. **65**: 57-66

Schauser K. H., Nielsen A. H., Winther H., Dantzer V., Poulsen K. (2001)

Localization of the renin-angiotensin system in the bovine ovary: cyclic variation of the angiotensin II receptor expression.

Biol. Reprod. **65**: 1672-1680

Schedel K. (2002)

Das bovine Ovarialzystensyndrom: Versuch einer in vivo Klassifizierung, in Verbindung mit einer Langzeitstudie zur Überprüfung verschiedener Diagnostik- und Therapieverfahren.

Dissertation. Tierärztliche Fakultät der Freien Universität Berlin.

Shaw D., Britt J. (1995)

Concentrations of tumor necrosis factor- $\alpha$  and progesterone within the bovine corpus luteum sampled by continuous flow microdialysis during luteolysis in vivo.

Biol. Reprod. **53**: 847-854

Shimizu T., Jiang J. Y., Sasada H., Sato E. (2002)

Changes of messenger RNA expression of angiogenic factors and related receptors during follicular development in gilts.

Biol. Reprod. **67**: 1846-1852

Slee E. A., Harte M. T., Kluck R. M., Wolf B. B., Casiano C. A., Newmeyer D. D., Wang H. G., Reed J. C., Nicholson D. W., Alnemri E. S. (1999)

Ordering the cytochrome c-initiated caspase cascade: hierarchical activation of caspases -2, -3, -6, -7, -8, and -10 in a caspase -9-dependent manner.

J. Cell. Biol. **144**: 281-292

Smith W. L., Dewitt D. L. (1996)

Prostaglandin endoperoxide H synthases-1 and-2.

Adv. Immunol. **62**: 167-215

Soker S., Gollamudi-Payne S., Fidder H., Charmahelli H., Klagsbrun M. (1997)

Inhibition of vascular endothelial cell proliferation by a peptide corresponding to the exon 7 encoded domain of VEGF<sub>165</sub>.

J. Biol. Chem. **272**: 31582-31588

Stepien A., Shemesh M., Ziecik A. J. (1999)

Luteinizing hormone receptor kinetic and LH-induced prostaglandin production throughout the estrous cycle in porcine endometrium.

Reprod. Nutr. Dev. **39**: 663-674

Sugino N., Kashida S., Takiguchi S., Karube A., Kato H. (2000)

Expression of vascular endothelial growth factor and its receptors in the human corpus luteum during the menstrual cycle and in early pregnancy.

J. Clin. Endocrinol. Metab. **85**: 3919-3924

Sugino N., Kashida S., Takiguchi S., Karube-Harada A., Kato H. (2001)

Expression of vascular endothelial growth factor (VEGF) receptors in rat corpus luteum: regulation by oestradiol during mid-pregnancy.

Reproduction **122**: 875-881

Suhardja A., Hoffman H. (2003)

Role of growth factors and their receptors in proliferation of microvascular endothelial cells.

Microsc. Res. Tech. **60**: 70-6

Suzuki T., Sasano H., Takaya R., Fukaya T., Yajima A., Nagura H. (1998)

Cyclic changes of vasculature and vascular phenotypes in normal human ovaries.  
Hum. Reprod. **13**: 953-959

Taddei L., Chiarugi P., Brogelli L., Cirri P., Magnelli L., Raugei G., Ziche M., Granger H. J., Chiarugi V., Ramponi G. (1999)

Inhibitory effect of full-length human endostatin on in vitro angiogenesis.  
Biochem. Biophys. Res. Commun. **263**: 340-345

Takaya R., Fukaya T., Sasano H., Suzuki T., Tamura M., Yajima A. (1997)

Macrophages in normal cycling human ovaries; immunohistochemical localization and characterization.

Hum. Reprod. **7**: 1508-1512

Tanaka J., Acosta T. J., Berisha B., Tetsuka M., Matsui M., Kobayashi S., Schams D., Miyamoto A. (2004)

Relative changes in mRNA expression of angiopoietins and receptor Tie in bovine corpus luteum during estrous cycle and prostaglandin 2 alpha induced luteolysis: A possible mechanism for the initiation of luteal regression.

J. Reprod. Dev. **50**: 619-626

Thurston G., Rudge J. S., Ioffe E., Zhou H., Ross L., Croll S. D., Glazer N., Holash J., McDonald D. M., Yancopoulus G. D. (2000)

Angiopoietin-1 protects the adult vasculature against plasma leakage.  
Nat. Med. **6**: 460-463

Tolsma S. S., Stack M. S., Bouck N. (1997)

Lumen formation and other angiogenic activities of cultured capillary endothelial cells are inhibited by thrombospondin-1.

Microvasc. Res. **54**: 13-26

Towson D. H., O'Connor C. L., Pru J. K. (2002)

Expression of monocyte chemoattractant protein-1 and distribution of immune cell population in the bovine corpus luteum throughout the estrous cycle.

Biol. Reprod. **66**: 361-366

Trounson A., Gardner D. K. (1993)

Handbook of in vitro fertilization. CRC Press, Inc 2000 Corporate Blvd., N. W., Boca Raton, Florida: 33431

Tsai S. J., Wiltbank M. C. (1998)

Prostaglandin 2 alpha regulates distinct physiological changes in early and mid-cycle bovine corpora lutea.

Biol. Reprod. **58**: 346-352

Tsujimoto Y., Croce C. (1989)

Analysis of the structure, transcripts and protein structure of bcl-2, the gene involved in follicular lymphoma.

Proc. Natl. Acad. Sci. USA **83**: 5214-5218

Tsujimoto Y., Shimizu S. (2000)

Bcl-2 family: Life-or death switch.

FEBS Lett. **466**: 6-10

Tulandi T., Saleh A., Morris D., Jacobs H. S., Payne N. N., Tan S. L. (2000)

Effects of laparoscopic ovarian drilling on serum vascular endothelial growth factor and on insulin receptors to the oral glucose tolerance test in women with polycystic ovary syndrome.

Fertil. Steril. **74**: 585-588

Van Aarle P., Aguer D., Baars J., Callen A. (1999)  
Kompendium der Fortpflanzung bei Tieren.  
Intervet.

Veikkola T., Karkkainen M., Claesson-Welsh L., Alitalo K. (2000)  
Regulation of angiogenesis via vascular endothelial growth factor receptors.  
Cancer Res. **60**: 203-212

Volpert O. V. (2000)  
Modulation of endothelial cell survival by an inhibitor of angiogenesis  
thrombospondin-1: a dynamic balance.  
Cancer Metastasis Rev. **19**: 87-92

Walsh G. M. (1997)  
Human eosinophils: their accumulation, activation and fate.  
Br. J. Haematol. **97**: 701-709

Waltenberger J., Claesson-Welsh L., Siegbahn A., Shibuya M., Heldin CH. (1994)  
Different signal transduction properties of KDR and Flt1, two receptors for vascular  
endothelial growth factor.  
J. Biol. Chem. **269**: 26988-26995

Wang T. H., Horng S. G., Chang C. L., Wu H. M., Tsai Y. J., Wang H. S., Soong Y. K.  
(2002)  
Human chorionic gonadotropin-induced ovarian hyperstimulation syndrome is  
associated with up-regulation of Vascular Endothelial Growth Factor.  
J. Clin. Endocrinol. Metab. **87**: 3300-3308

Ward N. L., Dumont D. J. (2002)  
The angiopoietins and Tie2/TEK: adding to the complexity of cardiovascular  
development.  
Cell. Dev. Biol. **13**: 19-27

Warner T. D., Mitchell J. A. (2003)  
HIF, stretching to get control of VEGF  
Clin. Sci. (Lond) **105**: 393-394

Webb R., Nicholas B., Gong J. G., Campell B. K., Gutierrez C. G., Garverick H. A., Armstrong D. G. (2003)

Mechanisms regulating follicular development and selection of the dominant follicle.  
J. Reprod. Fertil. Suppl. **61**: 71-90

Wilcock C., Hickman J. A. (1988)  
Characterisation of a Na<sup>+</sup>/K<sup>+</sup>/Cl<sup>-</sup>cotransporter in alkylating agent-sensitive L1210 murine leukemia cells.  
Biochem. Biophys. Acta **946**: 359-369

Witzenbichler B., Maisonpierre P. C., Jones P., Yancopoulos G. D., Isner J. M. (1998)  
Chemotactic properties of angiopoietin-1 and -2, ligands for the endothelial-specific receptor tyrosine kinase Tie2.  
J. Biol. Chem. **273** : 18514-18521

Woessner J. F., Nagase H. (2000)  
Matrix Metalloproteinases and TIMPs.  
J. Biol. Chem. **274**: 21491-21494

Wulff C., Wilson H., Largue P., Duncan W. C., Armstrong D. G., Fraser H. M. (2000)  
Angiogenesis in the human corpus luteum: Localization and Changes in Angiopoietins, Tie 2, and Vascular Endothelial Growth Factor Messenger Ribonucleic Acid.  
J. Clin. Endocrinol. Metab. **11**: 4302-4309

Wulff C., Wilson H., Rudge J. S., Wiegand S. J., Lunn S. F., Fraser H. M. (2001 a)  
Luteal Angiogenesis: Prevention and Intervention by Treatment with Vascular Endothelial Growth Factor Trap<sub>A40</sub>.  
J. Clin. Endocrinol. Metab. **7**: 3377-3386

Wulff C., Wiegand S. J., Saunders P. T., Scobie G. A., Fraser H. M. (2001 b)

Angiogenesis during follicular development in the primate and its inhibition by treatment with truncated FLT-1-Fc (vascular endothelial growth factor Trap (A 40)).  
*Endocrinology* **142**: 3244-3254

Wulff C., Wilson H., Wiegand S. J., Rudge J. S., Fraser H. M. (2002)

Prevention of thecal angiogenesis, antral follicular growth, and ovulation in the primate by treatment with vascular endothelial growth factor trap R1R2.  
*Endocrinology* **142**: 2797-2807

Wuttke W., Pitzel L., Knoke I., Theiling K., Jarry H. (1997)

Immune-endocrine interactions affecting luteal function in pigs.  
*J. Reprod. Fertil. Suppl.* **52**: 19-29

Wyllie A. H., Kerr J. F. R., Currie A. R. (1980)

Cell death: the significance of apoptosis.  
*Int. Rev. Cytol.* **68**: 251-306

Wyllie A. H., Beattie G. J., Hargreaves A. D. (1981)

Chromatin changes in apoptosis.  
*Histochem. J.* **13**: 681-692

Yadav V. K., Lakshmi G., Medhamurthy R. (2005)

Prostaglandin F<sub>2α</sub>-mediated activation of apoptotic signaling cascades in the corpus luteum during apoptosis.  
*J. Biol. Chem.* **11**: 10357-10367

Yamaguchi N., Anand-Apte B., Lee M., Sasaki T., Fukai N., Shapiro R., Que I., Lowik C., Timpl R., Olson B. R. (1999)

Endostatin inhibits VEGF-induced endothelial cell migration and tumor growth independently of zinc binding.  
*EMBO J.* **18**: 4414-4423

Yamamoto S., Konishi I., Mandai M., Kuroda H., Komatsu T., Nabu K., Sakahara H., Mori T. (1997)

Expression of vascular endothelial growth factor (VEGF) in epithelial ovarian neoplasms: correlation with clinicopathology and patient survival, and analysis of serum VEGF levels.

Br. J. Cancer **76**: 1221-1227

Yen H. W., Jakimiuk A. J., Munir I., Magoffin D. A. (2004)

Selective alterations in insulin receptor substrates -1, -2, and -4 in theca but not granulosa cells from polycystic ovaries.

Mol. Hum. Reprod. **10**: 473-9

Zerbe H., Gregory L., Grunert E. (1999)

Zur Behandlung ovariell bedingter Zyklusstörungen beim Milchrind mit Progesteronabgebenden Vorrichtungen.

Tierärztl. Umsch. **54**: 189-192

Zhang B., Moses M. A., Tsang P. C. (2003)

Temporal and spatial expression of tissue inhibitors of metalloproteinases 1 and 2 (TIMP-1 and -2) in the bovine corpus luteum.

Reprod Biol. Endocrinol. **1**: 85

Ziecik A. J., Bodek G., Ciereszko R., Stepien A., Kotwica G. (2001)

Importance of endometrial LH receptors in induction of luteolysis and maternal recognition of pregnancy in the pig.

Reprod. Domest. Anim. **35**: 190-192

Zimmermann R. C., Hartmann T., Bohlen P., Sauer M. V., Kitajewski J. (2001)

Preovulatory treatment of mice with anti-VEGF receptor 2 antibody inhibits angiogenesis in corpora lutea.

Microvasc. Res. **62**: 15-25

Zimmermann R. C., Xiao E., Husami N., Sauer M. V., Lobo R., Kitajewski J., Ferin M. (2001b)

Short-term administration of anti-vascular endothelial growth factor antibody in the late follicular phase delays follicular development in the rhesus monkey.

J. Clin. Endocrinol. Metab. **86**: 768-772

Zimmermann R. C., Hartman T., Kavic S., Pauli S. A., Bohlen P., Sauer M. V., Kitajewski J. (2003)

Vascular endothelial growth factor receptor-2 mediated angiogenesis is essential for gonadotropin-dependent follicle development.

J. Clin. Invest. **112**: 659-669

Zoefel P. (1988)

Statistik in der Praxis, 2. überarbeitete Auflage, Gustav Fischer Verlag, Stuttgart

**Teile der in dieser Dissertation vorliegenden Ergebnisse wurden bereits an anderer Stelle veröffentlicht:**

Bisplinghoff P, Hünigen H, Plendl J (2003)

Dynamics of vascular regression in the corpus luteum (Poster).

Jahrestagung der Gesellschaft für Mikrozirkulation und Vaskuläre Biologie e.V.

16.-18. Oktober 2003 in München

Bisplinghoff P, Hünigen H, Plendl J (2004)

Angiogenesis during luteal regression? (Vortrag).

37. Jahrestagung für Physiologie und Pathologie der Fortpflanzung

19.-20. Februar 2004 in München

Bisplinghoff P, Hünigen H, Plendl J (2004)

Dynamics of vascular regression in the corpus luteum.

J. Vasc. Res. **41**: 108

Bisplinghoff P, Hünigen H, Plendl J (2004)

Angiogenesis during luteal regression?

Wiener Tierärztliche Monatsschrift 91 Suppl 2:1

Bisplinghoff P, Hünigen H, Plendl J (2004)

VEGF, VEGF-R2 and Angiopoietin-2 during angiogenesis and vascular regression (Poster).

Jahrestagung der Gesellschaft für Mikrozirkulation und Vaskuläre Biologie e.V.

7.-9. Oktober 2004, Deutsches Herzzentrum, Berlin

Bisplinghoff P, Hünigen H, Plendl J (2005)

Cellular interactions during luteal angiogenesis and blood vessel regression (Poster).

100. Jahrestagung der Anatomischen Gesellschaft

11.-13. März 2005 in Leipzig

Bisplinghoff P, Hünigen H, Plendl J (2005)

Neue Aspekte der Infertilität bei Hochleistungsmilchkühen (Poster).

26. Kongress der Deutschen Veterinärmedizinischen Gesellschaft

1.-2.- April 2005 in Berlin

Hünigen H, Bisplinghoff P, Plendl J (2004)

Angiogenesis and vascular regression in the corpus luteum periodicum (Poster).

Jahreskongress der Europäischen Vereinigung der Veterinäranatomen

28.-31. Juli 2004 in Oslo, Norwegen