

9 References

Andrade AJ, Grande SW, Talsness CE, Grote K, Golombiewski A, Sterner-Kock A, Chahoud, I. A dose-response study following *in utero* and lactational exposure to di-(2-ethylhexyl) phthalate (DEHP): Effects on androgenic status, developmental landmarks and testicular histology in male offspring rats. *Toxicology* 2006a; 225:64-74.

Andrade AJ, Grande SW, Talsness CE, Grote K, Chahoud, I. A dose-response study following *in utero* and lactational exposure to di-(2-ethylhexyl) phthalate (DEHP): Nonmonotonic dose-response and low dose effects on rat brain aromatase activity. *Toxicology* 2006b; 227:185-192.

Andrade AJ, Grande SW, Talsness CE, Gericke C, Grote K, Golombiewski A, Sterner-Kock A, Chahoud, I. A dose-response study following *in utero* and lactational exposure to di-(2-ethylhexyl) phthalate (DEHP): Reproductive effects on adult male offspring rats. *Toxicology* 2006c; 228:85-97.

Barlow NJ and Foster PM. Pathogenesis of male reproductive tract lesions from gestation through adulthood following *in utero* exposure to Di(n-butyl) phthalate. *Toxicol Pathol* 2003; 31:397-410.

Faqi AS, Klug A, Merker HJ, Chahoud I. Ganciclovir induces reproductive hazards in male rats after short-term exposure. *Hum Exp Toxicol* 1997; 16:505-511.

Faustman EM, and Omenn GS. Risk Assessment. In: Klaassen CD (Ed). *Casarett & Doull's Toxicology. The Basic Science of Poisons*. 5th ed. New York: McGraw-Hill, 1996:75-88

Fisher JS, Macpherson S, Marchetti N, Sharpe RM. Human 'testicular dysgenesis syndrome': a possible model using *in-utero* exposure of the rat to dibutyl phthalate. *Hum Reprod* 2003; 18:1383-1394.

Foster PM. Disruption of reproductive development in male rat offspring following *in utero* exposure to phthalate esters. *Int J Androl* 2006; 29:140-147.

George FW and Ojeda SR. Changes in aromatase activity in the rat brain during embryonic, neonatal, and infantile development. *Endocrinology* 1982; 111:522-529.

Grande SW, Andrade AJ, Talsness CE, Grote K, Chahoud, I. A dose-response study following in utero and lactational exposure to di(2-ethylhexyl)phthalate: effects on female rat reproductive development. *Toxicol Sci* 2006; 91:247-254.

Gray LE, Wolf C, Lambright C, Mann P, Price M, Cooper RL, Ostby J. Administration of potentially antiandrogenic pesticides (procymidone, linuron, iprodione, chlozolate, p,p'-DDE, and ketoconazole) and toxic substances (dibutyl- and diethylhexyl phthalate, PCB 169, and ethane dimethane sulphonate) during sexual differentiation produces diverse profiles of reproductive malformations in the male rat. *Toxicol Ind Health* 1999;15:94-118.

Gray LE, Ostby J, Furr J, Price M, Veeramachaneni DN, Parks L. Perinatal exposure to the phthalates DEHP, BBP, and DINP, but not DEP, DMP, or DOTP, alters sexual differentiation of the male rat. *Toxicol Sci* 2000; 58:350-365.

Kavlock R, Boekelheide K, Chapin R, Cunningham M, Faustman E, Foster P, Golub M, Henderson R, Hinberg I, Little R, Seed J, Shea K, Tabacova S, Tyl R, Williams P, Zacharewski T. NTP Center for the Evaluation of Risks to Human Reproduction: phthalates expert panel report on the reproductive and developmental toxicity of di(2-ethylhexyl) phthalate. *Reprod. Toxicol.* 2002; 16:529-653.

Koch HM, Drexler H, Angerer J. An estimation of the daily intake of di(2-ethylhexyl)phthalate (DEHP) and other phthalates in the general population. *Int J Hyg Environ Health* 2003; 206:77-83.

Koch HM, Preuss R, Angerer J. Di(2-ethylhexyl)phthalate (DEHP): human metabolism and internal exposure - an update and latest results. *Int J Androl* 2006; 29:155-165.

Lephart ED. A review of brain aromatase cytochrome P450. *Brain Res Brain Res Rev* 1996; 22:1-26.

Mesitrich ML. Quantitative correlation between testicular stem cell survival, sperm production, and fertility in the mouse after treatment with different cytotoxic agents. *J Androl* 1982; 3:58-68.

Moore RW, Rudy TA, Lin TM, Ko K, Peterson, RE. Abnormalities of sexual development in male rats with in utero and lactational exposure to the antiandrogenic plasticizer Di(2-ethylhexyl) phthalate. *Environ Health Perspect* 2001; 109:229-237.

Mylchreest E, Cattley RC, Foster PM. Male reproductive tract malformations in rats following gestational and lactational exposure to Di(n-butyl) phthalate: an antiandrogenic mechanism? *Toxicol Sci* 1998; 43:47-60.

Mylchreest E, Sar M, Wallace DG, Foster PM. Fetal testosterone insufficiency and abnormal proliferation of Leydig cells and gonocytes in rats exposed to di(n-butyl) phthalate. *Reprod Toxicol* 2002; 16:19-28.

Parks LG, Ostby JS, Lambright CR, Abbott BD, Klinefelter GR, Barlow NJ, Gray LE. The plasticizer diethylhexyl phthalate induces malformations by decreasing fetal testosterone synthesis during sexual differentiation in the male rat. *Toxicol Sci* 2000; 58:339-349.

Petersen JH and Breindahl T. Plasticizers in total diet samples, baby food and infant formulae. *Food Addit. Contam.* 2000; 17:133-141.

SCMPMD, European Union Scientific Committee on Medicinal Products and Medical Devices. European Commission, Brussels.: Opinion on Medical Devices Containing DEHP Plasticised PVC; Neonates and Other Groups Possibly at Risk from DEHP Toxicity, 2002. (Doc.SANCO/SCMPMD/2002/0010 Final).

Sharpe RM. Hormones and testis development and the possible adverse effects of environmental chemicals. *Toxicol Lett* 2001; 120:221-232.

Shirota M, Saito Y, Imai K, Horiuchi S, Yoshimura S, Sato M, Nagao T, Ono H, Katoh M. Influence of di-(2-ethylhexyl)phthalate on fetal testicular development by oral administration to pregnant rats. *J Toxicol Sci* 2005; 30:175-194.

Shea KM. Pediatric exposure and potential toxicity of phthalate plasticizers. *Pediatrics* 2003; 111:1467-1474.

U.S.Environmental Protection Agency (US EPA). Washington, D.C.: Guidelines for reproductive toxicity risk assessment, 1996. (EPA/630/R-96/009)

Zenick H and Clegg ED. Assessment of male reproductive toxicity: A risk assessment approach. In: Hayes W (ed.). *Principles and methods of toxicology*. New York: Raven Press, 1989:275-309.